

DAFTAR PUSTAKA

- Abdul Rafar, N. R. *et al.* (2019) 'Cost-Effectiveness of Adjuvant Trastuzumab Therapy for Early Breast Cancer in Asia: A Systematic Review.', *Value in health regional issues*, 18, pp. 151–158. doi: 10.1016/j.vhri.2019.02.003.
- Abidin, Z. (2018) 'Peran Jalur Phosphatidyl-Inositol-3-kinase (PI3K) dalam Resistensi Kemoterapi pada Kanker', *Qanun Medika-Medical Journal Faculty of Medicine Muhammadiyah Surabaya*, 2(01).
- Ágg, B. *et al.* (2019) 'The EntOptLayout Cytoscape plug-in for the efficient visualization of major protein complexes in protein-protein interaction and signalling networks.', *Bioinformatics (Oxford, England)*, 35(21), pp. 4490–4492. doi: 10.1093/bioinformatics/btz257.
- Akinleye, A. *et al.* (2013) 'Phosphatidylinositol 3-kinase (PI3K) inhibitors as cancer therapeutics.', *Journal of hematology & oncology*, 6(1), p. 88. doi: 10.1186/1756-8722-6-88.
- Arteaga, C. L. *et al.* (2012) 'Treatment of HER2-positive breast cancer: current status and future perspectives', *Nature reviews Clinical oncology*, 9(1), pp. 16–32.
- Arul, B. and Kothai, R. (2020) 'Anticancer Effect of Capsaicin and Its Analogues', in *Capsicum*. IntechOpen.
- Baek, Y. M. *et al.* (2008) 'A comparative proteomic analysis for Capsaicin-induced apoptosis between human hepatocarcinoma (HepG2) and human neuroblastoma (SK-N-SH) cells', *Proteomics*, 8(22), pp. 4748–4767.
- Bhutani, M. *et al.* (2007) 'Capsaicin is a novel blocker of constitutive and interleukin-6-inducible STAT3 activation', *Clinical Cancer Research*, 13(10), pp. 3024–3032.
- Bilotta, M., Tradigo, G. and Veltri, P. (2019) 'Bioinformatics Data Models, Representation and Storage', in Ranganathan, S. *et al.* (eds) *Encyclopedia of Bioinformatics and Computational Biology*. Oxford: Academic Press, pp. 110–116. doi: <https://doi.org/10.1016/B978-0-12-809633-8.20410-X>.
- Bode, A. M. and Dong, Z. (2011) 'The two faces of Capsaicin', *Cancer research*, 71(8), pp. 2809–2814.
- Brett, J. O. *et al.* (2021) 'ESR1 mutation as an emerging clinical biomarker in metastatic hormone receptor-positive breast cancer', *Breast Cancer Research*, 23(1), p. 85. doi: 10.1186/s13058-021-01462-3.
- Brown, K. K. and Toker, A. (2015) 'The phosphoinositide 3-kinase pathway and therapy resistance in cancer', *F1000prime reports*, 7.
- Buchan, N. S. *et al.* (2011) 'The role of translational bioinformatics in drug discovery', *Drug Discovery Today*, 16(9), pp. 426–434. doi: <https://doi.org/10.1016/j.drudis.2011.03.002>.
- Cerami, E. *et al.* (2012) 'The cBio cancer genomics portal: an open platform for exploring multidimensional cancer genomics data.', *Cancer discovery*, 2(5), pp. 401–404. doi: 10.1158/2159-8290.CD-12-0095.
- Chang, F. *et al.* (2003) 'Involvement of PI3K/Akt pathway in cell cycle progression, apoptosis, and neoplastic transformation: a target for cancer chemotherapy', *Leukemia*, 17(3), pp. 590–603. doi: 10.1038/sj.leu.2402824.
- Che, X. *et al.* (2019) 'Differently Expressed Genes (DEGs) Relevant to Type 2 Diabetes Mellitus Identification and Pathway Analysis via Integrated Bioinformatics Analysis.', *Medical science monitor : international medical journal of experimental and clinical research*, 25, pp. 9237–9244. doi: 10.12659/MSM.918407.
- Chin, C.-H. *et al.* (2014) 'cytoHubba: identifying hub objects and sub-networks from complex

- interactome.’, *BMC systems biology*, 8 Suppl 4(Suppl 4), p. S11. doi: 10.1186/1752-0509-8-S4-S11.
- Cho, W. H. *et al.* (2013) ‘Capsaicin induces apoptosis in MG63 human osteosarcoma cells via the caspase cascade and the antioxidant enzyme system’, *Molecular medicine reports*, 8(6), pp. 1655–1662.
- Choudhury, G. G. *et al.* (1997) ‘PI-3-kinase and MAPK regulate mesangial cell proliferation and migration in response to PDGF’, *American Journal of Physiology-Renal Physiology*, 273(6), pp. F931–F938.
- Derakhshani, A. *et al.* (2020) ‘Overcoming Trastuzumab resistance in HER2-positive breast cancer using combination therapy.’, *Journal of cellular physiology*, 235(4), pp. 3142–3156. doi: 10.1002/jcp.29216.
- Díaz-Laviada, I. and Rodríguez-Henche, N. (2014) ‘The potential antitumor effects of Capsaicin’, *Capsaicin as a Therapeutic Molecule*, pp. 181–208.
- Diehl, J. A. *et al.* (1998) ‘Glycogen synthase kinase-3 β regulates cyclin D1 proteolysis and subcellular localization’, *Genes & development*, 12(22), pp. 3499–3511.
- Esteva, F. J. *et al.* (2002) ‘Phase II study of weekly docetaxel and Trastuzumab for patients with HER-2-overexpressing metastatic breast cancer.’, *Journal of clinical oncology: official journal of the American Society of Clinical Oncology*, 20(7), pp. 1800–1808. doi: 10.1200/JCO.2002.07.058.
- Fallah, Y. *et al.* (2017) ‘MYC-driven pathways in breast cancer subtypes’, *Biomolecules*, 7(3), p. 53.
- Gao, J. *et al.* (2013) ‘Integrative analysis of complex cancer genomics and clinical profiles using the cBioPortal.’, *Science signaling*, 6(269), p. p11. doi: 10.1126/scisignal.2004088.
- Gargiulo, A. R. (2017) *Yen & Jaffe’s Reproductive Endocrinology E-Book: Physiology, Pathophysiology, and Clinical Management*. Elsevier Health Sciences.
- Gasco, M., Shami, S. and Crook, T. (2002) ‘The p53 pathway in breast cancer’, *Breast cancer research*, 4(2), pp. 1–7.
- Goel, S. *et al.* (2016) ‘Overcoming Therapeutic Resistance in HER2-Positive Breast Cancers with CDK4/6 Inhibitors’, *Cancer cell*, 29(3), pp. 255–269. doi: 10.1016/j.ccell.2016.02.006.
- Gupta, N. *et al.* (2020) ‘Cost Effectiveness of Trastuzumab for Management of Breast Cancer in India.’, *JCO global oncology*, 6, pp. 205–216. doi: 10.1200/JGO.19.00293.
- Gutierrez, J. M. *et al.* (2012) ‘Protective effects of anthocyanins on the ectonucleotidase activity in the impairment of memory induced by scopolamine in adult rats.’, *Life sciences*, 91(23–24), pp. 1221–1228. doi: 10.1016/j.lfs.2012.09.013.
- Han, H., Lee, S. and Lee, I. (2019) ‘NGSEA: Network-Based Gene Set Enrichment Analysis for Interpreting Gene Expression Phenotypes with Functional Gene Sets.’, *Molecules and cells*, 42(8), pp. 579–588. doi: 10.14348/molcells.2019.0065.
- Harbeck, N. *et al.* (2019) ‘Breast cancer’, *Nature Reviews Disease Primers*, 5(1), p. 66. doi: 10.1038/s41572-019-0111-2.
- Hinz, N. and Jücker, M. (2019) ‘Distinct functions of AKT isoforms in breast cancer: a comprehensive review’, *Cell communication and signaling: CCS*, 17(1), p. 154. doi: 10.1186/s12964-019-0450-3.
- Hou, J. (2017) ‘Chapter 7 - Protein Function Prediction from Functional Connectivity’, in Hou, J. B. T.-N. A. of P. F. P. from P. I. N. (ed.). Academic Press, pp. 97–105. doi: <https://doi.org/10.1016/B978-0-12-809814-1.00007-8>.
- Huang, D. W., Sherman, B. T. and Lempicki, R. A. (2009a) ‘Bioinformatics enrichment tools: paths

- toward the comprehensive functional analysis of large gene lists.’, *Nucleic acids research*, 37(1), pp. 1–13. doi: 10.1093/nar/gkn923.
- Huang, D. W., Sherman, B. T. and Lempicki, R. A. (2009b) ‘Systematic and integrative analysis of large gene lists using DAVID bioinformatics resources.’, *Nature protocols*, 4(1), pp. 44–57. doi: 10.1038/nprot.2008.211.
- Huang, S. (2013) ‘Inhibition of PI3K/Akt/mTOR signaling by natural products.’, *Anti-cancer agents in medicinal chemistry*, pp. 967–970. doi: 10.2174/1871520611313070001.
- Hwang, J.-T. *et al.* (2007) ‘Capsaicin can Induce Apoptosis in Estrogen-sensitive MCF-7 Cells via ERK and p38 MAP-kinases’.
- Iskar, M. *et al.* (2012) ‘Drug discovery in the age of systems biology: the rise of computational approaches for data integration’, *Current Opinion in Biotechnology*, 23(4), pp. 609–616. doi: <https://doi.org/10.1016/j.copbio.2011.11.010>.
- Jia, A., Xu, L. and Wang, Y. (2021) ‘Venn diagrams in bioinformatics.’, *Briefings in bioinformatics*, 22(5). doi: 10.1093/bib/bbab108.
- Jiao, X. *et al.* (2012) ‘DAVID-WS: a stateful web service to facilitate gene/protein list analysis’, *Bioinformatics*, 28(13), pp. 1805–1806.
- Jin, J. *et al.* (2014) ‘Capsaicin mediates cell cycle arrest and apoptosis in human colon cancer cells via stabilizing and activating p53’, *International journal of biological sciences*, 10(3), p. 285.
- Kanthala, S. *et al.* (2016) ‘Expression and purification of HER2 extracellular domain proteins in Schneider2 insect cells’, *Protein expression and purification*. 2015/09/09, 125, pp. 26–33. doi: 10.1016/j.pep.2015.09.001.
- Keats, B. J. B. (2008) ‘3.07 - Genetic Hearing Loss’, in Masland, R. H. *et al.* (eds). New York: Academic Press, pp. 139–148. doi: <https://doi.org/10.1016/B978-012370880-9.00013-X>.
- Khatpe, A. S. *et al.* (2021) ‘Nexus between PI3K/AKT and Estrogen Receptor Signaling in Breast Cancer’, *Cancers*, 13(3), p. 369. doi: 10.3390/cancers13030369.
- Kim, D. *et al.* (2005) ‘Targeting the phosphatidylinositol-3 kinase/Akt pathway for the treatment of cancer.’, *Current opinion in investigational drugs (London, England: 2000)*, 6(12), pp. 1250–1258.
- Kuhn, M. *et al.* (2008) ‘STITCH: interaction networks of chemicals and proteins.’, *Nucleic acids research*, 36(Database issue), pp. D684–8. doi: 10.1093/nar/gkm795.
- Lecker, S. H., Goldberg, A. L. and Mitch, W. E. (2006) ‘Protein degradation by the ubiquitin–proteasome pathway in normal and disease states’, *Journal of the American Society of Nephrology*, 17(7), pp. 1807–1819.
- Lee, T. *et al.* (2008) ‘Sensing and integration of Erk and PI3K signals by Myc’, *PLoS computational biology*, 4(2), p. e1000013.
- Lin, Y.-T. *et al.* (2017) ‘Capsaicin Induces Autophagy and Apoptosis in Human Nasopharyngeal Carcinoma Cells by Downregulating the PI3K/AKT/mTOR Pathway.’, *International journal of molecular sciences*, 18(7). doi: 10.3390/ijms18071343.
- Liu, J. *et al.* (2020) ‘Whole exome sequencing and transcriptome-wide profiling identify potentially subtype-relevant genes of nasopharyngeal carcinoma’, *Pathology - Research and Practice*, 216(12), p. 153244. doi: <https://doi.org/10.1016/j.prp.2020.153244>.
- Liu, J. J. *et al.* (2019) ‘Inhibition of Phosphatidylinositol 3-kinase (PI3K) Signaling Synergistically Potentiates Antitumor Efficacy of Paclitaxel and Overcomes Paclitaxel-Mediated Resistance in Cervical Cancer.’, *International journal of molecular sciences*, 20(14). doi: 10.3390/ijms20143383.
- Maksimova, V. *et al.* (2016) ‘Co-extracted bioactive compounds in Capsicum fruit extracts prevent

- the cytotoxic effects of Capsaicin on B104 neuroblastoma cells', *Revista Brasileira de Farmacognosia*, 26(6), pp. 744–750. doi: <https://doi.org/10.1016/j.bjp.2016.06.009>.
- Manning, B. D. and Cantley, L. C. (2007) 'AKT/PKB signaling: navigating downstream', *Cell*, 129(7), pp. 1261–1274.
- Mao, X. *et al.* (2018) 'Capsaicin inhibits glycolysis in esophageal squamous cell carcinoma by regulating hexokinase-2 expression', *Molecular medicine reports*, 17(4), pp. 6116–6121.
- Martin, A. J. M. *et al.* (2011) 'RING: networking interacting residues, evolutionary information and energetics in protein structures', *Bioinformatics*, 27(14), pp. 2003–2005. doi: 10.1093/bioinformatics/btr191.
- Muz, B. *et al.* (2015) 'The role of hypoxia in cancer progression, angiogenesis, metastasis, and resistance to therapy', *Hypoxia*, 3, p. 83.
- Nagata, Y. *et al.* (2004) 'PTEN activation contributes to tumor inhibition by Trastuzumab, and loss of PTEN predicts Trastuzumab resistance in patients', *Cancer Cell*, 6(2), pp. 117–127. doi: 10.1016/j.ccr.2004.06.022.
- NIH (2021) *Cancer Stat Facts: Female Breast Cancer Subtypes*. Available at: <https://seer.cancer.gov/statfacts/html/breast-subtypes.html>.
- Oliveros, J. . (2015) 'An Interactive Tool for Comparing Lists with Venn's Diagrams'. Available at: <https://bioinfogp.cnb.csic.es/tools/venny/index.html>.
- Pan, H. *et al.* (2017) '20-Year Risks of Breast-Cancer Recurrence after Stopping Endocrine Therapy at 5 Years.', *The New England journal of medicine*, 377(19), pp. 1836–1846. doi: 10.1056/NEJMoa1701830.
- Pernas, S. and Tolaney, S. M. (2019) 'HER2-positive breast cancer: new therapeutic frontiers and overcoming resistance.', *Therapeutic advances in medical oncology*, 11, p. 1758835919833519. doi: 10.1177/1758835919833519.
- Pohlmann, P. R., Mayer, I. A. and Mernaugh, R. (2009) 'Resistance to Trastuzumab in Breast Cancer.', *Clinical cancer research: an official journal of the American Association for Cancer Research*, 15(24), pp. 7479–7491. doi: 10.1158/1078-0432.CCR-09-0636.
- Popescu, G. D. A. *et al.* (2020) 'The Effects of Capsaicin on Gastrointestinal Cancers.', *Molecules (Basel, Switzerland)*, 26(1). doi: 10.3390/molecules26010094.
- Pourteymourfard Tabrizi, Z. and Jami, M.-S. (2020) 'Selection of suitable bioinformatic tools in micro-RNA research', *Gene Reports*, 21, p. 100893. doi: <https://doi.org/10.1016/j.genrep.2020.100893>.
- Poveda, A. M., Le Clech, M. and Pasero, P. (2010) 'Transcription and replication: breaking the rules of the road causes genomic instability', *Transcription*, 1(2), pp. 99–102.
- Press, M. F. *et al.* (2002) 'Evaluation of HER-2/neu gene amplification and overexpression: comparison of frequently used assay methods in a molecularly characterized cohort of breast cancer specimens.', *Journal of clinical oncology: official journal of the American Society of Clinical Oncology*, 20(14), pp. 3095–3105. doi: 10.1200/JCO.2002.09.094.
- Qi, C. *et al.* (2021) 'Co-Delivery of Curcumin and Capsaicin by Dual-Targeting Liposomes for Inhibition of aHSC-Induced Drug Resistance and Metastasis.', *ACS applied materials & interfaces*, 13(14), pp. 16019–16035. doi: 10.1021/acsami.0c23137.
- Rivlin, N. *et al.* (2011) 'Mutations in the p53 Tumor Suppressor Gene: Important Milestones at the Various Steps of Tumorigenesis', *Genes & cancer*, 2(4), pp. 466–474. doi: 10.1177/1947601911408889.
- Safran, M. *et al.* (2010) 'GeneCards Version 3: the human gene integrator', *Database*, 2010. doi: 10.1093/database/baq020.

- Sanchez-Vega, F. *et al.* (2018) 'Oncogenic Signaling Pathways in The Cancer Genome Atlas', *Cell*, 173(2), pp. 321–337. doi: <https://doi.org/10.1016/j.cell.2018.03.035>.
- Saxon, M. L. and Lee, D. C. (1999) 'Mutagenesis reveals a role for epidermal growth factor receptor extracellular subdomain IV in ligand binding', *Journal of Biological Chemistry*, 274(40), pp. 28356–28362.
- Schafer, K. A. (1998) 'The cell cycle: a review.', *Veterinary pathology*, 35(6), pp. 461–478. doi: 10.1177/030098589803500601.
- Schmidt, E. V (1999) 'The role of c-myc in cellular growth control', *Oncogene*, 18(19), pp. 2988–2996.
- Schroeder, M. P., Gonzalez-Perez, A. and Lopez-Bigas, N. (2013) 'Visualizing multidimensional cancer genomics data', *Genome Medicine*, 5(1), p. 9. doi: 10.1186/gm413.
- Shin, D.-H. *et al.* (2008) 'Inhibitory effect of Capsaicin on B16-F10 melanoma cell migration via the phosphatidylinositol 3-kinase/Akt/Rac1 signal pathway', *Experimental & molecular medicine*, 40(5), pp. 486–494.
- Slamon, D. J. *et al.* (1987) 'Human breast cancer: correlation of relapse and survival with amplification of the HER-2/neu oncogene.', *Science (New York, N.Y.)*, 235(4785), pp. 177–182. doi: 10.1126/science.3798106.
- Smith, C. (2019) *The mouse Gene Expression Database (GXD): 2019 update*. Available at: [http://www.informatics.jax.org/vocab/gene_ontology/GO:0043066#:~:text=negative regulation of apoptotic process Gene Ontology Term \(GO%3A0043066\)&text=Definition%3A,cell death by apoptotic process](http://www.informatics.jax.org/vocab/gene_ontology/GO:0043066#:~:text=negative regulation of apoptotic process Gene Ontology Term (GO%3A0043066)&text=Definition%3A,cell death by apoptotic process).
- Su, G. *et al.* (2014) 'Biological network exploration with Cytoscape 3.', *Current protocols in bioinformatics*, 47, pp. 8.13.1–24. doi: 10.1002/0471250953.bi0813s47.
- Szklarczyk, D. *et al.* (2019) 'STRING v11: protein-protein association networks with increased coverage, supporting functional discovery in genome-wide experimental datasets.', *Nucleic acids research*, 47(D1), pp. D607–D613. doi: 10.1093/nar/gky1131.
- Tao, Q. *et al.* (2020) 'Network pharmacology and molecular docking analysis on molecular targets and mechanisms of Huashi Baidu formula in the treatment of COVID-19.', *Drug development and industrial pharmacy*, 46(8), pp. 1345–1353. doi: 10.1080/03639045.2020.1788070.
- Uttara, B. *et al.* (2009) 'Oxidative stress and neurodegenerative diseases: a review of upstream and downstream antioxidant therapeutic options', *Current neuropharmacology*, 7(1), pp. 65–74.
- Vimalanathan, A. B., Raja, A. K. and Tyagi, M. G. (2009) 'The role of PI-3 kinase in cancer biology and approaches to the therapeutics of cancer', *Biology and Medicine*, 1(4), pp. 1–13.
- Viswanathan, R. *et al.* (2019) 'Protein-protein binding supersites.', *PLoS computational biology*, 15(1), p. e1006704. doi: 10.1371/journal.pcbi.1006704.
- Walpole, C. S. *et al.* (1996) 'Similarities and differences in the structure-activity relationships of Capsaicin and resiniferatoxin analogues.', *Journal of medicinal chemistry*, 39(15), pp. 2939–2952. doi: 10.1021/jm960139d.
- Wang, Y.-C. *et al.* (2011) 'Different mechanisms for resistance to Trastuzumab versus lapatinib in HER2-positive breast cancers--role of estrogen receptor and HER2 reactivation', *Breast cancer research : BCR*. 2011/11/28, 13(6), pp. R121–R121. doi: 10.1186/bcr3067.
- World Health Organization (2020) *Cancer*. Available at: <https://www.who.int/>.
- Wu, D. *et al.* (2020) 'Capsaicin suppresses breast cancer cell viability by regulating the CDK8/PI3K/Akt/Wnt/β-catenin signaling pathway.', *Molecular medicine reports*, 22(6), pp. 4868–4876. doi: 10.3892/mmr.2020.11585.



UNIVERSITAS
GADJAH MADA

**IDENTIFIKASI GEN TARGET POTENSIAL DAN MEKANISME MOLEKULER CAPSAICIN DALAM
MENGATASI RESISTENSI**

TRASTUZUMAB PADA KANKER PAYUDARA DENGAN PENDEKATAN BIOINFORMATIKA

CHRIS DJERICO, Dr. rer.nat. Adam Hermawan, S.Farm., M.Sc., Apt.

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Yeo, S. K. and Guan, J.-L. (2017) 'Breast Cancer: Multiple Subtypes within a Tumor?', *Trends in cancer*, 3(11), pp. 753–760. doi: 10.1016/j.trecan.2017.09.001.
- Zhu, Y. and Kiyama, R. (2017) 'Capsaicinoids are silent estrogens, a class of estrogenic chemicals without cell-proliferation activity', *Environmental Technology & Innovation*, 7, pp. 182–193.