

DAFTAR PUSTAKA

- [1] Hali Forstner, S. Bandil, M. Zwegers, and R. Bollen, “International Technology Roadmap for Photovoltaic (ITRPV) 2014 Results,” no. April, pp. 1–38, 2015.
- [2] S. Krum, “First Solar achieves yet another cell conversion efficiency world record,” *First Solar Media*, 2016. <https://www.businesswire.com/news/home/20160223005315/en/Solar-Achieves-Cell-Conversion-Efficiency-World-Record> (accessed Jun. 30, 2021).
- [3] T. M. Razykov, K. M. Kuchkarov, B. A. Ergashev, and S. A. Esanov, “Fabrication of Thin-Film Solar Cells Based on CdTe Films and Investigation of Their Photoelectrical Properties,” *Applied Solar Energy (English translation of Geliotekhnika)*, vol. 56, no. 2, pp. 94–98, 2020, doi: 10.3103/S0003701X20020097.
- [4] J. M. Burst *et al.*, “CdTe solar cells with open-circuit voltage breaking the 1V barrier,” *Nature Energy*, vol. 1, no. 4, p. 16015, 2016, doi: 10.1038/NENERGY.2016.15.
- [5] T. M. Razykov, C. S. Ferekides, D. Morel, E. Stefanakos, H. S. Ullal, and H. M. Upadhyaya, “Solar photovoltaic electricity: Current status and future prospects,” *Solar Energy*, vol. 85, no. 8, pp. 1580–1608, 2011, doi: 10.1016/j.solener.2010.12.002.
- [6] S. Saha, M. Johnson, F. Altayaran, Y. Wang, D. Wang, and Q. Zhang, “Electrodeposition Fabrication of Chalcogenide Thin Films for Photovoltaic Applications,” *Electrochem*, vol. 1, no. 3, pp. 286–321, 2020, doi: 10.3390/electrochem1030019.
- [7] A. D. Compaan, “The status of and challenges in CdTe thin-film solar-cell technology,” in *Materials Research Society Symposium Proceedings*, 2004, vol. 808, pp. 545–555. doi: 10.1557/proc-808-a7.6.
- [8] A. Bosio, G. Rosa, and N. Romeo, “Past, present and future of the thin film CdTe/CdS solar cells,” *Solar Energy*, vol. 175, pp. 31–43, Nov. 2018, doi: 10.1016/j.solener.2018.01.018.
- [9] X. Mathew *et al.*, “Development of CdTe thin films on flexible substrates - A review,” *Solar Energy Materials and Solar Cells*, vol. 76, no. 3, pp. 293–303, 2003, doi: 10.1016/S0927-0248(02)00281-7.
- [10] A. Romeo and E. Argegnani, “Cdte-based thin film solar cells: Past, present and future,” *Energies*, vol. 14, no. 6, 2021, doi: 10.3390/en14061684.

- [11] X. Wu *et al.*, “High-Efficiency CTO / ZTO / CdS / CdTe Polycrystalline Thin-Film Solar Cells,” *17th European PVSEC*, no. October, pp. 995–1000, 2001.
- [12] D. B. And and H. Rabenhorst, “New results on the development of a thin-film p-CdTe n-CdS heterojunction solar cell,” in *Proceedings of the 9th IEEE Photovoltaic Specialists Conference*, 1972, pp. 129–132.
- [13] J. Britt and C. Ferekides, “Thin-film CdS/CdTe solar cell with 15.8% efficiency,” *Appl. Phys. Lett.*, vol. 62, pp. 2851–2852, 1993.
- [14] M. GREEN *et al.*, “Solar cell efficiency tables (version 40),” *Ieee Trans Fuzzy Syst*, vol. 20, no. 6, pp. 1114–1129, 2012, doi: 10.1002/pip.
- [15] A. Bosio, D. Menossi, S. Mazzamuto, and N. Romeo, “Manufacturing of CdTe thin film photovoltaic modules,” *Thin Solid Films*, vol. 519, no. 21, pp. 7522–7525, 2011, doi: 10.1016/j.tsf.2010.12.137.
- [16] A. H. Munshi *et al.*, “Polycrystalline CdSeTe/CdTe absorber cells with 28 mA/cm² short-circuit current,” *IEEE Journal of Photovoltaics*, vol. 8, no. 1, pp. 310–314, 2018, doi: 10.1109/JPHOTOV.2017.2775139.
- [17] N. Romeo, A. Bosio, R. Tedeschi, A. Romeo, and V. Canevari, “Highly efficient and stable CdTe/CdS thin film solar cell,” *Solar Energy Materials and Solar Cells*, vol. 58, no. 2, pp. 209–218, 1999, doi: 10.1016/S0927-0248(98)00204-9.
- [18] W. K. Metzger *et al.*, “Exceeding 20% efficiency with in situ group V doping in polycrystalline CdTe solar cells,” *Nature Energy*, vol. 4, no. 10, pp. 837–845, 2019, doi: 10.1038/s41560-019-0446-7.
- [19] J. D. Poplawsky *et al.*, “Structural and compositional dependence of the CdTe x Se 1-x alloy layer photoactivity in CdTe-based solar cells,” *Nature Communications*, vol. 7, no. 12537, pp. 1–9, 2016, doi: 10.1038/ncomms12537.
- [20] J. D. Poplawsky, “Record-breaking voltages,” *Nat. Energy*, no. 16021, pp. 1–2, 2016.
- [21] S. Meng and Y. Yan, “Band Gap Optimization of CdTeSe Thin-Film Solar Cells,” *Journal of Advances in Physics*, vol. 12, no. 2, pp. 4213–4218, 2016, doi: 10.24297/jap.v12i2.5247.
- [22] K. C. Devendra *et al.*, “Numerical investigation of graphene as a back surface field layer on the performance of cadmium telluride solar cell,” *Molecules*, vol. 26, no. 11, p. 3275, 2021, doi: 10.3390/molecules26113275.

- [23] A. Haddout, A. Raidou, and M. Fahoume, “Numerical modeling of CdTe solar cells thin film investigation by using PC1D model,” *World Journal of Engineering*, vol. 15, no. 5, pp. 549–555, 2018, doi: 10.1108/WJE-08-2017-0215.
- [24] D. Kc, D. K. Shah, A. M. Alanazi, and M. S. Akhtar, “Impact of Different Antireflection Layers on Cadmium Telluride (CdTe) Solar Cells: a PC1D Simulation Study,” *Journal of Electronic Materials*, vol. 50, no. 4, pp. 2199–2205, 2021, doi: 10.1007/s11664-020-08696-5.
- [25] G. Springholz and G. Bauer, “Study of misfit-dislocation formation in strained-layer heteroepitaxy using ultrahigh vacuum scanning tunneling microscopy,” *C,H,N and O in Si and Characterization and Simulation of Materials and Processes*, pp. 96–100, Jan. 1996, doi: 10.1016/B978-0-444-82413-4.50084-6.
- [26] T. Kujofsa and J. E. Ayers, “Critical layer thickness: Theory and experiment in the ZnSe/GaAs (001) material system,” *International Journal of High Speed Electronics and Systems*, vol. 26, no. 3, pp. 1–9, 2017, doi: 10.1142/S0129156417400201.
- [27] E. Bilgilişoy, “CHARACTERIZATION OF LATTICE MISMATCH INDUCED DISLOCATIONS ON CHARACTERIZATION OF LATTICE MISMATCH INDUCED DISLOCATIONS ON A Thesis Submitted to Graduate School of Engineering and Sciences of İzmir Institute of Technology in Physics,” no. March, 2016, doi: 10.13140/RG.2.1.3023.7840.
- [28] D. W. Niles and H. Hochst, “RHEED STUDY OF STRAIN RELAXATION IN EPITAXIAL CdS AND Sn OVERLAYERS DAVID,” vol. 208, pp. 243–248.
- [29] P. J. Cousins and J. E. Cotter, “Misfit dislocations generated during non-ideal boron and phosphorus diffusion and their effect on high-efficiency silicon solar cells,” *Conference Record of the IEEE Photovoltaic Specialists Conference*, pp. 1047–1050, 2005, doi: 10.1109/pvsc.2005.1488313.
- [30] H. Opyrchal, D. Chen, Z. Cheng, and K. Chin, “PL study on the effect of cu on the front side luminescence of CdTe/CdS solar cells,” *Coatings*, vol. 9, no. 7, pp. 1–9, 2019, doi: 10.3390/coatings9070435.
- [31] M. D. G. Potter, M. Cousins, K. Durose, and D. P. Halliday, “Effect of interdiffusion and impurities on thin film CdTe/CdS photovoltaic junctions,” *Journal of Materials Science: Materials in Electronics*, vol. 11, no. 7, pp. 525–530, 2000, doi: 10.1023/A:1026565632569.
- [32] Nuclear Power, “Semiconductivity – Band Theory.” <https://www.nuclear-power.com/nuclear-engineering/radiation-detection/semiconductor->

detectors/what-are-semiconductors-properties-of-semiconductors/semiconductivity-band-theory/ (accessed Jul. 10, 2021).

- [33] J. Ma *et al.*, “Dependence of the minority-carrier lifetime on the stoichiometry of CdTe using time-resolved photoluminescence and first-principles calculations,” *Physical Review Letters*, vol. 111, no. 6, 2013, doi: 10.1103/PhysRevLett.111.067402.
- [34] R. Feynman, *Feynman Lectures on Physics*. 1963.
- [35] W. Shockley, *Electrons and holes in semiconductors : with applications to transistor electronics*. R. E. Krieger Pub. Co., 1950.
- [36] M. Topic, R. M. Geisthardt, and J. R. Sites, “Performance limits and status of single-junction solar cells with emphasis on CIGS,” *IEEE Journal of Photovoltaics*, vol. 5, no. 1, pp. 360–365, 2015, doi: 10.1109/JPHOTOV.2014.2359135.
- [37] V. K. Evani, “Improving Doping and Minority Carrier Lifetime of CdTe/CdS Solar Cells by in-situ Control of CdTe Stoichiometry,” *Graduate Theses and Dissertations*, 2017.
- [38] C. G. Smith, “Low-dimensional quantum devices,” *Rep. Prog. Phys*, vol. 59, no. 235282, p. 244, 1996.
- [39] PV Education, “Band Gap.” <https://www.pveducation.org/pvcdrom/pn-junctions/band-gap> (accessed Jan. 17, 2022).
- [40] X. Mathew, “Band gap of CdTe thin films—The dependence on temperature,” *Journal of Materials Science Letters*, vol. 21, pp. 529–531, 2002, doi: <https://doi.org/10.1023/A:1015492518374>.
- [41] and A. B. J. P. Laurenti, J. Camassel, “Temperature dependence of the fundamental absorption edge of mercury cadmium telluride,” *Journal of Applied Physics*, vol. 67, p. 6454, 1990.
- [42] S. Gilliland, J. González, H. S. Güder, A. Segura, I. Mora, and V. Muñoz, “Pressure and temperature dependence of the band-gap in CdTe,” *Physica Status Solidi (B) Basic Research*, vol. 235, no. 2, pp. 441–445, 2003, doi: 10.1002/pssb.200301599.
- [43] C. H. Su, “Energy band gap, intrinsic carrier concentration, and Fermi level of CdTe bulk crystal between 304 and 1067 K,” *Journal of Applied Physics*, vol. 103, no. 8, 2008, doi: 10.1063/1.2899087.
- [44] Q. Long, S. A. Dinca, E. A. Schiff, M. Yu, and J. Theil, “Electron and hole drift mobility measurements on thin film CdTe solar cells,” *Applied Physics Letters*, vol. 105, no. 4, pp. 0–4, 2014, doi: 10.1063/1.4891846.

- [45] H. Föll, “Lifetime and Diffusion Length.” https://www.tf.uni-kiel.de/matwis/amat/semi_en/kap_2/backbone/r2_2_3.html (accessed Jul. 19, 2021).
- [46] A. Hastings, *The Art of Analog Layout*, 2nd ed. 2005.
- [47] Z. Fang, X. C. Wang, H. C. Wu, and C. Z. Zhao, “Achievements and challenges of CdS/CdTe solar cells,” *International Journal of Photoenergy*, vol. 2011, no. 1, 2011, doi: 10.1155/2011/297350.
- [48] J. J. Coleman, A. R. Adams, E. P. O’Reilly, and M. Silver, *Strained layer quantum well heterostructure lasers*. 1990. doi: 10.1016/b978-0-08-051558-8.50014-2.
- [49] J. W. Matthews and A. E. Blakeslee, “DEFECTS IN EPITAXIAL MULTILAYERS: Misfit Dislocations,” *Journal of Crystal Growth*, pp. 118–125, 1974, doi: 10.1007/978-3-319-11863-5_8.
- [50] J. Ramanujam *et al.*, “Inorganic photovoltaics - Planar and nanostructured devices,” *Progress in Materials Science*, vol. 82, no. April, pp. 294–404, 2016, doi: 10.1016/j.pmatsci.2016.03.005.
- [51] J. H. Van Der Merwe, “Crystal interfaces. Part II. Finite overgrowths,” *Journal of Applied Physics*, vol. 34, no. 1, pp. 123–127, 1963, doi: 10.1063/1.1729051.
- [52] R. People and J. C. Bean, “Calculation of critical layer thickness versus lattice mismatch for Ge_xSi_{1-x}/Si strained-layer heterostructures,” *Applied Physics Letters*, vol. 47, no. 3, pp. 322–324, 1985, doi: 10.1063/1.96206.
- [53] Y. G. Sidorov *et al.*, “Density of dislocations in CdHgTe heteroepitaxial structures on GaAs(013) and Si(013) substrates,” *Physics of the Solid State*, vol. 57, no. 11, pp. 2151–2158, 2015, doi: 10.1134/S1063783415110311.
- [54] C. Honsberg and S. Bowden, “Absorption Coefficient,” *PV Education*. <https://www.pveducation.org/pvcdrom/pn-junctions/absorption-coefficient> (accessed Jul. 19, 2021).
- [55] M. Burgelman, “Cadmium Telluride Thin Film Solar Cells: Characterization, Fabrication and Modeling,” in *Thin Film Solar Cells Fabrication, Characterization and Applications*, John Wiley & Sons, 2006, pp. 277–324. doi: 10.1002/0470091282.ch7.
- [56] J. Rangel-Cárdenas and H. Sobral, “Optical absorption enhancement in CdTe thin films by microstructuring of the silicon substrate,” *Materials*, vol. 10, no. 6, 2017, doi: 10.3390/ma10060607.

- [57] C. Honsberg and S. Bowden, "Types of Recombination," *PV Education*. <https://www.pveducation.org/pvcdrom/pn-junctions/types-of-recombination> (accessed Jul. 19, 2021).
- [58] D. R. Carah, "Cadmium telluride," *IEEE Potentials*, 1997. <https://iee.udel.edu/research/cdte/> (accessed Jul. 21, 2021).
- [59] A. Cuevas, "The recombination parameter J_0 ," *Energy Procedia*, vol. 55, pp. 53–62, 2014, doi: 10.1016/j.egypro.2014.08.073.
- [60] A. Ramos-Ruiz, J. V. Wilkening, J. A. Field, and R. Sierra-Alvarez, "Leaching of cadmium and tellurium from cadmium telluride (CdTe) thin-film solar panels under simulated landfill conditions," *Journal of Hazardous Materials*, vol. 336, no. 3, pp. 57–64, 2017, doi: 10.1016/j.jhazmat.2017.04.052.
- [61] University of Reading, "Cadmium Telluride (CdTe)," [reading.ac.uk](http://www.reading.ac.uk/infrared/library/infraredmaterials/). <http://www.reading.ac.uk/infrared/library/infraredmaterials/> (accessed Jul. 19, 2021).
- [62] G. Fonthal, "Temperature dependence of the band gap energy of crystalline CdTe," *J. Phys. Chem. Solids.*, vol. 61, no. 4, pp. 579–583, 2000, doi: 10.1016/s0022-3697(99)00254-1.
- [63] Y. Michiue, M. Watanabe, and Y. Fujiki, "Structural properties of Na β -gallate," *Solid State Ionics*, vol. 35, no. 3–4, pp. 223–227, 1989, doi: 10.1016/0167-2738(89)90300-7.
- [64] H. Yan *et al.*, "Increasing Quantum Efficiency of Polymer Solar Cells with Efficient Exciton Splitting and Long Carrier Lifetime by Molecular Doping at Heterojunctions," *ACS Energy Letters*, vol. 4, no. 6, pp. 1356–1363, 2019, doi: 10.1021/acsenerylett.9b00843.
- [65] D. Shaw, *Springer Handbook of Electronic and Photonic Materials*. Springer, 2017. doi: 10.1007/978-3-319-48933-9_6.
- [66] M. S. Birrittella, A. Neugroschel, and F. Lindholm, "Determination of the Minority-Carrier Base Lifetime of Junction Transistors by Measurements of Basewidth-Modulation Conductances," *Electron Devices, IEEE Transactions*, vol. 26, no. 9, pp. 1361–1363, 1979, doi: 10.1109/T-ED.1979.19607.
- [67] K. Onishi *et al.*, "Evaluation of plasma induced defects on silicon substrate by solar cell fabrication process," *Japanese Journal of Applied Physics*, vol. 59, no. 7, 2020, doi: 10.35848/1347-4065/ab984d.
- [68] V. Linss, M. Bivour, H. Iwata, and K. Ortner, "Comparison of low damage sputter deposition techniques to enable the application of very thin a-Si

passivation films,” in *AIP Conference Proceedings*, 2019, vol. 2147, p. 2147. doi: 10.1063/1.5123836.

- [69] E. Wiberg and A. F. Holleman, *Inorganic Chemistry*. Elsevier, 2001.
- [70] H. M. Smith, *High Performance Pigments*. Wiley-VCH, 2002.
- [71] W. A.F., *Structural Inorganic Chemistry*, 5th editio. Oxford Science Publications, 1984.
- [72] D. Lincot and G. Hodes, “Chemical Solution Deposition of Semiconducting and Non-Metallic Films - Proceedings of the International Symposium,” in *Proceedings - Electrochemical Society*, 2006, vol. PV 2003-32.
- [73] Department of Energy, “Solar Photovoltaic Cell Basics,” *Office of Energy Efficiency & Renewable Energy (EERE)*, 2013. <https://www.energy.gov/eere/solar/solar-photovoltaic-cell-basics> (accessed Jul. 21, 2021).
- [74] C. C. Stoumpos and M. G. Kanatzidis, *Halide Perovskites: Poor Man’s High-Performance*. 2016.
- [75] Y. Hamakawa, *Thin-film solar cells: next generation photo- voltaics and its applications*, vol. 13. Berlin: Springer, 2013.
- [76] G. Wisz, I. Virt, P. Sagan, P. Potera, and R. Yavorskyi, “Structural, Optical and Electrical Properties of Zinc Oxide Layers Produced by Pulsed Laser Deposition Method,” *Nanoscale Research Letters*, vol. 12, no. 1, 2017, doi: 10.1186/s11671-017-2033-9.
- [77] T. Aramoto *et al.*, “16.0% efficient thin-film CdS/CdTe solar cells,” *Jpn J Appl Phys*, vol. 36, no. 6304, 1997.
- [78] C. D. Dobson KD, Visoly-Fisher I, Hodes G, “Stability of CdTe/CdS thin-film solar cells,” *Sol Energy Mater Sol Cells*, vol. 62, no. 3, pp. 295–325, 2000, doi: [https://doi.org/10.1016/S0927-0248\(00\)00014-3](https://doi.org/10.1016/S0927-0248(00)00014-3).
- [79] F. J. Alvarez, N. Di Lalla, and A. Lamagna, “Thin film CdS/CdTe solar cells prepared by electrodeposition using low cost materials,” in *Conference Record of the IEEE Photovoltaic Specialists Conference*, 1997, pp. 459–462. doi: 10.1109/pvsc.1997.654127.
- [80] K. Znajdek, M. Sibiński, K. Przymęcki, and Z. Lisik, “Transparentne warstwy drukowane PEDOT jako kontakty emiterowe do aplikacji w elastycznych ogniwach fotowoltaicznych,” *Przegląd Elektrotechniczny*, vol. 90, no. 9, pp. 101–104, 2014, doi: 10.12915/pe.2014.09.28.
- [81] R. Yavorskyi, L. Nykyruy, G. Wisz, P. Potera, S. Adamiak, and S. Górny, “Structural and optical properties of cadmium telluride obtained by physical

- vapor deposition technique,” *Applied Nanoscience (Switzerland)*, vol. 9, no. 5, pp. 715–724, 2019, doi: 10.1007/s13204-018-0872-z.
- [82] A. Goetzberger and V. Hoffmann, *Photovoltaic Solar Energy Generation*, vol. 112. Springer, 2005. doi: 10.1007/b137803.
- [83] K. Vozel, “Solar Cells,” 2011.
- [84] NREL, “Solar Spectra NREL,” 2016. <http://rredc.nrel.gov/solar/spectra/>
- [85] K. Jäger, O. Isabella, A. H. M. Smets, V. Swaaij, R. A.C.M.M., and M. Zeman, *Solar Energy: Fundamentals, Technology, and Systems*. Delft University of Technology, 2014.
- [86] G. Hashmi, A. R. Akand, M. Hoq, and H. Rahman, “Study of the Enhancement of the Efficiency of the Monocrystalline Silicon Solar Cell by Optimizing Effective Parameters Using PC1D Simulation,” *Silicon*, vol. 10, no. 4, pp. 1653–1660, 2018, doi: 10.1007/s12633-017-9649-3.
- [87] A. J. Al-Douri, F. Y. Al-Shakily, A. A. Alnajjar, and M. F. A. Alias, “The role of dopant concentration on conductivity and mobility of CdTe thin films,” *Advances in Condensed Matter Physics*, vol. 2011, no. January, 2011, doi: 10.1155/2011/910967.
- [88] A. Zekry, A. Shaker, and M. Salem, “Solar Cells and Arrays: Principles, Analysis, and Design,” *Advances in Renewable Energies and Power Technologies*, vol. 1, pp. 3–56, 2018, doi: 10.1016/B978-0-12-812959-3.00001-0.
- [89] C. J. J. Tool, A. R. Burgers, P. Manshanden, and A. W. Weeber, “Effect of wafer thickness on the performance of mc-Si solar cells,” *Presented at 17th European Photovoltaic Solar Energy Conference*, vol. 22, pp. 3–6, 2001.
- [90] R. A. Abdullah, M. A. Razooqi, and A. N. H. Al-ajili, “Characterization of the Energy Band Diagram of Fabricated SnO₂ / CdS / CdTe Thin Film Solar Cells,” *Engineering and Technology*, vol. 7, no. 7, pp. 466–471, 2013.
- [91] “Solar Cell Voltage – Current Characterization,” no. Figure 1, pp. 2–5.
- [92] S. M. Sze, “Physics of semiconductor devices (2nd edition),” *Microelectronics Journal*, vol. 13, no. 4, p. 44, 1982.
- [93] A. Bosio, N. Romeo, S. Mazzamuto, and V. Canevari, “Polycrystalline CdTe thin films for photovoltaic applications,” *Progress in Crystal Growth and Characterization of Materials*, vol. 52, no. 4, pp. 247–279, 2006, doi: 10.1016/j.pcrysgrow.2006.09.001.
- [94] J. J. Loferski, “Theoretical considerations governing the choice of the optimum semiconductor for photovoltaic solar energy conversion,” *Journal*

- of Applied Physics*, vol. 27, no. 7, pp. 777–784, 1956, doi: 10.1063/1.1722483.
- [95] Y. S. Tyan and E. A. Perez-Albuerne, “Efficient thin-film CdS/CdTe solar cells,” in *16th IEEE Photovoltaic Specialists Conference*, 1982, p. 794.
- [96] T. Zhang *et al.*, “Liver toxicity of cadmium telluride quantum dots (CdTe QDs) due to oxidative stress in vitro and in vivo,” *International Journal of Molecular Sciences*, vol. 16, no. 10, pp. 23279–23299, 2015, doi: 10.3390/ijms161023279.
- [97] M. Abdulhur *et al.*, “Physical properties of CdS / CdTe / CIGS thin films for solar cell application physical properties of CdS / CdTe / CIGS thin films for solar cell application,” pp. 0–5.
- [98] M. Belarbi, A. Benyoucef, and B. Benyoucef, “Simulation of the Solar Cells With PC1D , Application To Cells Based on Silicon,” *Advanced Energy: An International Journal*, vol. 1, no. 3, pp. 1–10, 2014.
- [99] S. Khosroabadi and S. H. Keshmiri, “Design of a high efficiency ultrathin CdS/CdTe solar cell using back surface field and backside distributed Bragg reflector,” *Optics Express*, vol. 22, no. S3, p. A921, 2014, doi: 10.1364/oe.22.00a921.
- [100] N. Amin, M. A. Matin, M. M. Aliyu, M. A. Alghoul, M. R. Karim, and K. Sopian, “Prospects of back surface field effect in ultra-thin high-efficiency CdS/CdTe solar cells from numerical modeling,” *International Journal of Photoenergy*, vol. 2010, no. May 2014, 2010, doi: 10.1155/2010/578580.
- [101] M. A. Matin, N. Amin, A. Zaharim, and K. Sopian, “A study towards the possibility of ultra thin Cds/CdTe high efficiency solar cells from numerical analysis,” *WSEAS Transactions on Environment and Development*, vol. 6, no. 8, pp. 571–580, 2010.
- [102] G. Womack, P. M. Kaminski, A. Abbas, K. Isbilir, R. Gottschalg, and J. M. Walls, “Performance and durability of broadband antireflection coatings for thin film CdTe solar cells,” *Journal of Vacuum Science & Technology A: Vacuum, Surfaces, and Films*, vol. 35, no. 2, p. 021201, 2017, doi: 10.1116/1.4973909.
- [103] K. S. Rahman, “The Effect of Cu₂Te as the back Surface field Layer in CdS / CdTe Solar Cells,” no. September 2016, 2013.
- [104] C. Doroody, K. S. Rahman, and H. N. Rosly, “Impact of Back Surface Field (BSF) Layers in Cadmium Telluride (CdTe) Solar Cells from Numerical Calculation,” *International Journal of Recent Technology and Engineering*, vol. 8, no. 4, pp. 6218–6222, 2019, doi: 10.35940/ijrte.d5143.118419.

- [105] A. Kanevce, M. O. Reese, T. M. Barnes, S. A. Jensen, and W. K. Metzger, "The roles of carrier concentration and interface, bulk, and grain-boundary recombination for 25% efficient CdTe solar cells," *Journal of Applied Physics*, vol. 121, no. 21, p. 214606, 2017, doi: 10.1063/1.4984320.
- [106] S. Banerjee, "Dependence of Temperature of CdTe/CdS Based Solar Cell Performance," no. 1, pp. 92–96.
- [107] K. Sarkar, "Effects of very thin CdS window layer on CdTe solar cell," *Journal of Mechanics of Continua and Mathematical Sciences*, vol. 14, no. 3, pp. 14–29, 2019, doi: 10.26782/jmcms.2019.06.00002.
- [108] S. Banerjee, "Performance analysis of cadmium sulfide/cadmium telluride (CdS/CdTe) thin film solar cell using PC1D," *Proceedings of 2nd International Conference on 2017 Devices for Integrated Circuit, DevIC 2017*, no. October, pp. 730–733, 2017, doi: 10.1109/DEVIC.2017.8074047.
- [109] D. Lilhare and A. Khare, "Development of chalcogenide solar cells: Importance of CdS window layer," *Opto-electronics Review*, vol. 28, no. 1, pp. 43–63, 2020, doi: 10.24425/opelre.2020.132500.
- [110] A. Bosio, S. Pasini, and N. Romeo, "The history of photovoltaics with emphasis on CdTe solar cells and modules," *Coatings*, vol. 10, no. 4, 2020, doi: 10.3390/coatings10040344.
- [111] T. L. Chu, S. S. Chu, C. Ferekides, C. Q. Wu, J. Britt, and C. Wang, "13.4% efficient thin-film CdS/CdTe solar cells," *Journal of Applied Physics*, vol. 70, no. 12, pp. 7608–7612, 1991, doi: 10.1063/1.349717.
- [112] J. Schaffner *et al.*, "12% efficient CdTe/CdS thin film solar cells deposited by low-temperature close space sublimation," *Journal of Applied Physics*, vol. 110, no. 6, 2011, doi: 10.1063/1.3639291.
- [113] T. Sinha, L. Verma, and A. Khare, "Variations in photovoltaic parameters of CdTe/CdS thin film solar cells by changing the substrate for the deposition of CdS window layer," *Applied Physics A: Materials Science and Processing*, vol. 126, no. 11, pp. 1–14, 2020, doi: 10.1007/s00339-020-04058-4.
- [114] N. R. Paudel, K. A. Wieland, and A. D. Compaan, "Ultrathin CdS/CdTe solar cells by sputtering," *Solar Energy Materials and Solar Cells*, vol. 105, pp. 109–112, 2012, doi: 10.1016/j.solmat.2012.05.035.
- [115] Sudipta Banerjee, "High Efficiency CdTe/CdS Thin Film Solar Cell," *International Journal of Engineering Research and*, vol. V4, no. 09, pp. 1–5, 2015, doi: 10.17577/ijertv4is090669.

- [116] J. S. Rieh, "SiGe/Si Heterojunction Bipolar Transistors and Circuits," *Comprehensive Semiconductor Science and Technology*, vol. 1–6, no. V, pp. 1–51, 2011, doi: 10.1016/B978-0-44-453153-7.00009-2.
- [117] K. S. Rahman, "The Effect of Cu₂Te as the back Surface field Layer in CdS / CdTe Solar Cells," no. September 2016, 2013.
- [118] A. Kowsar *et al.*, "Comparative study on the efficiencies of silicon solar cell," *IOSR Journal of Applied Physics (IOSR-JAP)*, vol. 6, no. 6, pp. 13–17, 2014.
- [119] N. Amin, K. Sopian, and M. Konagai, "Numerical modeling of CdS/CdTe and CdS/CdTe/ZnTe solar cells as a function of CdTe thickness," *Solar Energy Materials and Solar Cells*, vol. 91, no. 13, pp. 1202–1208, 2007, doi: 10.1016/j.solmat.2007.04.006.
- [120] N. Dhar *et al.*, "Effect of p-type transition metal dichalcogenide molybdenum ditelluride (p-MoTe₂) layer formation in Cadmium Telluride solar cells from numerical analysis," *Conference Record of the IEEE Photovoltaic Specialists Conference*, no. June 2013, pp. 3487–3492, 2013, doi: 10.1109/PVSC.2013.6744244.
- [121] K. S. Rahman *et al.*, "Impact of Cu incorporation to the cdte thin film properties for photovoltaic application," *Chalcogenide Letters*, vol. 15, no. 5, pp. 293–306, 2018.