

DAFTAR PUSTAKA

- Acharya *et al*, 2018. Evaluation of Water Indices for Surface Water Extraction in a Landsat 8 Scene of Nepal. *Sensors* 2018, 18, 2580; doi:10.3390/s18082580. www.mdpi.com./journals/sensors
- Ali, M Ichsan, *et al*. Monitoring the Built-up Area Transformation Using Urban Index and Normalized Difference Built-up Index Analysis. *IJE TRANSACTIONS B: Applications* Vol. 32, No. 5, (May 2019) 647-653
- Al rubiey, Israa J.M. 2015. Increase the Intelligibility of Multispectral Image Using Pan-Sharpning Techniques for Many Remotely Sensed Images. Dept. of Physics, College of Science, University of Baghdad.
- Arnanto, Ardi. 2013. Pemanfaatan Transformasi Normalized Difference Vegetation Index (NDVI) Citra Landsat Tm Untuk Zonasi Vegetasi Di Lereng Merapi Bagian Selatan. *Laboratorium SIG/SIP Sekolah Tinggi Pertanian Nasional*
- As-syakur, Abdul Rahman, Adnyana, Arthana, Nuarsa. 2012. Enhanced Built-up and Bareness Index (EBBI) for Mapping Built-up and Bare Land in an Urban Area. *Remote Sensing MDPI Journal* Vol 4, page:2957-2970
- BSN. *Klasifikasi Penutup Lahan SNI No 7645*. 2010. www.bsn.go.id (accessed November 4, 2020).
- Danoedoro, P. (2012). Pengantar penginderaan jauh. In *Andi*.
- Danoedoro, P., 1996, Pengolahan Citra Digital Teori dan Aplikasinya Dalam Bidang Penginderaan Jauh, Modul Kuliah, Fakultas Geografi, Universitas Gadjah Mada, Yogyakarta.
- Ghosh *et al*. 2018. Analysis For Mapping of Built-Up Area Using Remotely Sensed Indices. *Journal of Landscape Ecology* (2018), Vol: 11 / No. 2.
- Hidayati, I. N., Suharyadi, & Danoedoro, P. (2017). Pemetaan Lahan Terbangun Perkotaan Menggunakan Pendekatan NDBI dan Segmentasi Semi-Atomatik. *Prosiding Seminar Nasional Geografi UMS 2017*, 19–28.
- Hidayati, I. N., Suharyadi, R., & Danoedoro, P. (2018). Kombinasi Indeks Citra untuk Analisis Lahan Terbangun dan Vegetasi Perkotaan. *Majalah Geografi Indonesia*, 32(1), 24. <https://doi.org/10.22146/mgi.31899>
- Huete, A.R, Glenn, E.P., 2011, Remote Sensing of Ecosystem Structure and Function, *Advance in Environment Remote Sensing*, p. 291. CRC Press. Boca Raton

- Hutagaol, Chardy Ely Haryanto. 2015. Kajian Penggunaan Metode Penajaman Citra (Pan-Sharpning) Worldview-2. Fakultas Teknik Sipil dan Perencanaan, Institut Teknologi Nasional Malang
- H. Xu. 2008. A new index for delineating built-up land features in satellite imagery, *International Journal of Remote Sensing*, 29:14, 4269-4276, DOI: 10.1080/01431160802039957
- Karunakar, P *et al.* 2013. Discrete DWT Transform-Based Satellite Image Resolution Enhancement. Dept.of ECE, JNTUH, Karimnagar, Andhra Pradesh, India. ISSN 231-1297, Volume 3, Number 4 (2013), pp. 405-4
- Kawamura, P., Jayamanna, S., Tsujiko, Y.1996.*Relation Between Social And Environmental Conditions In Colombia, Sri Lanka And The Urban Index Estimated By Satellite Remote Sensing Data.* Toyohashi: Toyohashi University of Technology.
- Kurniawan, S., Nurhaidar, W. O., & Salihin, I. (2017). Optimalisasi Transformasi Spektral UI, NDBI, NDVI dan Kombinasi Transformasi Spektral UI-NDVI dan NDBI-NDVI Guna Mendeteksi Kepadatan Lahan Terbangun di Kota Magelang. *Jurnal Geografi Aplikasi Dan Teknologi*, 1(1), 13–22.
- Lillesand, T.M and Kiefer, R. W., 1997. Penginderaan Jauh dan Interpretasi Citra. Terjemahan Fakultas Geografi, Gadjah Mada University Press, Yogyakarta
- Lillesand. T.M., W. Kiefer., Chipman, J.W. 2004. Remote Sensing and Image Interpretation. John Wiley & Sons, Inc., New York
- Markham, B., Storey, J., & Morfitt, R. (2015). Landsat-8 sensor characterization and calibration. *Remote Sensing*, 7(3), 2279–2282. <https://doi.org/10.3390/rs70302279>
- Mather,P.M. 2004. Computer Processing Of Remotely-Sensed Imager An Introduction. John Wiley & Sons Inc. Chichster
- Pradipta, I Made Dhanan, *et al.* 2019. Penajaman Citra Satelit Landsat 8 Menggunakan Transformasi Brovey. *Majalah Ilmiah Teknologi Elektro*, Vol. 18, No. 3. DOI: <https://doi.org/10.24843/MITE.2019.v1>
- Prakoso, Dhito Tanjung. 2018. Pemanfaatan Enhanced Built-Up And Bareness Index(*EBBI*) Untuk Pemetaan Kawasan Terbangun Dan Lahan Kosong Di Kota Semarang. *Jurnal Geodesi Undip* Volume 7, Nomor 4, Tahun 2018, (ISSN : 2337-845X)
- Rasul A, *et al.* 2018. Applying Built-Up and Bare-Soil Indices from Landsat 8 to Cities in Dry Climates. 7(3):81. <https://doi.org/10.3390/land7030081>

- Rini, Melania Swetika, 2019. Pemanfaatan Penginderaan Jauh Dan Sistem Informasi Geografis Untuk Identifikasi Ruang Terbuka Hijau Di Kabupaten Klaten. Universitas Widya Dharma Klaten. ISBN: 978-602-361-243-7
- Rokni, Komeil *et al.* 2014. Water Feature Extraction and Change Detection Using Multitemporal Landsat Imagery. ISSN 2072-4292 www.mdpi.com/journal/remotesensing
- Salihin, I., Akbar, L. O. N., & Jaya, G. (2018). Analisis Perubahan Tingkat Kepadatan Lahan Terbangun Kota Kendari Berdasarkan Indeks Lahan Terbangun. USGS. *Landsat 8. Report*, U.S. Geological Survey, 2013. *Jurnal Geografi Aplikasi Dan Teknologi*, 2(2), 1–10.
- Sitanggang, Gokmaria. 2010. Kajian Pemanfaatan Satelit Masa Depan: Sistem Penginderaan Jauh Satelit Ldcn (Landsat-8). LAPAN Weng, L., Lub, D., Schubring, J. (2004). Estimation of land surface temperature–vegetation abundance relationship for urban heat island studies. *Remote Sensing of Environment* 89 pp. 467 – 483.
- Weng, Q., Hu, X., and Lu, D. (2008). Extracting Impervious Surface from Medium Spatial Resolution Multispectral and Hyperspectral Imagery: A comparison. *International Journal of Remote Sensing*. 2008. 29 (11), pp. 320
- Zha, Y., Gao, J., & Ni, S. 2003. Use of Normalized Difference Built-Up xIndex In Automatically Mapping Urban Areas From TM Imagery. *International Journal of Remote Sensing*
- Zhao, Hongmei and Chen, Xiaoling. 2005. Use of Normalized Difference Bareness Index in Quickly Mapping Bare Areas from TM/ETM+. State Key Laboratory of Information Engineering in Surveying, Mapping and Remote Sensing, Wuhan University, Wuhan, P. R. China