

DAFTAR PUSTAKA

- Anjarsari, P., Sintesis Flavanon Turunan 3,4-dimetoksibenzaldehida, *Skripsi*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Akçok İ, 2009, Combinatorial Libraries Of Stilbene Fused Chalcone And Flavanone Derivatives: Synthesis And Anti-Proliferative Properties, *Thesis*, Engineering and Sciences of Gzmir Institute of Technology.
- Anonim, 2009, Preparasi sampel, *Cancer Chemoprevention Research Center (CCRC)*, Fakultas Farmasi UGM.
- Anonim, 2017, *Fact Sheet On Cancer*, WHO.
- Awasthi, S.K., Mishra, A.N., Kumar, A.B., Mishra, L.C., and Bhasin, A.V.K., 2009, Potent Antimalarial Activity of Newly Synthesized Substituted Chalcone Analogs *in vitro*, *Med Chem Res.*, 18, 407–420.
- Bandgar, B.P., Gawande, S.S., Bodade, R.G., Totre, J. V, and Khobragade, C.N., 2010, Synthesis and Biological Evaluation of Simple Methoxylated Chalcones as Anticancer, Anti-inflammatory and Antioxidant Agents, *Bioorg. Med. Chem.*, 18, 1364–1370.
- Bano, S., Javed, K., Ahmad, S., Rathish., I.G., Singh, S., Chaitanya, M., Arunasree, K.M., Alam, M.S., 2013, Synthesis of Some Novel Chalcones , Flavanones and Flavones and Evaluation of Their Anti-Inflammatory Activity. *Eur. J. Med Chem.*, 65, 51-59.
- Bukhari, S. N. A., Jasamai, M., Jantan, I., and Ahmad, W., 2013, Review of Methods and Various Catalysts Used for Chalcone Synthesis, *Betham. Pub.*, 10, 73–83.
- Burmaoglu, S., Algul, O., Aktas, D., Gobek, A., and Gulbol, G., 2016, Bioorganic & Medicinal Chemistry Letters Synthesis and Anti-proliferative Activity of Fluoro-substituted Chalcones, *Bioorg. Med. Chem. Lett.*, 26, 3172–3176.
- Cárdenas, M., Marder, M., Blank, V.C., and Roguin, L.P., 2006, Antitumor Activity of Some Natural Flavonoids and Synthetic Derivatives on Various Human and Murine Cancer Cell Lines, *Med. Bio. Chem.*, 14, 2966–2971.
- Cabrera, M., Simoens, M., Falchi, Lavaggi, M. L., Piro, O.E., Castellano, E.E., Vidal, G., Azqueta, A., Monge, A., de Cerain, A.L., Sagrera, G., Seoane, G., Cerecetto, H., and Gonzalez M., 2007, Synthetic Chalcones, flavanones, and Flavones as Antitumoral Agents: Biological Evaluation and Structure–Activity Relationships, *Bioorg. Med. Chem.*, 15, 3356–3367.
- Chen, T.R., Drabkowski, D., Hay, R.J., and Macy, M., 1987, WiDr is a Derivative of Another Colon Adenocarcinoma Cell Line, HT-29, *Sci. Pub.*, 27, 125–134.
- Dao, T.T., Chi, S., Kim, J., Kim, P., and Park, H., 2004, Synthesis and Inhibitory Activity Against COX-2 Catalyzed Prostaglandin Production of Chrysin

Derivatives, *Bioorg. Med. Chem. Lett.*, 14, 1165–1167.

- Dyrager, C., 2012, Design and Synthesis of Chalcone and Chromone Derivatives as Novel Anticancer Agents, *Thesis*, University of Goyhenburg, Gothenburg
- Eddarir, S., Cotelle, N., and Rolando, C., 2003, An Efficient Synthesis of Chalcones Based on the Suzuki reaction, *Tetrahedron Lett.*, 44, 5359–5363.
- Eryanti, Y., Zamri, A., and Rahmita, J., 2010, Sintesis Turunan 2'-hidroksi Kalkon melalui Kondensasi *Claisen-Schmidt* dan Uji Aktivitasnya sebagai Antimikroba, *J. Nat. Ind.*, 12, 223–227.
- Farah, H. I., 2015, Sintesis 7-hidroksi-4'-metoksiflavanon dan Uji Sitotoksik terhadap Sel Kanker Serviks (HeLa) dan Sel Kanker Kolon (WiDr) secara *in Vitro*, *Tesis*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Goodwin, E. C., and DiMaio, D., 2000, Repression of Human Pappilomavirus Oncogenes in HeLa Cervical Carcinoma Cells Causes The Orderly Reactivation of Dormant Tumor Suppressor Pathways, *Proc. Natl. Acad. Sci.*, 97(23), 12513-8.
- Harbone, J. B. and Marby, T. J., 1975, *The Flavanoid*, Academic Press, New York.
- Ismiyarto, 2000, Synthesis Of Chalcone And Flavanone Compound Using Raw Material Of Acetophenone And Benzaldehyde Derivative, *Indones. J. Chem.* 81–89.
- Jeon, J., Yang, D., and Jun, J., 2011, Selective Synthesis of 3,4-Dihydrocoumarins and Chalcones from Substituted Aryl Cinnamic Esters, *Bull. Korean Chem. Soc.*, 32, 65-70.
- Juvale, K., Pape, V.F.S., and Wiese, M., 2012, Chemistry Investigation of Chalcones and Benzochalcones as Inhibitors of Breast Cancer Resistance Protein, *Bioorg. Med. Chem.*, 20, 346–355.
- Juvale, K., Stefan, K., and Wiese, M., 2013, Synthesis and Biological Evaluation of Flavones and benzoflavones as inhibitors of BCRP/ABCG2, *Eur. J. Med. Chem.*, 67, 115–126.
- Karthikeyan, C., Narayana, N.S.H., and Ramasamy, S., 2015, Advances in Chalcones with Anticancer Activities, *Anti Cancer Drug Discovery*, 10, 97–115.
- Ketabforoosh, S.H.M.E., Kheirollahi, A., Safavi, M., and Esmati, N., 2014, Full Paper Synthesis and Anti-Cancer Activity Evaluation of New Dimethoxylated Chalcone and Flavanone Analogs, *Arch. Pharm. Chem. Life Sci.*, 347, 853–860.
- Kim, H., Moon, J.Y., Mosaddik, A., dan Cho S.K., 2010, Induction of Apoptosis in Human Cervical Carcinoma HeLa Cells by Polymethoxylated Flavone-Rich *Citrus grandis* Osbeck (Dangyuja) Leaf Extract, *Food Chem. Toxicol.*, 48, 2435-2442.

- Kshatriya, R.B., Machhi, J., and Nazeruddin, G.M., 2014, Novel Methodology and Process Optimization for the Synthesis of Flavones, *Inter. J. of Pharm. Reasearch and review*, 3, 47–57.
- Kshatriya, R.B., Shaikh, Y.I., and Nazeruddin, G.M., 2013, Synthesis of Flavone Skeleton by Different Methods, *Orient. J. Chem.*, 29, 1475–1487.
- Kulkarni, P., Wagh, P., and Zubaidha, P., 2012, An Improved and Eco-Friendly Method for the Synthesis of Flavanone by the Cyclization of 2'-Hydroxy Chalcone Using Methane Sulfonic Acid as Catalyst, *Chem J.*, 2, 106–110.
- Kulkarni, P.S., Kondhare, D.D., and Varala, R., 2013, Cyclization of 2'-Hydroxychalcones to Flavones Using Ammonium Iodide as an Iodine Source –an Eco-Friendly Approach, *J. Serb. Chem. Soc.*, 78, 909–916.
- Kumar, K., Rao, G.V., Reddy, G.C., Kush, A.K., and Diwakar, L., 2014. Bioorganic Chemistry Synthetic Racemates of Abyssinone I and II Induces Apoptosis Through Mitochondrial Pathway in Human Cervix Carcinoma Cells, *Bioorg. Chem.*, 56, 54–61.
- Lahyani, A. and Trabelsi, M., 2016, Ultrasonics Sonochemistry Ultrasonic-Assisted Synthesis of Flavones by Oxidative Cyclization of 2-hydroxychalcones Using Iodine Monochloride, *Ultrason. Sonochem.*, 31, 626–630.
- Lawrence, N.J., Rennison, D., MCGOWN, T., and Hadfield, J.A., 2003, The Total Synthesis of an Aurone Isolated from *Uvaria hamiltonii*: Aurones and Flavones as Anticancer Agents, *Bio. Med. Chem. Lett.*, 13, 3759–3763.
- Lee, J.I. and Jung, M.G., 2005, A New Route for the Synthesis of Flavanones from 2-methoxybenzoic Acids, *Bull. Korean Chem. Soc.*, 26, 2044–2046.
- Liao, T.T., Shi, Y.L., Jia, J.W., Jia, R.W., and Wang, L., 2010, Sensitivity of Morphological Change of Vero Cells Exposed to Lipophilic Compounds and its Mechanism, *J. Hazard. Mater.*, 179, 1055–1064.
- Lokhande, P.D., Sakate, S.S., Taksande, K.N., and Navghare, B., 2005, Dimethylsulfoxide–iodine Catalysed Deprotection of 2-allyloxychalcones: Synthesis of Flavones, *Tetrahedron Lett.*, 46, 1573–1574.
- Lucey, B.P., Nelson-rees, W.A., and Hutchins, G.M., 2009, Henrietta Lacks, HeLa Cells, and Cell Culture Contamination, *Arch Pathol Lab Med.*, 133, 1463-1467.
- Mai, C. wai, Yaeghoobi, M., Abd-rahman, N., Kang, Y., and Rao, M., 2014, Chalcones with Electron-withdrawing and Electron-donating Substituents: Anticancer Activity Against Trail Resistant Cancer Cells, Structure Activity Relationship Analysis and Regulation of Apoptotic Proteins, *Eur. J. Med. Chem.*, 77, 378–387.
- Matsjeh, S., Anwar, C., Sholikhah, E.N., and Alimuddin, A.A., 2015, Ketone from Eugenol, *Indo. J. Chem.*, 1, 1–5.

- Matsjeh, S., Anwar, C., Solikhah, E.N., Farah, H.I., and Nurfitriya, K., 2017, Synthesis Of 7-Hydroxy-4'-Methoxyflavanone And 7-Hydroxy-4'-Methoxyflavone As A Candidate Anticancer Against Cervical (Hela) Cancer Cell And Colon (Widr) Cancer Cell By In Vitro, *American Institute of Physics*, 20075.
- Menezes, M.J., Manjrekar, S., Pai, V., Patre, R.E., and Tilve, S.G., 2009, A Facile Microwave Assisted Synthesis of Flavones, *Indian J. Chem.*, 48, 1311–1314.
- Miler, M., Jasmina, Ž., Ajd, V., Ore, Z., Milenkovi, D., Koni, A., et al., 2016, Citrus Flavanones Naringenin and Hesperetin Improve Antioxidant Status and Membrane Lipid Compositions in The Liver of Old-aged Wistar rats, *Experimental Gerontology journal*, 84, 49–60.
- Mondal, R., Gupta, A. Das, and Mallik, A.K., 2011, Synthesis of Flavanones by Use of Anhydrous Potassium Carbonate as An Inexpensive, safe, and Efficient Basic Catalyst, *Tetrahedron Lett.*, 52, 5020–5024.
- Pandurangan, M., Enkhtaivan, G., Mistry, B., Chandrasekaran, M., Noorzai, R., and Kim, D.H., 2016, Investigation of role of Aspartame on Apoptosis Process in HeLa cells, *Saudi J. Biol. Sci.*, 23, 503–506.
- Patil, C.B., Mahajan, S.K., and Katti, S.A., 2009, Chalcone: A versatile Molecule, *J. Pharm. Sci. Res.*, 1, 11–22.
- Peterson, J.J., Beecher, G.R., Bhagwat, S.A., Dwyer, J.T., Gebhardt, E., Haytowitz, D.B., and Holden, J.M., 2006, Flavanones in Grapefruit, Lemons, and Limes: A Compilation and Review of the Data from the Analytical Literature, *J. Food Comp Anal.*, 19, 74–80.
- Pike, A.C.W., Brzozowski, A.M., Hubbard, R.E., Bonn, T., Thorsell, A.G., Engström, O., Ljunggren, J., Gustafsson, J.A., and Carlquist, M., 1999, Structure of The Ligand-binding Domain of Oestrogen Receptor Beta in The Presence of a Partial Agonist and a Full Antagonist, *The EMBO Journal*, 18, 4608–4618.
- Rahman, A. F. M. M. , Ali, R., Jahng, Y., and Kadi, A.A., 2012, A facile solvent free claisen-schmidt reaction: Synthesis of α,α' -bis-(Substituted-benzylidene)cycloalkanones and α,α' -bis-(Substituted-alkylidene)cycloalkanones, *Molecules*, 17, 571–583.
- Rao, Y.K., Fang, S.H., Tzeng, Y.M., 2004, Differential Effects of Synthesized 2'-Oxygenated Chalcone Derivatives: Modulation of Human Cell Cycle Phase Distribution, *Bioorg. Med. Chem.*, 12, 2679-2686.
- Ren, W., Qiao, Z., Wang, H., Zhu, L., and Zhang, L., 2003, Flavonoids: Promising Anticancer Agents, *Med. Research Review*, 23, 519–534.
- Santi, M.D., Peralta, M.A., Mendoza, C.S., Luis, J., and Ortega, M.G., 2017, Chemical and bioactivity of flavanones Obtained from Roots of *Dalea pазensis* Rusby, *Bioorg. Med. Chem. Lett.*, 27, 1789–1794.

- Sarda, S.R., Jadhav, W.N., Pawar, R.P., and College, J.E.S., 2009, $I_2-Al_2O_3$: A Suitable Heterogeneous Catalyst for The Synthesis of Flavones Under Microwave Irradiation, *Inter J. Chem Tech.*, 1, 539–543.
- Sashidhara, K. V, Kumar, M., and Kumar, A., 2012, A Novel Route to Synthesis of Flavones from Salicylaldehyde and Acetophenone Derivatives, *Tetrahedron Lett.*, 53, 2355–2359.
- Shah, U.H. and Patel, S.G., 2017, Synthesis of Flavones From 2-hydroxy acetophenone and Aromatic Aldehyde Derivatives by Conventional Methods and Aromatic Aldehyde Derivatives by Conventional Methods and green, *Asian J. Pharm. Clinical Res.*, 10, 403-406.
- Singh, M., Kaur, M., and Silakari, O., 2014, Flavones: An Important Scaffold for Medicinal Chemistry. *Eur. J. Med. Chem.*, 84, 206-239.
- Sivagami, G., Vinothkumar, R., Paul, C., Riyasdeen, A., Abdulkader, M., Padmanaban, V., and Nalini, N., 2012, Role of Hesperetin (a Natural Flavonoid) and Its Analogue on Apoptosis in HT-29 Human Colon Adenocarcinoma Cell Line – A Comparative Study, *Food Chem. Toxicol.*, 50, 660–671.
- Susanti, E. dan Redjeki, T., 2011, Optimasi Sintesis Kalkon Dari Veratraldehida Dan 2-4 Dihidroksi Asetofenon. *Prosiding UNS Seminar Kimia dan Pendidikan Kimia ISBN : 978-979-1533-85-0*, 978–979.
- Susanti, E., 2015, Sintesis senyawa khalkon dan flavon dari vanilin sebagai antioksidan dan antibakteri, *Desertasi*, Departemen kimia, FMIPA,UGM.
- Suwito, H., Jumina, Mustofa, Pudjiastuti, P., Fanani, M.Z., Kimata-Arigo, Y., Katahira, R., Kawakami, T., Fujiwara, T., Hase, T., and Sirat, H.M., Puspaningsih, N.N.T., 2014, Design and Synthesis of Chalcone Derivatives as Inhibitors of the Ferredoxin-Ferredoxin-NADP⁺ Reductase Interaction of Plasmodium Falciparum: Pursuing New Antimalarial Agents, *Molecules*, 19, 21473–21488.
- Tanamatarayar, P., Limtrakul, P., Chunsakaow, S., and Duangrat, C., 2003, Screening of Some Rubiaceae Plants for Cytotoxic Activity Against Cervix Carcinoma (KB-3-1) Cell Line, *Thai. J. Pharm. Sci.*, 27 (3-4): 167- 172.
- Vijayalakshmi, A., Kumar, P.R., Priyadarsini, S.S., and Meenaxshi, C., 2013, In Vitro Antioxidant and Anticancer Activity of Flavonoid Fraction from the Aerial Parts of *Cissus quadrangularis* Linn against Human Breast Carcinoma Cell Lines, *J Chem.*, 1-9.
- Wardihan, Muhammad Rusdi, Gemini Alam, L. and M.A.M., 2013, Selective Cytotoxicity Evaluation in Anticancer Drug Screening of Boehmeria Virgata (Forst) Guill Leaves to Several Human Cell Lines, *J. Pharm. Sci.*, 12, 87–90.
- Yu, S., Kim, T., Hyun, K., and Kang, K., 2017, Biochemical and Biophysical Research Communications The T47D Cell Line is An Ideal Experimental



**SINTESIS KALKON, FLAVON DAN FLAVANON DARI VERATRALDEHIDA SERTA UJI
SITOTOKSISITASNYA TERHADAP SEL**

KANKER HeLa, WiDr, T47D DAN MCF-7 SECARA IN VITRO

AMANATUR RIFQI, Prof. Drs. Sabirin Matsjeh, Ph.D.; Dr. Deni Pranowo, M.Si.

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Model to Elucidate the Progesterone-specific Effects of A Luminal A
Subtype of Breast Cancer, *Biochem. Biophys. Res. Commun.*, 486, 752–758.