

DAFTAR PUSTAKA

- [1] Ditjen EBTKE, “Rencana Strategis Direktorat Jendral Energi Baru, Terbarukan dan Konservasi Energi 2020-2024,” 2020.
- [2] L. P. Koh and J. Ghazoul, “Biofuels, Biodiversity, and People: Understanding the Conflicts and Finding Opportunities,” *Biol. Conserv.*, vol. 141, no. 10, pp. 2450–2460, 2008, doi: 10.1016/j.biocon.2008.08.005.
- [3] H. K. Jeswani and A. Azapagic, “Life Cycle Sustainability Assessment of Second Generation Biodiesel,” in *Woodhead Publishing Series in Energy*, R. Luque and J. A. B. T.-A. in B. P. Melero, Eds. Woodhead Publishing, 2012, pp. 13–31.
- [4] A. E. Atabani and S. César, “Calophyllum inophyllum L . – A Prospective Non-Edible Biodiesel Feedstock. Study of Biodiesel Production , Properties , Fatty Acid Composition , Blending and Engine Performance,” *Renew. Sustain. Energy Rev.*, vol. 37, pp. 644–655, 2014, doi: 10.1016/j.rser.2014.05.037.
- [5] H. S. Fogler, *Essentials of Chemical Reaction Engineering*. 2011.
- [6] R. Luque, J. C. Lovett, B. Datta, J. Clancy, J. M. Campelo, and A. A. Romero, “Biodiesel as Feasible Petrol Fuel Replacement: A Multidisciplinary Overview,” *Energy Environ. Sci.*, vol. 3, no. 11, pp. 1706–1721, 2010, doi: 10.1039/c0ee00085j.
- [7] M. J. Haas, A. J. McAloon, W. C. Yee, and T. A. Foglia, “A Process Model to Estimate Biodiesel Production Costs,” *Bioresour. Technol.*, vol. 97, no. 4, pp. 671–678, Mar. 2006, doi: 10.1016/j.biortech.2005.03.039.
- [8] H. Makkar, J. Maes, W. De Greyt, and K. Becker, “Removal and Degradation of Phorbol Esters during Pre-treatment and Transesterification of Jatropha curcas Oil,” *J. Am. Oil Chem. Soc.*, vol. 86, no. 2, pp. 173–181, 2009, doi: 10.1007/s11746-008-1327-6.
- [9] S. H. Shuit, K. T. Lee, A. H. Kamaruddin, and S. Yusup, “Reactive Extraction and In Situ Esterification of Jatropha curcas L. Seeds for the Production of Biodiesel,” *Fuel*, vol. 89, no. 2, pp. 527–530, 2010, doi: 10.1016/j.fuel.2009.07.011.
- [10] A. A. Adenuga, O. O. Idowu, J. Adekunle, and O. Oyekunle, “Synthesis of Quality Biodiesel from Calophyllum inophyllum Kernels Through Reactive Extraction Method: Optimization of Process Parameters and Characterization of the Products,” *Renew. Energy*, vol. 145, pp. 2530–2537, 2020, doi: 10.1016/j.renene.2019.08.035.
- [11] H. Lei *et al.*, “In Situ Production of Fatty Acid Ethyl Ester from Low Quality



- Rice Bran,” *Fuel*, vol. 90, no. 2, pp. 592–597, 2011, doi: 10.1016/j.fuel.2010.09.040.
- [12] E. O. Ajala, F. Aberuagba, A. M. Olaniyan, M. A. Ajala, M. O. Sunmonu, and M. M. Odewole, “Design , Construction and Performance Evaluation of a Mini - Scale Batch Reactor for Biodiesel Production : A Case Study of Shea Butter,” vol. 40, no. 5, pp. 1066–1075, 2018.
- [13] H. Nouredдини, D. Harkey, and V. Medikonduru, “A Continuous Process for the Conversion of Vegetable Oils into Methyl Esters of Fatty Acids,” vol. 75, no. 12, pp. 1775–1783, 1998.
- [14] F. H. Kasim, A. P. Harvey, and R. Zakaria, “Biodiesel Production by In Situ Transesterification,” *Biofuels*, vol. 1, no. 2, pp. 355–365, 2010, doi: 10.4155/bfs.10.6.
- [15] L. Deng, X. Xu, G. G. Haraldsson, T. Tan, and F. Wang, “Enzymatic Production of Alkyl Esters Through Alcoholysis : A Critical Evaluation of Lipases and Alcohols,” vol. 82, no. 5, 2005.
- [16] C. Mueanmas, R. Nikhom, A. Petchkaew, J. Iewkittayakorn, and K. Prasertsit, “Extraction and Esterification of Waste Coffee Grounds Oil as Non-Edible Feedstock for Biodiesel Production,” *Renew. Energy*, vol. 133, pp. 1414–1425, 2019, doi: 10.1016/j.renene.2018.08.102.
- [17] D. M. G. Freire, J. S. de Sousa, and E. d’Avila Cavalcanti-Oliveira, “Biotechnological Methods to Produce Biodiesel,” in *Biofuels: Alternative Feedstocks and Conversion Processes*, 1st ed., A. Pandey, C. Larroche, S. C. Ricke, C. G. Dussap, and E. Gnansounou, Eds. Elsevier Inc., 2011, pp. 315–333.
- [18] N. A. Mufidah, “Penurunan Bilangan Asam Minyak Biji Nyamplung (*Calophyllum Inophyllum*) dengan In Situ Esterifikasi Menggunakan Campuran Metanol dan Isopropanol dengan Katalis Asam Sulfat (H₂SO₄),” Universitas Gadjah Mada, 2021.
- [19] A. Mancini *et al.*, “Biological and Nutritional Properties of Palm Oil and Palmitic Acid: Effects on Health,” vol. 2016, no. September, 2015, doi: 10.3390/molecules200917339.
- [20] K. J. Harrington and C. D’Arcy-Evans, “Transesterification In Situ of Sunflower Seed Oil,” *Ind. Eng. Chem. Prod. Res. Dev.*, vol. 24, no. 2, pp. 314–318, Jun. 1985, doi: 10.1021/i300018a027.
- [21] S. A. Abo El-Enin, N. K. Attia, N. N. El-Ibiari, G. I. El-Diwani, and K. M. El-Khatib, “In-situ Transesterification of Rapeseed and Cost Indicators for Biodiesel Production,” *Renew. Sustain. Energy Rev.*, vol. 18, pp. 471–477, 2013, doi: <https://doi.org/10.1016/j.rser.2012.10.033>.
- [22] S. A. Raja, D. S. Robinson, and C. L. R. Lee, “Biodiesel Production from Jatropha Oil and Its Characterization,” vol. 1, no. 1, 2011.



- [23] A. S. Ramadhas, S. Jayaraj, and C. Muraleedharan, "Biodiesel Production from High FFA Rubber Seed Oil," *Fuel*, vol. 84, no. 4, pp. 335–340, 2005, doi: <https://doi.org/10.1016/j.fuel.2004.09.016>.
- [24] J. Qian, F. Wang, S. Liu, and Z. Yun, "In Situ Alkaline Transesterification of Cottonseed Oil for Production of Biodiesel and Nontoxic Cottonseed Meal," *Bioresour. Technol.*, vol. 99, no. 18, pp. 9009–9012, 2008, doi: [10.1016/j.biortech.2008.04.059](https://doi.org/10.1016/j.biortech.2008.04.059).
- [25] F. Ma and M. A. Hanna, "Biodiesel Production: A Review," *Bioresour. Technol.*, vol. 70, no. 1, pp. 1–15, 1999, doi: [https://doi.org/10.1016/S0960-8524\(99\)00025-5](https://doi.org/10.1016/S0960-8524(99)00025-5).
- [26] K. G. Georgogianni, M. G. Kontominas, P. J. Pomonis, D. Avlonitis, and V. Gergis, "Alkaline Conventional and In Situ Transesterification of Cottonseed Oil for the Production of Biodiesel," no. 9, pp. 2110–2115, 2008.
- [27] S. Siler-Marinkovic and A. Tomasevic, "Transesterification of Sunflower Oil In Situ," *Fuel*, vol. 77, no. 12, pp. 1389–1391, 1998, doi: [10.1016/S0016-2361\(98\)00028-3](https://doi.org/10.1016/S0016-2361(98)00028-3).
- [28] M. J. Haas, K. M. Scott, W. N. Marmer, and T. A. Foglia, "In Situ Alkaline Transesterification: An effective Method for the Production of Fatty Acid Esters from Vegetable Oils," *J. Am. Oil Chem. Soc.*, vol. 81, no. 1, pp. 83–89, 2004, doi: [10.1007/s11746-004-0861-3](https://doi.org/10.1007/s11746-004-0861-3).
- [29] H. Nouredini and D. Zhu, "Kinetics of Transesterification of Soybean Oil," *JAOCs, J. Am. Oil Chem. Soc.*, vol. 74, no. 11, pp. 1457–1463, 1997, doi: [10.1007/s11746-997-0254-2](https://doi.org/10.1007/s11746-997-0254-2).
- [30] M. J. Haas and K. M. Scott, "Moisture Removal Substantially Improves the Efficiency of In Situ Biodiesel Production from Soybeans," *J. Am. Oil Chem. Soc.*, vol. 84, no. 2, pp. 197–204, 2007, doi: [10.1007/s11746-006-1024-2](https://doi.org/10.1007/s11746-006-1024-2).
- [31] M. I. Jahirul, W. Koh, R. J. Brown, W. Senadeera, I. O'Hara, and L. Moghaddam, "Biodiesel Production from Non-Edible Beauty Leaf (*Calophyllum inophyllum*) Oil: Process Optimization Using Response Surface Methodology (RSM)," *Energies*, vol. 7, no. 8, pp. 5317–5331, 2014, doi: [10.3390/en7085317](https://doi.org/10.3390/en7085317).
- [32] Y. Ren, A. Harvey, and R. Zakaria, "Biorefining Based on Biodiesel Production: Chemical and Physical Characterisation of Reactively Extracted Rapeseed," *J. Biobased Mater. Bioenergy*, vol. 4, no. 1, pp. 79–86, 2010, doi: [10.1166/jbmb.2010.1069](https://doi.org/10.1166/jbmb.2010.1069).
- [33] S. Özgül-Yücel and S. Türkay, "FA Monoalkylesters from Rice Bran Oil by In Situ Esterification," *J. Am. Oil Chem. Soc.*, vol. 80, no. 1, pp. 81–84, 2003, doi: [10.1007/s11746-003-0655-7](https://doi.org/10.1007/s11746-003-0655-7).
- [34] F. J. Muzzio *et al.*, "Solids Mixing," *Handbook of Industrial Mixing*. pp. 887–985, Nov. 14, 2003, doi: <https://doi.org/10.1002/0471451452.ch15>.



- [35] R. R. Hemrajani and G. B. Tatterson, "Mechanically Stirred Vessels," in *Handbook of Industrial Mixing*, E. L. Paul, V. A. Atiemo-Obeng, and S. M. Kresta, Eds. John Wiley & Sons, Ltd, 2003, pp. 345–390.
- [36] S. M. Peker and Ş. Ş. Helvacı, "Mixing in Solid–Liquid Systems," in *Solid–Liquid Two Phase Flow*, S. M. Peker, Ş. Ş. Helvacı, H. B. Yener, B. İkizler, and A. Alparslan, Eds. Amsterdam: Elsevier, 2008, pp. 385–438.
- [37] J. R. Couper, W. R. Penney, J. R. Fair, and S. M. Wallas, *Chemical Process Equipment: Selection and Design*. 2005.
- [38] P. M. Doran, "Mixing," in *Bioprocess Engineering Principles*, P. M. B. T.-B. E. P. (Second E. Doran, Ed. London: Academic Press, 2013, pp. 255–332.
- [39] V. A. Atiemo-Obeng, W. R. Penney, and P. Armenante, "Solid–Liquid Mixing," *Handbook of Industrial Mixing*. pp. 543–584, Nov. 14, 2003, doi: <https://doi.org/10.1002/0471451452.ch10>.
- [40] N. Kuzmanić, M. Akrap, and A. Kovačević, "An experimental investigation into the complete drawdown of floating solids in dual-impeller stirred vessels," *J. Chem. Eng. Japan*, vol. 39, no. 9, pp. 932–939, 2006, doi: 10.1252/jcej.39.932.
- [41] W. L. McCabe, J. C. Smith, and P. Harriott, *Unit Operations of Chemical Engineering*, 5th ed. McGraw-Hill, 1993.
- [42] I. M. Smallwood, "Handbook of Organic Solvent Properties," *Handb. Org. Solvent Prop.*, pp. 1–306, 2012, doi: 10.1016/C2009-0-23646-4.
- [43] F. Abdul Jalil, "Optimasi In-Situ Esterifikasi biji karet Menggunakan Campuran Metanol dan n-Heksana dengan Katalis Asam Sulfat," Universitas Gadjah Mada, 2019.
- [44] AOCS, *Recommended Practices for Assessing Feedstock to Ensure Biodiesel Quality*. .
- [45] National Center for Biotechnology Information, "PubChem Annotation Record for Methanol, Source: Hazardous Substances Data Bank (HSDB)," 2022. <https://pubchem.ncbi.nlm.nih.gov/source/hsdb/93> (accessed Jan. 11, 2022).
- [46] National Center for Biotechnology Information, "PubChem Annotation Record for N-HEXANE, Source: Hazardous Substances Data Bank (HSDB)," 2022. <https://pubchem.ncbi.nlm.nih.gov/source/hsdb/91> (accessed Jan. 11, 2022).
- [47] K. Kanny and T. P. Mohan, *Rubber nanocomposites with nanoclay as the filler*. Elsevier Ltd, 2017.
- [48] Mykin Inc., "Rubber Chemical Resistance Chart," 2019. <https://mykin.com/rubber-chemical-resistance-chart> (accessed Dec. 19, 2021).



- [49] J. O. Akowuah, A. Addo, and F. Kemausuor, "Influence of Storage Duration of *Jatropha curcas* Seed on Oil Yield and Free Fatty Acid Content," *ARNP J. Agric. Biol. Sci.*, vol. 7, no. 1, pp. 41–48, 2012.
- [50] H. J. Berchmans and S. Hirata, "Biodiesel Production from Crude *Jatropha curcas* L. Seed Oil with a High Content of Free Fatty Acids," *Bioresour. Technol.*, vol. 99, no. 6, pp. 1716–1721, 2008, doi: 10.1016/j.biortech.2007.03.051.

