

DAFTAR PUSTAKA

- Anonim.,2021, Peraturan Pemerintah No 21 Tahun 2021: Perlindungan dan Pengelolaan Mutu Air Nasional.
- Anonim.,2014, European Union Drinking Water Regulation Statutory Instruments: S.I. No. 122 of 2014.
- Ahmad, M., Zhang, B., Wang, J., Xu, J., Manzoor, K., Ahmad, S., and Ikram, S., 2019, New method for hydrogel synthesis from diphenylcarbazine chitosan for selective copper removal, *Int. J. Biol. Macromol.*, 136, 189–198.
- de Almeida, F.T.R., Ferreira, B.C.S., Moreira, A.L. da S.L., de Freitas, R.P., Gil, L.F., and Gurgel, L.V.A., 2016, Application of a new bifunctionalized chitosan derivative with zwitterionic characteristics for the adsorption of Cu^{2+} , Co^{2+} , Ni^{2+} , and oxyanions of Cr^{6+} from aqueous solutions: Kinetic and equilibrium aspects, *J. Colloid Interface Sci.*, 466, 297–309.
- Alsohaimi, I.H., El-Aassar, M.R., Elzain, A.A., Alshammari, M.S., and Ali, A.S.M., 2020, Development of activated carbon-impregnated alginate* β -cyclodextrin/gelatin beads for highly performance sorption of 2,4-dichlorophenol from wastewater, *J. Mater. Res. Technol.*, 9, 5144–5153.
- Anfar, Z., Amedlous, A., Majdoub, M., El Fakir, A.A., Zbair, M., Ait Ahsaine, H., Jada, A., and El Alem, N., 2020, New amino group functionalized porous carbon for strong chelation ability towards toxic heavy metals, *RSC Adv.*, 10, 31087–31100.
- Biaduń, E., Sadowska, M., Ospina-Alvarez, N., and Krasnodębska-Ostręga, B., 2016, Direct speciation analysis of thallium based on solid phase extraction and specific retention of a Tl(III) complex on alumina coated with sodium dodecyl sulfate, *Microchim. Acta*, 183, 177–183.
- Bo, S., Luo, J., An, Q., Xiao, Z., Wang, H., Cai, W., Zhai, S., and Li, Z., 2020, Efficiently selective adsorption of Pb(II) with functionalized alginate-based adsorbent in batch/column systems: Mechanism and application simulation, *J. Clean. Prod.*, 250, 119585.
- Bost, M., Houdart, S., Oberli, M., Kalonji, E., Huneau, J.F., and Margaritis, I., 2016, Dietary copper and human health: Current evidence and unresolved issues, *J. Trace Elem. Med. Biol.*, 35, 107–115.
- Bu, X., Song, Y., Pan, J., Wang, X., Qin, C., Jia, Y., Du, Z., Qin, J.G., and Chen, L., 2022, Toxicity of chronic copper exposure on Chinese mitten crab (*Eriocheir sinensis*) and mitigation of its adverse impact by myo-inositol, *Aquaculture*, 547, 737511.
- Chen, S., Yan, J., Liu, Y., Wang, C., and Lu, D., 2021, Determination of Mn(II) and Mn(VII) in beverage samples using magnetic dispersive micro-solid phase extraction coupled with solidified floating organic drop microextraction followed by graphite furnace atomic absorption spectrometry, *Food Chem.*,

359, 129958.

- Dan Zhao, Zhang, X., Liu, D., and Ru, S., 2019, Cu accumulation, detoxification and tolerance in the red swamp crayfish *Procambarus clarkii*, *Ecotoxicol. Environ. Saf.*, 175, 201–207.
- Djerahov, L., Vasileva, P., Karadjova, I., Kurakalva, R.M., and Aradhi, K.K., 2016, Chitosan film loaded with silver nanoparticles - Sorbent for solid phase extraction of Al(III), Cd(II), Cu(II), Co(II), Fe(III), Ni(II), Pb(II) and Zn(II), *Carbohydr. Polym.*, 147, 45–52.
- Fei, J. jun, Wu, X. hong, Sun, Y. lun, Zhao, L. yu, Min, H., Cui, X. bing, Chen, Y. jun, Liu, S., Lian, H. zhen, and Li, C., 2021, Preparation of a novel amino functionalized ion-imprinted hybrid monolithic column for the selective extraction of trace copper followed by ICP-MS detection, *Anal. Chim. Acta*, 1162, 338477.
- Gao, R., Hu, Z., Chang, X., He, Q., Zhang, L., Tu, Z., and Shi, J., 2009, Chemically modified activated carbon with 1-acylthiosemicarbazide for selective solid-phase extraction and preconcentration of trace Cu(II), Hg(II) and Pb(II) from water samples, 172, 324–329.
- Godiya, C.B., Liang, M., Sayed, S.M., Li, D., and Lu, X., 2019, Novel alginate/polyethyleneimine hydrogel adsorbent for cascaded removal and utilization of Cu²⁺ and Pb²⁺ ions, *J. Environ. Manage.*, 232, 829–841.
- Harmita, H., 2004, Petunjuk Pelaksanaan Validasi Metode Dan Cara Perhitungannya, *Maj. Ilmu Kefarmasian*, 1, 117–135.
- Huang, L., Huang, W., Shen, R., and Shuai, Q., 2020, Chitosan/thiol functionalized metal–organic framework composite for the simultaneous determination of lead and cadmium ions in food samples, *Food Chem.*, 330, 127212.
- Imran, K., Harinath, Y., Naik, B.R., Kumar, N.S., and Seshaiiah, K., 2019, Journal of Environmental Chemical Engineering A new hybrid sorbent 2, 2'-pyridil functionalized SBA-15 (Pyl-SBA-15) synthesis and its applications in solid phase extraction of Cu(II) from water samples, *J. Environ. Chem. Eng.*, 7, 103170.
- Jiang, X., An, Q. Da, Xiao, Z.Y., Zhai, S.R., and Shi, Z., 2019, Versatile core/shell-like alginate@polyethylenimine composites for efficient removal of multiple heavy metal ions (Pb²⁺, Cu²⁺, CrO₄²⁻): Batch and fixed-bed studies, *Mater. Res. Bull.*, 118, 110526.
- Kayalvizhi, K., Alhaji, N.M.I., Saravanakkumar, D., Mohamed, S.B., Kaviyarasu, K., Ayeshamariam, A., Al-Mohaimed, A.M., AbdelGawwad, M.R., and Elshikh, M.S., 2022, Adsorption of copper and nickel by using sawdust chitosan nanocomposite beads – A kinetic and thermodynamic study, *Environ. Res.*, 203, 111814.
- Kuczajowska-Zadrożna, M., Filipkowska, U., and Józwiak, T., 2020, Adsorption of Cu(II) and Cd(II) from aqueous solutions by chitosan immobilized in

- alginate beads, *J. Environ. Chem. Eng.*, 8, 103878.
- Lim, S.F., Zheng, Y.M., Zou, S.W., and Chen, J.P., 2008, Characterization of copper adsorption onto an alginate encapsulated magnetic sorbent by a combined FT-IR, XPS, and mathematical modeling study, *Environ. Sci. Technol.*, 42, 2551–2556.
- Maltepe, E., Öztürk Er, E., and Bakırdere, S., 2020, Chitosan magnetic hydrogel based ligandless magnetic solid phase extraction for the accurate and sensitive determination of thallium by slotted-quartz tube flame atomic absorption spectrophotometry with matrix matching calibration strategy, *Microchem. J.*, 158, 105231.
- Maranata, G.J., Surya, N.O., and Hasanah, A.N., 2021, Optimising factors affecting solid phase extraction performances of molecular imprinted polymer as recent sample preparation technique, *Heliyon*, 7, e05934.
- Mirzaee, M.T., Seidi, S., and Alizadeh, R., 2021, Pipette-tip SPE based on Graphene/ZnCr LDH for Pb(II) analysis in hair samples followed by GFAAS, *Anal. Biochem.*, 612, 113949.
- Nicomel, N.R., Otero-Gonzalez, L., Williamson, A., Ok, Y.S., Van Der Voort, P., Hennebel, T., and Du Laing, G., 2022, Selective copper recovery from ammoniacal waste streams using a systematic biosorption process, *Chemosphere*, 286, 131935.
- Ozcan, N. and Saloglu, D., 2020, Activated carbon embedded alginate beads for removing nonsteroidal anti-inflammatory drug naproxen from wastewater: Equilibrium, kinetics, thermodynamics, desorption, and reusability, *Water Sci. Technol.*, 81, 1432–1444.
- Pan, L., Wang, Z., Zhao, X., and He, H., 2019, Efficient removal of lead and copper ions from water by enhanced strength-toughness alginate composite fibers, *Int. J. Biol. Macromol.*, 134, 223–229.
- Parker, T.D., Surendran, N., Stewart, B.H., and Rossi, D.T., 1998, Automated sample preparation for drugs in plasma using a solid-phase extraction workstation, *J. Pharm. Biomed. Anal.*, 17, 851–861.
- Quinn, C.W., Cate, D.M., Miller-Lionberg, D.D., Reilly, T., Volckens, J., and Henry, C.S., 2018, Solid-Phase Extraction Coupled to a Paper-Based Technique for Trace Copper Detection in Drinking Water, *Environ. Sci. Technol.*, 52, 3567–3573.
- Rahman, M.A., Islam, M.S., Haque, P., Khan, M.N., Takafuji, M., Begum, M., Chowdhury, G.W., Khan, M., and Rahman, M.M., 2020, Calcium ion mediated rapid wound healing by nano-ZnO doped calcium phosphate-chitosan-alginate biocomposites, *Materialia*, 13, 100839.
- Riyandari, B.A., Suherman, and Siswanta, D., 2018, The physico-mechanical properties and release kinetics of eugenol in chitosan-alginate polyelectrolyte complex films as active food packaging, *Indones. J. Chem.*, 18, 82–91.

- Riyanto, P.D., 2014, Validasi & Verifikasi Metode Uji Sesuai dengan ISO/IEC 17025 Laboratorium Pengujian dan Kalibrasi, 1–154.
- Sanagi, M.M., Salleh, S., Ibrahim, W.A.W., Naim, A.A., Hermawan, D., Miskam, M., Hussain, I., and Aboul-Enein, H.Y., 2013, Molecularly imprinted polymer solid-phase extraction for the analysis of organophosphorus pesticides in fruit samples, *J. Food Compos. Anal.*, 32, 155–161.
- Shen, W., An, Q. Da, Xiao, Z.Y., Zhai, S.R., Hao, J.A., and Tong, Y., 2020, Alginate modified graphitic carbon nitride composite hydrogels for efficient removal of Pb(II), Ni(II) and Cu(II) from water, *Int. J. Biol. Macromol.*, 148, 1298–1306.
- Sorouraddin, S.M. and Afshar Mogaddam, M.R., 2016, Development of molecularly imprinted-solid phase extraction combined with dispersive liquid–liquid microextraction for selective extraction and preconcentration of triazine herbicides from aqueous samples, *J. Iran. Chem. Soc.*, 13, 1093–1104.
- Su, C.K. and Lin, J.Y., 2020, 3D-Printed Column with Porous Monolithic Packing for Online Solid-Phase Extraction of Multiple Trace Metals in Environmental Water Samples, *Anal. Chem.*, 92, 9640–9648.
- Taher, M.A., Omer, A.M., Hamed, A.M., Ali, A.M., Tamer, T.M., and Eldin, M.S.M., 2019, Development of smart alginate/chitosan grafted microcapsules for colon site-specific drug delivery, *Egypt. J. Chem.*, 62, 1437–1445.
- Tang, S., Yang, J., Lin, L., Peng, K., Chen, Y., Jin, S., and Yao, W., 2020, Construction of physically crosslinked chitosan/sodium alginate/calcium ion double-network hydrogel and its application to heavy metal ions removal, *Chem. Eng. J.*, 393, 124728.
- Uruş, S., Purtaş, S., Ceyhan, G., and Tümer, F., 2013, Solid phase extraction of Pb(II), Cu(II), Cd(II) and Cr(III) with syringe technique using novel silica-supported bis(diazoimine) ligands, *Chem. Eng. J.*, 220, 420–430.
- Varaprasad, K., Nùñez, D., Ide, W., Jayaramudu, T., and Sadiku, E.R., 2020, Development of high alginate comprised hydrogels for removal of Pb(II) ions, *J. Mol. Liq.*, 298, 112087.
- Volynkin, S.S., Demakov, P.A., Shuvaeva, O. V., and Kovalenko, K.A., 2021, Metal-organic framework application for mercury speciation using solid phase extraction followed by direct thermal release-electrothermal atomization atomic absorption spectrophotometric detection (ETA AAS), *Anal. Chim. Acta*, 1177, 338795.
- Wan, Z. and Li, K., 2018, Effect of pre-pyrolysis mode on simultaneous introduction of nitrogen/oxygen-containing functional groups into the structure of bagasse-based mesoporous carbon and its influence on Cu(II) adsorption, *Chemosphere*, 194, 370–380.
- Wang, Jing, Yang, Q., Zhang, L., Liu, M., Hu, N., Zhang, W., Zhu, W., Wang, R., Suo, Y., and Wang, Jianlong, 2018, A hybrid monolithic column based on

layered double hydroxide-alginate hydrogel for selective solid phase extraction of lead ions in food and water samples, *Food Chem.*, 257, 155–162.

Yuvaraja, G., Pang, Y., Chen, D.Y., Kong, L.J., Mehmood, S., Subbaiah, M.V., Rao, D.S., Mouli Pavuluri, C., Wen, J.C., and Reddy, G.M., 2019, Modification of chitosan macromolecule and its mechanism for the removal of Pb(II) ions from aqueous environment, *Int. J. Biol. Macromol.*, 136, 177–188.

Zhang, J., 2013, Preparation , characterization and application of thiosemicarbazide grafted multiwalled carbon nanotubes for solid-phase extraction of Cd(II), Cu (II) and Pb(II) in environmental samples, *J. Environ. Sci.*, 25, 2331–2337.

Zhang, X., Lin, X., He, Y., Chen, Y., Luo, X., and Shang, R., 2019, Study on adsorption of tetracycline by Cu-immobilized alginate adsorbent from water environment, *Int. J. Biol. Macromol.*, 124, 418–428.

Zhao, X., Wang, X., and Lou, T., 2021, Preparation of fibrous chitosan/sodium alginate composite foams for the adsorption of cationic and anionic dyes, *J. Hazard. Mater.*, 403, 124054.

Zhu, F., Li, L., Li, N., Liu, W., Liu, X., and He, S., 2021, Selective solid phase extraction and preconcentration of Cd(II) in the solution using microwave-assisted inverse emulsion-suspension Cd(II) ion imprinted polymer, *Microchem. J.*, 164, .

