

DAFTAR PUSTAKA

- Aaltonen, P. et al., 2001. Changes in the Expression of Nephrin Gene and Protein in Experimental Diabetic Nephropathy. *Laboratory Investigation*, 81(9), pp.1185–1190.
- Aghadavoud, E., Nasri, H. & Amiri, M., 2017. Molecular Signaling Pathways of Diabetic Kidney Disease: New Concepts. *Journal of Preventive Epidemiology*, 2(2), pp.1–5.
- Al Megrin, W.A. et al., 2020. Nephroprotective Effects of Chlorogenic Acid Against Sodium Arsenite-induced Oxidative Stress, Inflammation, and Apoptosis. *Journal of the Science of Food and Agriculture*, 100(14), pp.5162–5170.
- Alicic, R.Z., Rooney, M.T. & Tuttle, K.R., 2017. Diabetic Kidney Disease. *Clinical Journal of the American Society of Nephrology*, 12(12), pp.2032–2045.
- Alomari, G. et al., 2019. Gold Nanoparticles Attenuate Albuminuria by Inhibiting Podocyte Injury in a Rat Model of Diabetic Nephropathy. *Drug Delivery and Translational Research*, 10(1), pp.216–226.
- Alpern, R.J. et al., 2013. Pathophysiology of Acute Kidney Injury. In *Seldin and Giebisch's the Kidney Physiology and Pathophysiology*. London: Academic Press, pp. 2143–2191.
- American Diabetes Association, 2020. Diabetes Complications. *Diabetes Complications* . Available at: <https://www.diabetes.org/diabetes/complications> [Accessed September 20, 2021].
- American Veterinary Medical Association, 2013. *AVMA Guidelines for the Euthanasia of Animals: 2013 Edition*, Schaumburg, United State: American Veterinary Medical Association.
- Arfian, N. et al., 2019. Chlorogenic Acid Attenuates Kidney Ischemic/Reperfusion Injury via Reducing Inflammation, Tubular Injury, and Myofibroblast Formation. *BioMed Research International*, 2019, pp.1–10.

- Azuma, K. et al., 2000. Absorption of Chlorogenic Acid and Caffeic Acid in Rats After Oral Administration. *Journal of Agricultural and Food Chemistry*, 48(11), pp.5496–5500.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian RI, 2018. *Hasil Utama Riskesdas 2018*, Jakarta, Indonesia: Kementerian Kesehatan Republik Indonesia.
- Balaji, R., Duraisamy, R. & Kumar, M.P., 2019. Complications of Diabetes Mellitus: A Review. *Drug Invention Today*, 12(1), pp.98–103.
- Balakumar, P. et al., 2006. Experimental Models for Nephropathy. *Journal of the Renin-Angiotensin-Aldosterone System*, 9(4), pp.189–195.
- Bao, L. et al., 2018. Chlorogenic Acid Prevents Diabetic Nephropathy by Inhibiting Oxidative Stress and Inflammation Through Modulation of the NRF2/HO-1 and Nf- κ b Pathways. *International Immunopharmacology*, 54, pp.245–253.
- Barsoum, R.S., 2006. Chronic Kidney Disease in the Developing World. *The New England Journal of Medicine*, 354(10), pp.997–999.
- Bergman, R.A., Afifi, A.K. & Heidger, P.M., 2020. Anatomy Atlases: Atlas of Microscopic Anatomy Urinary system. *Anatomy Atlases: A digital library of anatomy information*. Available at: <https://www.anatomyatlases.org/MicroscopicAnatomy/Section12/Section12.shtml> [Accessed September 20, 2021].
- Boehlke, C. et al., 2014. Hantavirus infection with severe proteinuria and podocyte foot-process effacement. *American Journal of Kidney Diseases*, 64(3), pp.452–456.
- Bradshaw, R.A. et al., 2010. Kidney. In *Handbook of cell signaling*. London: Academic, pp. 2707–2731.
- Breshears, M.A. & Confer, A.W., 2017. The Urinary System. *Pathologic Basis of Veterinary Disease*, 1, pp.617–681.
- Brosius, F.C. et al., 2010. Abnormalities in Signaling Pathways in Diabetic Nephropathy. *Expert Review of Endocrinology & Metabolism*, 5(1), pp.51–64.

- Cardoso, V.G. et al., 2018. Angiotensin II-induced Podocyte Apoptosis is Mediated by Endoplasmic Reticulum Stress/PKC- δ /p38 MAPK Pathway Activation and Through Increased Na⁺/H⁺ Exchanger Isoform 1 Activity. *BMC Nephrology*, 19(1).
- Caridi, G., Perfumo, F. & Ghiggeri, G.M., 2005. NPHS2 (podocin) Mutations in Nephrotic Syndrome. Clinical Spectrum and fine mechanisms. *Pediatric Research*, 57(5 Part 2).
- Chansky, M. & Haddad, G., 2008. Acute Diabetic Emergencies, Hypoglycemia, and Glycemic Control. *Critical Care Medicine*, pp.1245–1267.
- Chabe, S. & Swinyard, C.A., 1976. Teratological and Toxicological Studies of Alkaloidal and Phenolic Compounds from *Solanum Tuberosum L.* *Toxicology and Applied Pharmacology*, 36(2), pp.227–237.
- Chawla, R., Chawla, A. & Jaggi, S., 2016. Microvascular and Macrovascular Complications in Diabetes Mellitus: Distinct or Continuum? *Indian Journal of Endocrinology and Metabolism*, 20(4), p.546.
- Chen, J. et al., 2018. Dietary Chlorogenic Acid Improves Growth Performance of Weaned Pigs Through Maintaining Antioxidant Capacity and Intestinal Digestion and Absorption Function. *Journal of Animal Science*, 96(3), pp.1108–1118.
- Dai, H. et al., 2011. Effects of Angiotensin Receptor Blocker on Phenotypic Alterations of Podocytes in Early Diabetic Nephropathy. *The American Journal of the Medical Sciences*, 341(3), pp.207–214.
- Dai, H., Liu, Q. & Liu, B., 2017. Research Progress on Mechanism of Podocyte Depletion in Diabetic Nephropathy. *Journal of Diabetes Research*, 2017, pp.1–10.
- De Vriese, A.S. et al., 2000. Endothelial Dysfunction in Diabetes. *British Journal of Pharmacology*, 130(5), pp.963–974.
- Denhez, B. & Geraldès, P., 2017. Regulation of Nephron Phosphorylation in Diabetes and Chronic Kidney Injury. *Advances in Experimental Medicine and Biology*, pp.149–161.

- Denhez, B. et al., 2015. Increased SHP-1 Protein Expression by High Glucose Levels Reduces Nephrin Phosphorylation in Podocytes. *Journal of Biological Chemistry*, 290(1), pp.350–358.
- Ebefors, K. et al., 2021. Modeling the glomerular filtration barrier and intercellular crosstalk. *Frontiers in Physiology*, 12.
- Ehrmann, B.J., 2014. Diabetes. *A Comprehensive Guide to Geriatric Rehabilitation*, pp.329–336.
- Fakhruddin, S., Alanazi, W. & Jackson, K.E., 2017. Diabetes-induced Reactive Oxygen Species: Mechanism of their generation and role in renal injury. *Journal of Diabetes Research*, 2017, pp.1–30.
- Farah, A. et al., 2008. Chlorogenic Acids from Green Coffee Extract are Highly Bioavailable in Humans. *The Journal of Nutrition*, 138(12), pp.2309–2315.
- Federer, W.T., 1996. Randomization and Sample Size in Experimentation. Food and Drug Administration Statistics Seminar.
- Feher, J., 2017. Functional Anatomy of the Kidneys and Overview of Kidney Function. *Quantitative Human Physiology*, pp.698–704.
- Fioretto, P. & Mauer, M., 2007. Histopathology of Diabetic Nephropathy. *Seminars in Nephrology*, 27(2), pp.195–207.
- Fogo, A.B. & Kashgarian, M., 2017. Tubulointerstitial Diseases. *Diagnostic Atlas of Renal Pathology*, pp.365–448.
- Fukuda, A. et al., 2012. Angiotensin II-dependent persistent podocyte loss from destabilized glomeruli causes progression of end stage kidney disease. *Kidney International*, 81(1), pp.40–55.
- Fukuda, H. et al., 2015. Podocin is translocated to cytoplasm in puromycin aminonucleoside nephrosis rats and in poor-prognosis patients with IgA nephropathy. *Cell and Tissue Research*, 360(2), pp.391–400.
- Genovese, F. et al., 2014. The Extracellular Matrix in the Kidney: A Source of Novel Non-invasive Biomarkers of Kidney Fibrosis? *Fibrogenesis & Tissue Repair*, 7(1).

- Gnudi, L., Coward, R.J.M. & Long, D.A., 2016. Diabetic Nephropathy: Perspective on Novel Molecular Mechanisms. *Trends in Endocrinology & Metabolism*, 27(11), pp.820–830.
- Graham, M.L. et al., 2011. The Streptozotocin-induced Diabetic Nude Mouse Model: Differences Between Animals from Different Sources. *Comparative Medicine*, 61(4), pp.356–360.
- Guh, J.Y., 2010. Proteinuria Versus Albuminuria in Chronic Kidney Disease. *Nephrology*, 15, pp.53–56.
- Guo, Z. & Li, J., 2017. Chlorogenic Acid Prevents Alcohol-induced Brain Damage in Neonatal Rat. *Translational Neuroscience*, 8(1), pp.176–181.
- Gupta, S. et al., 2000. Connective Tissue Growth Factor: Potential Role in Glomerulosclerosis and Tubulointerstitial Fibrosis. *Kidney International*, 58(4), pp.1389–1399.
- Ha, T.-S. et al., 2015. Angiotensin II Induces Endoplasmic Reticulum Stress in Podocyte, Which Would be Further Augmented by Pi3-kinase Inhibition. *Clinical Hypertension*, 21(1).
- Henry-Vitrac, C. et al., 2010. Contribution of Chlorogenic Acids to the Inhibition of Human Hepatic Glucose-6-phosphatase Activity in Vitro by Svetol, a Standardized Decaffeinated Green Coffee Extract. *Journal of Agricultural and Food Chemistry*, 58(7), pp.4141–4144.
- Himmelfarb, J. et al., 2010. Diabetic Kidney Disease: Current Challenges. In *Chronic kidney disease, dialysis, and transplantation companion to Brenner & Rector's the kidney*. Philadelphia: Saunders/Elsevier, pp. 40–56.
- Hosoyamada, M. et al., 2005. Nefrin and Podocin Expression Around the Onset of Puromycin Aminonucleoside Nephrosis. *Journal of Pharmacological Sciences*, 97(2), pp.234–241.
- Huber, T.B. et al., 2001. Interaction with Podocin Facilitates Nefrin Signaling. *Journal of Biological Chemistry*, 276(45), pp.41543–41546.
- Huber, T.B. et al., 2003. Nefrin and CD2AP Associate with Phosphoinositide 3-OH Kinase and Stimulate AKT-dependent Signaling. *Molecular and Cellular Biology*, 23(14), pp.4917–4928.

- Izawa, K. et al., 2010. Human–environment Interactions–Taste. *Comprehensive Natural Products II*, pp.631–671.
- Jalanko, H. & Kaariainen, H., 2014. Nephrotic Disorders. *Reference Module in Biomedical Sciences*.
- Jefferson, J.A., Shankland, S.J. & Pichler, R.H., 2008. Proteinuria in Diabetic Kidney Disease: A Mechanistic Viewpoint. *Kidney International*, 74(1), pp.22–36.
- Jia, J. et al., 2008. Angiotensin II Infusion Induces Nephrin Expression Changes and Podocyte Apoptosis. *American Journal of Nephrology*, 28(3), pp.500–507.
- Kaiser, N., Leibowitz, G. & Nesher, R., 2003. Glucotoxicity and β -Cell Failure in type 2 Diabetes Mellitus. *Journal of Pediatric Endocrinology and Metabolism*, 16(1).
- Kaissling, B. & Hir, M.L., 2008. The Renal Cortical Interstitium: Morphological and Functional Aspects. *Histochemistry and Cell Biology*, 130(2), pp.247–262.
- Kandasamy, Y. et al., 2014. Nephrin – A Biomarker of Early Glomerular Injury. *Biomarker Research*, 2(1).
- Kawachi, H. & Fukusumi, Y., 2020. New Insight into Podocyte Slit Diaphragm, a Therapeutic Target of Proteinuria. *Clinical and Experimental Nephrology*, 24(3), pp.193–204.
- Kawachi, H. et al., 2009. Therapeutic Targets in Podocytes: Findings in Anti-Slit Diaphragm Antibody-Induced Nephropathy. *Journal of Nephrology*, 22, pp.450–456.
- Ke, B. et al., 2017. Targeted Inhibition of Endoplasmic Reticulum Stress: New Hope for Renal Fibrosis. *Molecular Medicine Reports*, 16(2), pp.1014–1020.
- Khurana, I., 2018. *Medical Physiology for Undergraduate Students* 2nd ed., Elsevier India.
- Kim, J.K. & Park, S.U., 2019. Chlorogenic Acid and Its Role in Biological Functions: An Up to Date. *Experimental and Clinical Sciences Journal*, 18, pp.310–316.

- Kwon, T.-H., Frøkiær, J. & Nielsen, S., 2013. Regulation of Aquaporin-2 in the Kidney: A Molecular Mechanism of Body-Water Homeostasis. *Kidney Research and Clinical Practice*, 32(3), pp.96–102.
- Lakshmanan, A.P. et al., 2011. Modulation of AR-1R/CHOP-JNK-Caspase12 Pathway by Olmesartan Treatment Attenuates ER Stress-induced Renal Apoptosis in Streptozotocin-induced Diabetic Mice. *European Journal of Pharmaceutical Sciences*.
- Lee, B. & Lee, D.G., 2018. Depletion of Reactive Oxygen Species Induced by Chlorogenic Acid Triggers Apoptosis-like Death in *Escherichia coli*. *Free Radical Research*, 52(5), pp.605–615.
- Lee, J. et al., 2017. C1-Ten is a PTPase of Nephron, Regulating Podocyte Hypertrophy Through MTORC1 Activation. *Scientific Reports*, 7(1).
- Lei, J. et al., 2018. High Glucose-induced Podocyte Injury Involves Activation of Mammalian Target of Rapamycin (MTOR)-induced Endoplasmic Reticulum (er) stress. *Cellular Physiology and Biochemistry*, 45(6), pp.2431–2443.
- Lemley, K.V. & Kriz, W., 1991. Anatomy of the Renal Interstitium. *Kidney International*, 39, pp.370–381.
- Li, Y. & Trush, M.A., 1994. Reactive Oxygen-dependent DNA Damage Resulting from the Oxidation of Phenolic Compounds by a Copper-redox Cycle Mechanism. *Cancer Research*, 54(7 Suppl), pp.1895s–1898s.
- Liang, N. & Kitts, D., 2015. Role of Chlorogenic Acids in Controlling Oxidative and Inflammatory Stress Conditions. *Nutrients*, 8(1), p.16.
- Lioudaki, E. et al., 2015. Increased Urinary Excretion of Podocyte Markers in Normoalbuminuric Patients with Diabetes. *Nephron*, 131(1), pp.34–42.
- Liu, B.C. et al., 2013. High Glucose Induces Podocyte Apoptosis by Stimulating TRPC6 via Elevation of Reactive Oxygen Species. *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*, 1833(6), pp.1434–1442.
- Liu, C. et al., 2017. Chlorogenic Acid Prevents Inflammatory Responses in IL-1B-Stimulated Human Sw-1353 Chondrocytes, a Model for Osteoarthritis. *Molecular Medicine Reports*, 16(2), pp.1369–1375.

- Lou, J. et al., 2016. Chlorogenic Acid Slows Down Proteinuria and Renal Fibrosis in 5/6-Nephrectomized Rats by Anti-oxidation and Inhibiting Accumulation of Extracellular Matrix. *International Journal of Clinical and Experimental Medicine*, 9(8), pp.15719–15727.
- Lu, X.-Y. et al., 2019. High Glucose Reduces Expression of Podocin in Cultured Human Podocytes by Stimulating TRPC6. *American Journal of Physiology-Renal Physiology*, 317(6).
- Ma, S.T. et al., 2012. Effect of Arctiin on Glomerular Filtration Barrier Damage in STZ-induces Diabetic Nephropathy Rats. *Phytotherapy Research*, 27(10), pp.1474–1480.
- Ma, W. et al., 2018. Urinary Metabolomic study of Chlorogenic Acid in a Rat Model of Chronic Sleep Deprivation Using Gas Chromatography-Mass Spectrometry. *International Journal of Genomics*, 2018, pp.1–11.
- Ma, Y., Gao, M. & Liu, D., 2015. Chlorogenic Acid Improves High Fat Diet-Induced Hepatic Steatosis and Insulin Resistance in Mice. *Pharmaceutical Research*, 32(4), pp.1200–1209.
- Martini, F. et al., 2018. *Fundamentals of Anatomy & Physiology* 11th ed., New York: Pearson.
- Meng, S. et al., 2013. Roles of Chlorogenic Acid on Regulating Glucose and Lipids Metabolism: A Review. *Evidence-Based Complementary and Alternative Medicine*, 2013, pp.1–11.
- Menini, S. et al., 2007. Increased Glomerular Cell (podocyte) Apoptosis in Rats with Streptozotocin-induced Diabetes Mellitus: Role in the development of diabetic glomerular disease. *Diabetologia*, 50(12), pp.2591–2599.
- Mescher, A.L. & Uchôa, J.L., 2016. *Junqueira's basic histology: Text And atlas* 14th ed., New York: McGraw-Hill Education.
- Mima, A. et al., 2012. Glomerular VEGF Resistance Induced by PKC δ /SHP-1 Activation and Contribution to Diabetic Nephropathy. *The FASEB Journal*, 26(7), pp.2963–2974.

- Mizuno, S., Wen, J. & Mizuno, Y., 2004. Repeated Streptozotocin Injections Cause Early Onset of Glomerulosclerosis in Mice. *Experimental Animals*, 53(2), pp.175–180.
- Moore, K.L., R., A.A.M. & Dalley, A.F., 2011. *Essential Clinical Anatomy* 4th ed., Baltimore, MD: Lippincott Williams & Wilkins.
- Müller-Deile, J. & Schiffer, M., 2015. Podocyte directed therapy of nephrotic syndrome—can we bring the inside out? *Pediatric Nephrology*, 31(3), pp.393–405.
- Nabavi, S.F. et al., 2016. Chlorogenic Acid and Mental Diseases: From Chemistry to Medicine. *Current Neuropharmacology*, 14, pp.1–8.
- Nakamichi, R., Hayashi, K. & Itoh, H., 2021. Effects of high glucose and lipotoxicity on diabetic podocytes. *Nutrients*, 13(1), p.241.
- Nakhoul, N. et al., 2020. The Therapeutic Effect of Active Vitamin D Supplementation in Preventing the Progression of Diabetic Nephropathy in a Diabetic Mouse Model. *Journal of Diabetes Research*, 2020, pp.1–10.
- Nassar, S. et al., 2020. Morison's pouch: Anatomical Review and Evaluation of Pathologies and Disease Spread on Cross-sectional Imaging. *Abdominal Radiology*, 45(8), pp.2315–2326.
- Naveed, M. et al., 2018. Chlorogenic Acid (CGA): A Pharmacological Review and Call for Further Research. *Biomedicine & Pharmacotherapy*, 97, pp.67–74.
- Nieuwdorp, M. et al., 2006. Endothelial Glycocalyx Damage Coincides with Microalbuminuria in type 1 Diabetes. *Diabetes*, 55(4), pp.1127–1132.
- Noshahr, Z.S. et al., 2020. Animal Models of Diabetes-associated Renal Injury. *Journal of Diabetes Research*, 2020, pp.1–16.
- Ong, K.W., Hsu, A. & Tan, B.K., 2013. Anti-diabetic and Anti-lipidemic Effects of Chlorogenic Acid are Mediated by AMPK Activation. *Biochemical Pharmacology*, 85(9), pp.1341–1351.
- Pantic, J., Volarevic, V. & Djukic, A., 2011. Experimental models of diabetes mellitus. *Serbian Journal of Experimental and Clinical Research*, 12(1), pp.29–36.

- Park, H.Y. et al., 2016. CD2-associated Protein/phosphoinositide 3-kinase Signaling Has a Preventive Role in Angiotensin II-induced Podocyte Apoptosis. *The International Journal of Biochemistry & Cell Biology*, 79, pp.370–381.
- Park, I. et al., 2017. Effects of Subacute Ingestion of Chlorogenic Acids on Sleep Architecture and Energy Metabolism Through Activity of the Autonomic Nervous System: A Randomised, Placebo-controlled, Double-blinded Cross-over Trial. *British Journal of Nutrition*, 117(7), pp.979–984.
- Park, S.K. et al., 2001. Hydrogen Peroxide is a Novel Inducer of Connective Tissue Growth Factor. *Biochemical and Biophysical Research Communications*, 284(4), pp.966–971.
- Park, S.U. & Kim, J.K., 2019. Chlorogenic Acid and Its Role in Biological Functions: An Up to Date. *Experimental and Clinical Sciences*, 18, pp.310–316.
- Patrakka, J. & Tryggvason, K., 2007. Nephrin – A Unique Structural and Signaling Protein of the Kidney Filter. *Trends in Molecular Medicine*, 13(9), pp.396–403.
- Paul, D. & Paul, K., 2012. Diabetes Mellitus and Its Complications: A Review. *International Journal of Current Pharmaceutical Research*, 4(2), pp.12–17.
- Pavenstädt, H., Kriz, W. & Kretzler, M., 2003. Cell Biology of The Glomerular podocyte. *Physiological Reviews*, 83(1), pp.253–307.
- Pusat Data dan Sistem Informasi Pertanian, 2017. *Outlook Kopi: Komoditas Pertanian Sub Sektor Perkebunan*, Jakarta, Indonesia: Kementerian Pertanian.
- Pérez-Nájera, V.C. et al., 2018. *Smilax aristolochiifolia* Root Extract and Its Compounds Chlorogenic Acid and Astilbin Inhibit the Activity of α -amylase and α -glucosidase Enzymes. *Evidence-Based Complementary and Alternative Medicine*, 2018, pp.1–12.
- Qian, Y. et al., 2008. From Fibrosis to Sclerosis Mechanisms of Glomerulosclerosis in Diabetic Nephropathy. *Diabetes*, 57, pp.1439–1445.

- Rahman, A. et al., 1989. Strand Scission in DNA Induced by Quercetin and Cu(II): Role of Cu(I) and Oxygen Free Radicals. *Carcinogenesis*, 10(10), pp.1833–1839.
- Reid, R., Roberts, F. & MacDuff, E., 2011. *Pathology Illustrated*, Edinburgh: Churchill Livingstone.
- Rops, A. et al., 2014. Modulation of Heparan Sulfate in the Glomerular Endothelial Glycocalyx Decreases Leukocyte Influx During Experimental Glomerulonephritis. *Kidney International*, 86(5), pp.932–942.
- Saeedi, P. et al., 2019. Global and Regional Diabetes Prevalence Estimates for 2019 and Projections for 2030 and 2045: Results from the International Diabetes Federation Diabetes Atlas, 9th edition. *Diabetes Research and Clinical Practice*, 157.
- Saito, S., 2003. Evaluation of Cases Where the Right Kidney is Higher Than The Left Kidney. *International Journal of Urology*, 10, pp.359–363.
- Sakihama, Y. et al., 2002. Plant Phenolic Antioxidant and Prooxidant Activities: Phenolics-induced Oxidative Damage Mediated by Metals in Plants. *Toxicology*, 177, pp.67–80.
- Saleem, M.A. et al., 2002. Co-Localization of Nephron, Podocin, and the Actin Cytoskeleton. *The American Journal of Pathology*, 161(4), pp.1459–1466.
- Sampedro, A.D., Lenz, O. & Fornoni, A., 2011. Podocytopathy in Diabetes: A Metabolic and Endocrine Disorder. *American Journal of Kidney Diseases*, 58(4), pp.637–646.
- Schwarz, K. et al., 2001. Podocin, a Raft-associated Component of the Glomerular Slit Diaphragm, Interacts with CD2AP and Nephron. *The Journal of Clinical Investigation*, 108(11), pp.1621–1629.
- Seely, J.C., Hard, G.C. & Blankenship, B., 2018. Kidney. *Boorman's Pathology of the Rat*, pp.125–166.
- Shankland, S., 2006. The Podocyte's Response to Injury: Role in Proteinuria and Glomerulosclerosis. *Kidney International*, 69(12), pp.2131–2147.

- Singh, J., Budhiraja, S. & Lal, H., 2006. Renoprotection by Telmisartan Versus Benazepril in Streptozotocin Induced Diabetic Nephropathy. *Iranian Journal of Pharmacology and Therapeutics*, 5(2).
- Soelistijo, S.A. et al., 2015. *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*, Jakarta, Indonesia: Pengurus Besar Perkumpulan Endokrinologi Indonesia (PB PERKENI).
- Soelistijo, S.A. et al., 2015. *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*, Jakarta, Indonesia: Pengurus Besar Perkumpulan Endokrinologi Indonesia (PB PERKENI).
- Sohn, E. et al., 2010. Extract of The Aerial Parts of Aster Koraiensis Reduced Development of Diabetic Nephropathy via Anti-Apoptosis of Podocytes in Streptozotocin-induced Diabetic Rats. *Biochemical and Biophysical Research Communications*, 391(1), pp.733–738.
- Song, J., Guo, D. & Bi, H., 2017. Chlorogenic Acid Attenuates Hydrogen Peroxide-Induced Oxidative Stress in Lens Epithelial Cells. *International Journal of Molecular Medicine*.
- Song, Z. et al., 2014. The PI3K/p-Akt Signaling Pathway Participates in Calcitriol Ameliorating Podocyte Injury in DN Rats. *Metabolism*, 63(10), pp.1324–1333.
- Soriano, R.M., 2021. Anatomy, Abdomen and Pelvis, Kidneys. *StatPearls [Internet]*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK482385/> [Accessed September 20, 2021].
- Standring, S., 2015. *Gray's Anatomy: The Anatomical Basis of Clinical Practice* 41st ed., Elsevier.
- Susztak, K. et al., 2006. Glucose-induced Reactive Oxygen Species Cause Apoptosis of Podocytes and Podocyte Depletion at The Onset of Diabetic Nephropathy. *Diabetes*, 55(1), pp.225–233.
- Suzuki, A. et al., 2007. Ferulic Acid Restores Endothelium-dependent Vasodilation in Aortas of Spontaneously Hypertensive Rats. *American Journal of Hypertension*, 20(5), pp.508–513.

- Thongnak, L., Chatsudhipong, V. & Lungkaphin, A., 2020. Mitigation of Renal Inflammation and Endoplasmic Reticulum Stress by Vildagliptin and Statins in High-Fat High-Fructose Diet-induced Insulin Resistance and Renal Injury in Rats. *Biochimica et Biophysica Acta (BBA) - Molecular and Cell Biology of Lipids*, 1865(9), p.158755.
- Tosh, A.K. & Orr, D.P., 2008. Diabetes Mellitus. *Adolescent Medicine*, pp.82–89.
- Toyoda, M. et al., 2004. High Expression of PKC-MAPK Pathway mRNAs Correlates with Glomerular Lesions in Human Diabetic Nephropathy. *Kidney International*, 66(3), pp.1107–1114.
- Tung, C.W. et al., 2018. Glomerular Mesangial Cell and Podocyte Injuries in Diabetic Nephropathy. *Nephrology*, 23, pp.32–37.
- Tutun, B. et al., 2018. Dexpanthenol Reduces Diabetic Nephropathy and Renal Oxidative Stress in Rats. *Biotechnic & Histochemistry*, 94(2), pp.84–91.
- Udler, M.S. & Florez, J.C., 2017. Diabetes. *Genomic and Precision Medicine*, pp.245–282.
- Verma, R. et al., 2018. Nephrin is Necessary for Podocyte Recovery Following Injury in an Adult Mature Glomerulus. *PLoS ONE*, 13(6), pp.1–24.
- Vukelić, I. et al., 2018. Chlorogenic Acid Ameliorates Experimental Colitis in Mice by Suppressing Signaling Pathways Involved in Inflammatory Response and Apoptosis. *Food and Chemical Toxicology*, 121, pp.140–150.
- Wang, J. et al., 2019. Critical Roles of PI3K/Akt/NF-κB Survival Axis in Angiotensin II-induced Podocyte Injury. *Molecular Medicine Reports*.
- Wang, S.X. et al., 2002. Patterns of Nephron and A New Proteinuria-associated Protein Expression in Human Renal Diseases. *Kidney International*, 61(1), pp.141–147.
- Wei, F. & Tanokura, M., 2015. Organic Compounds in Green Coffee Beans. *Coffee in Health and Disease Prevention*, pp.149–162.
- Wei, M. et al., 2017. Natural Polyphenol Chlorogenic Acid Protects Against Acetaminophen-induced Hepatotoxicity by Activating ERK/NRF2 Antioxidative Pathway. *Toxicological Sciences*, 162(1), pp.99–112.

- Wharram, B. et al., 2005. Podocyte Depletion Causes Glomerulosclerosis: Diphtheria Toxin-Induced Podocyte Depletion in Rats Expressing Human Diphtheria Toxin Receptor Transgene. *Journal of the American Society of Nephrology*, 16(10), pp.2941–2952.
- Wiggins, R.C., 2007. The Spectrum of Podocytopathies: A Unifying View of Glomerular Diseases. *Kidney International*, 71(12), pp.1205–1214.
- Wolf, G., Chen, S. & Zidayeh, F.N., 2005. From the Periphery of the Glomerular Capillary Wall Toward the Center of Disease: Podocyte Injury Comes of Age in Diabetic Nephropathy. *Diabetes*, 54, pp.1626–1634.
- World Health Organization, 2006. *Definition and Diagnosis of Diabetes Mellitus and Intermediate Hyperglycemia*, Geneva, Switzerland: WHO Document Production Services.
- World Health Organization, 2020. Diabetes. *World Health Organization*. Available at: <https://www.who.int/news-room/fact-sheets/detail/diabetes> [Accessed September 20, 2021].
- Yadav, R., Tiwari, P. & Dhanaraj, E., 2008. Risk Factors and Complications of Type 2 Diabetes in Asians. *Current Research & Information on Pharmaceutical Sciences*, 9(2), pp.8–12.
- Yamagata, K. et al., 2017. Chlorogenic Acid Regulates Apoptosis and Stem Cell Marker-related Gene Expression in A549 Human Lung Cancer Cells. *Molecular and Cellular Biochemistry*, 441(1-2), pp.9–19.
- Yamanaka, N., Oda, O. & Nagao, S., 1997. Prooxidant Activity of Caffeic Acid, Dietary Non-flavonoid Phenolic Acid, on Cu²⁺-induced Low Density Lipoprotein Oxidation. *FEBS Letters*, 405(2), pp.186–190.
- Yan, Y. et al., 2020. Use of Chlorogenic Acid Against Diabetes Mellitus and Its Complications. *Journal of Immunology Research*, 2020, pp.1–6.
- Yang, F. et al., 2017. Chlorogenic Acid Inhibits Liver Fibrosis by Blocking The miR-21-Regulated TGF-B1/SMAD7 Signaling Pathway in Vitro and in Vivo. *Frontiers in Pharmacology*, 8.

- Yang, L. et al., 2010. Advanced Oxidation Protein Products Decrease Expression of Nephrin and Podocin in Podocytes via ROS-dependent Activation of p38 MAPK. *Science China Life Sciences*, 53(1), pp.68–77.
- Ye, H. et al., 2016. The Attenuation of Chlorogenic Acid on Oxidative Stress for Renal Injury in Streptozotocin-induced Diabetic Nephropathy Rats. *Archives of Pharmacal Research*, 39(7), pp.989–997.
- Yong, L.C. & Bleasel, A.F., 1986. Pathological Changes in Streptozotocin Induced Diabetes Mellitus in The Rat. *Exp Pathol*, 30, pp.97–107.
- Yu, D. et al., 2005. Urinary Podocyte Loss is a More Specific Marker of Ongoing Glomerular Damage than Proteinuria. *Journal of the American Society of Nephrology*, 16(6), pp.1733–1741.
- Yuan, H., Takeuchi, E. & Salant, D.J., 2002. Podocyte Slit-Diaphragm Protein Nephrin is Linked to The Actin Cytoskeleton. *American Journal of Physiology-Renal Physiology*, 282(4).
- Zeisberg, M. & Kalluri, R., 2015. Physiology of the Renal Interstitium. *Clinical Journal of the American Society of Nephrology*, 10(10), pp.1831–1840.
- Zhang, H.D. et al., 2019. Endoplasmic Reticulum Stress and Proteasome Pathway Involvement in Human Podocyte Injury with a Truncated COL4A3 Mutation. *Chinese Medical Journal*, 132(15), pp.1823–1832.
- Zhang, L. et al., 2020. Research Progress on the Pathological Mechanisms of Podocytes in Diabetic Nephropathy. *Journal of Diabetes Research*, 2020, pp.1–15.
- Zhang, T. et al., 2018. Chlorogenic Acid Ameliorates Lead-Induced Renal Damage in Mice. *Biological Trace Element Research*, 189(1), pp.109–117.
- Zhao, Y. et al., 2011. Antihypertensive Effects and Mechanisms of Chlorogenic Acids. *Hypertension Research*, 35(4), pp.370–374.
- Zheng, M. et al., 2011. Urinary Podocyte-Associated mRNA Profile in Various Stages of Diabetic Nephropathy. *PLoS ONE*, 6(5).
- Zhu, L. et al., 2018. Modulation of Transport and Metabolism of Bile Acids and Bilirubin by Chlorogenic Acid Against Hepatotoxicity and Cholestasis in Bile Duct Ligation Rats: Involvement of SIRT1-Mediated Deacetylation of



UNIVERSITAS
GADJAH MADA

Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA

Nefrin dan

Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1

FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

FXR and PGC-1 α . *Journal of Hepato-Biliary-Pancreatic Sciences*, 25(3),
pp.195–205.