UNIVERSITAS GADJAH MADA
Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA Nefrin dan Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1
FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aaltonen, P. et al., 2001. Changes in the Expression of Nephrin Gene and Protein in Experimental Diabetic Nephropathy. *Laboratory Investigation*, 81(9), pp.1185–1190.

Aghadavoud, E., Nasri, H. & Amiri, M., 2017. Molecular Signaling Pathways of Diabetic Kidney Disease: New Concepts. *Journal of Preventive Epidemiology*, 2(2), pp.1–5.

Al Megrin, W.A. et al., 2020. Nephroprotective Effects of Chlorogenic Acid Against Sodium Arsenite-induced Oxidative Stress, Inflammation, and Apoptosis. *Journal of the Science of Food and Agriculture*, 100(14), pp.5162–5170.

Alicic, R.Z., Rooney, M.T. & Tuttle, K.R., 2017. Diabetic Kidney Disease. *Clinical Journal of the American Society of Nephrology*, 12(12), pp.2032–2045.

Alomari, G. et al., 2019. Gold Nanoparticles Attenuate Albuminuria by Inhibiting Podocyte Injury in a Rat Model of Diabetic Nephropathy. *Drug Delivery and Translational Research*, 10(1), pp.216–226.

Alpern, R.J. et al., 2013. Pathophysiology of Acute Kidney Injury. In *Seldin and Giebisch's the Kidney Physiology and Pathophysiology*. London: Academic Press, pp. 2143–2191.

American Diabetes Association, 2020. Diabetes Complications. *Diabetes Complications* . Available at: https://www.diabetes.org/diabetes/complications [Accessed September 20, 2021].

American Veterinary Medical Association, 2013. *AVMA Guidelines for the Euthanasia of Animals: 2013 Edition*, Schaumburg, United State: American Veterinary Medical Association.

Arfian, N. et al., 2019. Chlorogenic Acid Attenuates Kidney Ischemic/Reperfusion Injury via Reducing Inflammation, Tubular Injury, and Myofibroblast Formation. *BioMed Research International*, 2019, pp.1–10.

UNIVERSITAS
GADJAH MADA
**Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA Nefrin dan
Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1**
FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Azuma, K. et al., 2000. Absorption of Chlorogenic Acid and Caffeic Acid in Rats After Oral Administration. *Journal of Agricultural and Food Chemistry*, 48(11), pp.5496–5500.

Badan Penelitian dan Pengembangan Kesehatan Kementerian RI, 2018. *Hasil Utama Riskesdas 2018*, Jakarta, Indonesia: Kementerian Kesehatan Republik Indonesia.

Balaji, R., Duraisamy, R. & Kumar, M.P., 2019. Complications of Diabetes Mellitus: A Review. *Drug Invention Today*, 12(1), pp.98–103.

Balakumar, P. et al., 2006. Experimental Models for Nephropathy. *Journal of the Renin-Angiotensin-Aldosterone System*, 9(4), pp.189–195.

Bao, L. et al., 2018. Chlorogenic Acid Prevents Diabetic Nephropathy by Inhibiting Oxidative Stress and Inflammation Through Modulation of the NRF2/HO-1 and Nf-κb Pathways. *International Immunopharmacology*, 54, pp.245–253.

Barsoum, R.S., 2006. Chronic Kidney Disease in the Developing World. *The New England Journal of Medicine*, 354(10), pp.997–999.

Bergman, R.A., Afifi, A.K. & Heidger, P.M., 2020. Anatomy Atlases: Atlas of Microscopic Anatomy Urinary system. *Anatomy Atlases: A digital library of anatomy information*. Available at: https://www.anatomyatlases.org/MicroscopicAnatomy/Section12/Section12.shtml [Accessed September 20, 2021].

Boehlke, C. et al., 2014. Hantavirus infection with severe proteinuria and podocyte foot-process effacement. *American Journal of Kidney Diseases*, 64(3), pp.452–456.

Bradshaw, R.A. et al., 2010. Kidney. In *Handbook of cell signaling*. London: Academic, pp. 2707–2731.

Breshears, M.A. & Confer, A.W., 2017. The Urinary System. *Pathologic Basis of Veterinary Disease*, 1, pp.617–681.

Brosius, F.C. et al., 2010. Abnormalities in Signaling Pathways in Diabetic Nephropathy. *Expert Review of Endocrinology & Metabolism*, 5(1), pp.51–64.

UNIVERSITAS
GADJAH MADA
**Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA Nefrin dan
Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1**
FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Cardoso, V.G. et al., 2018. Angiotensin II-induced Podocyte Apoptosis is Mediated by Endoplasmic Reticulum Stress/PKC-δ/p38 MAPK Pathway Activation and Trough Increased Na^+/H^+ Exchanger Isoform 1 Activity. *BMC Nephrology*, 19(1).

Caridi, G., Perfumo, F. & Ghiggeri, G.M., 2005. NPHS2 (podocin) Mutations in Nephrotic Syndrome. Clinical Spectrum and fine mechanisms. *Pediatric Research*, 57(5 Part 2).

Chansky, M. & Haddad, G., 2008. Acute Diabetic Emergencies, Hypoglycemia, and Glycemic Control. *Critical Care Medicine*, pp.1245–1267.

Chaube, S. & Swinyard, C.A., 1976. Teratological and Toxicological Studies of Alkaloidal and Phenolic Compounds from *Solanum Tuberosum L. Toxicology and Applied Pharmacology*, 36(2), pp.227–237.

Chawla, R., Chawla, A. & Jaggi, S., 2016. Microvasular and Macrovascular Complications in Diabetes Mellitus: Distinct or Continuum? *Indian Journal of Endocrinology and Metabolism*, 20(4), p.546.

Chen, J. et al., 2018. Dietary Chlorogenic Acid Improves Growth Performance of Weaned Pigs Through Maintaining Antioxidant Capacity and Intestinal Digestion and Absorption Function. *Journal of Animal Science*, 96(3), pp.1108–1118.

Dai, H. et al., 2011. Effects of Angiotensin Receptor Blocker on Phenotypic Alterations of Podocytes in Early Diabetic Nephropathy. *The American Journal of the Medical Sciences*, 341(3), pp.207–214.

Dai, H., Liu, Q. & Liu, B., 2017. Research Progress on Mechanism of Podocyte Depletion in Diabetic Nephropathy. *Journal of Diabetes Research*, 2017, pp.1–10.

De Vriese, A.S. et al., 2000. Endothelial Dysfunction in Diabetes. *British Journal of Pharmacology*, 130(5), pp.963–974.

Denhez, B. & Geraldes, P., 2017. Regulation of Nephrin Phosphorylation in Diabetes and Chronic Kidney Injury. *Advances in Experimental Medicine and Biology*, pp.149–161.

UNIVERSITAS
GADJAH MADA
**Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA Nefrin dan
Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1**
FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Denhez, B. et al., 2015. Increased SHP-1 Protein Expression by High Glucose Levels Reduces Nephrin Phosphorylation in Podocytes. *Journal of Biological Chemistry*, 290(1), pp.350–358.

Ebefors, K. et al., 2021. Modeling the glomerular filtration barrier and intercellular crosstalk. *Frontiers in Physiology*, 12.

Ehrmann, B.J., 2014. Diabetes. *A Comprehensive Guide to Geriatric Rehabilitation*, pp.329–336.

Fakhruddin, S., Alanazi, W. & Jackson, K.E., 2017. Diabetes-induced Reactive Oxygen Species: Mechanism of their generation and role in renal injury. *Journal of Diabetes Research*, 2017, pp.1–30.

Farah, A. et al., 2008. Chlorogenic Acids from Green Coffee Extract are Highly Bioavailable in Humans. *The Journal of Nutrition*, 138(12), pp.2309–2315.

Federer, W.T., 1996. Randomization and Sample Size in Experimentation. Food and Drug Administration Statistics Seminar.

Feher, J., 2017. Functional Anatomy of the Kidneys and Overview of Kidney Function. *Quantitative Human Physiology*, pp.698–704.

Fioretto, P. & Mauer, M., 2007. Histopathology of Diabetic Nephropathy. *Seminars in Nephrology*, 27(2), pp.195–207.

Fogo, A.B. & Kashgarian, M., 2017. Tubulointerstitial Diseases. *Diagnostic Atlas of Renal Pathology*, pp.365–448.

Fukuda, A. et al., 2012. Angiotensin II-dependent persistent podocyte loss from destabilized glomeruli causes progression of end stage kidney disease. Kidney International, 81(1), pp.40–55.

Fukuda, H. et al., 2015. Podocin is translocated to cytoplasm in puromycin aminonucleoside nephrosis rats and in poor-prognosis patients with IgA nephropathy. Cell and Tissue Research, 360(2), pp.391–400.

Genovese, F. et al., 2014. The Extracellular Matrix in the Kidney: A Source of Novel Non-invasive Biomarkers of Kidney Fibrosis? *Fibrogenesis & Tissue Repair*, 7(1).

UNIVERSITAS GADJAH MADA
Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA Nefrin dan Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1
FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Gnudi, L., Coward, R.J.M. & Long, D.A., 2016. Diabetic Nephropathy: Perspective on Novel Molecular Mechanisms. *Trends in Endocrinology & Metabolism*, 27(11), pp.820–830.

Graham, M.L. et al., 2011. The Streptozotocin-induced Diabetic Nude Mouse Model: Differences Between Animals from Different Sources. *Comparative Medicine*, 61(4), pp.356–360.

Guh, J.Y., 2010. Proteinuria Versus Albuminuria in Chronic Kidney Disease. *Nephrology*, 15, pp.53–56.

Guo, Z. & Li, J., 2017. Chlorogenic Acid Prevents Alcohol-induced Brain Damage in Neonatal Rat. *Translational Neuroscience*, 8(1), pp.176–181.

Gupta, S. et al., 2000. Connective Tissue Growth Factor: Potential Role in Glomerulosclerosis and Tubulointerstitial Fibrosis. *Kidney International*, 58(4), pp.1389–1399.

Ha, T.-S. et al., 2015. Angiotensin II Induces Endoplasmic Reticulum Stress in Podocyte, Which Would be Further Augmented by Pi3-kinase Inhibition. *Clinical Hypertension*, 21(1).

Henry-Vitrac, C. et al., 2010. Contribution of Chlorogenic Acids to the Inhibition of Human Hepatic Glucose-6-phosphatase Activity in Vitro by Svetol, a Standardized Decaffeinated Green Coffee Extract. *Journal of Agricultural and Food Chemistry*, 58(7), pp.4141–4144.

Himmelfarb, J. et al., 2010. Diabetic Kidney Disease: Current Challenges. In *Chronic kidney disease, dialysis, and transplantation companion to Brenner & Rector's the kidney*. Philadelphia: Saunders/Elsevier, pp. 40–56.

Hosoyamada, M. et al., 2005. Nephrin and Podocin Expression Around the Onset of Puromycin Aminonucleoside Nephrosis. *Journal of Pharmacological Sciences*, 97(2), pp.234–241.

Huber, T.B. et al., 2001. Interaction with Podocin Facilitates Nephrin Signaling. *Journal of Biological Chemistry*, 276(45), pp.41543–41546.

Huber, T.B. et al., 2003. Nephrin and CD2AP Associate with Phosphoinositide 3-OH Kinase and Stimulate AKT-dependent Signaling. *Molecular and Cellular Biology*, 23(14), pp.4917–4928.

UNIVERSITAS GADJAH MADA
Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA Nefrin dan Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1
FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Izawa, K. et al., 2010. Human–environment Interactions–Taste. *Comprehensive Natural Products II*, pp.631–671.

Jalanko, H. & Kaariainen, H., 2014. Nephrotic Disorders. *Reference Module in Biomedical Sciences*.

Jefferson, J.A., Shankland, S.J. & Pichler, R.H., 2008. Proteinuria in Diabetic Kidney Disease: A Mechanistic Viewpoint. *Kidney International*, 74(1), pp.22–36.

Jia, J. et al., 2008. Angiotensin II Infusion Induces Nephrin Expression Changes and Podocyte Apoptosis. *American Journal of Nephrology*, 28(3), pp.500–507.

Kaiser, N., Leibowitz, G. & Nesher, R., 2003. Glucotoxicity and β-Cell Failure in type 2 Diabetes Mellitus. *Journal of Pediatric Endocrinology and Metabolism*, 16(1).

Kaissling, B. & Hir, M.L., 2008. The Renal Cortical Interstitium: Morphological and Functional Aspects. *Histochemistry and Cell Biology*, 130(2), pp.247–262.

Kandasamy, Y. et al., 2014. Nephrin – A Biomarker of Early Glomerular Injury. *Biomarker Research*, 2(1).

Kawachi, H. & Fukusumi, Y., 2020. New Insight into Podocyte Slit Diaphragm, a Therapeutic Target of Proteinuria. *Clinical and Experimental Nephrology*, 24(3), pp.193–204.

Kawachi, H. et al., 2009. Therapeutic Targets in Podocytes: Findings in Anti-Slit Diaphragm Antibody-Induced Nephropathy. *Journal of Nephrology*, 22, pp.450–456.

Ke, B. et al., 2017. Targeted Inhibition of Endoplasmic Reticulum Stress: New Hope for Renal Fibrosis. *Molecular Medicine Reports*, 16(2), pp.1014–1020.

Khurana, I., 2018. *Medical Physiology for Undergraduate Students* 2nd ed., Elsevier India.

Kim, J.K. & Park, S.U., 2019. Chlorogenic Acid and Its Role in Biological Functions: An Up to Date. *Experimental and Clinical Sciences Journal*, 18, pp.310–316.

UNIVERSITAS GADJAH MADA
Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA Nefrin dan Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1
FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Kwon, T.-H., Frøkiær, J. & Nielsen, S., 2013. Regulation of Aquaporin-2 in the Kidney: A Molecular Mechanism of Body-Water Homeostasis. *Kidney Research and Clinical Practice*, 32(3), pp.96–102.

Lakshmanan, A.P. et al., 2011. Modulation of AR-1R/CHOP-JNK-Caspase12 Pathway by Olmesartan Treatment Attenuates ER Stress-induced Renal Apoptosis in Streptozotocin-induced Diabetic Mice. *European Journal of Pharmaceutical Sciences*.

Lee, B. & Lee, D.G., 2018. Depletion of Reactive Oxygen Species Induced by Chlorogenic Acid Triggers Apoptosis-like Death in *Escherichia coli*. *Free Radical Research*, 52(5), pp.605–615.

Lee, J. et al., 2017. C1-Ten is a PTPase of Nephrin, Regulating Podocyte Hypertrophy Through MTORC1 Activation. *Scientific Reports*, 7(1).

Lei, J. et al., 2018. High Glucose-induced Podocyte Injury Involves Activation of Mammalian Target of Rapamycin (MTOR)-induced Endoplasmic Reticulum (er) stress. *Cellular Physiology and Biochemistry*, 45(6), pp.2431–2443.

Lemley, K.V. & Kriz, W., 1991. Anatomy of the Renal Interstitium. *Kidney International*, 39, pp.370–381.

Li, Y. & Trush, M.A., 1994. Reactive Oxygen-dependent DNA Damage Resulting from the Oxidation of Phenolic Compounds by a Copper-redox Cycle Mechanism. *Cancer Research*, 54(7 Suppl), pp.1895s–1898s.

Liang, N. & Kitts, D., 2015. Role of Chlorogenic Acids in Controlling Oxidative and Inflammatory Stress Conditions. *Nutrients*, 8(1), p.16.

Lioudaki, E. et al., 2015. Increased Urinary Excretion of Podocyte Markers in Normoalbuminuric Patients with Diabetes. *Nephron*, 131(1), pp.34–42.

Liu, B.C. et al., 2013. High Glucose Induces Podocyte Apoptosis by Stimulating TRPC6 via Elevation of Reactive Oxygen Species. *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*, 1833(6), pp.1434–1442.

Liu, C. et al., 2017. Chlorogenic Acid Prevents Inflammatory Responses in IL-1B-Stimulated Human Sw-1353 Chondrocytes, a Model for Osteoarthritis. *Molecular Medicine Reports*, 16(2), pp.1369–1375.

UNIVERSITAS
GADJAH MADA
**Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA Nefrin dan
Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1**
FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Lou, J. et al., 2016. Chlorogenic Acid Slows Down Proteinuria and Renal Fibrosis in 5/6-Nephrectomized Rats by Anti-oxidation and Inhibiting Accumulation of Extracellular Matrix. *International Journal of Clinical and Experimental Medicine* , 9(8), pp.15719–15727.

Lu, X.-Y. et al., 2019. High Glucose Reduces Expression of Podocin in Cultured Human Podocytes by Stimulating TRPC6. *American Journal of Physiology-Renal Physiology*, 317(6).

Ma, S.T. et al., 2012. Effect of Arctiin on Glomerular Filtration Barrier Damage in STZ-induces Diabetic Nephropathy Rats. *Phytotherapy Research*, 27(10), pp.1474–1480.

Ma, W. et al., 2018. Urinary Metabolomic study of Chlorogenic Acid in a Rat Model of Chronic Sleep Deprivation Using Gas Chromatography-Mass Spectrometry. *International Journal of Genomics*, 2018, pp.1–11.

Ma, Y., Gao, M. & Liu, D., 2015. Chlorogenic Acid Improves High Fat Diet-Induced Hepatic Steatosis and Insulin Resistance in Mice. *Pharmaceutical Research*, 32(4), pp.1200–1209.

Martini, F. et al., 2018. *Fundamentals of Anatomy & Physiology* 11th ed., New York: Pearson.

Meng, S. et al., 2013. Roles of Chlorogenic Acid on Regulating Glucose and Lipids Metabolism: A Review. *Evidence-Based Complementary and Alternative Medicine*, 2013, pp.1–11.

Menini, S. et al., 2007. Increased Glomerular Cell (podocyte) Apoptosis in Rats with Streptozotocin-induced Diabetes Mellitus: Role in the development of diabetic glomerular disease. *Diabetologia*, 50(12), pp.2591–2599.

Mescher, A.L. & Uchôa, J.L., 2016. *Junqueira's basic histology: Text And atlas* 14th ed., New York: McGraw-Hill Education.

Mima, A. et al., 2012. Glomerular VEGF Resistance Induced by PKCδ/SHP-1 Activation and Contribution to Diabetic Nephropathy. *The FASEB Journal*, 26(7), pp.2963–2974.

UNIVERSITAS
GADJAH MADA
**Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA Nefrin dan
Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1**
FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Mizuno, S., Wen, J. & Mizuno, Y., 2004. Repeated Streptozotocin Injections Cause Early Onset of Glomerulosclerosis in Mice. *Experimental Animals*, 53(2), pp.175–180.

Moore, K.L., R., A.A.M. & Dalley, A.F., 2011. *Essential Clinical Anatomy* 4th ed., Baltimore, MD: Lippincott Williams & Wilkins.

Müller-Deile, J. & Schiffer, M., 2015. Podocyte directed therapy of nephrotic syndrome—can we bring the inside out? Pediatric Nephrology, 31(3), pp.393–405.

Nabavi, S.F. et al., 2016. Chlorogenic Acid and Mental Diseases: From Chemistry to Medicine. *Current Neuropharmacology*, 14, pp.1–8.

Nakamichi, R., Hayashi, K. & Itoh, H., 2021. Effects of high glucose and lipotoxicity on diabetic podocytes. Nutrients, 13(1), p.241.

Nakhoul, N. et al., 2020. The Therapeutic Effect of Active Vitamin D Supplementation in Preventing the Progression of Diabetic Nephropathy in a Diabetic Mouse Model. *Journal of Diabetes Research*, 2020, pp.1–10.

Nassar, S. et al., 2020. Morison's pouch: Anatomical Review and Evaluation of Pathologies and Disease Spread on Cross-sectional Imaging. *Abdominal Radiology*, 45(8), pp.2315–2326.

Naveed, M. et al., 2018. Chlorogenic Acid (CGA): A Pharmacological Review and Call for Further Research. *Biomedicine & Pharmacotherapy*, 97, pp.67–74.

Nieuwdorp, M. et al., 2006. Endothelial Glycocalyx Damage Coincides with Microalbuminuria in type 1 Diabetes. *Diabetes*, 55(4), pp.1127–1132.

Noshahr, Z.S. et al., 2020. Animal Models of Diabetes-associated Renal Injury. *Journal of Diabetes Research*, 2020, pp.1–16.

Ong, K.W., Hsu, A. & Tan, B.K., 2013. Anti-diabetic and Anti-lipidemic Effects of Chlorogenic Acid are Mediated by AMPK Activation. *Biochemical Pharmacology*, 85(9), pp.1341–1351.

Pantic, J., Volarevic, V. & Djukic, A., 2011. Experimental models of diabetes mellitus. *Serbian Journal of Experimental and Clinical Research*, 12(1), pp.29–36.

UNIVERSITAS GADJAH MADA
Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA Nefrin dan Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1
FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Park, H.Y. et al., 2016. CD2-associated Protein/phosphoinositide 3-kinase Signaling Has a Preventive Role in Angiotensin II-induced Podocyte Apoptosis. *The International Journal of Biochemistry & Cell Biology*, 79, pp.370–381.

Park, I. et al., 2017. Effects of Subacute Ingestion of Chlorogenic Acids on Sleep Architecture and Energy Metabolism Through Activity of the Autonomic Nervous System: A Randomised, Placebo-controlled, Double-blinded Cross-over Trial. *British Journal of Nutrition*, 117(7), pp.979–984.

Park, S.K. et al., 2001. Hydrogen Peroxide is a Novel Inducer of Connective Tissue Growth Factor. *Biochemical and Biophysical Research Communications*, 284(4), pp.966–971.

Park, S.U. & Kim, J.K., 2019. Chlorogenic Acid and Its Role in Biological Functions: An Up to Date. *Experimental and Clinical Sciences*, 18, pp.310–316.

Patrakka, J. & Tryggvason, K., 2007. Nephrin – A Unique Structural and Signaling Protein of the Kidney Filter. *Trends in Molecular Medicine*, 13(9), pp.396–403.

Paul, D. & Paul, K., 2012. Diabetes Mellitus and Its Complications: A Review. *International Journal of Current Pharmaceutical Research*, 4(2), pp.12–17.

Pavenstädt, H., Kriz, W. & Kretzler, M., 2003. Cell Biology of The Glomerular podocyte. *Physiological Reviews*, 83(1), pp.253–307.

Pusat Data dan Sistem Informasi Pertanian, 2017. *Outlook Kopi: Komoditas Pertanian Sub Sektor Perkebunan*, Jakarta, Indonesia: Kementerian Pertanian.

Pérez-Nájera, V.C. et al., 2018. *Smilax aristolochiifolia* Root Extract and Its Compounds Chlorogenic Acid and Astilbin Inhibit the Activity of α-amylase and α-glucosidase Enzymes. *Evidence-Based Complementary and Alternative Medicine*, 2018, pp.1–12.

Qian, Y. et al., 2008. From Fibrosis to Sclerosis Mechanisms of Glomerulosclerosis in Diabetic Nephropathy. *Diabetes*, 57, pp.1439–1445.

UNIVERSITAS
GADJAH MADA
**Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA Nefrin dan
Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1**
FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Rahman, A. et al., 1989. Strand Scission in DNA Induced by Quercetin and Cu(II): Role of Cu(I) and Oxygen Free Radicals. *Carcinogenesis*, 10(10), pp.1833–1839.

Reid, R., Roberts, F. & MacDuff, E., 2011. *Pathology Illustrated*, Edinburgh: Churchill Livingstone.

Rops, A. et al., 2014. Modulation of Heparan Sulfate in the Glomerular Endothelial Glycocalyx Decreases Leukocyte Influx During Experimental Glomerulonephritis. *Kidney International*, 86(5), pp.932–942.

Saeedi, P. et al., 2019. Global and Regional Diabetes Prevalence Estimates for 2019 and Projections for 2030 and 2045: Results from the International Diabetes Federation Diabetes Atlas, 9th edition. Diabetes Research and Clinical Practice, 157.

Saito, S., 2003. Evaluation of Cases Where the Right Kidney is Higher Than The Left Kidney. *International Journal of Urology*, 10, pp.359–363.

Sakihama, Y. et al., 2002. Plant Phenolic Antioxidant and Prooxidant Activities: Phenolics-induced Oxidative Damage Mediated by Metals in Plants. *Toxicology*, 177, pp.67–80.

Saleem, M.A. et al., 2002. Co-Localization of Nephrin, Podocin, and the Actin Cytoskeleton. *The American Journal of Pathology*, 161(4), pp.1459–1466.

Sampedro, A.D., Lenz, O. & Fornoni, A., 2011. Podocytopathy in Diabetes: A Metabolic and Endocrine Disorder. *American Journal of Kidney Diseases*, 58(4), pp.637–646.

Schwarz, K. et al., 2001. Podocin, a Raft-associated Component of the Glomerular Slit Diaphragm, Interacts with CD2AP and Nephrin. *The Journal of Clinical Investigation*, 108(11), pp.1621–1629.

Seely, J.C., Hard, G.C. & Blankenship, B., 2018. Kidney. *Boorman's Pathology of the Rat*, pp.125–166.

Shankland, S., 2006. The Podocyte's Response to Injury: Role in Proteinuria and Glomerulosclerosis. *Kidney International*, 69(12), pp.2131–2147.

UNIVERSITAS GADJAH MADA
Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA Nefrin dan Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1
FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Singh, J., Budhiraja, S. & Lal, H., 2006. Renoprotection by Telmisartan Versus Benazepril in Streptozotocin Induced Diabetic Nephropathy. *Iranian Journal of Pharmacology and Therapeutics*, 5(2).

Soelistijo, S.A. et al., 2015. *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*, Jakarta, Indonesia: Pengurus Besar Perkumpulan Endokrinologi Indonesia (PB PERKENI).

Soelistijo, S.A. et al., 2015. *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*, Jakarta, Indonesia: Pengurus Besar Perkumpulan Endokrinologi Indonesia (PB PERKENI).

Sohn, E. et al., 2010. Extract of The Aerial Parts of Aster Koraiensis Reduced Development of Diabetic Nephropathy via Anti-Apoptosis of Podocytes in Streptozotocin-induced Diabetic Rats. *Biochemical and Biophysical Research Communications*, 391(1), pp.733–738.

Song, J., Guo, D. & Bi, H., 2017. Chlorogenic Acid Attenuates Hydrogen Peroxide-Induced Oxidative Stress in Lens Epithelial Cells. *International Journal of Molecular Medicine*.

Song, Z. et al., 2014. The PI3K/p-Akt Signaling Pathway Participates in Calcitriol Ameliorating Podocyte Injury in DN Rats. *Metabolism*, 63(10), pp.1324–1333.

Soriano, R.M., 2021. Anatomy, Abdomen and Pelvis, Kidneys. *StatPearls [Internet]*. Available at: https://www.ncbi.nlm.nih.gov/books/NBK482385/ [Accessed September 20, 2021].

Standring, S., 2015. *Gray's Anatomy: The Anatomical Basis of Clinical Practice* 41st ed., Elsevier.

Susztak, K. et al., 2006. Glucose-induced Reactive Oxygen Species Cause Apoptosis of Podocytes and Podocyte Depletion at The Onset of Diabetic Nephropathy. *Diabetes*, 55(1), pp.225–233.

Suzuki, A. et al., 2007. Ferulic Acid Restores Endothelium-dependent Vasodilation in Aortas of Spontaneously Hypertensive Rats. *American Journal of Hypertension*, 20(5), pp.508–513.

UNIVERSITAS
GADJAH MADA
**Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA Nefrin dan
Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1**
FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Thongnak, L., Chatsudthipong, V. & Lungkaphin, A., 2020. Mitigation of Renal Inflammation and Endoplasmic Reticulum Stress by Vildagliptin and Statins in High-Fat High-Fructose Diet-induced Insulin Resistance and Renal Injury in Rats. *Biochimica et Biophysica Acta (BBA) - Molecular and Cell Biology of Lipids*, 1865(9), p.158755.

Tosh, A.K. & Orr, D.P., 2008. Diabetes Mellitus. *Adolescent Medicine*, pp.82–89.

Toyoda, M. et al., 2004. High Expression of PKC-MAPK Pathway mRNAs Correlates with Glomerular Lesions in Human Diabetic Nephropathy. *Kidney International*, 66(3), pp.1107–1114.

Tung, C.W. et al., 2018. Glomerular Mesangial Cell and Podocyte Injuries in Diabetic Nephropathy. *Nephrology*, 23, pp.32–37.

Tutun, B. et al., 2018. Dexpanthenol Reduces Diabetic Nephropathy and Renal Oxidative Stress in Rats. *Biotechnic & Histochemistry*, 94(2), pp.84–91.

Udler, M.S. & Florez, J.C., 2017. Diabetes. *Genomic and Precision Medicine*, pp.245–282.

Verma, R. et al., 2018. Nephrin is Necessary for Podocyte Recovery Following Injury in an Adult Mature Glomerulus. *PLoS ONE*, 13(6), pp.1–24.

Vukelić, I. et al., 2018. Chlorogenic Acid Ameliorates Experimental Colitis in Mice by Suppressing Signaling Pathways Involved in Inflammatory Response and Apoptosis. *Food and Chemical Toxicology*, 121, pp.140–150.

Wang, J. et al., 2019. Critical Roles of PI3K/Akt/NF-κB Survival Axis in Angiotensin II-induced Podocyte Injury. *Molecular Medicine Reports*.

Wang, S.X. et al., 2002. Patterns of Nephrin and A New Proteinuria-associated Protein Expression in Human Renal Diseases. *Kidney International*, 61(1), pp.141–147.

Wei, F. & Tanokura, M., 2015. Organic Compounds in Green Coffee Beans. *Coffee in Health and Disease Prevention*, pp.149–162.

Wei, M. et al., 2017. Natural Polyphenol Chlorogenic Acid Protects Against Acetaminophen-induced Hepatotoxicity by Activating ERK/NRF2 Antioxidative Pathway. *Toxicological Sciences*, 162(1), pp.99–112.

UNIVERSITAS GADJAH MADA
Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA Nefrin dan Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1
FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Wharram, B. et al., 2005. Podocyte Depletion Causes Glomerulosclerosis: Diphtheria Toxin–Induced Podocyte Depletion in Rats Expressing Human Diphteria Toxin Receptor Transgene. *Journal of the American Society of Nephrology*, 16(10), pp.2941–2952.

Wiggins, R.C., 2007. The Spectrum of Podocytopathies: A Unifying View of Glomerular Diseases. *Kidney International*, 71(12), pp.1205–1214.

Wolf, G., Chen, S. & Zidayeh, F.N., 2005. From the Periphery of the Glomerular Capillary Wall Toward the Center of Disease: Podocyte Injury Comes of Age in Diabetic Nephropathy. *Diabetes*, 54, pp.1626–1634.

World Health Organization, 2006. *Definition and Diagnosis of Diabetes Mellitus and Intermediate Hyperglycemia*, Geneva, Switzerland: WHO Document Production Services.

World Health Organization, 2020. Diabetes. *World Health Organization*. Available at: https://www.who.int/news-room/fact-sheets/detail/diabetes [Accessed September 20, 2021].

Yadav, R., Tiwari, P. & Dhanaraj, E., 2008. Risk Factors and Complications of Type 2 Diabetes in Asians. *Current Research & Information on Pharmaceutical Sciences*, 9(2), pp.8–12.

Yamagata, K. et al., 2017. Chlorogenic Acid Regulates Apoptosis and Stem Cell Marker-related Gene Expression in A549 Human Lung Cancer Cells. *Molecular and Cellular Biochemistry*, 441(1-2), pp.9–19.

Yamanaka, N., Oda, O. & Nagao, S., 1997. Prooxidant Activity of Caffeic Acid, Dietary Non-flavonoid Phenolic Acid, on Cu^{2+}-induced Low Density Lipoprotein Oxidation. *FEBS Letters*, 405(2), pp.186–190.

Yan, Y. et al., 2020. Use of Chlorogenic Acid Against Diabetes Mellitus and Its Complications. *Journal of Immunology Research*, 2020, pp.1–6.

Yang, F. et al., 2017. Chlorogenic Acid Inhibits Liver Fibrosis by Blocking The miR-21-Regulated TGF-B1/SMAD7 Signaling Pathway in Vitro and in Vivo. *Frontiers in Pharmacology*, 8.

UNIVERSITAS
GADJAH MADA
**Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA Nefrin dan
Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1**
FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Yang, L. et al., 2010. Advanced Oxidation Protein Products Decrease Expression of Nephrin and Podocin in Podocytes via ROS-dependent Activation of p38 MAPK. *Science China Life Sciences*, 53(1), pp.68–77.

Ye, H. et al., 2016. The Attenuation of Chlorogenic Acid on Oxidative Stress for Renal Injury in Streptozotocin-induced Diabetic Nephropathy Rats. *Archives of Pharmacal Research*, 39(7), pp.989–997.

Yong, L.C. & Bleasel, A.F., 1986. Pathological Changes in Streptozotocin Induced Diabetes Mellitus in The Rat. *Exp Pathol*, 30, pp.97–107.

Yu, D. et al., 2005. Urinary Podocyte Loss is a More Specific Marker of Ongoing Glomerular Damage than Proteinuria. *Journal of the American Society of Nephrology*, 16(6), pp.1733–1741.

Yuan, H., Takeuchi, E. & Salant, D.J., 2002. Podocyte Slit-Diapraghm Protein Nephrin is Linked to The Actin Cytoskeleton. *American Journal of Physiology-Renal Physiology*, 282(4).

Zeisberg, M. & Kalluri, R., 2015. Physiology of the Renal Interstitium. *Clinical Journal of the American Society of Nephrology*, 10(10), pp.1831–1840.

Zhang, H.D. et al., 2019. Endoplasmic Reticulum Stress and Proteasome Pathway Involvement in Human Podocyte Injury with a Truncated COL4A3 Mutation. *Chinese Medical Journal*, 132(15), pp.1823–1832.

Zhang, L. et al., 2020. Research Progress on the Pathological Mechanisms of Podocytes in Diabetic Nephropathy. *Journal of Diabetes Research*, 2020, pp.1–15.

Zhang, T. et al., 2018. Chlorogenic Acid Ameliorates Lead-Induced Renal Damage in Mice. *Biological Trace Element Research*, 189(1), pp.109–117.

Zhao, Y. et al., 2011. Antihypertensive Effects and Mechanisms of Chlorogenic Acids. *Hypertension Research*, 35(4), pp.370–374.

Zheng, M. et al., 2011. Urinary Podocyte-Associated mRNA Profile in Various Stages of Diabetic Nephropathy. *PLoS ONE*, 6(5).

Zhu, L. et al., 2018. Modulation of Transport and Metabolism of Bile Acids and Bilirubin by Chlorogenic Acid Against Hepatotoxicity and Cholestasis in Bile Duct Ligation Rats: Involvement of SIRT1-Mediated Deacetylation of

UNIVERSITAS
GADJAH MADA
**Pengaruh Pemberian Asam Klorogenat Terhadap Skor Glomerulosklerosis dan Ekspresi mRNA Nefrin dan
Podocin pada Ginjal Tikus Model Diabetes Melitus Tipe 1**
FIANDILA ELVANA D, dr. Nur Arfian, Ph.D; Dr. dr. Dwi Cahyani Ratna Sari, M.Kes.PA(K)
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

FXR and PGC-1α. *Journal of Hepato-Biliary-Pancreatic Sciences*, 25(3), pp.195–205.