

DAFTAR PUSTAKA

- Abudukelimu, A., Barberis, M., Redegeld, F.A., Sahin, N., dan Westerhoff, H.V., 2018. Predictable Irreversible Switching Between Acute and Chronic Inflammation. *Frontiers in Immunology*, **9**: 1596.
- Ahmed, E.M., 2015. Hydrogel: Preparation, characterization, and applications: A review. *Journal of Advanced Research*, **6**: 105–121.
- Algahtani, M.S., Ahmad, M.Z., dan Ahmad, J., 2020a. Nanoemulsion loaded polymeric hydrogel for topical delivery of curcumin in psoriasis. *Journal of Drug Delivery Science and Technology*, **59**: 101847.
- Algahtani, M.S., Ahmad, M.Z., Nourein, I.H., dan Ahmad, J., 2020b. Co-Delivery of Imiquimod and Curcumin by Nanoemugel for Improved Topical Delivery and Reduced Psoriasis-Like Skin Lesions. *Biomolecules*, **10**: 968.
- Ashley, N., Weil, Z., dan Nelson, R., 2012. Inflammation: Mechanisms, Costs, and Natural Variation. *Annual Review of Ecology Evolution and Systematics*, **43**: 385–406.
- Asmara, A., Daili, S.F., Noegrohowati, T., dan Zubaedah, I., 2012. Vehikulum dalam Dermatoterapi Topikal. *Media Dermato Venerologica Indonesiana*, **39**: 11.
- Bocheńska, K., Smolińska, E., Moskot, M., Jakóbkiewicz-Banecka, J., dan Gabig-Cimińska, M., 2017. Models in the Research Process of Psoriasis. *International Journal of Molecular Sciences*, **18**: 2514.
- Budianti, W.K., Anindya, S., Debinta, A.A., Novianto, E., Fitri, E.M., dan Effendi, E.H., 2019. Kesesuaian Tata Laksana Psoriasis dengan Panduan Praktik Klinis (PPK) di RSUPN Dr. Cipto Mangunkusumo. *MEDIA DERMATO-VENEREOLOGICA INDONESIA*, **46**: 172–177.
- Campbell, N.K., Fitzgerald, H.K., Malara, A., Hambly, R., Sweeney, C.M., Kirby, B., dkk., 2018. Naturally derived Heme-Oxygenase 1 inducers attenuate inflammatory responses in human dendritic cells and T cells: relevance for psoriasis treatment. *Scientific Reports*, **8**: 10287.
- Chen, L., Deng, H., Cui, H., Fang, J., Zuo, Z., Deng, J., dkk., 2017. Inflammatory Responses and Inflammation-associated Diseases in Organs. *Oncotarget*, **9**: 7204–7218.
- Chun, S.-J., Lee, S.-Y., Doh, G.-H., Lee, S., dan Kim, J.H., 2011. Preparation of ultrastrength nanopapers using cellulose nanofibrils. *Journal of Industrial and Engineering Chemistry*, **17**: 521–526.
- Colombo, I., Sangiovanni, E., Maggio, R., Mattozzi, C., Zava, S., Corbett, Y., dkk., 2017. HaCaT Cells as a Reliable In Vitro Differentiation Model to Dissect the Inflammatory/Repair Response of Human Keratinocytes. *Mediators of Inflammation*, **2017**: e7435621.

- Dainichi, T., Hanakawa, S., dan Kabashima, K., 2014. Classification of Inflammatory Skin Diseases: A Proposal Based on The Disorders of the Three-Layered Defense Systems, Barrier, Innate Immunity and Acquired Immunity. *Journal of Dermatological Science*, **76**: 81–89.
- Das, M.K., Jaiswal, P.K., dan Das, S., 2021. Boosting the Skin Delivery of Curcumin Through Stearic Acid-Ethyl Cellulose Blend Hybrid Nanocarriers-Based Approach for Mitigating Psoriasis. *International Journal of Applied Pharmaceutics*, 150–164.
- Deogade, S. dan Sonalika, W., 2015. Curcumin: Therapeutic Applications in Systemic and Oral Health. *International Journal of Biological & Pharmaceutical Research*, **2015**: 281–290.
- Depkes RI, 2014. *Farmakope Indonesia Edisi V*. Departemen Kesehatan Republik Indonesia, Jakarta.
- Devassy, J.G., Nwachukwu, I.D., dan Jones, P.J.H., 2015. Curcumin and Cancer: Barriers to Obtaining a Health Claim. *Nutrition Reviews*, **73**: 155–165.
- Elmets, C.A., Korman, N.J., Prater, E.F., Wong, E.B., Rupani, R.N., Kivelevitch, D., dkk., 2021. Joint AAD–NPF Guidelines of Care for the Management and Treatment of Psoriasis with Topical Therapy and Alternative Medicine Modalities for Psoriasis Severity Measures. *Journal of the American Academy of Dermatology*, **84**: 432–470.
- FDA, 2019. 'Step 2: Preclinical Research', *FDA*. URL: <https://www.fda.gov/patients/drug-development-process/step-2-preclinical-research> (diakses tanggal 16/11/2021).
- Filippone, A., Consoli, G.M.L., Granata, G., Casili, G., Lanza, M., Ardizzone, A., dkk., 2020. Topical Delivery of Curcumin by Choline-Calix[4]arene-Based Nanohydrogel Improves Its Therapeutic Effect on a Psoriasis Mouse Model. *International Journal of Molecular Sciences*, **21**: 5053.
- Fitriani, A.N. dan Zakiyah, N., 2021. Review Artikel Cellulose Nanofiber : Isolasi, Karakterisasi, dan Aplikasi di Bidang Farmasi. *Farmaka*, **19**: 30–39.
- Gomez, C., Muangnoi, C., Sorasitthyanukarn, F.N., Wongpiyabovorn, J., Rojsitthisak, Pornchai, dan Rojsitthisak, Pranee, 2019. Synergistic Effects of Photo-Irradiation and Curcumin-Chitosan/Alginate Nanoparticles on Tumor Necrosis Factor-Alpha-Induced Psoriasis-Like Proliferation of Keratinocytes. *Molecules*, **24**: 1388.
- Granata, G., Petralia, S., Forte, G., Conoci, S., dan Consoli, G.M.L., 2020. Injectable supramolecular nanohydrogel from a micellar self-assembling calix[4]arene derivative and curcumin for a sustained drug release. *Materials Science and Engineering: C*, **111**: 110842.

- Hawkes, J.E., Chan, T.C., dan Krueger, J.G., 2017. Psoriasis Pathogenesis and the Development of Novel Targeted Immune Therapies. *Journal of Allergy and Clinical Immunology*, **140**: 645–653.
- Hayakawa, H., 2011. Difference of Curcumin Content in *Curcuma longa* L. (Zingiberaceae) Caused by Hybridization with Other *Curcuma* Species. *American Journal of Plant Sciences*, **02**: 111–119.
- Iriventi, P., Gupta, N.V., Osmani, R.A.M., dan Balamuralidhara, V., 2020. Design & development of nanosponge loaded topical gel of curcumin and caffeine mixture for augmented treatment of psoriasis. *DARU Journal of Pharmaceutical Sciences*, **28**: 489–506.
- Jain, A., Doppalapudi, S., Domb, A.J., dan Khan, W., 2016. Tacrolimus and curcumin co-loaded liposphere gel: Synergistic combination towards management of psoriasis. *Journal of Controlled Release*, **243**: 132–145.
- Jaiswal, M., Dudhe, R., dan Sharma, P.K., 2015. Nanoemulsion: an advanced mode of drug delivery system. *3 Biotech*, **5**: 123–127.
- Jin, N., Lin, J., Yang, C., Wu, C., He, J., Chen, Z., dkk., 2020. Enhanced penetration and anti-psoriatic efficacy of curcumin by improved smartPearls technology with the addition of glycyrrhizic acid. *International Journal of Pharmaceutics*, **578**: 119101.
- Johnson-Huang, L.M., Suárez-Fariñas, M., Pierson, K.C., Fuentes-Duculan, J., Cueto, I., Lentini, T., dkk., 2012. A single intradermal injection of IFN- γ induces an inflammatory state in both non-lesional psoriatic and healthy skin. *The Journal of investigative dermatology*, **132**: 1177–1187.
- Kalangi, S.J.R., 2013. Histofisiologi Kulit. *JURNAL BIOMEDIK : JBM*, **5**: .
- Kang, D., Li, B., Luo, L., Jiang, W., Lu, Q., Rong, M., dkk., 2016. Curcumin shows excellent therapeutic effect on psoriasis in mouse model. *Biochimie*, **123**: 73–80.
- Kang, N.-W., Kim, M.-H., Sohn, S.-Y., Kim, K.-T., Park, J.-H., Lee, S.-Y., dkk., 2018. Curcumin-loaded lipid-hybridized cellulose nanofiber film ameliorates imiquimod-induced psoriasis-like dermatitis in mice. *Biomaterials*, **182**: 245–258.
- Kementerian Pendidikan Kebudayaan Riset dan Teknologi Republik Indonesia, 2016. 'Variabel', . URL: <https://kbbi.kemdikbud.go.id/entri/variabel> (diakses tanggal 3/11/2021).
- Kesharwani, P., Jain, A., Srivastava, A., dan Keshari, M., 2020. Systematic development and characterization of curcumin loaded nanogel for topical application. *Drug Development and Industrial Pharmacy*, **46**: 1–36.
- Khatoon, K., Ali, A., Ahmad, F.J., Hafeez, Z., Rizvi, M.M.A., Akhter, S., dkk., 2021. Novel nanoemulsion gel containing triple natural bio-actives combination of

- curcumin, thymoquinone, and resveratrol improves psoriasis therapy: in vitro and in vivo studies. *Drug Delivery and Translational Research*, **11**: 1245–1260.
- Kocaadam, B. dan Şanlier, N., 2017. Curcumin, an active component of turmeric (*Curcuma longa*), and its effects on health. *Critical Reviews in Food Science and Nutrition*, **57**: 2889–2895.
- Kolarsick, P.A.J., Kolarsick, M.A., dan Goodwin, C., 2011. Anatomy and Physiology of the Skin. *Journal of the Dermatology Nurses' Association*, **3**: 203–213.
- Kouris, A., Pistiki, A., Katoulis, A., Georgitsi, M., Giatrakou, S., Papadavid, E., dkk., 2014. Proinflammatory cytokine responses in patients with psoriasis. *European Cytokine Network*, **25**: 63–68.
- Kurniawan, M. dan Matthew, F., 2021. Terapi Psoriasis di Era Pandemi COVID-19. *Cermin Dunia Kedokteran*, **48**: 380–382.
- Lai-Cheong, J.E. dan McGrath, J.A., 2013. Structure and function of skin, hair and nails. *Medicine*, , Dermatology Part 1 of 2 **41**: 317–320.
- Li, R., Wang, J., Wang, X., Zhou, J., Wang, M., Ma, H., dkk., 2016. Increased β TrCP are associated with imiquimod-induced psoriasis-like skin inflammation in mice via NF- κ B signaling pathway. *Gene*, **592**: 164–171.
- Lukić, M., Pantelić, I., dan Savić, S.D., 2021. Towards Optimal pH of the Skin and Topical Formulations: From the Current State of the Art to Tailored Products. *Cosmetics*, **8**: 69.
- Mao, K.-L., Fan, Z.-L., Yuan, J.-D., Chen, P.-P., Yang, J.-J., Xu, J., dkk., 2017. Skin-penetrating polymeric nanoparticles incorporated in silk fibroin hydrogel for topical delivery of curcumin to improve its therapeutic effect on psoriasis mouse model. *Colloids and Surfaces B: Biointerfaces*, **160**: 704–714.
- Martien, R., Adhyatmika, A., Irianto, I.D.K., Farida, V., dan Sari, D.P., 2012. Perkembangan Teknologi Nanopartikel sebagai Sistem Penghantaran Obat. *Majalah Farmaseutik*, **8**: 133–144.
- Meephansan, J., Subpayasarn, U., dan Ohtsuki, M.K. and M., 2017. *Pathogenic Role of Cytokines and Effect of Their Inhibition in Psoriasis*, An Interdisciplinary Approach to Psoriasis. IntechOpen.
- Murlistyarini, S., Prawitasari, S., dan Setyowatie, L., 2018. *Intisari Ilmu Kesehatan Kulit dan Kelamin*. Universitas Brawijaya Press.
- Murthy, A.S. dan Leslie, K., 2016. Autoinflammatory Skin Disease: A Review of Concepts and Applications to General Dermatology. *Dermatology*, **232**: 534–540.
- National Center for Biotechnology Information, 2021. 'PubChem Compound Summary for CID 969516, Curcumin.', . URL:

- <https://pubchem.ncbi.nlm.nih.gov/compound/969516> (diakses tanggal 17/9/2021).
- Nestle, F.O., Kaplan, D.H., dan Barker, J., 2009. 'Psoriasis', , *review-article*, <http://dx.doi.org/10.1056/NEJMra0804595>. URL: <https://www.nejm.org/doi/10.1056/NEJMra0804595> (diakses tanggal 10/9/2021).
- Niu, T., Tian, Y., Cai, Q., Ren, Q., dan Wei, L., 2015. Red Light Combined with Blue Light Irradiation Regulates Proliferation and Apoptosis in Skin Keratinocytes in Combination with Low Concentrations of Curcumin. *PLOS ONE*, **10**: e0138754.
- Panjaitan, E.N., Saragih, A., dan Purba, D., 2013. Formulasi Gel Dari Ekstrak Rimpang Jahe Merah (*Zingiber officinale* Roscoe). *Journal of Pharmaceutics and Pharmacology*, **1**: 9–20.
- Panzade, P. dan Puranik, P.K., 2010. Carbopol Polymers: A Versatile Polymer for Pharmaceutical Applications. *Research Journal of Pharmacy and Technology*, **3**: 672–675.
- Parisi, R., Iskandar, I.Y.K., Kontopantelis, E., Augustin, M., Griffiths, C.E.M., dan Ashcroft, D.M., 2020. National, regional, and worldwide epidemiology of psoriasis: systematic analysis and modelling study. *BMJ*, **369**: m1590.
- Patel, N.A., Patel, N.J., dan Patel, R.P., 2009. Formulation and Evaluation of Curcumin Gel for Topical Application. *Pharmaceutical Development and Technology*, **14**: 83–92.
- Patel, S., Aundhia, C., Seth, D., Shah, N., dan Pandya, K., 2018. Emulgel: A Novel Approach for Topical Drug Delivery System.
- PIONAS, 2015. 'Kortikosteroid Topikal', *13.4 Kortikosteroid Topikal / PIO Nas*. URL: <http://pionas.pom.go.id/ioni/bab-13-kulit/134-kortikosteroid-topikal> (diakses tanggal 23/12/2021).
- Pourahmad, J. dan Salimi, A., 2015. Isolated Human Peripheral Blood Mononuclear Cell (PBMC), a Cost Effective Tool for Predicting Immunosuppressive Effects of Drugs and Xenobiotics. *Iranian Journal of Pharmaceutical Research : IJPR*, **14**: 979.
- Priyadarsini, K.I., 2014. The Chemistry of Curcumin: From Extraction to Therapeutic Agent. *Molecules*, **19**: 20091–20112.
- Rachmawati, H., Budiputra, D.K., dan Mauludin, R., 2015. Curcumin nanoemulsion for transdermal application: formulation and evaluation. *Drug Development and Industrial Pharmacy*, **41**: 560–566.
- Rapalli, V.K., Kaul, V., Waghule, T., Gorantla, S., Sharma, S., Roy, A., dkk., 2020. Curcumin loaded nanostructured lipid carriers for enhanced skin retained topical delivery: optimization, scale-up, in-vitro characterization and

- assessment of ex-vivo skin deposition. *European Journal of Pharmaceutical Sciences*, **152**: 105438.
- Rapp, S.R., Feldman, S.R., Exum, M.L., Fleischer, A.B., dan Reboussin, D.M., 1999. Psoriasis causes as much disability as other major medical diseases. *Journal of the American Academy of Dermatology*, **41**: 401–407.
- Rezki, R.S., Anggoro, D., dan Mz, S., 2015. Ekstraksi Multi Tahap Kurkumin dari Kunyit (*Curcuma domestica* Valet) Menggunakan Pelarut Etanol. *Jurnal Teknik Kimia USU*, **4**: 29–34.
- Rolfe, V., Mackonochie, M., Mills, S., dan MacLennan, E., 2020. Turmeric / curcumin and health outcomes: A meta-review of systematic reviews. *European Journal of Integrative Medicine*, **40**: 101252.
- Rustam, A., Tatengkeng, F., Fahrudin, A.M., dan Djais, A.I., 2017. Kombinasi perancah silk-fibroin dari kepompong ulat sutera (*Bombyx mori*) dan konsentrat platelet sebagai inovasi terapi regenerasi tulang alveolar Silk-fibroin scaffold from silkworm cocoon (*Bombyx mori*) and platelet concentrate-based mineralized plasmate. *Makassar Dental Journal*, **6**: .
- Sahu, S., Katiyar, S.S., Kushwah, V., dan Jain, S., 2018. Active natural oil-based nanoemulsion containing tacrolimus for synergistic antipsoriatic efficacy. *Nanomedicine*, **13**: 1985–1998.
- Schürer, N., Köhne, A., Schliep, V., Barlag, K., dan Goerz, G., 1993. Lipid composition and synthesis of HaCaT cells, an immortalized human keratinocyte line, in comparison with normal human adult keratinocytes. *Experimental Dermatology*, **2**: 179–185.
- Seladi-Schulman, J., 2019. 'In Vivo vs. In Vitro: Definition, Examples, and More', *Healthline*. URL: <https://www.healthline.com/health/in-vivo-vs-in-vitro> (diakses tanggal 1/12/2021).
- Shehata, T.M., Ibrahim, M.M., dan Elsewedy, H.S., 2021. Curcumin Niosomes Prepared from Proniosomal Gels: In Vitro Skin Permeability, Kinetic and In Vivo Studies. *Polymers*, **13**: 791.
- Shibata, S., Tada, Y., Kanda, N., Nashiro, K., Kamata, M., Karakawa, M., dkk., 2010. Possible Roles of IL-27 in the Pathogenesis of Psoriasis. *Journal of Investigative Dermatology*, **130**: 1034–1039.
- Skyvalidas, D.N., Mavropoulos, A., Tsiogkas, S., Dardiotis, E., Liaskos, C., Mamuris, Z., dkk., 2020. Curcumin mediates attenuation of pro-inflammatory interferon γ and interleukin 17 cytokine responses in psoriatic disease, strengthening its role as a dietary immunosuppressant. *Nutrition Research*, **75**: 95–108.

- Sun, J., Zhao, Y., dan Hu, J., 2013. Curcumin Inhibits Imiquimod-Induced Psoriasis-Like Inflammation by Inhibiting IL-1 β and IL-6 Production in Mice. *PLOS ONE*, **8**: e67078.
- Sun, J., Zhao, Y., Jin, H., dan Hu, J., 2015. Curcumin relieves TPA-induced Th1 inflammation in K14-VEGF transgenic mice. *International Immunopharmacology*, **25**: 235–241.
- Sun, L., Liu, Z., Lin, Z., Cun, D., Tong, H.H., Yan, R., dkk., 2018. Comparison of normal versus imiquimod-induced psoriatic skin in mice for penetration of drugs and nanoparticles. *International Journal of Nanomedicine*, **13**: 5625–5635.
- Sun, L., Liu, Z., Wang, L., Cun, D., Tong, H.H.Y., Yan, R., dkk., 2017. Enhanced topical penetration, system exposure and anti-psoriasis activity of two particle-sized, curcumin-loaded PLGA nanoparticles in hydrogel. *Journal of Controlled Release*, **254**: 44–54.
- Terzopoulou, Z., Michopoulou, A., Palamidi, A., Koliakou, E., dan Bikiaris, D., 2020. Preparation and Evaluation of Collagen-Based Patches as Curcumin Carriers. *Polymers*, **12**: 2393.
- Varma, S.R., Sivaprakasam, T.O., Mishra, A., Prabhu, S., M, R., dan P, R., 2017. Imiquimod-induced psoriasis-like inflammation in differentiated Human keratinocytes: Its evaluation using curcumin. *European Journal of Pharmacology*, **813**: 33–41.
- Wahyuningtyas, S.E.P., Permana, I.D.G.M., dan Wiadnyani, A.A.I.S., 2017. Pengaruh Jenis Pelarut terhadap Kandungan Senyawa Kurkumin dan Aktivitas Antioksidan Ekstrak Kunyit (*Curcuma domestica* Val.) The. *Jurnal ITEPA*, **6**: 61–70.
- Wolk, K., Witte, E., Wallace, E., Döcke, W.-D., Kunz, S., Asadullah, K., dkk., 2006. IL-22 regulates the expression of genes responsible for antimicrobial defense, cellular differentiation, and mobility in keratinocytes: a potential role in psoriasis. *European Journal of Immunology*, **36**: 1309–1323.
- Yang, K.-Y., Lin, L.-C., Tseng, T.-Y., Wang, S.-C., dan Tsai, T.-H., 2007. Oral bioavailability of curcumin in rat and the herbal analysis from *Curcuma longa* by LC–MS/MS. *Journal of Chromatography B*, **853**: 183–189.
- Yenny, S.W., 2012. Berbagai Bentuk Sediaan Topikal dalam Dermatologi. *Cermin Dunia Kedokteran*, **39**: 9.
- Yousef, S.A., Mohammed, Y.H., Namjoshi, S., Grice, J.E., Benson, H.A.E., Sakran, W., dkk., 2019. Mechanistic Evaluation of Enhanced Curcumin Delivery through Human Skin In Vitro from Optimised Nanoemulsion Formulations Fabricated with Different Penetration Enhancers. *Pharmaceutics*, **11**: 639.

- Yuyun, Y., Ratnatilaka Na Bhuket, P., Supasena, W., Suwattananuruk, P., Praengam, K., Vajragupta, O., dkk., 2021. A Novel Curcumin-Mycophenolic Acid Conjugate Inhibited Hyperproliferation of Tumor Necrosis Factor-Alpha-Induced Human Keratinocyte Cells. *Pharmaceutics*, **13**: 956.
- Zhang, J., Tang, Q., Xu, X., dan Li, N., 2013. Development and evaluation of a novel phytosome-loaded chitosan microsphere system for curcumin delivery. *International Journal of Pharmaceutics*, **448**: 168–174.
- Zhang, Y., Xia, Q., Li, Y., He, Z., Li, Z., Guo, T., dkk., 2019. CD44 Assists the Topical Anti-Psoriatic Efficacy of Curcumin-Loaded Hyaluronan-Modified Ethosomes: A New Strategy for Clustering Drug in Inflammatory Skin. *Theranostics*, **9**: 48–64.