

### DAFTAR PUSTAKA

- Adi,P.,Fidya,&F.,N.,Sandi, 2013, Pengaruh Ekstrak Etanol Kulit Jeruk Nipis (*Citrus aurantifolia*) Terhadap Jumlah Il-6 Pada Gingiva Tikus Yang Diinduksi *Actinobacillus actinomycetemcomitans*,*Prodenta Journal Of Dentistry*,1(1) ,15-23.
- Akhlaghi, M., & Brian Bandy, 2009, Mechanisms of flavonoid protection against myocardial ischemia–reperfusion injury. *Journal of Molecular and Cellular Cardiology*. 46 : 309– 17.
- Ali Alaa, M., Mohamed Abdel Gabbar , Sanaa, M., A.,T., Eman, M.,F., Hossam Ebaid , Ibrahim, M. A., and Osama, M., Ahmed,2020, Antidiabetic Potency, Antioxidant Effects, and Mode of Actions of *Citrus reticulata* Fruit Peel Hydroethanolic Extract, Hesperidin, and Quercetin in Nicotinamide/Streptozotocin-Induced Wistar Diabetic Rats,*Hindawi* ,21.
- Anonim, 1993,.Dasar-dasar Pemeriksaan Mikrobiologi. Bagian Mikrobiologi, Fakultas Kedokteran, Universitas Gadjah Mada, Yogyakarta
- Anonim,2018,Gambar Jeruk,*Dinas Pertanian dan Ketahanan Pangan*, [http://pertanian.sragenkab.go.id/index.php?page=detail\\_berita&id\\_berita=94](http://pertanian.sragenkab.go.id/index.php?page=detail_berita&id_berita=94) ,Diakses tanggal 11 Januari 2022 pukul 13.00.
- Anonim,2020,Gambar Inflamasi,*SehatQ*, <https://www.sehatq.com/artikel/tanda-inflamasi-di-tubuh-dan-jenis-makanan-yang-ampuh-melawanannya> ,diakses tanggal 20 Februari 2021 pukul 19.00.
- Baratawidjaja, K., G., dan Rengganis, I., 2012, *Imunologi Dasar*, Badan Penerbit FKUI. Jakarta.
- Barnes, J., L. A. Anderson and J., D., Philipson, 1996,Herbal Medicine, 2nd edition. *Pharmaceutical Press*, London.
- Benavente-Garcia, O.; Castillo, J.; Marin, F. R.; Ortuno, A., Del Rio, J. A., 1997, Uses and properties of citrus flavonoids, *J. Agric. Food Chem*, 45, 4505– 4515.
- Bigoniya Papiya,Kailash Singh,2014, Ulcer protective potential of standardized hesperidin, a citrus flavonoid isolated from *Citrus sinensis*,*Revista Brasileira de Farmacognosia*,24(3),330-340.
- Bowman, W.C.,& Rand, M.J., 1980, Textbook of pharmacology,2 nd ed, *Blackwell Scientific Publications*, Oxford.
- Buch J.,G.,2010, Pharmacology Recap, *PDU Medical College*, Rajkot, 392.
- Chen Xiu-Min, Andrew, R., Tait , David, D., Kitts,2017, Flavonoid composition of orange peel and its association with antioxidant and anti-inflammatory activities,*Food Chemistry*,218,15-21.
- Choi Bong-Keun, Tae-Won Kim, Dong-Ryung Lee, Woon-Ha Jung, Jong-Hwan Lim, Ju- Young Jung, Seung Hwan Yang and Joo-Won Suh,,2015, A polymethoxy flavonoids-rich *Citrus aurantium* extract ameliorates ethanol-induced liver injury through modulation of AMPK and Nrf2-related signals in a binge drinking mouse model,*Phytoteraphy Research*,29,1577-1584.
- Choi, S.-Y., Ko, H.-C., Ko, S.-Y., Hwang, J.-H., Park, J.-G., Kang,S.-H., Han, S.-H., Yun, S.-H., Kim, S.-J., 2007, Correlation between flavonoid content and

- the NO production inhibitory activity of peel extracts from various citrus fruits, *Biol. Pharm. Bull.*, 30 (4), 772–778.
- Corwin, E.,J., 2008, *Handbook Of Pathophysiology*, Third Edition, The Ohio State University,Columbus.
- Dictio,2022,Gambar Penyakit Inflamasi Akut Dan Kronis, <https://www.dictio.id/t/apa-yang-dimaksud-dengan-inflamasi-kronis/5995> ,diakses tanggal 11 Januari 2022 pukul 13.00.
- Dirjen POM, 1994, *Petunjuk Pelaksanaan Cara Pembuatan Obat Tradisional Yang Baik (CPOTB)*, Departemen Kesehatan Republik Indonesia,Jakarta.
- Duan Li, Li-Li Dou, Ke-Yun Yu, Long Guo, Chen Bai-Zhong, Ping Li& E-Hu Liu,2017, Polymethoxyflavones in peel of *Citrus reticulata* ‘Chachi’ and their biological activities,*Food Chemistry*,234,254-261.
- Endarto, O & Martini, E., 2016, Pedoman Budidaya Jeruk Sehat. Balai Penelitian Tanaman Jeruk dan Buah Subtropika (Balitjestro),*World Agroforestry Centre*,Bogor.
- Etebu, A., Nwauzoma, A., B., 2014, A review on sweet orange (*citrus sinensis* L osbeck): health, diseases and management. *American Journal of Research Communication*,2(2).
- Fayek Nesrin, M.,Amani, H., El-Shazly , Azza, R., Abdel-Monema, Mohamed, Y., Moussa, Samia, M., Abd-Elwahab, Nebal, D., El- Tanbouly,2017, Comparative study of thehypcholesterolemic, antidiabetic effects of four agro-waste Citrus peels cultivars and their HPLC standardization,*Brazilian Journal Of Pharmacognosy*,27(4),488-494.
- Ghao Zao, Zi-Yuan Wang , Yong Guo , Chu Chu , Guo-Dong Zheng , E-Hu Liu , Fei Li,2019, Enrichment of polymethoxyflavones from *Citrus reticulata* ‘Chachi’ peels and their hypolipidemic effect,*Journal Of Chromatography B*,1124,226-232.
- Gossiau Alexander, , Kuang Yu Chen, Chi-Tang Ho , Shiming Li,2014, Anti-inflammatory effects of characterized orange peel extracts enriched with bioactive polymethoxyflavones,*SciVerse ScienceDirect*,3,26-35.
- Harmanto, Ning, Subroto, M., Ahkam, .2007. *Pilih Kamu dan Herbal Tanpa Efek Samping*. PT Elex Media Komputindo, Jakarta.
- Huang Yung-Sheng & Su-Chen Ho,2010, Polymethoxy flavones are responsible for the anti-inflammatory activity of citrus fruit peel, *Food Chemistry*,119(3),868-873.
- Hou Fangli, Kun Hu, Yushi Gong, Jinrui Xu, Yongxin Wu, Mingwei Zhang,2017, Effects of in vitro simulated digestion on the flavonoid content and antioxidant activity of aged and fresh dried tangerine peel,*Journal Of Food Processing and Preservation*,42(3),13532.
- Ho Su-Chen,Chun Ting-Kuo,2014, Hesperidin, nobiletin, and tangeretin are collectively responsible for the anti-neuroinflammatory capacity of tangerine peel (*Citrus reticulatae* pericarpium),*Food And Chemical Toxicology*,71,176-182.
- Ho Su-Chen & Chih-Cheng Lin,2008, Investigation of Heat Treating Conditions for Enhancing the Anti- Inflammatory Activity of Citrus Fruit

- (*Citrus reticulata*) Peels,*Journal Of Agricultural And Food Chemistry*,56,7976-7982.
- Ikawati,M.,I.,Armandari,A.,Khumaira,&Y.,Ertanto,2019, Effects of Peel Extract from *Citrus reticulata* and Hesperidin, A Citrus Flavonoid, on Macrophage Cell Line,*Indonesian Journal Of Pharmacy*,30(4),260-268.
- Intekhab, J., and M., Aslam, 2009, Constituents from Feronia Limonia, *Analele Universităţii din Bucureşti– Chimie (serie nouă)*.
- Jung, K., H.; Ha, E., Kim, M., J., Won, H., J., Zheng, L., T., Kim,H., K., Hong, S., J., Chung, J., H., Yim, S., V., 2007, Suppressive effects of nitric oxide (NO) production and inducible nitric oxide synthase (iNOS) expression by Citrus reticulata extract in RAW 264.7 macrophage cells. *Food Chem. Toxicol.* 45, 1545–1550.
- Kartasapoetra, G., 1992., *Budidaya Tanaman Berkhasiat Obat*. Penerbit Rineka Cipta. Jakarta.
- Kartikaningtyas,A.,T.,Prayitno.,& S.,P., Lastianny,2015, Pengaruh Aplikasi Gel Ekstrak Kulit Citrus Sinensis terhadap Epitelisasi pada Penyembuhan Luka Gingiva Tikus Sprague Dawley, *Majalah Kedokteran Gigi Indonesia*,1(1).
- Katzung, B.,G., 2002, Farmakologi Dasar dan Klinik , Edisi III, Penerbit Buku Kedokteran EGC, Jakarta. *The Journal Of Nutritional Biochemistry*,83.
- Ke Zunli, Yuanyuan Zhaob,1, Si Tand , Hui Chenb , Yin Lib,2, Zhiqin Zhouc , Cheng Huang,2020, *Citrus reticulata* Blanco peel extract ameliorates hepatic steatosis, oxidative stress and inflammation in HF and MCD diet-induced NASH C57BL/6 J mice,*ScienceDirect*,83,108426.
- Kementerian Pertanian RI,2010, *Tanaman Jeruk Bali di Indonesia* ,Jakarta.
- Kemenkes RI, 2013, *Profil Kesehatan Indonesia*; RISKESDAS, Balitbang Kemenkes RI, Jakarta.
- Kong, A.,T.,2014, Inflammation, oxidative stress, and cancer: dietary approaches for cancer prevention. *CRC Press*, Florida, 250- 252.
- Kurniawan,D.,T.,&Ika,F.,2019,Persepsi Masyarakat Madura Terhadap Peran Tumbuhan Etnofarmaka Di Kabupaten Sumenep,*ejournalwiraraja*,16(2).
- Kumar, Vinay, Cotran, et al. 2007,*Buku Ajar Patologi Anatomi*.Jakarta .7(2).
- Li, S., Lo, C.,Y., Ho, C.,T., 2006, Hydroxylated polymethoxyflavones and methylated flavonoids in sweet orange (*Citrus sinensis*) peel.*J., Agric Food Chem.* 54, 4176–4185.
- Lim Seol Wa, Dong-Ryung Lee , Bong-Keun Choi , Hong-Suk Kim , Seung Hwan Yang , Joo-Won Suh , Kyung Soo Kim,2016, Protective effects of a polymethoxy flavonoids- rich *Citrus aurantium* peel extract on liver fibrosis induced by bile duct ligation in mice,*Asian Pacific Journal Of Tropical Medicine*,9(12),1158-1164.
- Lin, N.,Sato, T.,Tkayama, Y.,Mimaki, Y.,Sashida, Y.,Yano, M., and Ito, A., 2003, Novel anti-inflammatory actions of nobiletin,a citrus polymethoxy flavonoid,on human synoval fibroblasts and mouse macrophages. *Biochemcial Pharmacology.* 65:2065.
- Mansjoer, Arief dkk, 1999, Kaerapita Selekt kedokt, FKUI, *Media Aesculaeus*, Jakarta .

- McGavin, M., D., Zachary, J., F., 2007, *Pathologic Basis of Veterinary Disease*, 4. Miloro, M., Ghali, G., E., Larsen, P., E., Waite, P., D., 2012, Peterson's principles of oral and maxillofacial surgery, 3rd edition. *People's Medical Publishing*, Connecticut, 12.
- Mitchell, Laura, David, A., Mitchell, dan Lorna McCaul, 2015, Kedokteran Gigi Klinik Edisi 5. *EGC Buku Kedokteran*. Jakarta.
- Mycek, M., J., Harvey, R., A., dan Champe, P., C., 2001, Farmakologi Ulasan Bergambar 2nd ed. H. Hartanto, ed., *Widya Medika*. Jakarta.
- Naibaho, R., A., 2010, *Pemanfaatan Minyak Atsiri*, FMIPA USU, Medan.
- Neal, M., J., 2006, At a Glance Farmakologi Medis Edisi Kelima, *Penerbit Erlangga*, pp, Jakarta.
- Nogata, Y., Ohta, H., Sumida, T., Sekiya, K., 2003, Effect of extraction method on the concentrations of selected bioactive compounds in mandarin juice. *J. Agric. Food Chem.* 51, 7346–7351.
- Nugroho, A., E., Sugeng, R., Mohamad, A., S., Kazutaka, M., 2010, Efek Senyawa Flavonoids Dari Kemuning (*Murraya paniculata* [L] Jack.) Terhadap Pelepasan Histamin Dari Kultur Sel Mast, *Majalah Obat Tradisional*, 15(1), 34-40.
- Nugroho, 2012, *Keperawatan gerontik & geriatrik*, EGC, Jakarta. 3.
- Price, S., A., dan Wilson, L., M., 2005, *Patofisiologi: Konsep Klinis Proses-proses Penyakit*, diterjemahkan oleh Pendit, B. U., Hartanto, H., Wulansari, p., Mahanani, D., A., Penerbit Buku Kedokteran EGC, Jakarta. 6(2).
- Pubchem, 2021. Struktur Nobiletin, <https://pubchem.ncbi.nlm.nih.gov/compound/72344>, diakses tanggal 26 Desember 2021 pukul 13.00.
- Pubchem, 2021, Struktur Tangeretin, <https://pubchem.ncbi.nlm.nih.gov/compound/68077>, diakses tanggal 26 Desember 2021 pukul 13.00.
- Pubchem, 2021, Struktur Hesperidin, <https://pubchem.ncbi.nlm.nih.gov/compound/10621>, diakses tanggal 26 Desember pukul 13.00.
- Pubchem, 2021, Struktur 6',7'-dihydroxybergamottin, <https://pubchem.ncbi.nlm.nih.gov/#query=6%CB%8A%2C7%CB%8A-dihydroxybergamottin>, diakses tanggal 9 Januari 2022 pukul 22.00.
- Pubchem, 2021, Struktur oxypeucedanin hydrate, <https://pubchem.ncbi.nlm.nih.gov/compound/17536#section=Structures>, diakses tanggal 9 Januari 2022 pukul 22.00..
- Roberts, L. J., & Morrow, J. D., 2001, Senyawa Analgesik-Antipiretik dan Antiradang serta Obat-Obat Yang Digunakan Dalam Penanganan Pirai, dalam Goodman & Gilman, Dasar Farmakologi Terapi, Edisi 10, 666-709, *Penerbit Buku Kedokteran*, Bandung.
- Robbins, 2004, Buku Ajar Patologi Robbins. *Penerbit Buku Kedokteran EGC*, Jakarta. 7(1).
- Robinson, T., 1995, Kandungan Organik Tumbuhan Tinggi, Edisi VI Diterjemahkan oleh Kosasih Padmawinata, ITB, Bandung.

- Roska, T.,P., Syahidah Sahati, Andi Dinul Fitrah, Nana Juniarti, Natsir Djide,2018, Efek Sinergitas Ekstrak Kulit Jeruk (*Citrus sinensis* L) Pada Patch Bioselulosa Dalam Meningkatkan Penyembuhan Luka Bakar, *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy)*,4(2),87-92.
- Rouzer,C.,A., & Marnett,L.,J.,2009, Cyclooxygenase: structural and functional insights. *Journal of Lipid Research*. 50,S29-S34.
- Rustam, E., Atmasari, I., Yanwirasti, 2007, Efek Antiinflamasi ekstrak etanol Kunyit (*Curcuma domestica* Val.) Pada Tikus Putih Jantan Galur Wistar. *Jurnal Sains dan Teknologi Farmasi*, Vol 12, No. 2, 2007 : 112-115.
- S.,Ramzi,Cotran,Vinay Kumar,Stanley L.,Robbins,2007,*Buku Ajar Patologi*,Palu:EGC,2(7).
- Sabir,A.,2005, Aktivitas Antibakteri Flavonoid Propolis Trigona sp Terhadap Bakteri *Streptococcus Mutans (in vitro)*, *Majalah Kedokteran Gigi*,38(3), 135.
- Santi,I.,W.,Ocky,K.,R.,Ita,W.,2014,Potensi Rumpun Laut *Sargassum duplicatum* Sebagai Sumber Senyawa Antifouling,*Journal Of Marine Search*,3(3),274-284.
- Sarwono, J., 2006, Metode Penelitian Kuantitatif dan Kualitatif,*Graha Ilmu*, Yogyakarta.
- Sayuti, M.,2017, Pengaruh perbedaan metode ekstraksi, bagian dan jenis pelarut terhadap rendemen dan aktivitas antioksidan bambu laut (*Isis hippuris*). *Technology Science and Engineering Journal*. 1(3):166-174.
- Soenarto. 2014. *Inflamasi*. Dalam: Setiati, Seti. Ilmu Penyakit Dalam. Edisi 6. *Interna Publishing*. Jakarta. .
- Thomas,A.N.S., 1992,*Tanaman Obat Tradisional 2*,Kanisius , Yogyakarta.
- Ting, V.,S., dan J.,A., Attaway, 1971, *Citrus Fruits*. *Academic Press*. London.
- Tjitrosoepomo, G., 2002, Taksonomi Tumbuhan (Spermatophyta). Cetakan VII. *Gajah Mada University Press*. Yogyakarta.
- Utami, P., 2008, *Buku Pintar Tanaman Obat*. Agromedia Pustaka, Jakarta.
- Verdiana Melia, I Wayan Rai Widarta, I Dewa Gede Mayun Permana,2018,Pengaruh Jenis Pelarut Pada Ekstraksi Menggunakan Gelombang Ultrasonik Terhadap Aktivitas Antioksidan Ekstrak Kulit Buah Lemon (*Citrus limon* (Linn.) Burm F.),*Jurnal Ilmu dan Teknologi Pangan*,7(4),213-222.
- Walcott, Esther, 2004, *Seni Pengobatan Alternatif Pengetahuan dan Persepsi*. Universitas Muhammadiyah Malang. Malang.
- Whitman, S.,C.,Kurowska, E.,M.,Manthey, J.,A., and Daugherty, A., 2003, Nobiletin,a citrus flavonoid isolated from tangerines,selectively inhibits class A scavenger receptor- mediated metabolism of acetylated LDL by mouse macrophages.*Atherosclerosis*. 178:25.
- Wikipedia,2022,Hidrofobik, <https://id.m.wikipedia.org/wiki/Hidrofobik> ,Diakses tanggal 11 Januari 2022 pukul 13.00.
- Wilmana, P.,F., 2007, Analgesik-Antipiretik, Analgesik-Antiinflamasi Nonsteroid dan Obat Gangguan Sendi Lainnya, dalam Gunawan, S.G., Setiabudy, R., Nafrialdi, Elysabeth. *Farmakologi dan Terapi*.Edisi 5.Departemen



Farmakologi dan Terapeutik Fakultas Kedokteran, Universitas Indonesia Jakarta.

- Xu Yin, Xiaojian Lv , Guliang Yang , Jianfeng Zhan , Ming Li , Tao Longa , Chi-Tang Ho , Shiming Li,2019, Simultaneous separation of six pure *polymethoxy flavones* from sweet orange peel extract by high performance counter current chromatography,*Food Chemistry*,292,160-165.
- Yang Guliang, Shiming Li, Yiwen Yang, Li Yuan, Peilei Wang, Hui Zhao, Chi-Tang Ho, and Chi-Chen Lin,2018, Nobiletin and 5-Hydroxy-6,7,8,3',4'-pentamethoxyflavone Ameliorate 12-O-Tetradecanoylphorbol-13-acetate-Induced Psoriasis-Like Mouse Skin Lesions by Regulating the Expression of Ki-67 and Proliferating Cell Nuclear Antigen and the Differentiation of CD4<sup>+</sup> T Cells through Mitogen-Activated Protein Kinase Signaling Pathways,*Journal Of Agricultural And Food Chemistry*,8,66(31),8299-8306.
- Verez, B.,2012, Anti inflammatory role of natural polyphenols and their degradation products, dalam severe sepsis and septic shock: understanding a serious killer, chapter 18, 384.
- Zhang Jia-Yu, Qian Zhang, Hong-Xia Zhang, Qun Ma, Jian-Qiu Lu., and Yan-Jiang Qiao,2012, Characterization of Polymethoxylated Flavonoids (PMFs) in the Peels of 'Shatangju' Mandarin (*Citrus reticulata* Blanco) by Online High Performance Liquid Chromatography Coupled to Photodiode Array Detection and Electrospray Tandem Mass Spectrometry,*Journal Of Agricultural And Food Chemistry*,60,9023-9034.
- Zhao Yun LI, Xiong-Wu Yang, Bai-Fen Wu, Jian-Hua Shang, Ya-Ping Liu, Zhi-Dai, and Xiao-Dong Luo,2019, Anti-inflammatory Effect of Pomelo Peel and Its Bioactive Coumarins,*Journal Of Agricultural And Food Chemistry*,67,8810-8818.