

DAFTAR PUSTAKA

- American Diabetes Association. Diagnosis and classification of diabetes mellitus. *Diabetes Care* 2012;35(1):64-71.
- Arfian N, Wahyudi DA, Zulfatima IB. Chlorogenic acid attenuates kidney ischemic/reperfusion injury via reducing inflammation, tubular injury and myofibroblast formation. *BioMed Research International* 2019;5423703.
- Armstrong EJ and Bischoff J. Heart valve development: endothelial cell signalling and differentiation. *Circulation Research* 2004;955:459-470.
- Atkinson MA, Eisenbarth GS, Michels AW. Type 1 diabetes. *Lancet* 2014;383(9911):69-82.
- Bassoli BK, Cassolla P, Constantin J, Bazotte RB. Chlorogenic acid reguces the plasma glucose peak in the oral glucose tolerance test: effects on hepatic glucose release and glycemia. 2008 *Cell Biochemistry and Function* 26(3):1023-1025.
- Beaumont J, Lopez B, Hermida N, Schroen B, Jose G, Heymans S. microRNA-122 down regulation may play a role in severe myocardial fibrosis in human aortic stenosis through TGF- β 1 up-regulation. *Clinical Science* 2013;126:497-506.
- Biagini E, Spirito P, Rocchi G, Ferlito M, Rosmini S, Lai F, Lorenzini M, Terzi F, Bacchi-Reggiani L, Boriani G, Branzi A, Boni L, Rapezzi C. Prognostic implications of the doppler restrictive filling pattern in hypertrophic cardiomyopathy. *The American journal of cardiology*. 2009;104:1727–1731.
- Butler PC, Meier JJ, Butler AE, Bhushan A. The replication of beta cells in normal physiology, in disease and for therapy. *Nature Clinical Practice Endocrinology & Metabolism* 2007;3:758-768.
- Campbell-Thompson M, Wasserfall C, Kaddis J, et al. Network for pancreatic organ donors with diabetes (nPOD): developing a tissue biobank for type 1 diabetes. *Diabetes/Metabolism Research and Reviews* 2012;28:608-617.
- Chen Y, Wakili R, Xiao J, Wu C-T, Luo X, Clauss S, Dawson K, Qi X, Naud P, Shi YF. Detailed characterization of microRNA changes in a canine hart failure model: Relationship to arrhytmogenic structural remodeling. *Journal of Molecular and Cellular Cardiology* 2013;77:113-124.
- Cleuthens JP, Verluyten MJ, Smiths JF, Daemen MJ. Collagen remodelling after myocardial infarction in the rat heart. *American Journal of Pathology* 1996;147:325-338.
- Clifford MN. Chlorogenic acids and other cinnamates– nature, occurrence, dietary burden, absorption and metabolism. *Journal of the Science of Food and Agriculture* 2000;80(7):1033–1043.
- Dai, C., Huh, C.G., Thorgeirsson, S.S. and Liu, Y. Beta-cell-specific ablation of the hepatocyte growth factor receptor results in reduced islet size, impaired insulin secretion, and glucose intolerance. *The American Journal of Pathology* 2005;167:429–436.

- Dai, C., Li, Y., Yang, J. and Liu, Y. Hepatocyte growth factor preserves beta cell mass and mitigates hyperglycemia in streptozotocin-induced diabetic mice. *Journal of Biological Chemistry* 2003;278:27080–27087.
- Damasceno DC, Kiss AC, Sinzato YK. Maternal-fetal outcome, lipid profile and oxidative stress of diabetic rats neonatally exposed to streptozotocin. *Experimental and Clinical Endocrinology and Diabetes* 2011;119(7):408-413.
- Derynck R, Zhang YE: Smad-dependent and Smad-independent pathways in TGF-beta family signalling. *Nature* 2003;425:577-584.
- Dufrane D, van Steenberghe M, Guiot Y, Goebbels RM, Saliez A, Gianello P. Streptozotocin-induced diabetes in large animals (pigs, primates): role of GLUT2 transporter and beta-cell plasticity. *Transplantation* 2006;81:36-45.
- Ertl G, Frantz S. Healing after myocardial infarction. *Cardiovascular Research* 2005;66:22-32.
- Fausto, N., Campbell, J.S. and Riehle, K.J. Liver regeneration. *Hepatology* 2006;43(1)45–53.
- Feng B, Chen S, George B, Feng Q, Chakrabarti S: miR133a regulates cardiomyocyte hypertrophy in diabetes. *Journal of Diabetes metabolism Research and Reviews* 2010;26:40-49.
- Gale EA. Type 1 diabetes in the young: the harvest of sorrow goes on. *Diabetologia* 2005;48:1435-1438.
- Gepts W. Pathologic anatomy of the pancreas in juvenile diabetes mellitus. *Diabetes* 1965;14:619-633.
- Gilbert RE, Krum H. Heart failure in diabetes: effects of anti-hyperglycaemic drug therapy. *Lancet* 2015;385:2107-2117.
- Graham-Brown MPM, Patel AS, Stensel DJ. Imaging Of myocardial fibrosis in patients with end-stage renal disease: current limitations and future possibilities. *Biomedicine Research International* 2017;1-14.
- Gregg BE, Moore PC, Demozay D, et al. Formation of a human beta-cell population within pancreatic islets is set early in life. *The Journal of Clinical Endocrinology & Metabolism* 2012;97:3197-3206.
- Gressner AM, Weiskirchen R. Modern pathogenetic concepts of liver fibrosis suggests stellate cells and TGF-beta as major players and therapeutic targets. *Journal of Cellular and Molecular Medicine* 2006;10:76-99.
- Guttmann OP, Rahman MS, O'Mahony C, Anastasakis A, Elliott PM. Atrial fibrillation and thromboembolism in patients with hypertrophic cardiomyopathy: Systematic review. *Heart* 2014;100:465-472.
- Hein S, Amon E, Kostin S, Schonburg M. Progression from compensated hypertrophy to failure in the pressure-overload human heart: structural deterioration and compensatory mechanism. *Circulation* 2003;107:984-991.
- Heldin CH, Miyazono K, Ten DP. TGF-β signalling from cell membrane to nucleus through SMAD proteins. *Nature* 1997;390:465-471.
- Herling AW, Schwab D, Maas J. Prolonged blood glucose reduction in mrp-2 deficient rats (GY/TR-) by the glucose-6-phosphate translocase inhibitor S 3025. *Biochimica et Biophysica Acta* 2002;1569(1):105-110.

- Ikenouchi J, Matsuda M, Furuse M, Tsukita S. Regulation of tight junctions during the epithelium mesenchyme transition: direct repression of the gene expression of claudins/occludin by Snail. *Journal of Cell Science* 2003;116:1959-1967.
- In't, Veld P. Insulinitis in human type 1 diabetes: the quest for an elusive lesion. *Islets* 2011;3:131-138.
- International Expert Committee. International Expert Committee report on the role of the A1C assay in the diagnosis of diabetes. *Diabetes Care* 2009;32:1327-1334.
- Jellis C, Martin J, Narula J, Marwick TH. Assessment of nonischemic myocardial fibrosis. *Journal of the American College of Cardiology* 2010;56:89-97.
- Jia, G., Hill, M. and Sowers, J. Diabetic Cardiomyopathy. *Circulation Research* 2018;122(4):624-638.
- Jorda M, Olmeda D, Vinyals A, Valero E, Cubillo E, Llorens A, Cano A, Fabra A. Upregulation of MMP-9 in MDCK epithelial cell in response to expression of the Snail transcription factor. *Journal of Cell Science* 2005;118:3371-3385.
- Jugdutt BI. Ventricular remodelling after infarction and the extracellular collagen matrix: when is enough enough? *Circulation Research* 2003;108:1395-1403.
- Kalluri R, Neilson EG. Epithelial-mesenchymal transition and its implications for fibrosis. *The Journal of Clinical Investigation*, 2003; 112: 1776–84.
- Karthikesan K, Pari L, Menon V. Combined treatment of tetrahydrocurcumin and chlorogenic acid exerts potential antihyperglycemic effect on streptozotocin-nicotinamideinduced diabetic rats. *General Physiology and Biophysics* 2010;29(1):23-30.
- Khan, KN, Masuzaki, H, Fujishita, A, Kitajima, M, Hiraki, K, Sekine, I. Interleukin6- and tumour necrosis factor ,-mediated expression of hepatocyte growth factor by stromal cells and its involvement in the growth of endometriosis. *Human Reproduction* 2005;20:2715–2723.
- Kim HE, Dalal SS, Young E. Disruption of the myocardial extracellular matrix leads to cardiac dysfunction. *The Journal of Clinical Investigation* 2000;106:857-866.
- Kitzman DW, Little WC, Brubaker PH, Anderson RT, Hundnley WG, Marburger CT, Brosnihan B. Pathophysiological characterization of isolated diastolic heart failure in comparison to systolic heart failure. *Journal of the American Medical Association* 2002;288(17):2144-2150.
- Klein G, Schaefer A, Hilfiker KD. Increased collagen deposition and diastolic dysfunction bt preserved myocardial hypertrophy following pressure overload in mice lacking PKCε. *Circulation Research* 2005;96(7):748-755.
- Lafay S, Manach C, Morand C, Besson C, Scalbert A. Chlorogenic acid is absorbed in its intact form in the stomach of rats. *The Journal of Nutrition* 2006;136(5):1192–1197.
- Lee JM, Dedhar S, Kalluri R, Thompson EW. The epithelial-mesenchymal transition: new insights in signaling, development, and disease. *Journal of Cell Biology* 2006;1727:973-981.

- Leslie RD. Predicting adult-onset autoimmune diabetes: clarity from complexity. *Diabetes* 2010;59:330-331.
- Li XM, Peng JH, Sun ZL, Tian HJ, Duan XH, Liu L, Ma X, Feng Q, Liu P, Hu YY. Chinese medicine CGA formula ameliorates DMN-induced liver fibrosis in rats via inhibiting MMP2/9, TIMP1/2 and the TGF- β /Smad signaling pathways. *Acta pharmacologica Sinica* 2016;37(6):783-793.
- Lopez B, Querejeta R, Gonzales A, Larman M, Diez J. Collagen cross-linking but not collagen amount associates with elevated filling pressures in hypertensive patients with stage C heart failure: potent role of lysyl oxidase. *Hypertension* 2012;60:677-683.
- Lu J, Landerholm TE, Wei JS, Dong XR, Wu SP, Liu X, Nagata K, Inagaki M, Majesky MW. Coronary smooth muscle differentiation from proepicardial cells requires thoA-mediated actin reorganization and p160 rho-kinase activity. *Developmental Biology* 2001;240:404-418.
- Maahs DM, West NA, Lawrence JM, Mayer-Davis EJ. Epidemiology of type 1 diabetes. *Endocrinology and Metabolism Clinics of North America* 2010;39:481-497.
- MacKenna DA, Omens JH, McCulloch AD, Covell JW. Contribution of collagen matrix to passive left ventricular mechanics in isolated rat hearts. *American Journal of Physiology* 1994;266:1007-1018.
- MacKenna DA, Vaplon SM, McCulloch AD. Microstructural model of perimysial collagen fibers for resting myocardial mechanics during ventricular filling. *American Journal of Physiology* 1997;273:1576-1586.
- Maitra A, Abbas AK. Endocrine system. In: Kumar V, Fausto N, Abbas AK . Robbins and Cotran Pathologic basis of disease. Philadelphia, Saunders, 2005:1156-1226.
- Maron MS, Rowin EJ, Olivotto I, Casey SA, Arretini A, Tomberli B, Garberich RF, Link MS, Chan RH, Lesser JR, Maron BJ. Contemporary natural history and management of nonobstructive hypertrophic cardiomyopathy. *Journal of the American College of Cardiology*. 2016;67:1399-1409.
- Miyoshi A, Kitajima Y, Sumi K, Sato K, Hagiwara A, Koga Y, Miyazaki K. Snail and SIP1 increase cancer invasion by upregulating MMP family in hepatocellular carcinoma cells. *British Journal of Cancer* 2004;90(6):1265-1273.
- Mizuno S, Matsumoto K, Li M Y, Nakamura T. HGF reduces advancing lung fibrosis in mice: A potential role of MMP-dependent myofibroblast apoptosis. *FASEB Journal* 2005;19:580-582.
- Montesano R, Matsumoto K, Nakamura T, Orchi L. Identification of fibroblast-derived epithelial morphogen as hepatocyte growth factor. *Cell* 1991;67:901-908.
- Mundhenke M, Schwartzkopff B, Stark P, Schulte HD, Strauer BE. Myocardial collagen type I and impaired left ventricular function under exercise in hypertrophic cardiomyopathy. *The Journal of Thoracic and Cardiovascular Surgery* 2002;50:216-222.
- Musabayane CT, Mahlalela N, Shode FO, Ojewole JAO. Effects of *Syzgium cordatum* leaf extract on plasma glucose and hepatic glycogen in

- streptozotocin-induced diabetic rats. *Journal of Ethnopharmacology* 2005;97:485-490.
- Myoshi A, Kitajima Y, Sumi K, Sato K, Hagiwara A, Koga Y, Miyazaki K. Snail and SIP1 increase cancer invasion by upregulating MMP family in hepatocellular carcinoma cells. *British Journal of Cancer* 2004;90:1265-1273.
- Nakamura T, Mizuno S. The discover of hepatocyte growth factor (HGF) and its significance for cell biology, life science and clinical medicine. *Proceedings of the Japan Academy. Series B, Physical and biological sciences* 2010;86(6):588-610.
- Nakamura T, Sakai K, Nakamura T, Matsumoto K. Hepatocyte growth factor twenty years on: much more than a growth factor. *Journal of Gastroenterology and Hepatology* 2011;26:188-202.
- Nakaya Y, Sukowati EW, Wu Y, Sheng G. Rho A and microtubule dynamics control cell-basement membrane interaction in EMT during gastrulation. *Nature Cell Biology* 2008;10:765-775.
- Naso LG, Valcarcel M, M, Roura M. Promising antioxidant and anticancer (human breast cancer) oxidovanadium(IV) complex of chlorogenic acid. Synthesis, characterization and spectroscopic examination on the transport mechanism with bovine serum albumin. *Journal of Inorganic Biochemistry* 2014;135:86–99.
- Nong Z, O'Neil C, Lei M, Gros R, Watson A, Rizkalla A, Mequanint K, Li S, Frontini MJ, Feng Q, Pickering JG. Type I collagen cleavage is essential for effective fibrotic repair after myocardial infarction. *American Journal of Pathology*. 2011 Nov;179(5):2189-2198.
- Okayama K, Azuma J, Dosaka N. Hepatocyte growth factor reduces cardiac fibrosis by inhibiting endothelial-mesenchymal transition. *Hypertension* 2012;59(5):958-965.
- Paik SG, Fleischer N, Shin SI. Insulin-dependent diabetes mellitus induced by subdiabetogenic doses of streptozotocin: obligatory role of cell-mediated autoimmune processes. *Proceedings of the National Academy of Sciences* 1980;77:6129-6133.
- Park S, Nguyen NM, Pezhouman A, Ardehali R. Cardiac fibrosis: potential therapeutic targets. *Translational research: the journal of laboratory and clinical medicine* 2019;209:121-137.
- Roberts AB. TGF- β signalling from receptors to the nucleus. *Microbes and Infection* 1999;1:1265-1273.
- Roshan H, Nikpayam O, Sedaghat M, Sohrab G. Effects of green coffee extract supplementation on anthropometric indices, glycaemic control, blood pressure, lipid profile, insulin resistance and appetite in patients with the metabolic syndrome: a randomised clinical trial,” *British Journal of Nutrition* 2018;119(3):250-258.
- Santana J, Cisneros L, Jacobo DA. Chlorogenic Acid: Recent Advances on Its Dual Role as a Food Additive and a Nutraceutical against Metabolic Syndrome. *Molecules* 2017;22(3):358.

- Schmierer B, Hill CS. TGF β -SMAD signal transduction: molecular specificity and functional flexibility. *Nature Review Molecular Cell Biology* 2007;8:970-982.
- Shi Y, Massague J. Mechanism of TGF- β signalling from cell membrane to the nucleus. *Cell* 2003;113:685-700.
- Shirani J, Pick R, Roberts WC, Maron BJ. Morphology and significance of the left ventricular collagen network in young patients with hypertrophic cardiomyopathy and sudden cardiac death. *Journal of the American College of Cardiology* 2000;35:36-44.
- Soejima H, Ogawa H, Sakamoto T, Miyamoto S. Increased serum matrix metalloproteinase-1 concentration predicts advanced left ventricular remodeling in patients with acute myocardial infarction. *Circulation Journal* 2003;67:301-304
- Soltesz G, Patterson CC, Dhahliquist G. Worldwide childhood type 1 diabetes incidence—what can we learn from epidemiology?. *Pediatric Diabetes* 2007;8(6):6-14.
- Spinale FG. Myocardial matrix remodeling and the matrix metalloproteinase: influence on cardiac form and function. *Physiological Review* 2007;87:1285-1342.
- Strutz F, Zeisberg M, Ziyadeh FN, Yang CQ, Kalluri R, Muller GA, Neilson EG. Role of basic fibroblast growth factor-2 in epithelial-mesenchymal transformation. *Kidney International* 2002;61:1714-1728.
- Tajik N, Tajik M, Mack I, Enck P. 2017. The potential effects of chlorogenic acid, the main phenolic components in coffee, on health: a comprehensive review of the literature. *European Journal of Nutrition* 2017;56(7):2215-2244.
- Todd JA. Etiology of type 1 diabetes. *Immunity* 2010;32:457-467.
- Usher-Smith JA, Thompson MJ, Sharp SJ, Walter FM. Factors associated with the presence of diabetic ketoacidosis at diagnosis of diabetes in children and young adults: a systematic review. *British of Medical Journal* 2011;343:4092.
- Van den Borne SW, Cleutjens JP, Hanemaaijer R. Increased matrix metalloproteinase-8 and -9 activity in patients with infarct rupture after myocardial infarction. *Cardiovascular Pathology* 2009;18:37-43.
- Verheule S, Sato T, Everett T. Increased vulnerability to atrial fibrillation in transgenic mice with selective atrial fibrosis caused by overexpression of TGF- β 1. *Circulation Research* 2004;94:1458-1465.
- Villareal FJ, Dillmann WH. Cardiac hypertrophy-induced changes in mRNA levels for TGF-1, fibronectin and collagen. *American Journal of physiology* 1992;262:1861-1866.
- Walker GA, Masters KS, Shah DN, Anseth KS, Leinwand LA. Valvular myofibroblast activation by transforming growth factor-beta: implications for pathological extracellular matrix remodeling in heart valve disease. *Circulation Research* 2004;95:253–260.
- Walker GA, Masters KS, Shah DN. Valvular myofibroblast activation by transforming growth factor-beta: implications for pathological extracellular

- matrix remodelling in heart valve disease. *Circulation Research* 2004;95:253-260.
- Wang S, Chen Q, Simon TC. Bone morphogenetic protein-7 (BMP-7), a novel therapy for diabetic nephropathy. *Kidney International* 2003;63:2037–2049.
- Ware LB, Matthay MA. Keratinocyte and hepatocyte growth factors in the lung: roles in lung development, inflammation, and repair. *American Journal of Physiology – Lung Cellular and Molecular Physiology* 2002;282:924-940.
- Wolf G. New insights into the pathophysiology of diabetic nephropathy: from haemodynamics to molecular pathology. *European Journal of Clinical Investigation* 2004;34:785–796.
- Wu Y, Tobias AH, Bell K. Cellular and molecular mechanisms of systolic and diastolic dysfunction in an avian model of dilated cardiomyopathy. *Journal of Molecular and Cellular Cardiology* 2004;37:111–19.
- Yang YL, Liu YS, Chuang LY. Bone morphogenetic protein-2 antagonizes renal interstitial fibrosis by promoting catabolism of type I transforming growth factor-beta receptors. *Endocrinology* 2009; 150: 727–740.
- Yunus J, Salman M, Lintih G, Muchtar M, Ratnasari D, Arfian N, Romi M. Chlorogenic acid attenuates kidney fibrosis via antifibrotic action of BMP-7 and HGF. *The Medical Journal of Malaysia* 2020;75(1):5-9.
- Zavadil J, Haley J, Kalluri R. Epithelial-Mesenchymal Transition. *Cancer Research* 2008;68:23:9547-9577.
- Zeisberg M, Bonner G, Maeshima Y, Colorado P, Muller GA, Strutz F, Kalluri R. Renal fibrosis: collagen composition and assembly regulates epithelial-mesenchymal transdifferentiation. *The American Journal of Pathology* 2001;159:1313-1321.
- Zeisberg M, Hanai J, Sugimoto H. BMP-7 counteracts TGF-beta1-induced epithelial-to-mesenchymal transition and reverses chronic renal injury. *Nature Medicine* 2003; 9:964–68.
- Zeisberg M, Hanai J, Sugimoto H, Mamoto T, Charytan D, Strutz F, Kalluri R. BMP-7 counteracts TGF-beta1-induced epithelial-to-mesenchymal transition and reverses chronic renal injury. *Nature Medicine* 2003;9:964-968.
- Zhang Y, Feng XH, Derynck R. Smad3 and Smad4 cooperate with c-Jun/c-Fos to mediate TGF-beta induced transcription. *Nature* 1998;394:909-913.
- Zile MR, Brutsaert DL. New concepts in diastolic dysfunction and diastolic heart failure: Part I: diagnosis, prognosis, and measurements of diastolic function. *Circulation* 2002;105(11):1381-1393.
- Zuñiga LY, Aceves MC, M. González M, Ramos JL, Martínez E. Effect of chlorogenic acid administration on glycemic control, insulin secretion, and insulin sensitivity in patients with impaired glucose tolerance. *Journal of Medicinal Food* 2018;21(5):469-473.