

DAFTAR PUSTAKA

- Alam, N.B., A. Ghosh. 2017. Comprehensive analysis and transcript profiling of *Arabidopsis thaliana* and *Oryza sativa* catalase gene family suggests their specific roles in development and stress responses. *Plant Physiology et Biochemistry*. 123:54-64. Doi: <https://doi.org/10.1016/j.plaphy.2017.11.018>
- Alexou, M. 2013. Development-specific responses to drought stress in Aleppo pine (*Pinus halepensis* Mill.) seedlings. *Tree Physiology*. 33: 1030-1042. doi: <https://doi.org/10.1093/treephys/tpt084>
- Aryani, R.D. 2017. Pengaruh Pemberian Cu terhadap Pertumbuhan, Akumulasi, Aktivitas *Superoxide Dismutase* (SOD), dan Kandungan Total Fenol Daun Tanaman Padi (*Oryza sativa* L. 'Cempo Merah'). *Tesis*. Universitas Gadjah Mada
- Asch, F., M. Dingkuhn, K. Dorffling. 2000. Salinity increases CO₂ assimilation but reduces growth in field-grown, irrigated rice. *Plant and soil*. 218: 1-10. DOI: <https://doi.org/10.1023/A:1014953504021>
- Basu, S., R.K. Giri, I. Benazir, S. Kumar, et al. 2017. Comprehensive physiological analyses and reactive oxygen species profiling in drought tolerant rice genotypes under salinity stress. *Physiol Mol Biol Plants*. 23 (4):837-850. doi: <https://doi.org/10.1007/s12298-017-0477-0>
- Bergmeyer, N. 1970. *Methoden der enzymatischen Analyse*, vol. 1. Akademie Verlag, Berlin, 636–647
- Celik, O., B.C. Cakir, C. Atak. 2019. Identification of the antioxidant defense genes which may provide enhanced salt tolerance in *Oryza sativa* L. *Physiol Mol Biol Plants*. 25(1):85–99. <https://doi.org/10.1007/s12298-018-0618-0>
- Chen, K., R. Arora. 2013. Priming memory invokes seed stress-tolerance. *Environmental and Experimental Botany*. 94: 33-45. doi: 10.1016/j.envexpbot.2012.03.005
- Chhabra, R. 2005. Classification of Salt-Affected Soils. *Arid Land Research and Management*. 19: 61-79. DOI: 10.1080/15324980590887344

Choudhury, S., P. Panda., L. Sanoo, S.K. Panda. 2013. Reactive oxygen species signaling in plants under abiotic stress. *Plant Signaling & Behavior*. 8:4. e23681. doi: <https://doi.org/10.4161/psb.23681>

Das, K., A. Roychoudhury. 2014. Reactive Oxygen Species (ROS) and Response of Antioxidant as ROS-scavengers during Environmental Stress in Plants. *Front. Environ. Sci.* 2 (53). doi. <https://doi.org/10.3389/fenvs.2014.00053>

Farooq, M., S.M.A. Barsa, A. Wahid. 2006. Priming of field-sown rice seed enhances germination, seedling establishment, allometry and yield. *Plant Growth Regul.* 49: 285-294. DOI 10.1007/s10725-006-9138-y.

Farooq, M., S.M.A. Barsa, R. Tabassum, I. Afzal. 2006. Enhancing the Performance of Direct Seeded Fine Rice by Seed Priming. *Plant Prod. Sci.* 9 (4): 446-456.

Gholami, M., F. Mokhtarian, B. Baninasab. 2015. Seed Halopriming Improves the Germination Performance of Black Seed (*Nigella sativa*) under Salinity Stress Conditions. *J. Crop. Sci. Biotech.* 18 (1): 21-26

Gregorio, G.B., D. Senadhira, R.D. Mendoza. 1997. Screening Rice for Salinity Tolerance. *IRRI Discussion Paper Series No.22*. Manila (Philippines): International Rice Research Institute

Guan, Q., X. Liao, M. He., et al. 2017. Tolerance analysis of chloroplast OsCu/Zn-SOD overexpressing rice under NaCl and NaHCO₃ stress. *PLoS ONE*. 12 (10): e0186052. <https://doi.org/10.1371/journal.pone.0186052>

Gupta, S., Y. Dong, P.P. Dijkwel, B. Mueller-Roeber, T.S. Gechev. 2019. Genome-Wide Analysis of ROS Antioxidant Genes in Resurrection Species Suggest an Involvement of Distinct ROS Detoxification Systems during Desiccation. *Int. J. Mol. Sci.* 20: 3101. doi: <https://doi.org/10.3390/ijms20123101>

Hairmansis, A., Nafisah. 2020. Pengembangan Varietas Unggul Padi untuk Lahan Terdampak Salinitas. *Pangan*. 29 (2): 161-170

Hidayah, A. 2020. Toleransi Padi Hitam (*Oryza sativa* Linn.) 'Cempo Ireng Pendek' terhadap Cekaman Salinitas berdasarkan Level Ekspresi Gen Transporter dan Metabolit *Compatible Solute*. Tesis. Universitas Gadjah Mada

2021. Seed Halopriming Improves Salinity Tolerance of Some Rice Cultivars During Seedling Stage. *Research Square*. Doi: <https://doi.org/10.21203/rs.3.rs-1168150/v1>
- Ibrahim, E.A. 2016. Seed priming to alleviate salinity stress in germinating seeds. *Journal of Plant Physiology*. 192 38-46. <http://dx.doi.org/10.1016/j.jplph.2015.12.011>
- Ijaz, B., E. Formentin, B. Ronci, V. Locato, et al. 2019. Salt tolerance in indica rice cell cultures depends on a fine tuning of ROS signalling and homeostasis. *PLoS ONE*. 14 (4). e0213986. <https://doi.org/10.1371/journal.pone.0213986>
- Islam, F., T. Yasmeen, S. Ali, B. Ali, et al. 2015. Priming-induced antioxidative responses in two wheat cultivars under saline stress. *Acta Physiol Plant*. 37: 153. doi: <https://doi.org/10.1007/s11738-015-1897-5>
- Iwamoto, M. 2000. Differential diurnal expression of rice catalase genes: The 5'-flanking region of CatA is not sufficient for circadian control. *Plant Science*, 151 (1)
- Jalali-e-Emam, S.M.S., B. Alizadeh, M. Zaefizadeh, R.A. Zakarya, M. Khayatnezhad. 2011. Superoxide Dismutase (SOD) Activity in NaCl Stress in Salt-Sensitive and Salt-Tolerance Genotypes of Colza (*Brassica napus* L.). *Middle-East Journal of Scientific Research*. 7 (1): 07-11
- Jamil, M., S. Bashir, S. Anwar, et al. 2012. Effect of Salinity on Physiological and Biochemical Characteristics of Different Varieties of Rice. *Pak.J.Bot*. 44:7-13
- Jisha, K.C., J.T. Puthur. 2014. Seed Halopriming Outdo Hydropriming in Enhancing Seedling Vigor and Osmotic Stress Tolerance Potential of Rice Varieties. *J. Crop. Sci. Biotech*. 17 (4): 209-219. Doi: <https://doi.org/10.1007/s12892-014-0077-2>
- Jisha, K.C., K. Vijayakumari, J.T. Puthur. 2013. Seed priming for abiotic stress tolerance: an overview. *Acta Physiol Plant*. 35:1381-1396. Doi: [10.1007/s11738-012-1186-5](https://doi.org/10.1007/s11738-012-1186-5)
- Kaminaka, H., S. Morita, M. Tokumoto, T. Masumura, K. Tanaka. 1999. Differential Gene Expressions of Rice Superoxide Dismutase Isoforms to Oxidative and Environmental Stresses. *Free Rad. Res*. 31: 219-225. Doi: <https://doi.org/10.1080/10715769900301541>
- Kang, M., C.W.Rico, S. Lee. 2011. Varietal Difference in Physicochemical Properties of Pigmented Rice Varieties. *J. Crop Sci. Biotech*. 14 (2): 111-118

characteristics of different pigmented and nonpigmented rice (*Oryza sativa* L.) grown in Indian Himalayan region. *J Food Sci Technol.* 55 (9): 3809-3820

Kristamtini, Taryono, P. Basunanda, R.H. Murti. 2014. Keragaman Genetik Kultivar Padi Beras Hitam Lokal Berdasarkan Penanda Mikrosatelit. *AgroBiogen.* 10 (2): 69-76

Kurniasih, N.S. 2018. Karakterisasi Padi (*Oryza sativa* L.) Lokal Berpigmen di Indonesia Berbasis *SNPs* (Single Nucleotide Polymorphism) dan Morfologi. *Tesis.* Universitas Gadjah Mada

Laokuldilok, T., C.F. Shoemaker, S. Jongkaewwattana, V. Tulyathan. 2011. Antioxidants and Antioxidant Activity of Several Pigmented Rice Brans. *J. Agric. Food Chem.* 59: 193-199

Li, X. 2012. Improved Pyrogallol Autoxidation Method: A Reliable and Cheap Superoxide-Scavenging Assay Suitable for All Antioxidants. *J. Agric. Food Chem.* 60: 6418-6424

Livak, K.J., T.D. Schmittgen. 2001. Analysis of Relative Gene Expression Data Using Real-Time Quantitative PCR and the $2^{-\Delta\Delta CT}$ Method. *Methods.* 25 (4): 402-408. Doi: <https://doi.org/10.1006/meth.2001.1262>

Majeed, A., Z. Muhammad, S. Islam, H. Ahmad. 2019. Salinity imposed stress on principal cereal crops and employing seed priming as a sustainable management approach. *Acta Ecologica Sinica.* 39: 280-283. <https://doi.org/10.1016/j.chnaes.2018.09.004>

Manchanda, G., N. Garg. 2008. Salinity and its effects on the functional biology of legumes. *Acta Physiol Plant.* 30: 595-615

Marklund, S., and Marklund, G. 1974. Involvement of the superoxide anion radical in the autoxidation of pyrogallol and convenient assay for superoxide dismutase. *Eur J Biochem.* 47 (3): 469-474.

Menezes-Benavente, L., F.K. Teixeira, C.L.A. Kamei, M. Margis-Pinheiro. 2003. Salt stress induces altered expression of genes encoding antioxidant enzymes in seedlings of a Brazilian indica rice (*Oryza sativa* L.). *Plant Science.* 166: 323-331. doi:10.1016/j.plantsci.2003.10.001

Arabidopsis mutants as stress-mimic models. *Journal of Experimental Botany*, 61 (15): 4197–4220. Doi:10.1093/jxb/erq282

Mindari, W. 2007. *Identifikasi, Diagnosis, dan Alternatif Pemecahan Masalah Kesuburan Lahan Bergaram*. Surabaya: UPN “Veteran” Jawa Timur

Mittler, R. 2002. Oxidative stress, antioxidants and stress tolerance. *TRENDS in Plant Science*. 7 (6):405-409.

Mittler, R., S. Vanderauwera, M. Gollery, F.V. Breusegem. 2004. Reactive oxygen gene network of plants. *TRENDS in Plant Science*. 9 (10): 490-498. doi: <https://doi.org/10.1016/j.tplants.2004.08.009>

Muchate, N.S., G.C.Nikalje, N.S.Rajurkar. 2016. Plant Salt Stress: Adaptive Responses, Tolerance Mechanism and Bioengineering for Salt Tolerance. *Bot. Rev.*82: 371-406

Nakano, Y., and Asada, K. 1981. Hydrogen Peroxide is Scavenged by Ascorbate specific Peroxidase in Spinach Chloroplasts. *Plant and Cell Physiology*. 22(5): 867–880. <https://doi.org/10.1093/oxfordjournals.pcp.a076232>

Negrao, S., B.Courtois, N.Ahmadi, et al. 2011. Recent Updates on Salinity Stress in Rice: From Physiological to Molecular Responses. *Critical Reviews in Plant Science*. 30: 329-377

Nisak, R.R. 2020. Respons Biokimiawi dan Ekspresi Gen OsSOS1, OsNHX1 dan OsHKT1;1 Terhadap Cekaman Salinitas pada Padi (*Oryza sativa* L. 'Merah') Kalimantan Selatan. *Tesis*. Universitas Gadjah Mada

Nounjan, N., P.T. Nghia, P. Theerakulpisut. 2012. Exogenous proline and trehalose promote recovery of rice seedlings from salt-stress and differentially modulate antioxidant enzymes and expression of related genes. *Journal of Plant Physiology*. 169: 596-604. doi: <https://doi.org/10.1016/j.jplph.2012.01.004>

Palma, J.M., Corpas, F.J., del Río L.A. 2009. Plant vitamin antioxidants and their influence on the human diet. In: Papareschi A, Eppolito H (eds) *Fruit and vegetable consumption and health*, Nova Science Publishers Inc., New York

Prashanth, S.R., V. Sadhasivam, A. Parida. 2008. Over expression of cytosolic copper/zinc superoxide dismutase from a mangrove plant *Avicennia marina* indica Rice var Pusa

- Rachman, A., A. Dariah, S. Sutono. 2018. *Pengelolaan Sawah Salin Berkadar Garam Tinggi*, Jakarta: IAARD Press. Badan Penelitian dan Pengembangan Pertanian
- Radanielson, A.M., D.S. Gaydon, T. Li, O. Angeles, C.H. Roth. 2018. Modeling salinity effect on rice growth and grain yield with ORYZA v3 and APSIM-Oryza. *European Journal of Agronomy*. 100: 44-55. <https://doi.org/10.1016/j.eja.2018.01.015>
- Refli, Y.A. Purwestri. 2016. The response of antioxidant genes in rice (*Oryza sativa* L.) seedling Cv. Cempo Ireng under drought and salinity stresses. *AIP Conference Proceedings* 1744, 020047. <https://doi.org/10.1063/1.4953521>
- Refli. 2015. Kajian Pertahanan Oksidatif Daun Padi (*Oryza sativa* L.) terhadap Stres Kekeringan Selama Fase Pengisian Biji. *Disertasi*. Yogyakarta: Universitas Gadjah Mada
- Rossatto, T., M. Nogueira do Amaral, L.C. Benitez, et al. 2017. Gene expression and activity of antioxidant enzymes in rice plants, cv. BRS AG, under saline stress. *Physiol Mol Biol Plants*. 23 (4). doi: <https://doi.org/10.1007/s12298-017-0467-2>
- Safitri, H., B.S. Purwoko, I.S. Dewi, S.W. Ardie. 2017. Salinity tolerance of several rice genotypes at seedling stage. *Indonesian Journal of Agriculture Science*. 18 (2): 63-68. DOI: <http://dx.doi.org/10.21082/ijas.v.18.n2.2017.p.63-68>
- Saikia, S., H. Dutta, D. Saikia, C.L. Mahanta. 2012. Quality characterisation and estimation of phytochemicals content and antioxidant capacity of aromatic pigmented and non-pigmented rice varieties. *Food Research International*. 46: 334-340
- Sewelam, N., K. Kazan, P.M. Schenk. 2016. Global Plant Stress Signaling: Reactive Oxygen Species at the Cross-Road. *Front. Plant. Sci.* 7:187. doi: 10.3389/fpls.2016.00187
- Shahid, S.A., K. Rahman. 2011. *Soil salinity development, classification, assessment and management in irrigated agriculture*. Handbook of Plant and Crop Stress. CRC Press/Taylor & Francis Group, Boca Raton. pp 23-39
- Shahid, S.A., M.A. Abdelfattah, S.A.S. Omar, H. Harahsheh, Y. Othman, H. Mahmoudi. 2010. Mapping and Monitoring of Soil Salinization Remote Sensing, GIS, Modeling, Electromagnetic Induction and Conventional Methods – Case Studies. *Proceedings of*

- Sofo, A., A. Scopa, M. Nuzzaci, A. Vitti. 2015. Ascorbate Peroxidase and Catalase Activities and Their Genetic Regulation in Plants Subjected to Drought and Salinity Stresses. *Int.J.Mol.Sci.* 16:13561-13578. doi:10.3390/ijms160613561
- Sutrisno, F.A. Susanto, P. Wijayanti, M.D. Retnoningrum, T.R. Nuringtyas, T. Joko, Y.A. Purwestri. 2018. Screening of resistant Indonesian black rice cultivars against bacterial leaf blight. *Euphytica*. 214:199
- Teixeira F.K., Menezes-Benavente L, Margis R, Margis-Pinheiro M. 2004. Analysis of the molecular evolutionary history of the ascorbate peroxidase gene family: inferences from the rice genome. *J Mol Evol.* 59:761–770. Doi: <https://doi.org/10.1007/s00239-004-2666-z>
- Tripathy, B.C., R. Oelmüller. 2012. Reactive oxygen species generation and signaling in plants. *Plant Signaling & Behaviour*. 7 (12): 1621-1633. Doi: <https://doi.org/10.4161/psb.22455>
- Varier, A., A.K. Vari, M. Dadlani. 2010. The subcellular basis of seed. *Current Science*. 99 (4). Doi: <http://www.jstor.org/stable/24109568>
- Wahab, M.I., Satoto, R. Rachmat, A. Guswara, Suharna. 2017. *Deskripsi Varietas Unggul Baru Padi*. Sukamandi: Badan Penelitian dan Pengembangan Pertanian Kementerian Pertanian
- Winarsih, A., Respatijarti, Damanhuri. 2017. Karakterisasi Beberapa Genotipe Padi (*Oryza sativa* L.) Berkadar Antosianin Tinggi. *Jurnal Produksi Tanaman*. 5 (7): 1070-1076
- Yildiz, M., I. Poyraz, A. Cavdar, Y. Ozgen, R. Beyaz. 2021. Plant Responses to Salt Stress. *Plant Breeding - Current and Future View*. Doi: 10.5772/intechopen.93920
- You, J., Z. Chan. 2015. ROS Regulation During Abiotic Stress Response in Crop Plants. *Front. Plant Sci.* 6: 1092. <http://dx.doi.org/10.3389/fpls.2015.01092>.
- Zhang, L., H. Ma, T. Chen, J. Pen, S. Yu, X. Zhao. 2014. Morphological and Physiological Responses of Cotton (*Gossypium hirsutum* L.) Plants to Salinity. *PLoS ONE*. 9 (11): e112807. Doi: 10.1371/journal.pone.0112807