

REFERENCES

Sharma, A., Ahmad Farouk, I., & Lal, S. K. 2021. COVID-19: A Review on the Novel Coronavirus Disease Evolution, Transmission, Detection, Control and Prevention. *Viruses*, 13(2), 202. doi.org/10.3390/v13020202

Wilder-Smith, A., & Osman, S. 2020. Public health emergencies of international concern: a historic overview. *Journal of Travel Medicine*, 27(8). doi.org/10.1093/jtm/taaa227

Butowt, R., & von Bartheld, C. S. 2020. Anosmia in COVID-19: Underlying Mechanisms and Assessment of an Olfactory Route to Brain Infection. *The Neuroscientist*, 107385842095690. doi.org/10.1177/1073858420956905

Boesveldt, S., Postma, E. M., Boak, D., Welge-Luessen, A., Schöpf, V., Mainland, J. D., Duffy, V. B. (2017). Anosmia—A Clinical Review. *Chemical Senses*, 42(7), 513–523. doi.org/10.1093/chemse/bjx025

Li, X., Lui, Forshing. 2021. Anosmia. StatPearl. Treasure Island. 2021 Jan. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK482152/>

Seiden, A. M., & Duncan, H. J. 2001. The Diagnosis of a Conductive Olfactory Loss. *The Laryngoscope*, 111(1), 9–14. <https://doi.org/10.1097/00005537-200101000-00002>

Singh, P. B., Young, A., Homayouni, A., Hove, L. H., Petrovski, B. É., Herlofson, B. B., Jensen, J. L. 2019. Distorted Taste and Impaired Oral Health May Affect Nutritional Status in Patients with Sicca Complaints. *Nutrients*, 11(2), 264. <https://doi.org/10.3390/nu11020264>

Malaty, J., Malaty, Irene J. 2013. Smell and Taste Disorders in Primary Care. *American Family Physician*, 88(12), 852–859. Available from: <https://www.aafp.org/afp/2013/1215/p852.html#afp20131215p852-b2>

Devere, Ronald. 2012. Smell and taste in clinical neurology: Five new things. *Neurology: Clinical Practice*, 2(3), doi.org/10.1212/cpj.0b013e31826af19

Su, N., Ching, V., and Grushka, M. 2013. Taste Disorders: A Review. *J Can Dent Assoc* 2013;79:d86

World Health Organization. 2021. Tracking SARS-CoV-2 Variants. *WHO*. Available from: <https://www.who.int/en/activities/tracking-SARS-CoV-2-variants/>

Centers for Disease Control and Prevention. 2021. How COVID-19 Spreads. *CDC*. Available from: <https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/how-covid-spreads.html>

Parasher, A. 2020. COVID-19: Current understanding of its Pathophysiology, Clinical presentation and Treatment. *Postgraduate Medical Journal*, 97(1147), <https://doi.org/10.1136/postgradmedj-2020-138577>

Yuki, K., Fujiogi, M., & Koutsogiannaki, S. 2020. COVID-19 pathophysiology: A review. *Clinical Immunology*, 215, 108427. <https://doi.org/10.1016/j.clim.2020.108427>

Goudouris, E. S. 2021. Laboratory diagnosis of COVID-19. *Jornal de Pediatria*, 97(1), 7–12. <https://doi.org/10.1016/j.jped.2020.08.001>

Casella, M., Rajnik, M., Aleem, A., Dulebohn, S. C., & Raffaella Di Napoli. 2021 Features, Evaluation, and Treatment of Coronavirus (COVID-19). Retrieved August 2, 2021, from Nih.gov website: <https://www.ncbi.nlm.nih.gov/books/NBK554776>

Eshraghi AA, Mirsaeidi M, Davies C, Telischi FF, Chaudhari N and Mittal R. 2020. Potential Mechanisms for COVID-19 Induced Anosmia and Dysgeusia. *Front. Physiol.* 11:1039. doi: 10.3389/fphys.2020.01039

Chen, X., Laurent, S., Onur, O. A., Kleineberg, N. N., Fink, G. R., Schweitzer, F., & Warnke, C. 2020. A systematic review of neurological symptoms and complications of COVID-19. *Journal of Neurology*, 268(2), 392–402. <https://doi.org/10.1007/s00415-020-10067-3>

Wang, H.-Y., Li, X.-L., Yan, Z.-R., Sun, X.-P., Han, J., & Zhang, B.-W. 2020. Potential neurological symptoms of COVID-19. *Therapeutic Advances in Neurological Disorders*, 13, 175628642091783. <https://doi.org/10.1177/1756286420917830>

Luers, J. C., Rokohl, A. C., Loreck, N., Wawer Matos, P. A., Augustin, M., Dewald, F., ... Heindl, L. M. 2020. *Olfactory and Gustatory Dysfunction in Coronavirus Disease 19 (COVID-19). Clinical Infectious Diseases*. doi:10.1093/cid/ciaa525

Lao, W. P., Imam, S. A., & Nguyen, S. A. 2020. Anosmia, hyposmia, and dysgeusia as indicators for positive SARS-CoV-2 infection. *World journal of otorhinolaryngology - head and neck surgery*, 6(Suppl 1), S22–S25. <https://doi.org/10.1016/j.wjorl.2020.04.001>

Haehner, A., Draf, J., Dräger, S., de With, K., & Hummel, T.

(2020). *Predictive Value of Sudden Olfactory Loss in the Diagnosis of COVID-19. ORL*, 1–6. doi:10.1159/000509143

Moein ST, Hashemian SM, Mansourafshar B, Khorram-Tousi A, Tabarsi P, Doty RL. 2020. Smell dysfunction: a biomarker for COVID-19. *Int Forum Allergy Rhinol*. doi: 10(8):944-950.

Kaye, R., Chang, C. W. D., Kazahaya, K., Brereton, J., & Denny, J. C. 2020. *COVID-19 Anosmia Reporting Tool: Initial Findings. Otolaryngology–Head and Neck Surgery*, 019459982092299. doi:10.1177/0194599820922992

Chung, T.W. et al. 2020. Olfactory Dysfunction in Coronavirus Disease 2019 Patients: Observational Cohort Study and Systematic Review. *Open Forum Infectious Diseases*, [online] 7(6). <https://doi.org/10.1093/ofid/ofaa199>

Aziz, M., Perisetti, A., Lee-Smith, W.M., Gajendran, M., Bansal, P. and Goyal, H. 2020. Taste Changes (Dysgeusia) in COVID-19: A Systematic Review and Meta-analysis. *Gastroenterology*, [online] 159(3), pp.1132–1133. doi: 10.1053/j.gastro.2020.05.003

Pandurangan Harikrishnan. 2021. Dysgeusia and dysosmia in asymptomatic COVID-19 patients for contact tracing and isolation, *Infectious Diseases*, 53:3, 212-213, DOI: 10.1080/23744235.2020.1854849

Bénézit, F., Le Turnier, P., Declerck, C., Paillé, C., Revest, M., Dubée, V., Tattevin, P., & RAN COVID Study Group. 2020. Utility of hyposmia and

hypogeusia for the diagnosis of COVID-19. *The Lancet. Infectious diseases*, 20(9), 1014–1015. [https://doi.org/10.1016/S1473-3099\(20\)30297-8](https://doi.org/10.1016/S1473-3099(20)30297-8)

Zayet, S., Klopfenstein, T., Mercier, J., Kadiane-Oussou, N. J., Lan Cheong Wah, L., Royer, P. Y., Toko, L., & Gendrin, V. 2021. Contribution of anosmia and dysgeusia for diagnostic of COVID-19 in outpatients. *Infection*, 49(2), 361–365. <https://doi.org/10.1007/s15010-020-01442-3>

Roland, L. T., Gurrola, J. G., 2nd, Loftus, P. A., Cheung, S. W., & Chang, J. L. 2020. Smell and taste symptom-based predictive model for COVID-19 diagnosis. *International forum of allergy & rhinology*, 10(7), 832–838. <https://doi.org/10.1002/alr.22602>

Wagner, T., et al. 2020. Augmented curation of clinical notes from a massive EHR system reveals symptoms of impending COVID-19 diagnosis. [online] eLife. doi: 10.7554/eLife.58227

Paolo, Gamba. 2020. Does COVID-19 cause permanent damage to olfactory and gustatory function?. <https://doi.org/10.1016/j.mehy.2020.110086>

Lechien, J. Ret al. 2020. Olfactory and gustatory dysfunctions as a clinical presentation of mild-to-moderate forms of the coronavirus disease (COVID-19): a multicenter European study. *European archives of oto-rhino-laryngology : official journal of the European Federation of Oto-Rhino-Laryngological Societies (EUFOS) : affiliated with the German Society for Oto-Rhino-Laryngology - Head and Neck Surgery*, 277(8), 2251–2261. <https://doi.org/10.1007/s00405-020-05965-1>

Amer, M.A., Elsherif, H.S., Abdel-Hamid, A.S. and Elzayat, S. (2020).

Early recovery patterns of olfactory disorders in COVID-19 patients; a clinical cohort study. *American Journal of Otolaryngology*, [online] 41(6), p.102725.
<https://doi.org/10.1016/j.amjoto.2020.102725>

Biadsee, A., Dagan, O., Ormianer, Z., Kassem, F., Masarwa, S. and Biadsee, A. (2021). Eight-month follow-up of olfactory and gustatory dysfunctions in recovered COVID-19 patients. *American Journal of Otolaryngology*, [online] 42(4), p.103065.
<https://doi.org/10.1016/j.amjoto.2021.103065>

Al-Zaidi, H.M.H., Badr, H.M. 2020. Incidence and recovery of smell and taste dysfunction in COVID-19 positive patients. *Egypt J Otolaryngol* **36**, 47. <https://doi.org/10.1186/s43163-020-00050-0>

Ivona, J. A., Cortés Vega, Y. 2021. COVID-19-Associated Parosmia and Dysgeusia: A Case Series. *Cureus*, *13*(8), e17584.
<https://doi.org/10.7759/cureus.17584>

Foster, K. J., Jauregui, E., Tajudeen, B., Bishehsari, F., & Mahdavinia, M. 2020. *Smell loss is a prognostic factor for lower severity of COVID-19. Annals of Allergy, Asthma & Immunology*. doi:10.1016/j.anai.2020.07.023

Mendonça, C. V., Mendes Neto, J. A., Suzuki, F. A., Orth, M. S., Machado Neto, H., & Nacif, S. R. 2020. *Olfactory dysfunction in COVID-19:*

*a marker of good prognosis? Brazilian Journal of
Otorhinolaryngology. doi:10.1016/j.bjorl.2020.12.00*