

DAFTAR PUSTAKA

- Addo, O. Y., Himes, J. H., & Zemel, B. S. (2017). Reference ranges for midupper arm circumference, upper arm muscle area, and upper arm fat area in US children and adolescents aged 1-20 y. *American Journal of Clinical Nutrition*, 105(1), 111–120. <https://doi.org/10.3945/ajcn.116.142190>
- Ahmad, Q. I., Ahmad, C. B., & Ahmad, S. M. (2010). Childhood obesity. *Indian journal of endocrinology and metabolism*, 14(1), 19–25. [https://doi.org/10.1016/S0039-6109\(16\)41979-1](https://doi.org/10.1016/S0039-6109(16)41979-1)
- Ayatollahi, S. M. T., & Shayan, Z. (2006). Secular Trends in Growth Among School Children of Shiraz (Southern Iran) Born in the Post-War Period. *Medical Journal of the Islamic Republic of Iran*, 20(3), 141–146.
- Bhadoria, A., Sahoo, K., Sahoo, B., Choudhury, A., Sufi, N., & Kumar, R. (2015). Childhood obesity: Causes and consequences. *Journal of Family Medicine and Primary Care*, 4(2), 187. <https://doi.org/10.4103/2249-4863.154628>
- Bogin, B. (2020). *Patterns of Human Growth* (3 ed.). Cambridge University Press. <https://doi.org/10.1017/9781108379977>
- Chait, A., & den Hartigh, L. J. (2020). Adipose Tissue Distribution, Inflammation and Its Metabolic Consequences, Including Diabetes and Cardiovascular Disease. *Frontiers in Cardiovascular Medicine*, 7(February), 1–41. <https://doi.org/10.3389/fcvm.2020.00022>
- Chomtho, S., Fewtrell, M. S., Jaffe, A., Williams, J. E., & Wells, J. C. K. (2006). Evaluation of arm anthropometry for assessing pediatric body composition: Evidence from healthy and sick children. *Pediatric Research*, 59(6), 860–865. <https://doi.org/10.1203/01.pdr.0000219395.83159.91>
- Çiçek, B., Öztürk, A., Mazıcıoğlu, M. M., & Kurtoglu, S. (2014). Arm Anthropometry Indices in Turkish Children and Adolescents: Changes Over a Three-Year Period. *J Clin Res Pediatr Endocrinol*, 6(4), 216–226.
- Coelho, M., Oliveira, T., & Fernandes, R. (2013). Biochemistry of Adipose Tissue: An Endocrine Organ. *Archives of Medical Science*, 9(2), 191–200. <https://doi.org/10.5114/aoms.2013.33181>
- Cole, T. J. (2003). The secular trend in human physical growth: A biological view. *Economics and Human Biology*, 1(2), 161–168. [https://doi.org/10.1016/S1570-677X\(02\)00033-3](https://doi.org/10.1016/S1570-677X(02)00033-3)
- Corona-Meraz, F.-I., Robles-De Anda, J.-A., Madrigal-Ruiz, P.-M., Díaz-Rubio, G.-I., Castro-Albarrán, J., & Navarro-Hernández, R.-E. (2020). Adipose Tissue in Health and Disease. In *Obesity* (Vol. 10, Nomor 12). IntechOpen. <https://doi.org/10.5772/intechopen.90559>

- Di Cesare, M., Bentham, J., Stevens, G. A., Zhou, B., Danaei, G., Lu, Y., Bixby, H., Cowan, M. J., Riley, L. M., Hajifathalian, K., Fortunato, L., Taddei, C., Bennett, J. E., Ikeda, N., Khang, Y. H., Kyobutungi, C., Laxmaiah, A., Li, Y., Lin, H. H., ... Cisneros, J. Z. (2016). Trends in adult body-mass index in 200 countries from 1975 to 2014: A pooled analysis of 1698 population-based measurement studies with 19.2 million participants. *The Lancet*, 387(10026), 1377–1396. [https://doi.org/10.1016/S0140-6736\(16\)30054-X](https://doi.org/10.1016/S0140-6736(16)30054-X)
- Djalalinia, S., Qorbani, M., Peykari, N., & Kelishadi, R. (2015). Health Impacts of Obesity. *Pak J Med Sci*, 31(1), 239–242.
- Duren, D. L., Sherwood, R. J., Czerwinski, S. A., Lee, M., Choh, A. C., Siervogel, R. M., & Chumlea, W. C. (2008). Body composition methods: Comparisons and interpretation. *Journal of Diabetes Science and Technology*, 2(6), 1139–1146. <https://doi.org/10.1177/193229680800200623>
- Eaton-Evans, J. (2012). Nutritional Assessment: Anthropometry. *Encyclopedia of Human Nutrition*, 3–4, 227–232. <https://doi.org/10.1016/B978-0-12-375083-9.00197-5>
- Esteve Ràfols, M. (2014). Adipose tissue: Cell heterogeneity and functional diversity. *Endocrinología y Nutrición (English Edition)*, 61(2), 100–112. <https://doi.org/10.1016/j.endoen.2014.02.001>
- Frühbeck, G., & Gómez-Ambrosi, J. (2005). Adipose Tissue. *Encyclopedia of Human Nutrition*, 1–14. <https://doi.org/10.1016/B0-12-226694-3/00002-8>
- Gallagher, D., Chung, S., & Akram, M. (2012). Body Composition. *Encyclopedia of Human Nutrition*, 1–4, 191–199. <https://doi.org/10.1016/B978-0-12-375083-9.00027-1>
- Godina, E. Z., Khomyakova, I. A., & Zadorozhnaya, L. V. (2016). Secular changes in body dimensions and sexual maturation in children of Arkhangelsk city. *Anthropologischer Anzeiger*, 73(1), 45–59. <https://doi.org/10.1127/anthranz/2015/0599>
- Greydanus, D. E., Agana, M., Kamboj, M. K., Shebrain, S., Soares, N., Eke, R., & Patel, D. R. (2018). Pediatric obesity: Current concepts. *Disease-a-Month*, 64(4), 98–156. <https://doi.org/10.1016/j.disamonth.2017.12.001>
- Guimarey, L. M., Castro, L. E., Torres, M. F., Cesani, M. F., Luis, M. A., Fabián Aníbal Quintero, F., & Oyhenart, E. E. (2014). Secular changes in body size and body composition in schoolchildren from la Plata City (Argentina). *Anthropologischer Anzeiger*, 71(3), 287–301. <https://doi.org/10.1127/0003-5548/2014/0364>
- Gupta, U., Verma, B., Srivastava, A., Verma, S., Satapathy, A., Shanavas, F., Yadav, H., Basu, S., Tonk, V., Madaan, M., Debnath, M., Upadhyay, K.,

- Kumari, M., Banerjee, S., Mehta, A., Gupta, S., Jain, S., Bajaj, A., Yadav, A., ... Dhamija, N. (2019). *Body Age as an Undeniable Adiposity and Obesity Indicator*. 8, 1–13.
- Hartono, S. H. (2019). *Studi: Konsumsi Makanan Siap Saji di Indonesia Meningkat , 28 % Kalori Orang Kota Berasal dari Junk Food*. Gridhealth.id. <https://health.grid.id/read/351930138/studi-konsumsi-makanan-siap-saji-di-indonesia-meningkat-28-kalori-orang-kota-berasal-dari-junk-food?page=all>
- Harvey, I., Boudreau, A., & Stephens, J. M. (2020). Adipose tissue in health and disease. *Open Biology*, 10(12). <https://doi.org/10.1098/rsob.200291>
- Hastuti, J., Rahmawati, N., Suriyanto, R., Wibowo, T., Nurani, N., & Julia, M. (2020). Patterns of body mass index, percentage body fat, and skinfold thicknesses in 7- to 18-year-old children and adolescents from Indonesia. *International Journal of Preventive Medicine*, 11(1), 129. https://doi.org/10.4103/ijpvm.IJPVM_388_19
- He, Q., Horlick, M., Thornton, J., Wang, J., Pierson, R. N., Heshka, S., & Gallagher, D. (2004). Sex-specific fat distribution is not linear across pubertal groups in a multiethnic study. *Obesity Research*, 12(4), 725–733. <https://doi.org/10.1038/oby.2004.85>
- Jaiswal, M., Bansal, R., & Agarwal, A. (2017). Role of mid-upper arm circumference for determining overweight and obesity in children and adolescents. *Journal of Clinical and Diagnostic Research*, 11(8), SC05–SC08. <https://doi.org/10.7860/JCDR/2017/27442.10422>
- Jaswant, S., & Nitish, M. (2014). Use of upper-arm anthropometry as measure of body-composition and nutritional assessment in children and adolescents (6-20 years) of Assam, Northeast India. *Ethiopian journal of health sciences*, 24(3), 243–252. <https://doi.org/10.4314/ejhs.v24i3.8>
- Jiménez, E. G. (2013). Body composition: Assessment and clinical value. *Endocrinología y Nutrición (English Edition)*, 60(2), 69–75. <https://doi.org/10.1016/j.endoen.2012.04.015>
- Job, K. M., Gamalo, M., & Ward, R. M. (2019). Pediatric Age Groups and Approach to Studies. *Therapeutic Innovation and Regulatory Science*, 53(5), 584–589. <https://doi.org/10.1177/2168479019856572>
- Júliússon, P. B., Roelants, M., Eide, G. E., Hauspie, R., Waaler, P. E., & Bjerknes, R. (2007). Overweight and obesity in Norwegian children: Secular trends in weight-for-height and skinfolds. *Acta Paediatrica, International Journal of Paediatrics*, 96(9), 1333–1337. <https://doi.org/10.1111/j.1651-2227.2007.00421.x>

- Kansra, A. R., Lakkunarajah, S., & Jay, M. S. (2021). Childhood and Adolescent Obesity: A Review. *Frontiers in Pediatrics*, 8, 1–31. <https://doi.org/10.3389/fped.2020.581461>
- Karnik, S., & Kanekar, A. (2012). Childhood obesity: A global public health crisis. *International Journal of Preventive Medicine*, 3(1), 1–7. <https://doi.org/10.1201/b18227-3>
- Karundeng, R., Wangko, S., & Kalangi, S. J. R. (2014). Jaringan Lemak Putih dan Jaringan Lemak Coklat - Aspek histofisiologi. *Jurnal Biomedik*, 6(3), 8–16. <https://doi.org/10.35790/jbm.6.3.2014.6328>
- Katzmarzyk, P. T., Shen, W., Baxter-Jones, A., Bell, J. D., Butte, N. F., Demerath, E. W., Gilsanz, V., Goran, M. I., Hirschler, V., H. Hu, H., Maffei, C., Malina, R. M., Müller, M. J., Pietrobelli, A., & Wells, J. C. K. (2012). Adiposity in children and adolescents: Correlates and clinical consequences of fat stored in specific body depots. *Pediatric Obesity*, 7(5), 42–61. <https://doi.org/10.1111/j.2047-6310.2012.00073.x>
- Kementerian Kesehatan Republik Indonesia. (2007). Laporan Nasional Riskesdas 2007. *Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia*, 1–384.
- Kementerian Kesehatan Republik Indonesia. (2018). Laporan Nasional Riskesdas 2018. In *Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia*.
- Khadilkar, A. V., Khadilkar, V. V., Gondhalekar, K. M., Kajale, N. A., Karkera, P. H., Prasad, M., Trehan, A., Barr, R. D., & Ladas, E. J. (2021). Reference centile curves for mid-upper arm circumference for assessment of under- and overnutrition in school-aged Indian children and adolescents. *Nutrition*, 91–92, 111401. <https://doi.org/10.1016/j.nut.2021.111401>
- Kromeyer-Hauschild, K., Gläer, N., & Zellner, K. (2012). Percentile curves for skinfold thickness in 7- to 14-year-old children and adolescents from Jena, Germany. *European Journal of Clinical Nutrition*, 66(5), 613–621. <https://doi.org/10.1038/ejcn.2011.216>
- Kryst, Ł., Woronkiewicz, A., Kowal, M., & Sobiecki, J. (2018). Intergenerational changes in limb circumferences in children and adolescents aged 3-18 from Kraków (Poland) from 1983 to 2010. *American Journal of Human Biology*, 30(5), 1–11. <https://doi.org/10.1002/ajhb.23165>
- Lu, Q., Wang, R., Lou, D. H., Ma, C. M., Liu, X. L., & Yin, F. Z. (2014). Mid-upper-arm circumference and arm-to-height ratio in evaluation of overweight and obesity in han children. *Pediatrics and Neonatology*, 55(1), 14–19. <https://doi.org/10.1016/j.pedneo.2013.05.004>

- Madiyono, B., Mz, S. M., Sastroasmoro, S., Budiman, I., & Purwanto, S. H. (2014). Perkiraan Besar Sampel. In *Dasar-dasar Metodologi Penelitian Klinis* (5 ed., hal. 352–387). Sagung Seto.
- Matton, L., Duvigneaud, N., Wijndaele, K., Philippaerts, R., Duquet, W., Beunen, G., Claessens, A. L., Thomis, M., & Lefevre, J. (2007). Secular trends in anthropometric characteristics, physical fitness, physical activity, and biological maturation in flemish adolescents between 1969 and 2005. *American Journal of Human Biology*, 19(3), 345–357. <https://doi.org/10.1002/ajhb.20592>
- Maz, M. M., Hatipo, N., Öztürk, A., Çiçek, B., Üstünbafl, H. B., & Kurto, S. (2010). Waist Circumference and Mid-Upper Arm Circumference in Evaluation of Obesity in Children Aged Between 6 and 17 Years. In *Clinical Research* (Vol. 2, Nomor 4, hal. 144–150).
- Mescher, A. L. (2018). *Junqueira's Basic Histology: Text & Atlas* (15 ed.). McGraw-Hill Education.
- Nagel, G., Wabitsch, M., Galm, C., Berg, S., Brandstetter, S., Fritz, M., Klenk, J., Peter, R., Prokopchuk, D., Steiner, R., Stroth, S., Wartha, O., Weiland, S. K., & Steinacker, J. (2009). Secular changes of anthropometric measures for the past 30 years in South-West Germany. *European Journal of Clinical Nutrition*, 63(12), 1440–1443. <https://doi.org/10.1038/ejcn.2009.86>
- Ng, M., Fleming, T., Robinson, M., Thomson, B., Graetz, N., Margono, C., Mullany, E. C., Biryukov, S., Abbafati, C., Abera, S. F., Abraham, J. P., Abu-Rmeileh, N. M. E., Achoki, T., AlBuhairan, F. S., Alemu, Z. A., Alfonso, R., Ali, M. K., Ali, R., Guzman, N. A., ... Gakidou, E. (2014). Global, regional, and national prevalence of overweight and obesity in children and adults during 1980–2013: a systematic analysis for the Global Burden of Disease Study 2013. *The Lancet*, 384(9945), 766–781. [https://doi.org/10.1016/S0140-6736\(14\)60460-8](https://doi.org/10.1016/S0140-6736(14)60460-8)
- Nishida, C., Borghi, E., Branca, F., & de Onis, M. (2017). Global Trends in Overweight and Obesity. *IARC Working Group Report 10: Energy balance and obesity*, 1(May), 1–8.
- Norton, K. I. (2018). Standards for Anthropometry Assessment. In *Kinanthropometry and Exercise Physiology* (Nomor September 2018, hal. 68–137). Routledge. <https://doi.org/10.4324/9781315385662-4>
- Nowak-Szczepanska, N., Gomula, A., & Koziel, S. (2019). Mid-upper arm circumference and body mass index as different screening tools of nutritional and weight status in Polish schoolchildren across socio-political changes. *Scientific Reports*, 9(1), 1–7. <https://doi.org/10.1038/s41598-019-48843-5>
- Olds, T. S. (2009). One million skinfolds: Secular trends in the fatness of young

- people 1951-2004. *European Journal of Clinical Nutrition*, 63(8), 934–946.
<https://doi.org/10.1038/ejcn.2009.7>
- Oriaifo, S., Abiodun, P., Atimati, A. O., & Nwaneri, D. (2020). Determination of overnutrition using mid-upper arm circumference in comparison with bioelectrical impedance analysis in children and adolescents in Benin , Nigeria. *Journal of Health Research*, 34(1), 68–78.
<https://doi.org/10.1108/JHR-03-2019-0051>
- Oyhenart, E. E., Castro, L. E., Garraza, M., Cesani, M. F., Torres, M. F., Quintero, F. A., Dahinten, S. L., Alfaro, E. L., Bejarano, I. F., Carrillo, R., Dip, N. B., Lomaglio, D. B., Marrodán, M. D., Menecier, N., Navazo, B., Román, E. M., Zonta, M. L., & Dipierri, J. E. (2019). Comparative study of mid-upper arm circumference, arm muscle area and arm fat area percentiles in Argentinean and us children aged 4-14 years. *Nutricion Hospitalaria*, 36(3), 552–562.
<https://doi.org/10.20960/nh.02426>
- Oyhenart, E. E., Torres, M. F., Garraza, M., Cesani, M. F., Navazo, B. R., Castro, L. E., Alfaro, E., Bejarano, I. F., Carrillo, R., Dahinten, S. L., Lomaglio, D., Luis, M. A., Menecier, N., Quintero, F. A., Román, E. M., Zonta, M. L., Serrano, M. D. M., & Dipierri, J. E. (2019). Reference percentiles for mid-upper arm circumference, upper arm muscle and fat areas in the Argentine child and adolescent population (4-14 years old). *Archivos Argentinos de Pediatría*, 117(4), E347–E355. <https://doi.org/10.5546/aap.2019.eng.e347>
- Ozturk, A., Budak, N., Mazicioglu, M. M., Bayram, F., & Kurtoglu, S. (2009). Cross-sectional reference values for mid-upper arm circumference , triceps skinfold thickness and arm fat area of Turkish children and adolescents. *International Journal of Food Sciences and Nutrition*, 60(4).
<https://doi.org/10.1080/09637480701663854>
- Pandita, A., Sharma, D., Pandita, D., Pawar, S., Kaul, A., & Tariq, M. (2016). Childhood obesity: prevention is better than cure. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 83.
<https://doi.org/10.2147/DMSO.S90783>
- Popławska, H., Dmitruk, A., & Wilczewski, A. (2006). Changes in body adiposity in girls and boys from the rural areas of East Poland over a time span of 20 years. *Annals of Human Biology*, 33(1), 78–88.
<https://doi.org/10.1080/03014460500446244>
- Pusat Bahasa Departemen Pendidikan Nasional. (2008). *Kamus Bahasa Indonesia*.
- Puskas, V., Pavlica, T., & Rakic, R. (2019). Sexual dimorphism in body composition of children in the North Backa region. *Medicinski pregled*, 72(7–8), 216–222. <https://doi.org/10.2298/mpns1908216p>
- Rahmawati, N. T., & Hastuti, J. (2021). Secular change in body size and somatotype

- of Indonesian children aged 7–15 years (1999–2019). *Open Access Macedonian Journal of Medical Sciences*, 9, 419–427. <https://doi.org/10.3889/oamjms.2021.6154>
- Raj, M., & Kumar, R. K. (2010). Obesity in Children & Adolescents. *The Indian journal of medical research*, 132(5), 598–607.
- Ramírez-Vélez, R., López-Cifuentes, M. F., Correa-Bautista, J. E., González-Ruiz, K., González-Jiménez, E., Córdoba-Rodríguez, D. P., Vivas, A., Triana-Reina, H. R., & Schmidt-Riovalle, J. (2016). Triceps and subscapular skinfold thickness percentiles and cut-offs for overweight and obesity in a population-based sample of schoolchildren and adolescents in Bogota, Colombia. *Nutrients*, 8(10), 1–16. <https://doi.org/10.3390/nu8100595>
- Rerksuppaphol, S., & Rerksuppaphol, L. (2017). Mid-upper-arm circumference and arm-to-height ratio to identify obesity in school-age children. *Clinical Medicine and Research*, 15(3–4), 53–58. <https://doi.org/10.3121/cmr.2017.1365>
- Richard, A. J., White, U., Elks, C. M., & Stephens, J. M. (2020). Adipose Tissue: Physiology to Metabolic Dysfunction. *Adipose Tissue: Physiology to Metabolic Dysfunction*, 2, 60.
- Rogol, A. D. (2009). Sex steroids, growth hormone, leptin and the pubertal growth spurt. *Endocrine Development*, 17, 77–85. <https://doi.org/10.1159/000262530>
- Rogol, A. D., Roemmich, J. N., & Clark, P. A. (2002). Growth at puberty. *Journal of Adolescent Health*, 31(6 SUPPL.), 192–200. [https://doi.org/10.1016/S1054-139X\(02\)00485-8](https://doi.org/10.1016/S1054-139X(02)00485-8)
- Rönnecke, E., Vogel, M., Bussler, S., Grafe, N., Jurkutat, A., Schlingmann, M., Koerner, A., & Kiess, W. (2019). Age- and Sex-Related Percentiles of Skinfold Thickness, Waist and Hip Circumference, Waist-to-Hip Ratio and Waist-to-Height Ratio: Results from a Population-Based Pediatric Cohort in Germany (LIFE Child). *Obesity Facts*, 12(1), 25–39. <https://doi.org/10.1159/000494767>
- Sekiyama, M., Roosita, K., & Ohtsuka, R. (2018). Physical growth and diets of school children: Trends from 2001 to 2015 in rural West Java, Indonesia. *American Journal of Human Biology*, 30(2). <https://doi.org/10.1002/ajhb.23089>
- Senbanjo, I. O., Oshikoya, K. A., & Njokanma, O. F. (2014). Upper arm composition and nutritional status of school children and adolescents in Abeokuta, Southwest Nigeria. *World Journal of Pediatrics*, 10(4), 336–342. <https://doi.org/10.1007/s12519-014-0470-4>
- Seth, A., & Sharma, R. (2012). Childhood Obesity. *The Indian Journal of*

- Pediatrics*, 80(4), 309–317. <https://doi.org/10.1007/s12098-012-0931-5>
- Shinsugi, C., Gunasekara, D., & Takimoto, H. (2020). Use of mid-upper arm circumference (MUAC) to predict malnutrition among Sri Lankan schoolchildren. *Nutrients*, 12(1). <https://doi.org/10.3390/nu12010168>
- Sousa, B., Oliveira, B. M. P. M., & De Almeida, M. D. V. (2012). Growth trends in boys and girls (10-17 years-old) from autonomous region of Madeira, Portugal between 1996-1998 and 2007-2009. *Annals of Human Biology*, 39(6), 526–529. <https://doi.org/10.3109/03014460.2012.713510>
- Talma, H., Van Dommelen, P., Schweizer, J. J., Bakker, B., Kist-Van Holthe, J. E., Chinapaw, J. M. M., & Hirasings, R. A. (2019). Is mid-upper arm circumference in Dutch children useful in identifying obesity? *Archives of Disease in Childhood*, 104(2), 159–165. <https://doi.org/10.1136/archdischild-2017-313528>
- Thompson, A. M., Baxter-Jones, A. D. G., Mirwald, R. L., & Bailey, D. A. (2002). Secular trend in the development of fatness during childhood and adolescence. *American Journal of Human Biology*, 14(5), 669–679. <https://doi.org/10.1002/ajhb.10081>
- Trayhurn, P., & Beattie, J. H. (2001). Physiological role of adipose tissue: white adipose tissue as an endocrine and secretory organ. *Proceedings of the Nutrition Society*, 60(3), 329–339. <https://doi.org/10.1079/pns200194>
- Wang, S. R., Cheng, Y., Chen, M., & Zhang, Y. X. (2018). Trends in the prevalence of elevated skinfold thickness among children and adolescents in Shandong Province, China, 1995-2014. *International Journal of Middle East Studies*, 21(12), 2238–2241. <https://doi.org/10.1017/S1368980018000824>
- Wells, J. C. K., & Fewtrell, M. S. (2006). Measuring body composition. *Archives of Disease in Childhood*, 91(7), 612–617. <https://doi.org/10.1136/ad.2005.085522>
- Wohlfahrt-Veje, C., Tinggaard, J., Winther, K., Mouritsen, A., Hagen, C. P., Mieritz, M. G., De Renzy-Martin, K. T., Boas, M., Petersen, J. H., & Main, K. M. (2014). Body fat throughout childhood in 2647 healthy Danish children: Agreement of BMI, waist circumference, skinfolds with dual X-ray absorptiometry. In *European Journal of Clinical Nutrition* (Vol. 68, Nomor 6, hal. 664–670). <https://doi.org/10.1038/ejcn.2013.282>
- World Health Organization. (2007). *WHO child growth standards: head circumference-for-age, arm circumference-for-age, triceps skin fold-for-age and sub scapular skin fold-for-age*. (Vol. 54, Nomor 3). <https://doi.org/10.1093/tropej/fmn002>
- World Health Organization. (2020). *Obesity and Overweight*. World Health

Organization. <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>