

DAFTAR PUSTAKA

- Abrams, D., J. Barbosa, H. Albano, J. Silva. P.A. Gibbs., and P. Teixeira. 2011. Characterization of bacPPK34 a bacteriocin produced by *Pediococcus pentosaceus* strain K34 isolated from “Alheira”. *Food Control*. 22 : 940-946.
- Achmad, D. I., R. Nofiani., dan P. Ardiningsih. 2012. Karakterisasi bakteri asam laktat *Lactobacillus* sp. Red1 dari cincalok formulasi. *Jurnal Kimia Universitas Tanjungpura*. 1-5.
- Afriani.2010.pengaruh penggunaan starter bakteri asam laktat *Lactobacillus plantarum* dan *Lactobacillus fermentum* terhadap total bakteri asam laktat, kadar asam dan nilai pH dadih susu sapi. *Jurnal Ilmiah Ilmu Ilmu Peternakan Mei*. 13(6):279-285.
- Aisyah, A., E. Kusdiyantini., dan A. Supriyadi. 2014. Isolasi, karakterisasi bakteri asam laktat, dan analisis proksimat dari pangan fermentasi “tempoyak”. *Jurnal Biologi*. 3(2) : 31-39.
- Allen, D.G. 2004. Regulatory control of histamine production in North Carolina harvested mahi-mahi (*Coryphaena hippurus*) and yellowfin tuna (*Thunnus albacares*): a HACCP-based industry survey. North Carolina: Graduate Faculty. North Carolina State University. Thesis.
- Basarang, M. 2013. Pengaruh bakteriosin dari *Streptococcus thermophilus* sebagai pengawet terhadap lama penyimpanan dangke. Fakultas Farmasi. Universitas Hasanuddin. Skripsi.
- Bjornsdottir-Butler, K., J.L. Jones, R. Benner, and W. Burkhardt. 2011. Development of a real-time PCR assay with an internal amplification control for detection of Gram negative histamine-producing bacteria in fish. *Food Microbiology*. 28 : 356-363.
- Bo Y. C., Sook Y. P., Yun S. B., Jee H. S., Yong W. C., Yong S. C., Hye O. K., and Chun W. P. 2017. Effect of different cooking methods on histamine levels in selected foods. *Ann Dermatol*. 29(6) : 706-714
- [BSN] Badan Standarisasi Nasional. 1996. SNI 01-2712.1-2006: Ikan tuna dalam kaleng-bagian 1: Spesifikasi. Badan Standarisasi Nasional. Jakarta.
- Candra, K.K.B. 2021. Isolasi bakteri asam laktat dari kecap ikan dan uji aktivitas antibakteri supernatan bebas sel pada bakteri pembentuk histamin. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Chen, H., and D.G. Hoover. 2003. Comprehensive reviews in food science and food safety. *Institute of Food Technologists Journal*. 2 : 82 - 91
- Cleaveland, J., T. J. Montville., I. F. Nes., and M. L. Chikindas. 2001. Bacteriocins: safe, natural antimicrobials for food preservation. *International Journal of Food Microbiology*. 71 : 1 - 20.
- Corry, J. E. L., G. D. W. Curtis., and R. M. Baird. 2003. de Man, Rogosa and Sharpe (MRS) agar. *Handbook of culture media for food microbiology*. Elsevier Science. 37 : 511-513

- de Vuyst, L., and E. Vandamme. 1994. Bacteriocins of lactic acid bacteria. *Microbiology, genetics and applications*. Blackie Academic and Professional, London, p: 151–221.
- Desniar., I. Rusmana., A. Suwanto., dan N.R. Mubarik. 2012, Senyawa antimikroba yang dihasilkan oleh bakteri asam laktat asal bekasam. *J. Akuatika*. 3(2): 135-145
- Dobson, A., P.D. Cotter., R.P. Ross., C. Hill. 2012. Bacteriocin production: a probiotic trait?. *Appl Environ Microbiol*. 78(1):1-6.
- Dyastuti, E. A., R. Nofiani., dan P. Ardiningsih. 2013. Uji organoleptik cincalok dengan penambahan serbuk bawang putih (*Allium sativum*) dan serbuk cabai (*Capsium annuum* l). *JKK*. 2(2) : 70-73.
- [EC] European Commission. 2005. Commission Regulation (EC) No. 2073/2005 of 15 November 2005 on microbiological criteria for foodstuffs. Official Journal of the European Union. <<https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32005R2073&from=EN>> (Diakses 14 Mei 2020).
- Emmawati, A., B.S.L.S. Jenie., L. Nuraida., dan D. Syah. 2015. Karakterisasi isolat bakteri asam laktat dari mandai yang berpotensi sebagai probiotik. *Agritech*. 35(2) : 146-155.
- Esau, L.J.L., R.G.C. Rodolfo., H.D. Melissa., C.C.C. Adriana., G.C. Rodolfo., F.C. Rafael. 2019. An alternative disk diffusion test in broth and macrodilution method for colistin susceptibility in enterobacteriales. *Journal of Microbiological Methods*. 167. 105765.
- [FDA] Food and Drug Administration. 2011. Chapter 7: Scombrototoxin (histamine) formation *in* fish and fishery products hazards and controls guidance. 4th Edition. FDA. USA.
- Ferdaus, F., M. O. Wijayanti., E. S. Retnoningtyas., dan W. Irawati. 2008. Pengaruh pH, konsentrasi substrat, penambahan kalsium karbonat dan waktu fermentasi terhadap perolehan asam laktat dari kulit pisang. *Widya Teknik*. 7(1) : 1-14.
- Firman, N.A., M. Rais., A. Mustarin. 2021. Analisis kandungan histamin ikan cakalang (*Katsuwonus pelamis*) dengan kemasan dan suhu penyimpanan yang berbeda. *Jurnal Pendidikan Teknologi Pertanian*. 7(1):21-30.
- Garciz-Ruiz, A., E.M. González-Rompinelli, B. Bartolomé, and V. Moreno-Arribas. 2011. Potential of wine-associated lactic acid bacteria to degrade biogenic amines. *Int J Food Microbiol*. 148:115–20.
- Gautam, N. dan N. Sharma. 2009. Bacteriocin: safest approach to preserve food products. *Indian Journal of Microbiology*. 49(3): 204–211.
- Guerra, N. P., P. F. Bernardez, J. Mendez., P. Cachaldora., and L. P. Castro. 2006. Production of four potentially probiotic lactic acid bacteria and their evaluation as feed additives for weaned piglets. *Animal Feed Science and Technology*. 134 : 89-107.
- Goh, H. F., and Phillip, K. 2015. Purification and characterization of bacteriocin produced by *Weissella confusa* A3. *Journal PONE*. 10(10) : 1-17.

- Harmain, R.M., L. Hardjito., W. Zahiruddin. 2012. Mutu sosis fermentasi ikan patin (*Pangasius sp.*) selama penyimpanan suhu ruang. *JPHPI*. 15(2):80-93.
- Heruwati, E. S., R. A. Sophia., dan W. Mangunwardoyo. 2008. Penghambatan enzim L-histidine decarboxylase dari bakteri pembentuk histamin menggunakan asam benzoat. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*. 3(2) : 97-107.
- Holzafel, W.H., P. Haberer., R. Geisen., J. Bjorkroth., and U. Schillinger. 2001. Taxonomy and important features of probiotic microorganism in food and nutrition. *The American Journal of Clinical Nutrition*. 73.
- Hu, M. Cao, S. Guo., L. Zhang., W. Su., and G. Liu. 2015. Identification and inhibition of histamine-forming bacteria in blue scad (*Decapterus maruadsi*) and chub mackerel (*Scomber japonicus*). *Journal of Food Protection*. 78(2) : 383-389.
- Jack, R.W., J. R. Tagg., and B. Ray. 1995. Bacteriocins of Gram-positive bacteria. *Microbiol Rev*. 59(2): 171–200.
- Jamaluddin, N., D. C. Stuckey, A. B. Ariff., and F.W.F. Wong. 2018. Novel approaches to purifying bacteriocin: a review. *Critical reviews in food science and nutrition*, 58(14) : 2453-2465.
- Janakiraman, A. 2020. Natural preservatives key to meet consumers' preferences towards healthier food choices. <<https://www.frost.com/frost-perspectives/natural-preservatives-key-to-meet-consumers-preferences-towards-healthier-food-choices>> (diakses 28 Januari 2022).
- Jay, J.M., M.J. Loessner, and D.A. Golden. 2005. *Modern food microbiology*. 7th edition. Springer. New York.
- Joosten, H.M.L.J., and M. Nunez. 1996. Prevention of histamine formation in cheese by bacteriocin-producing lactic acid bacteria. *Applied and Environmental Microbiology*. 62(4) : 1178–1181
- Joshi, P.A., and V.S. Bhoir. 2011. Study of histamine forming bacteria in commercial fish samples of kalyan city. *International Journal of Current Scientific Research*.
- Katla, T., T. Møretrø., I.M. Aasen., A. Holck., L. Axelsson., K. Naterstad. 2001. Inhibition of *Listeria monocytogenes* in cold smoked salmon by addition of sakacin P and/or live *Lactobacillus sakei* cultures. *Food Microbiology*. 18(4):431-439.
- Kerr, M., P. Lawicki., S. Aguirre., and C. Rayner. 2002. Effect of storage conditions on histamine formation in fresh and canned tuna. Victoria, Australia: Public Health Divi Victor Gover Depart Human, pp.5-20.
- Kirschbaum, J., K. Rebscher., H. Brückner. 2000. Liquid chromatographic determination of biogenic amines in fermented foods after derivatization with 3, 5-dinitrobenzoyl chloride. *Journal of Chromatography A*. 881(1-2):517-530.
- Klaenhammer, T. R. (1993). Genetics of bacteriocins produced by lactic acid bacteria. *FEMS Microbiology Reviews*. 12 : 39 – 85.
- Kobayashi, T., M. Kajiwara., M. Wahyuni., T. Kitakado., N. Hamada-Sato., C. Imada., and E. Watanabe. 2003. Isolation and characterization of halophilic lactic acid bacteria isolated from “terasi” shrimp paste: a traditional fermented seafood

- product in Indonesia. *The Journal of General and Applied Microbiology*. 49(5): 279-286.
- Kung H. F., Wang T. Y., Huang Y. R., Lin C. S., Wu S. W., Lin C. M., Tsai Y. H. 2009. Isolation and identification of histamine-forming bacteria in tuna sandwiches. *J Food Cont.* 20: 1013-1017.
- Kusmarwanti, A., F.R. Arief., dan S. Haryati. 2014. Eksplorasi bakteriosin dari bakteri asam laktat asal rusip bangka dan kalimantan. *JPB Perikanan*. 9(1) : 29-40.
- Landete, J. M., B. de las Rivas, A. Marcobal, and R. Muñoz. 2008. Updated molecular knowledge about histamine biosynthesis by bacteria. *Crit. Rev. Food Sci. Nutr.* 48 : 697–714.
- Leroy, F., and L. D. Vuyst. 2004. Lactic acid bacteria as functional starter cultures for the food fermentation industry. *Trends in Food Science & Technology*. 15 : 67–78.
- Lim, E. S. 2016. Control of histamine-forming bacteria by probiotic lactic acid bacteria isolated from fish intestine. *The Korean Journal of Microbiology*. 52(3) : 352-364.
- Listyo, N., N. Suhartatik., dan K.R. Kuswanto. 2017. Isolasi dan identifikasi awal bakteri asam laktat halofil proteolitik selama fermentasi saus ikan lele (*Clarias* sp). *Jurnal Teknologi dan Industri Pangan* 2(1): 8 - 14.
- Liu Z-Y., Li Z-H., Zhang M-L., Xiao-Ping. 2010. Effect of fermentation with mixed starter cultures on biogenic amines in bighead carp surimi. *International Journal of Food Science and Technology*. 45: 930-935.
- Lo'pez, C.C., A. Serio., C. Montalvo., C. Ramirez., J.A.P. Alvarez., A. Paparella., D. Mastrocola., M. Martuscelli. 2017. Effect of nisin on biogenic amines and shelf life of vacuum packaged rainbow trout (*Oncorhynchus mykiss*) fillets. *J Food Sci Technol*.
- MacFaddin, J.F. 1983. *Biochemical tests for identification of medical bacteria*. Williams & Wilkins Company, USA.
- Mah, J-H., H-J. Hwang. 2008. Inhibition of biogenic amine formation in a salted and fermented anchovy by *Staphylococcus xylosus* as a protective culture. *Food Control*. 20: 796-801.
- Mariam, S.H., N. Zegeye., T. Tariku., E. Andargie., N. Endalafer., and A. Aseffa. 2014. Potential of cell-free supernatants from cultures of selected lactic acid bacteria and yeast obtained from local fermented foods as inhibitors of *Listeria monocytogenes*, *Salmonella* spp. and *Staphylococcus aureus*. *BMC research notes*, 7(1) : 1-9
- [MIT OCW] MIT OpenCourseWare. 2015. Making bacterial glycerol stocks. <https://ocw.mit.edu/courses/biology/7-15-experimental-molecular-genetics-spring-2015/labs/MIT7_15S15_MakingBacterial.pdf>. (diakses 22 Februari 2020).
- Mumtiana, O.N., E. Kusdiyantini., dan A. Budiharjo. 2014. Isolasi, karakterisasi bakteri asam laktat, dan analisis proksimat dari makanan fermentasi bekasam ikan mujair (*Oreochromis mossambicus* Peters). *Jurnal Biologi*. 3(2): 20-30
- Narsaiah, K., R.A. Wilson., K. Gokul., H.M. Mandge., S.N. Jha., S. Bhadwal., R.K. Anurag., R.K. Malik., S. Vij. 2014. Effect of bacteriocin-incorporated alginate

- coating on shelf-life of minimally processed papaya (*Carica papaya* L.). *Postharvest Biology and Technology*. 100: 212-218.
- Nilsson, L., H.H. Huss., L. Gram. 1997. Inhibition of *Listeria monocytogenes* on cold-smoked salmon by nisin and carbon dioxide atmosphere. *International journal of food microbiology*. 38(2-3):217-227.
- Nofiani, R., dan P. Ardinarsih. 2018. Physicochemical and microbiological profiles of commercial cincalok from west kalimantan. *JPHPI*. 21(2) : 243-250.
- Noordiana, N., A.B. Fatimah., A.S. Mun. 2013. Antibacterial agents produced by lactic acid bacteria isolated from threadfin salmon and grass shrimp. *International Food Research Journal*, 20(1).
- Nurhamidah, A., W. Warsidah., N. Idiawati. 2019. Isolasi dan karakterisasi bakteri asam laktat (BAL) dari ale-ale dan cincalok. *Jurnal Laut Khatulistiwa*, 2(3):85-90.
- Nurhikmayani, R. 2018. Identifikasi bakteri asam laktat penghasil bakteriosin pada fermentasi ikan 'chao' Sulawesi Selatan. *Fakultas Biologi. Universitas Gadjah Mada*. Tesis.
- Ogunbanwo, S.T., A.I. Sanni, and A.A. Onilude. 2003. Characterization of bacteriocin produced by *Lactobacillus plantarum* F1 and *Lactobacillus brevis* OG1. *African Journal of Biotechnology*. 2(8): 219–227.
- O'Bryan, C.A., Crandall, P.G., Ricke, S.C. and Ndahetuye, J.B. 2015. Lactic acid bacteria (LAB) as antimicrobials in food products: types and mechanisms of action. *Handbook of Natural Antimicrobials for Food Safety and Quality*. 6 : 117-29.
- Papamanoli, E., N. Tzanetakis., E. Litopoulou-Tzanetaki., P. Kotzekidou. 2003. Characterization of lactic acid bacteria isolated from a Greek dry-fermented sausage in respect of their technological and probiotic properties. *Meat science*. 65(2):859-867.
- Pequignot, C., C. Larroche, and J.B. Gross. 1998. A spectrophotometric method for determination of bacterial biomass in the presence of a polymer. *Biotechnology techniques*. 12 (12): 899-903.
- Prasetyawan, N. R., T. W. Agustini., dan W. F. Ma'ruf. 2013. Penghambatan pembentukan histamin pada daging ikan tongkol (*Euthynnus affinis*) oleh quercetin selama penyimpanan. *JPHPI*. 16(2) : 150-159.
- Putri, W.D.R., Haryadi., D.W. Marseno., dan M.N. Cahyanto. 2012. Isolasi dan karakterisasi bakteri asam laktat amilolitik selama fermentasi growol, makanan tradisional Indonesia. *Jurnal Teknologi Pertanian*. 13(1) : 52-60.
- Rahimi, E., F. Nayeypour., and F. Alian. 2012. Determination of histamine in canned tuna fish using ELISA method. *American-Eurasian Journal of Toxicological Sciences*. 4(2) : 64-66.
- Saaid, M., B. Saad., N.H. Hashim., A.S.M. Ali., M.I. Saleh. 2008. Determination of biogenic amines in selected Malaysian food. *Food Chemistry*. 113:1356-1362.
- Samboja, L.D.G., , E. Purwijantingsih, dan P. Yuda. 2019. Identifikasi dan uji aktivitas antibakteri isolat bakteri asam laktat dari fermentasi udang (cincalok) terhadap *Vibrio parahaemolyticus* dan *Listeria monocytogenes*. *JFLS*. 3(1):11-20.

- Santoso, E. 2003. Bakteri asam laktat (BAL) pada ikan pindang dan ikan asin serta isolat yang berpotensi sebagai penghasil bakteriosin. *Agroteksos: Agronomi Teknologi dan Sosial Ekonomi Pertanian*, 13(3), 129-139.
- Sari, R., P. Apridamayanti., M. Octaviani. 2018. Optimasi aktivitas bakteriosin yang dihasilkan oleh bakteri *Lactobacillus plantarum* dari minuman ce hun tiau. *Pharmaceutical Science and Research*. 5(1):1-6.
- Shalaby, A. R. 1996. Significance of biogenik amines to food safety and human health. *Food Research International*. 29(7):675-690.
- Siahaan, I.C.M., H.A. Dien., dan H. Onibala. 2017. Mutu mikrobiologis kecap ikan tongkol (*Euthynnus affinis*) dengan penambahan sari buah nenas (*Ananas comosus*). *JPHPI*. 20(3): 505 – 514.
- Stoyanova, L.G., E.A. Ustyugova., and A.I. Netrusov. 2012. Antibacterial metabolites of lactic acid bacteria: their diversity and properties. *Applied Biochemistry and Microbiology*. 48(3) : 229–243.
- Sunaryanto, R., dan Tarwadi. 2015. Isolasi dan karakterisasi bakteriosin yang dihasilkan oleh *Lactobacillus Lactis* dari sedimen laut. *JPB Kelautan dan Perikanan* 10(1): 11-18.
- Surono, I.S., dan Nurani. 2001. Susu fermentasi dan kesehatan. YAPPMI, Jakarta.
- Tabanelli, G., Montanari, Eleonora B., Rosalba L., Veronica G., Giovanna F., Sandra T., Fausto G. 2014. Control of tyramine and histamin accumulation by lactic acid bacteria using bacteriocin forming Lactococci. *International Journal of Food Microbiology*. 190:14–23.
- Tilarsih, A.R. 2008. Isolasi dan identifikasi bakteri asam laktat pada kecap ikan selar (*Caranx leptolepis*) selama fermentasi spontan serta aplikasinya sebagai starter kecap ikan. Institut Pertanian Bogor. Abstr.
- Wahyuni, S. 2011. Histamin tuna (*Thunnus* sp.) dan identifikasi bakteri pembentuknya pada kondisi suhu penyimpanan standar. Fakultas Perikanan dan Ilmu Kelautan. Institut Pertanian Bogor. Skripsi.
- Wahyunik, S. 2020. Terungkap, keracunan tongkol massal di jember disebabkan tingginya kadar histamin di ikan. <<https://surabaya.tribunnews.com/2020/01/23/terungkap-keracunan-tongkol-massal-di-jember-disebabkan-tingginya-kadar-histamin-di-ikan?page=1>> (diakses pada 28 Januari 2022)
- Widiastuti, I., S. Putro. 2010. Analisis mutu ikan tuna selama lepas tangkap. *Maspari Journal: Marine Science Research*, 1(1), 22-29.
- Widhyastuti, H. 2011. Karakterisasi bakteri asam laktat dari makanan fermentasi tradisional cincalok dan tempoyak. Fakultas MIPA. Universitas Tanjungpura. Skripsi.
- Wikandari P.R., Suparmo, Yustinus M., dan Endang S.R. 2012. Karakterisasi bakteri asam laktat proteolitik pada bekasam. *Jurnal Natur Indonesia* 14(2): 120-125.

- Wiranata, D.P. 2020. Isolasi dan identifikasi bakteri pembentuk histamin pada ikan tuna mata besar, cakalang, dan tongkol yang didaratkan di pelabuhan perikanan pantai sadeng, gunungkidul. Fakultas Pertanian. Universitas Gadjah Mada. Tesis.
- Wodi, S. I., E. Cahyono. 2021. Kajian total bakteri dan kadar histamin tuna pasca tangkap di perairan sangihe. *Jurnal Ilmiah Tindalung*, 7(1):28-32.
- Valgas, C., S.M. de Souza, E.F.A. Smânia, dan A. Smânia Jr. 2007. Screening methods to determine antibacterial activity of natural products. *Brazillian Journal of Microbiology*. 38: 369-380
- Yang, Y., Ping, W., Ligong, B., Shijun, H. 2017. Rare death via histamine poisoning following crab consumption: a case report. *J.Forensic Sci*.
- Yanti, D.I.W., dan F.A. Dali. 2013. Karakterisasi bakteri asam laktat yang diisolasi selama fermentasi bekasang. *JPHPI*. 16(2) : 133-141.