



DAFTAR PUSTAKA

- Agbroko, S. *et al.* (2017) ‘Determinants of Putcome of Abdominal Trauma in an Urban Tertiary Center’, *Nigerian Journal of Surgery*, 23(2), pp. 134–137. doi: 10.4103/njs.NJS.
- Ahern, D. P. *et al.* (2017) ‘The management of penetrating rectal and anal trauma: A systematic review’, *Injury*. Elsevier Ltd, 48(6), pp. 1133–1138. doi: 10.1016/j.injury.2017.03.002.
- American College of Surgeon, (2018). Advanced Trauma Life Suport Student Course Manual. 10 ed. Chicago: The Committee on Trauma.
- Amland, R. C. and Sutariya, B. B. (2018) ‘Quick Sequential [Sepsis-Related] Organ Failure Assessment (qSOFA) and St. John Sepsis Surveillance Agent to Detect Patients at Risk of Sepsis: An Observational Cohort Study’, *American Journal of Medical Quality*, 33(1), pp. 50–57. doi: 10.1177/1062860617692034.
- Arikanoglu, Z. *et al.* (2014) ‘Factors affecting morbidity and mortality in hollow visceral injuries following blunt abdominal trauma’, *Clinica Terapeutica*, 165(1), pp. 23–26. doi: 10.7417/CT.2013.1656
- van Baal, J. O. A. M. *et al.* (2017) ‘The histophysiology and pathophysiology of the peritoneum’, *Tissue and Cell*. Elsevier Ltd, 49(1), pp. 95–105. doi: 10.1016/j.tice.2016.11.004.
- Bananzadeh, A. M. (2021) ‘Epidemiological Features and Intra-operative Pattern of Gastrointestinal Tract Injury : a Single Center , Descriptive Study . Background : Methods : Definitions ’:, pp. 1–11.
- Benjamin, E. R. *et al.* (2018) ‘The Age of Undertriage: Current Trauma Triage Criteria Underestimate The Role of Age and Comorbidities in Early Mortality’, *Journal of Emergency Medicine*. Elsevier Inc, 55(2), pp. 278–287. doi: 10.1016/j.jemermed.2018.02.001
- Bordoni, P. H. C. *et al.* (2017) ‘Death from abdominal trauma: analysis of 1888 forensic autopsies’, *Revista do Colegio Brasileiro de Cirurgioes*, 44(6), pp. 582–595. doi: 10.1590/0100-69912017006006.
- Canet, E. *et al.* (2018) ‘qSOFA as predictor of mortality and prolonged ICU admission in Emergency Department patients with suspected infection’, *Journal of Critical Care*. Elsevier Inc, 48, pp. 118–123. doi: 10.1016/j.jcrc.2018.08.022.
- Chen, P. T. and Chao, H. M. (2018) ‘Experience in traumatic small bowel perforation management’, *Formosan Journal of Surgery*, pp. 32–37. doi: 10.4103/fjs.fjs.



Coleman, J. J. and Zarzaur, B. L. (2017) ‘Surgical Management of Abdominal Trauma: Hollow Viscus Injury’, *Surgical Clinics of North America*. Elsevier Inc, 97(5), pp. 1107–1117. doi: 10.1016/j.suc.2017.06.004.

Dimitrov, E. et al. (2020) ‘A combination of C-reactive protein and quick sequential organ failure assessment (qSOFA) score has better prognostic accuracy than qSOFA alone in patients with complicated intra-abdominal infections’, *Acta Chirurgica Belgica*. Taylor & Francis, 120(6), pp. 396–400. doi: 10.1080/00015458.2019.1642579.

El-Menyar, A. et al. (2017) ‘Single Versus Multiple Solid Organ Injuries Following Blunt Abdominal Trauma’, *World Journal of Surgery*. Springer International Publishing, 41(11), pp. 2689–2696. doi: 10.1007/s00268-017-4087-3.

Feliciano, D. V. (2017) ‘Abdominal trauma revisited’, *American Surgeon*, 83(11), pp. 1193–1202. doi: 10.1177/000313481708301119.

Ferrah, N. et al. (2019) ‘Trends in the Nature and Management of Serious Abdominal Trauma’, *World Journal of Surgery*. Springer International Publishing, 43(5), pp. 1216–1225. doi: 10.1007/s00268-018-04899-4.

Gandhi, A., Sharma, R. and Sinha, D. K. (2019) ‘Characteristics of hollow viscus injury following blunt abdominal trauma: A study done in Rajendra institute of medical sciences’, *International Journal of Surgery Science*, 3(2), pp. 135–138. doi: 10.33545/surgery.2019.v3.i2c.27.

Gönültaş, F. et al. (2020) ‘Analysis of risk factors of mortality in abdominal trauma’, *Ulusal Travma ve Acil Cerrahi Dergisi*, 26(1), pp. 43–49. doi: 10.14744/tjes.2019.12147.

Hanna, K. et al. (2020) ‘Readmission With Major Abdominal Complications After Penetrating Abdominal Trauma’, *Journal of Surgical Research*. Elsevier Inc, 257(August 2020), pp. 69–78. doi: 10.1016/j.jss.2020.07.060.

Harmston, C., Ward, J. B. M. and Patel, A. (2018) ‘Clinical outcomes and effect of delayed intervention in patients with hollow viscus injury due to blunt abdominal trauma: a systematic review’, *European Journal of Trauma and Emergency Surgery*. Springer Berlin Heidelberg, 44(3), pp. 369–376. doi: 10.1007/s00068-018-0902-2.

Hipolitus, D. et al. (2021) ‘The impact of multilevel referral system in patients with peritonitis in Indonesia: A cross-sectional study’, *International Journal of Surgery Open*. Elsevier Ltd, 28, pp. 30–32. doi: 10.1016/j.ijso.2020.12.003.

Isaza-Restrepo, A. et al. (2018) ‘The peritoneum: Beyond the tissue - A review’, *Frontiers in Physiology*, 9(JUN), pp. 1–12. doi: 10.3389/fphys.2018.00738.



Jain, S., Maske, D. and Songra, M. C. (2017) ‘Clinical study of hollow viscus injury in abdominal trauma’, *International Surgery Journal*, 5(1), p. 39. doi: 10.18203/2349-2902.isj20175521

Jawa, R. S. et al. (2017) ‘Risk assessment of the blunt trauma victim: The role of the quick Sequential Organ Failure Assessment Score (qSOFA)’, *American Journal of Surgery*. Elsevier Inc., 214(3), pp. 397–401. doi: 10.1016/j.amjsurg.2017.05.011.

Jha, N. K. et al. (2014) ‘Characteristics of Hollow Viscus Injury following Blunt Abdominal Trauma; a Single Centre Experience from Eastern India.’, *Bulletin of emergency and trauma*, 2(4), pp. 156–60. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/27162889%0Ahttp://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC4771291>.

Kastelein, A. W. et al. (2019) ‘Embryology, anatomy, physiology and pathophysiology of the peritoneum and the peritoneal vasculature’, *Seminars in Cell and Developmental Biology*. Elsevier, 92(September 2018), pp. 27–36. doi: 10.1016/j.semcd.2018.09.007.

Liu, Z. et al. (2019) ‘Prognostic accuracy of the serum lactate level, the SOFA score and the qSOFA score for mortality among adults with Sepsis’, *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 27(1), pp. 1–10. doi: 10.1186/s13049-019-0609-3.

Malhotra, P. et al. (2017) ‘Clinico epidemiological study of blunt abdominal trauma in a tertiary care hospital in north western Himalayas’, *International Surgery Journal*, 4(3), p. 874. doi: 10.18203/2349-2902.isj20170426.

Malkomes, P. et al. (2019) ‘Characteristics and management of penetrating abdominal injuries in a German level I trauma center’, *European Journal of Trauma and Emergency Surgery*. Springer Berlin Heidelberg, 45(2), pp. 315–321. doi: 10.1007/s00068-018-0911-1.

Marik, P. E. and Taeb, A. M. (2017) ‘SIRS, qSOFA and new sepsis definition’, *Journal of Thoracic Disease*, 9(4), pp. 943–945. doi: 10.21037/jtd.2017.03.125.

Mingoli, A. et al. (2017) ‘Hollow viscus injuries: Predictors of outcome and role of diagnostic delay’, *Therapeutics and Clinical Risk Management*, 13, pp. 1069–1076. doi: 10.2147/TCRM.S136125.

Miyamoto, K. et al. (2019) ‘Prehospital quick sequential organ failure assessment score to predict in-hospital mortality among patients with trauma’, *American Journal of Emergency Medicine*. Elsevier Inc., 37(12), pp. 2165–2170. doi: 10.1016/j.ajem.2019.03.007.



Mohamed, S. (2020) ‘Patterns and outcomes of abdominal trauma patients Admitted to Trauma Intensive Care Unit..’, *Assiut Scientific Nursing Journal*, 0(0), pp. 0–0. doi: 10.21608/asnj.2020.31467.1020.

Moore, K. L., Dalley, A. F. & Agur, A. M., (2014). *Clinically Oriented Anatomy*. 7 ed. Philadelphia: Wolters Kluwer Lippincott Williams and Wilkins.

Naveen, D. P. and Dhannur, D. P. K. (2019) ‘A study on clinical profile of patients with peritonitis secondary to hollow viscous perforation’, *International Journal of Surgery Science*, 3(3), pp. 408–411. doi: 10.33545/surgery.2019.v3.i3g.203.

Ntundu, S. H. et al. (2019) ‘Patterns and outcomes of patients with abdominal trauma on operative management from northern Tanzania: A prospective single centre observational study’, *BMC Surgery*. BMC Surgery, 19(1), pp. 1–10. doi: 10.1186/s12893-019-0530-8

Panchal, H. and Ramanuj, A. (2016) ‘The study of abdominal trauma: patterns of injury, clinical presentation, organ involvement and associated injury’, *International Surgery Journal*, 3(3), pp. 1392–1398. doi: 10.18203/2349-2902.isj20162717.

Park, J. E. et al. (2020) ‘Accuracy of the qSOFA score and RED sign in predicting critical care requirements in patients with suspected infection in the emergency department: A retrospective observational study’, *Medicina (Lithuania)*, 56(1), pp. 1–10. doi: 10.3390/medicina56010042.

Payá-Llorente, C. et al. (2020) ‘The impact of age and comorbidity on the postoperative outcomes after emergency surgical management of complicated intra-abdominal infections’, *Scientific Reports*, 10(1), pp. 1–8. doi: 10.1038/s41598-020-58453-1.

Pimentel, S. K. et al. (2015) ‘Risk factors for mortality in blunt abdominal trauma with surgical approach’, *Revista do Colegio Brasileiro de Cirurgioes*, 42(4), pp. 259–264. doi: 10.1590/0100-69912015004011.

Ramos, J. G. R. et al. (2018) ‘Prognostic ability of quick-SOFA across different age groups of patients with suspected infection outside the intensive care unit: A cohort study’, *Journal of Critical Care*. Elsevier Inc, 47, pp. 178–184. doi: 10.1016/j.jcrc.2018.07.008

Rajak, A. K. et al. (2014) ‘a Comprehensive Study of Pathophysiology and Management of Blunt Abdominal Trauma’, *Journal of Evolution of Medical and Dental Sciences*, 3(64), pp. 14068–14077. doi: 10.14260/jemds/2014/3881.

Ramos, J. G. R. et al. (2018) ‘Prognostic ability of quick-SOFA across different age groups of patients with suspected infection outside the intensive care unit: A



cohort study', *Journal of Critical Care*. Elsevier Inc, 47, pp. 178–184. doi: 10.1016/j.jcrc.2018.07.008.

Revell, M. A., Pugh, M. A. and McGhee, M. (2018) 'Gastrointestinal Traumatic Injuries: Gastrointestinal Perforation', *Critical Care Nursing Clinics of North America*, 30(1), pp. 157–166. doi: 10.1016/j.cnc.2017.10.014.

Rudd, K. E. et al. (2018) 'Association of the quick sequential (sepsis-related) organ failure assessment (qSOFA) score with excess hospital mortality in adults with suspected infection in low- and middle-income countries', *JAMA - Journal of the American Medical Association*, 319(21), pp. 2202–2211. doi: 10.1001/jama.2018.6229.

Singer, M. and Shankar-Hari, M. (2018) 'QSOFA, cue confusion', *Annals of Internal Medicine*, 168(4), pp. 293–295. doi: 10.7326/M17-3415.

Solanki, H. J. and Patel, H. R. (2018) 'Blunt abdomen trauma: a study of 50 cases', *International Surgery Journal*, 5(5), pp. 1763–1769. doi: 10.18203/2349-2902.isj20181447.

Song, J. U. et al. (2018) 'Performance of the quick Sequential (sepsis-related) Organ Failure Assessment score as a prognostic tool in infected patients outside the intensive care unit: A systematic review and meta-analysis', *Critical Care. Critical Care*, 22(1), pp. 1–13. doi: 10.1186/s13054-018-1952-x.

Tarca, E. et al. (2019) 'Abdominal Hollow Viscus Trauma in Children, Injury Mechanisms and Treatment Principles', *Romanian Journal of Pediatrics*, 68(2), pp. 69–73. doi: 10.37897/rjp.2019.2.2.

Usman, O. A., Usman, A. A. and Ward, M. A. (2019) 'Comparison of SIRS, qSOFA, and NEWS for the early identification of sepsis in the Emergency Department', *American Journal of Emergency Medicine*. Elsevier Inc, 37(8), pp. 1490–1497. doi: 10.1016/j.ajem.2018.10.058.

Wadhwa, M. et al. (2021) 'Blunt Abdominal Trauma With Hollow Viscus and Mesenteric Injury: A Prospective Study of 50 Cases', *Cureus*, 13(June 2020). doi: 10.7759/cureus.13321.

Wohlgemut, J. M. et al. (2020) 'Impact of deprivation and comorbidity on outcomes in emergency general surgery: An epidemiological study', *Trauma Surgery and Acute Care Open*, 5(1), pp. 1–8. doi: 10.1136/tsaco-2020-000500.