

REFERENCE

- Abdou, H. & Mohamed, N., 2016. Centella asiatica Ameliorates Diabetic Complications and Oxidative Stress in Streptozotocin-Induced Diabetes Mellitus in Male Rats. *Int J Pharm Sci Rev Res*, 36 (2): 61-70.
- Aboonabi, A., Rahmat, A. & Othman, F., 2014. Antioxidant effect of pomegranate against streptozotocin-nicotinamide generated oxidative stress induced diabetic rats. *Toxicol Rep*, 1, pp.915–922.
- Akbarzadeh, A., Norouzzian, D., Mehrabi, M. R., Jamshidi, S., Farhangi, A., Verdi, A. A. & Rad, B. L., 2007. Induction of diabetes by Streptozotocin in rats. *Indian J Clin Biochem*, 22(2), 60–64.
- Barber, R. D., Harmer, D. W., Coleman, R. A. & Clark, B. J., 2005. GAPDH as a housekeeping gene: analysis of GAPDH mRNA expression in a panel of 72 human tissues. *Physiol Genomics*, 21(3), pp.389–395.
- Bondeva, T. & Wolf, G., 2014. Reactive oxygen species in diabetic nephropathy: friend or foe? *Nephrol Dial Transplant*, 29(11), pp.1998–2003.
- Carter, M. & Shieh, J., 2015. Molecular Cloning and Recombinant DNA Technology. *Guide Res Tech Neurosci*, pp.219–237.
- Chauhan, P. K., Pandey, I. P. & Dhatwalia, V. K., 2010. Evaluation of the Anti-diabetic Effect of Ethanolic and Methanolic Extracts of Centella asiatica Leaves Extract on Alloxan Induced Diabetic Rats. *Advan Biol Res*, 4 (1): 27-30, 2010
- Corona, J.C. & Duchon, M.R., 2014. PPAR γ and PGC-1 α as Therapeutic Targets in Parkinson's. *Neurochem Res*, 40(2), pp.308–316.
- Czajka, A., Ajaz, S., Gnudi, L., Parsade, C. K., Jones, P., Reid, F. & Malik, A. N., 2015. Altered Mitochondrial Function, Mitochondrial DNA and Reduced Metabolic Flexibility in Patients With Diabetic Nephropathy. *EBioMedicine*, 2(6), pp.499–512.
- Dominy, J.E. & Puigserver, P., 2013. Mitochondrial Biogenesis through Activation of Nuclear Signaling Proteins. *Cold Spring Harb Perspect Biol*, 5(7).

Emran, T., Dutta, M., Uddin, M., Nath, A. & Uddin, M. 2016. Antidiabetic potential of the leaf extract of *Centella asiatica* in alloxaninduced diabetic rats. *Jahangirnagar Univ J Biol Sci*, 4(1), p.51.

Fowler, M.J., 2008. Microvascular and Macrovascular Complications of Diabetes. *Clin Diabetes*, 26(2), pp.77–82.

Garibyan, L. & Avashia, N., 2013. Polymerase Chain Reaction. *J. Invest. Dermatol.* 133(3), pp.1–4.

Ghasemi, A., Khalifi, S. & Jedi, S., 2014. Streptozotocin-nicotinamide-induced rat model of type 2 diabetes (review). *Acta Physiol Hungarica*, 101(4), pp.408–420.

Godfrey, T. E., Kim, S.-H., Chavira, M., Ruff, D. W., Warren, R. S., Gray, J. W. & Jensen, R. H., 2000. Quantitative mRNA Expression Analysis from Formalin-Fixed, Paraffin-Embedded Tissues Using 5' Nuclease Quantitative Reverse Transcription-Polymerase Chain Reaction. *J Mol Diagn*, 2(2), pp.84–91.

Gohil, K., Patel, J. & Gajjar, A., 2010. Pharmacological review on *Centella asiatica*: A potential herbal cure-all. *Indian J Pharm Sci*, 72(5), p.546.

Graham, M. L., Janecek, J. L., Kittredge, J. A., Hering, B. J. & Schuurman, H.J., 2011. The Streptozotocin-Induced Diabetic Nude Mouse Model: Differences between Animals from Different Sources. *Comp Med*, 61(4), pp.356–360.

Gross, J. L., De Azevedo, M. J., Silveiro, S. P., Canani, L. H., Caramori, M. L. & Zelmanovitz, T., 2005. Diabetic nephropathy: diagnosis, prevention, and treatment. *Diabetes care*. 28(1): 164-176.

Guo, K., Lu, J., Huang, Y., Wu, M., Zhang, L., Yu, H., Zhang, M., Bao, Y., He, J. C., Chen, H. & Jia, W., 2015. Protective Role of PGC-1 α in Diabetic Nephropathy Is Associated with the Inhibition of ROS through Mitochondrial Dynamic Remodeling. *Plos one*, 10(4).

Iannaccone, P.M. & Jacob, H.J., 2009. Rats! *Dis Model Mech*. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2675817/> [Accessed January 17, 2018].

- Jornayvaz, F.C.A.R. & Shulman, G.I., 2010. Regulation of mitochondrial biogenesis. *Essays Biochem*, 47, pp.69–84.
- Kabir, A. U., Samad, M. B., D'Costa, N. M., Akhter, F., Ahmed, A. & Hannan, J., 2014. Anti-hyperglycemic activity of *Centella asiatica* is partly mediated by carbohydrase inhibition and glucose-fiber binding. *BMC Complement Altern Med*, 14(1).
- Kang, J., Lee, J., Kwon, D. & Song, Y., 2013. Effect of *Opuntia humifusa* Supplementation and Acute Exercise on Insulin Sensitivity and Associations with PPAR- γ and PGC-1 α Protein Expression in Skeletal Muscle of Rats. *Int J Mol Sci*, 14(4), pp.7140–7154.
- Lewis, E.J., Hunsicker, L. G., Bain, R. P. & Rohde, R.D., 1993. The Effect of Angiotensin-Converting-Enzyme Inhibition on Diabetic Nephropathy. *N Engl J Med*, 329(20), pp.1456–1462.
- Liang, H. & Ward, W.F., 2006. PGC-1 α : a key regulator of energy metabolism. *Adv Physiol Education*, 30(4), pp.145–151.
- Lim, A., 2014. Diabetic nephropathy – complications and treatment. *Int J Nephrol Renovasc Dis*, p.361.
- Mayo clinic, 2018. Type 2 diabetes. *Mayo Clinic*. Available at: <http://www.mayoclinic.org/diseases-conditions/type-2-diabetes/diagnosis-treatment/drc-20351199> [Accessed January 17, 2018].
- Nguyen, D.V., Shaw, L.C. & Grant, M.B., 2012. Inflammation in the pathogenesis of microvascular complications in diabetes. *Front Endocrinol*, 3.
- Orhan, I.E., 2012. *Centella asiatica*(L.) Urban: From Traditional Medicine to Modern Medicine with Neuroprotective Potential. *Evidence-Based Complement Altern Med*, pp.1–8.
- Ozougwu, J.C., Obimba, K. C., Belonwu, C. D. & Unakalamba, C. B., 2013. The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus. *J Physiol Pathophysiol*, 4(4), pp.46–57.

- Pakdeechote, P., Bunbupha, S., Kukongviriyapan, U., Prachaney, P., Khrisanapant, W. & Kukongviriyapan, V., 2014. Asiatic Acid Alleviates Hemodynamic and Metabolic Alterations via Restoring eNOS/iNOS Expression, Oxidative Stress, and Inflammation in Diet-Induced Metabolic Syndrome Rats. *Nutrients*, 6(1), pp.355–370.
- Premaratna, S., Manickam, E., Begg, D., Rayment, D., Hafandi, A., Jois, M., Cameron-Smith, D. & Weisinger, R., 2011. Angiotensin-converting enzyme inhibition reverses diet-induced obesity, insulin resistance and inflammation in C57BL/6J mice. *Int J Obes*, 36(2), pp.233-243.
- Saxena, A., 2015. Nutritional Approach to Diabetic Nephropathy. *AnatPhysiol*, 05(04).
- Stanton, R.C., 2011. Oxidative Stress and Diabetic Kidney Disease. *Curr Diabetes Rep*, 11(4), pp.330–336.
- Szkudelski, T., 2012. Streptozotocin–nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Exp Biol Med*, 237(5), pp.481–490.
- World Health Organization. Global Report on Diabetes. Geneva : World Health Organization, 2016.
- Wu, H., Deng, X., Shi, Y., Su, Y., Wei, J. & Duan, H., 2016. PGC-1 α , glucose metabolism and type 2 diabetes mellitus. *J Endocrinol*, 229(3).
- Yki-Järvinen, H., 2011. Oxford Textbook of Endocrinology and Diabetes. 2nd ed: Aetiology and Pathogenesis of type II Diabetes Mellitus, pp:1740-1741. New York: Oxford University Press.