

DAFTAR PUSTAKA

- Alamsyah, A. (2018). Kerajinan Batik dan Pewarnaan Alami. *Endogami: Jurnal Ilmiah Kajian Antropologi*, 1(2), 136. <https://doi.org/10.14710/endogami.1.2.136-148>
- Apriyani, N. (2013). Kandungan Limbah Cair Industri Batik. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Assi, M. A., Hezmee, M. N. M., Haron, A. W., Sabri, M. Y. M., & Rajion, M. A. (2016). The detrimental effects of lead on human and animal health. *Veterinary World*, 9(6), 660–671. <https://doi.org/10.14202/vetworld.2016.660-671>
- Boskabady, M., Marefati, N., Farkhondeh, T., Shakeri, F., Farshbaf, A., & Boskabady, M. H. (2018). The effect of environmental lead exposure on human health and the contribution of inflammatory mechanisms, a review. *Environment International*, 120(April), 404–420. <https://doi.org/10.1016/j.envint.2018.08.013>
- Briffa, J., Sinagra, E., & Blundell, R. (2020). Heavy metal pollution in the environment and their toxicological effects on humans. *Heliyon*, 6(9), e04691. <https://doi.org/10.1016/j.heliyon.2020.e04691>
- Buser, M., Ingber, S., Raines, N., Fowler, D., & Scinicariello, F. (2017). Urinary and Blood Cadmium and Lead and Kidney Function: NHANES 2007–2012 Melanie. *Agency for Toxic Substances and Disease Registry (ATSDR)*, 176(12), 139–148. <https://doi.org/10.1016/j.ijheh.2016.01.005>
- Cao, J., Li, M., Wang, Y., Yu, G., & Yan, C. (2014). Environmental lead exposure among preschool children in Shanghai, China: Blood lead levels and risk factors. *PLoS ONE*, 9(12), 1–9. <https://doi.org/10.1371/journal.pone.0113297>
- Carocci, A., Catalano, A., Lauria, G., Sinicropi, M. S., & Genchi, G. (2015). Brief History of the Development of the Transfusion Service. *How to Recruit Voluntary Donors in the Third World?*, 238(December), 22–28. <https://doi.org/10.1007/398>
- Carrel, M., Zahrieh, D., Young, S. G., Oleson, J., Ryckman, K. K., Wels, B., Simmons, D. L., & Saftlas, A. (2017). High prevalence of elevated blood lead levels in both rural and urban Iowa newborns: Spatial patterns and area-level covariates. *PLoS ONE*, 12(5), 1–17. <https://doi.org/10.1371/journal.pone.0177930>
- Centers for Disease Control and Prevention (CDC). (2013). Very high blood lead levels among adults - United States, 2002-2011. *MMWR. Morbidity and Mortality Weekly Report*, 62(47), 967–971. <http://www.ncbi.nlm.nih.gov/pubmed/24280917> <http://www.pubmedcentral.nih.gov/articlerend.er.fcgi?artid=PMC4585637>
- Charkiewicz, A. E., & Backstrand, J. R. (2020). Lead toxicity and pollution in Poland. *International Journal of Environmental Research and Public Health*, 17(12), 1–16. <https://doi.org/10.3390/ijerph17124385>
- Chung, K.-T. (2016). ACCEPTED MANUSCRIPT ACCEPTED MANUSCRIPT Azo Dyes and Human Health: A Review. *Environ. Sci. Health Care*, 34(4), 1–60.
- De Almeida Lopes, A. C. B., Navas-Acien, A., Zamoiski, R., Silbergeld, E. K., Carvalho, M. D. F. H., Buzzo, M. L., Urbano, M. R., Martins Junior, A. D. C., & Paoliello, M. M. B. (2015). Risk factors for lead exposure in adult population in Southern Brazil. *Journal of Toxicology and Environmental Health - Part A: Current Issues*, 78(2), 92–108. <https://doi.org/10.1080/15287394.2014.942125>
- de Souza, I. D., de Andrade, A. S., & Dalmolin, R. J. S. (2018). Lead-interacting proteins and their

- implication in lead poisoning. *Critical Reviews in Toxicology*, 48(5), 375–386. <https://doi.org/10.1080/10408444.2018.1429387>
- Delanaye, P., Cavalier, E., & Pottel, H. (2017). Serum Creatinine: Not so Simple! *Nephron*, 136(4), 302–308. <https://doi.org/10.1159/000469669>
- Dyosi, S. (2007). Evaluation of preventive and control measures for lead exposure in a South African lead-acid battery recycling smelter. *Journal of Occupational and Environmental Hygiene*, 4(10), 762–769. <https://doi.org/10.1080/15459620701566324>
- Engwa, G. A., Ferdinand, P. U., Nwalo, F. N., & Unachukwu, M. N. (2019). Mechanism and Health Effects of Heavy Metal Toxicity in Humans. *IntechOpen*, 23.
- Enting, C., Shamsudin, S. B., & Lukman, K. A. (2020). Urinary Lead Concentration in Chronic Kidney Disease Patients At Nephrology Clinic in Sabah. *Acta Scientifica Malaysia*, 4(1), 14–18. <https://doi.org/10.26480/asm.01.2020.14.18>
- Ettinger, A. S., Ruckart, P. Z., & Dignam, T. (2019). Lead Poisoning Prevention: The Unfinished Agenda. *Journal of Public Health Management and Practice*, 25(1), S1–S2. <https://doi.org/10.1097/PHH.0000000000000902>
- Flora, G., Gupta, D., & Tiwari, A. (2012). Toxicity of lead: A review with recent updates. *Interdisciplinary Toxicology*, 5(2), 47–58. <https://doi.org/10.2478/v10102-012-0009-2>
- Florkowski, C. M., & Chew-Harris, J. S. C. (2011). Methods of estimating EGFR - Different equations including CKD-EPI. *Clinical Biochemist Reviews*, 32(2), 75–79.
- Gava, A. L., Freitas, F. P. S., Meyrelles, S. S., Silva, I. V., & Graceli, J. B. (2011). Gender-dependent effects of aging on the kidney. *Brazilian Journal of Medical and Biological Research*, 44(9), 905–913. <https://doi.org/10.1590/S0100-879X2011007500101>
- Ghanwat, G. H., Patil, A. J., Patil, J. A., Kshirsagar, M. S., Sontakke, A., & Ayachit, R. K. (2016). Biochemical effects of lead exposure on oxidative stress and antioxidant status of battery manufacturing workers of Western Maharashtra, India. *Journal of Basic and Clinical Physiology and Pharmacology*, 27(2), 141–146. <https://doi.org/10.1515/jbcpp-2015-0030>
- Ghazali, A. R., Abdul Razak, N. E., Othman, M. S., Othman, H., Ishak, I., Lubis, S. H., Mohammad, N., Abd Hamid, Z., Harun, Z., Kamarulzaman, F., & Abdullah, R. (2012). Study of heavy metal levels among farmers of Muda agricultural development authority, Malaysia. *Journal of Environmental and Public Health*, 2012. <https://doi.org/10.1155/2012/758349>
- Gidlow, D. A. (2015). Lead toxicity. *Occupational Medicine*, 65(5), 348–356. <https://doi.org/10.1093/occmed/kqv018>
- Gillis, B. S., Arbieva, Z., & Gavin, I. M. (2012). Analysis of lead toxicity in human cells. *BMC Genomics*, 13(1). <https://doi.org/10.1186/1471-2164-13-344>
- Hommos, M. S., Glasscock, R. J., & Rule, A. D. (2017). Structural and functional changes in human kidneys with healthy aging. *Journal of the American Society of Nephrology*, 28(10), 2838–2844. <https://doi.org/10.1681/ASN.2017040421>
- Hou, S., Yuan, L., Jin, P., Ding, B., Qin, N., Li, L., Liu, X., Wu, Z., Zhao, G., & Deng, Y. (2013). A clinical study of the effects of lead poisoning on the intelligence and neurobehavioral abilities of children. *Theoretical Biology and Medical Modelling*, 10(1), 1–9. <https://doi.org/10.1186/1742-4682-10-13>
- Indrayani, L. (2018). Pengolahan Limbah Cair Industri Batik Sebagai Salah Satu Percontohan Ipal Batik

Di Yogyakarta. *ECOTROPHIC : Jurnal Ilmu Lingkungan (Journal of Environmental Science)*, 12(2), 173. <https://doi.org/10.24843/ejes.2018.v12.i02.p07>

- Inker, L. A., Schmid, C. H., Tighiouart, H., Eckfeldt, J. H., Feldman, H. I., Greene, T., Kusek, J. W., Manzi, J., Van Lente, F., Zhang, Y. L., Coresh, J., & Levey, A. S. (2012). Estimating Estimated glomerular filtration rate from Serum Creatinine and Cystatin C. *New England Journal of Medicine*, 367(1), 20–29. <https://doi.org/10.1056/nejmoa1114248>
- Jeffrey J. Fadrowski, Ana Navas-Acien, Maria Tellez-Plaza, Eliseo Guallar, Virginia M. Weaver, S. L. F. (2008). Blood Lead Level and Kidney Function in US Adolescents: The Third National Health and Nutrition Examination Survey. *National Institute of Health Public Access*, 23(1), 1–7. <https://doi.org/10.1001/archinternmed.2009.417.Blood>
- Kashani, K., Rosner, M. H., & Ostermann, M. (2020). Creatinine: From physiology to clinical application. *European Journal of Internal Medicine*, 72(July), 9–14. <https://doi.org/10.1016/j.ejim.2019.10.025>
- Kazancioğlu, R. (2013). Risk factors for chronic kidney disease: An update. *Kidney International Supplements*, 3(4), 368–371. <https://doi.org/10.1038/kisup.2013.79>
- Kim, H. C., Jang, T. W., Chae, H. J., Choi, W. J., Ha, M. N., Ye, B. J., Kim, B. G., Jeon, M. J., Kim, S. Y., & Hong, Y. S. (2015). Evaluation and management of lead exposure. *Annals of Occupational and Environmental Medicine*, 27(1), 1–9. <https://doi.org/10.1186/s40557-015-0085-9>
- Kuraciad, S., & Kotepui, M. (2021). Blood lead level and renal impairment among adults: A meta-analysis. In *International Journal of Environmental Research and Public Health* (Vol. 18, Issue 8). <https://doi.org/10.3390/ijerph18084174>
- Latif, R. V. N., Ristiawati, R., & Istiqomah, N. (2016). Profil Potensi Penyakit Akibat Kerja Tahapan Pembatikan. *Unnes Journal of Public Health*, 5(4), 348. <https://doi.org/10.15294/ujph.v5i4.11282>
- Layton, A. T., & Sullivan, J. C. (2019). Recent advances in sex differences in kidney function. *American Journal of Physiology - Renal Physiology*, 316(2), F328–F331. <https://doi.org/10.1152/ajprenal.00584.2018>
- Lentini, P., Zanolli, L., Granata, A., Signorelli, S. S., Castellino, P., & Dell'Aquila, R. (2017). Kidney and heavy metals - The role of environmental exposure (Review). *Molecular Medicine Reports*, 15(5), 3413–3419. <https://doi.org/10.3892/mmr.2017.6389>
- Lermen, D., Weber, T., Göen, T., Bartel-Steinbach, M., Gwinner, F., Mueller, S. C., Conrad, A., Rüther, M., von Briesen, H., & Kolossa-Gehring, M. (2021). Long-term time trend of lead exposure in young German adults – Evaluation of more than 35 Years of data of the German Environmental Specimen Bank. *International Journal of Hygiene and Environmental Health*, 231. <https://doi.org/10.1016/j.ijheh.2020.113665>
- Levey, A. S., Becker, C., & Inker, L. A. (2015). Estimated glomerular filtration rate and albuminuria for detection and staging of acute and chronic kidney disease in adults: A systematic review. *JAMA - Journal of the American Medical Association*, 313(8), 837–846. <https://doi.org/10.1001/jama.2015.0602>
- Levine, A. B., Punihale, D., & Levine, T. B. (2012). Characterization of the role of nitric oxide and its clinical applications. *Cardiology (Switzerland)*, 122(1), 55–68. <https://doi.org/10.1159/000338150>
- Mahurpawar, M. (2015). Effects of Heavy Metals on Human Health. *International Journal of Research -GRANTHAALAYAH*, 3(9SE), 1–7. <https://doi.org/10.29121/granthaalayah.v3.i9se.2015.3282>



- Malik, A., & Ayu, R. (2016). PENGARUH KOMPOSISI MALAM TAWON PADA PEMBUATAN BATIK KLOWONG TERHADAP KUALITAS HASIL PEMBATIKAN. *Teknoin*, 22(6), 391–399. <https://doi.org/10.20885/teknoin.vol22.iss6.art1>
- McMahon, G. M., & Waikar, S. S. (2013). Biomarkers in nephrology: Core curriculum 2013. *American Journal of Kidney Diseases*, 62(1), 165–178. <https://doi.org/10.1053/j.ajkd.2012.12.022>
- Merz, C. N. B., Dember, L. M., Ingelfinger, J. R., Vinson, A., Sandberg, K. L., Sullivan, J. C., Maric-bilkan, C., Tracy, L., Kimmel, P. L., & Star, R. A. (2020). Sex and the kidneys: current understanding and research opportunities. *Nat Rev Nephrol*, 15(12), 776–783. <https://doi.org/10.1038/s41581-019-0208-6>.Sex
- Momongan, A., Rokot, A., & Watung, T. (2019). Hubungan Lama Kerja Dengan Paparan Timbal (Pb) Dalam Urine Pada Operator Percetakan Di Pt Manado Persada Madani Long Standing Relationship With Lead (Pb) Exposure in Urine At Pt Manado Persada Madani. 93–99.
- Mujaj, B., Yang, W. Y., Zhang, Z. Y., Wei, F. F., Thijs, L., Verhamme, P., & Staessen, J. A. (2019). Renal function in relation to low-level environmental lead exposure. *Nephrology Dialysis Transplantation*, 34(6), 941–946. <https://doi.org/10.1093/ndt/gfy279>
- Nurchahyo, R. J.;Yulianto. (2016). Keywords : batik motifs , Natural Dyes , village tourism. *Jurnal Khasanah Ilmu*, 7(2), 17–23.
- Obeng-Gyasi, E. (2018). Lead exposure and oxidative stress-a life course approach in U.S. adults. *Toxics*, 6(3), 1–10. <https://doi.org/10.3390/toxics6030042>
- Obeng-Gyasi, E. (2019). Sources of lead exposure in various countries. *Reviews on Environmental Health*, 34(1), 25–34. <https://doi.org/10.1515/reveh-2018-0037>
- Obeng-Gyasi, E., Armijos, R. X., Weigel, M. M., Filippelli, G. M., & Sayegh, M. A. (2018). Cardiovascular-related outcomes in U.S. adults exposed to lead. *International Journal of Environmental Research and Public Health*, 15(4). <https://doi.org/10.3390/ijerph15040759>
- Orr, S. E., & Bridges, C. C. (2017). Chronic kidney disease and exposure to nephrotoxic metals. *International Journal of Molecular Sciences*, 18(5). <https://doi.org/10.3390/ijms18051039>
- Patil, A., Bhagwat, V., Patil, J., Dongre, N., Ambekar, J., & Das, K. (2007). OCCUPATIONAL LEAD EXPOSURE IN BATTERY MANUFACTURING WORKERS, SILVER JEWELRY WORKERS, AND SPRAY PAINTERS IN WESTERN MAHARASHTRA (INDIA): EFFECT ON LIVER AND KIDNEY FUNCTION. *Journal of Basic & Clinical Physiology & Pharmacology*, 18(2), 87–100.
- Patra, R. C., Rautray, A. K., & Swarup, D. (2011). Oxidative stress in lead and cadmium toxicity and its amelioration. *Veterinary Medicine International*, 2011. <https://doi.org/10.4061/2011/457327>
- Pizzorno, J. (2015). The kidney dysfunction epidemic, part 1: Causes. *Integrative Medicine (Boulder)*, 14(6), 8–13.
- Pringgenies, D., Diponegoro, U., Hartati, R., & Diponegoro, U. (2017). Aplikasi Pewarnaan Bahan Alam Mangrove Untuk Bahan Batik Sebagai Diversifikasi Usaha Di Desa Binaan Kabupaten Semarang. *Info*, 15(1), 1–9.
- Qorihah, D., Setiani, O., & Dewanti, N. (2015). HUBUNGAN ANTARA MASA KERJA DENGAN KADAR TIMBAL (Pb) DALAM DARAH PADA PEKERJA INDUSTRI PENGECORAN LOGAM CV. BONJOR JAYA DI DESA BATUR, CEPER, KLATEN. *Jurnal Kesehatan Masyarakat (e-Journal)*, 3(3), 688–701.



- Rahn, K. H., Heidenreich, S., & Brückner, D. (1999). How to assess glomerular function and damage in humans. *Journal of Hypertension*, 17(3), 309–317. <https://doi.org/10.1097/00004872-199917030-00002>
- Reilly, R., Spalding, S., Walsh, B., Wainer, J., Pickens, S., Royster, M., Villanacci, J., & Little, B. B. (2018). Chronic environmental and occupational lead exposure and kidney function among African Americans: Dallas lead project II. *International Journal of Environmental Research and Public Health*, 15(12). <https://doi.org/10.3390/ijerph15122875>
- Rinsky, J. L., Higgins, S., Angelon-Gaetz, K., Hogan, D., Lauffer, P., Davies, M., Fleischauer, A., Musolin, K., Gibbins, J., MacFarquhar, J., & Moore, Z. (2018). Occupational and take-home lead exposure among lead oxide manufacturing employees, North Carolina, 2016. *Public Health Reports*, 133(6), 700–706. <https://doi.org/10.1177/0033354918795442>
- Sachdeva, C., Thakur, K., Sharma, A., & Sharma, K. K. (2018). Lead: Tiny but Mighty Poison. *Indian Journal of Clinical Biochemistry*, 33(2), 132–146. <https://doi.org/10.1007/s12291-017-0680-3>
- Saeed, S., Hasan, S., Kuldeep, & Choudhury, P. (2017). Lead poisoning: A persistent health hazard-general and oral aspects. *Biomedical and Pharmacology Journal*, 10(1), 439–445. <https://doi.org/10.13005/bpj/1127>
- Services, H. (2002). Toxicological Profile for Lead. *ATSDR's Toxicological Profiles*, August. https://doi.org/10.1201/9781420061888_ch106
- Stevens, L. A., Coresh, J., Greene, T., & Levey, A. S. (2006). Assessing Kidney Function — Measured and Estimated glomerular filtration rate. *New England Journal of Medicine*, 354(23), 2473–2483. <https://doi.org/10.1056/nejmra054415>
- Suhartini, Febriana, S. A., Bagus, I., Surya, G., Pidada, P., Widagdo, H., Nurhantari, Y., Priyambodo, D. Y., Surono, A., Nadita, G., Kinasih, P., Hastuti, P., Sutarni, S., Ilmu, D., Forensik, K., Kedokteran, F., Masyarakat, K., & Mada, U. G. (2019). Karakteristik limbah dan dampaknya bagi kesehatan pembatik di Lendah, Kulon Progo. *Journal of Community Empowerment for Health*, 2(2), 128–136.
- Taylor, M. P., Forbes, M. K., Opekin, B., Parr, N., & Lanphear, B. P. (2016). The relationship between atmospheric lead emissions and aggressive crime: An ecological study. *Environmental Health: A Global Access Science Source*, 15(1). <https://doi.org/10.1186/s12940-016-0122-3>
- Thongprayoon, C., Cheungpasitporn, W., & Kashani, K. (2016). Serum creatinine level, a surrogate of muscle mass, predicts mortality in critically ill patients. *Journal of Thoracic Disease*, 8(5), E305–E311. <https://doi.org/10.21037/jtd.2016.03.62>
- Traynor, J., Mactier, R., Geddes, C. C., & Fox, J. G. (2006). How to measure renal function in clinical practice. *British Medical Journal*, 333(7571), 733–737. <https://doi.org/10.1136/bmj.38975.390370.7C>
- Vart, P., & Grams, M. E. (2016). Measuring and Assessing Kidney Function. *Seminars in Nephrology*, 36(4), 262–272. <https://doi.org/10.1016/j.semnephrol.2016.05.003>
- Vaziri, N. D. (2008). Mechanisms of lead-induced hypertension and cardiovascular disease. *American Journal of Physiology - Heart and Circulatory Physiology*, 295(2), 454–465. <https://doi.org/10.1152/ajpheart.00158.2008>
- Wangi, R. R., & Poernomo, D. (2019). Pelaksanaan Proses Produksi pada Usaha Kecil Batik Pringgokusumo Banyuwangi. *E-Sospol*, VI(1), 55–63.
- Wani, A. L., Ara, A., & Usmani, J. A. (2015). Lead toxicity: A review. *Interdisciplinary Toxicology*, 8(2),



UNIVERSITAS
GADJAH MADA

Hubungan antara Kadar Timbal dalam Urin dengan Fungsi Ginjal Pekerja Batik di Kecamatan Lendah,
Kulon Progo

OPI SRITANJUNG, Dr. Dra. Suhartini Sutarto, Apt., S.U

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

55–64. <https://doi.org/10.1515/intox-2015-0009>

WHO, & IOTF/IASO. (2000). *Obesity Task Force). International Association for the Study of Obesity. The Asia – Pacific perspective: redefining obesity and its treatment*. Health Communications Australia.

Yu, C. C., Lin, J. L., & Lin-Tan, D. T. (2004). Environmental Exposure to Lead and Progression of Chronic Renal Diseases: A Four-Year Prospective Longitudinal Study. *Journal of the American Society of Nephrology*, 15(4), 1016–1022. <https://doi.org/10.1097/01.ASN.0000118529.01681.4F>