



DAFTAR PUSTAKA

- Abrigo, J., Elorza, A.A., Riedel, C.A., Vilos, C., Simon, F., Cabrera, D., Estrada, L., Cabello-Verrugio, C., 2018. Role of oxidative stress as key regulator of muscle wasting during cachexia. *Oxid. Med. Cell. Longev.* <https://doi.org/10.1155/2018/2063179>
- American Diabetes Association, 2019. 2. Classification and diagnosis of diabetes: standards of medical care in diabetes—2019. *Diabetes care*, 42(Supplement 1), pp.13-28.
- Andersen, H., 2012. Motor dysfunction in diabetes. *Diabetes/metabolism research and reviews*, 28, pp.89-92.
- Arief, H. and Widodo, M.A., 2018. Peranan stres oksidatif pada proses penyembuhan luka. *Jurnal Ilmiah Kedokteran Wijaya Kusuma*, 5(2), pp.22-28.
- Asmarinah. 2014. Penuaan dan Kematian Sel. Available from: URL: <https://www.slideserve.com/gin/penuaan-dan-kematian-sel>
- Asmat, U., Abad, K. and Ismail, K., 2016. Diabetes mellitus and oxidative stress—A concise review. *Saudi pharmaceutical journal*, 24(5), pp.547-553.
- Bagheri, S.C. and Jo, C., 2013. *Clinical review of Oral and maxillofacial surgery-E-book*. Elsevier Health Sciences.
- Brooks, N.E. and Myburgh, K.H., 2014. Skeletal muscle wasting with disuse atrophy is multi-dimensional: the response and interaction of myonuclei, satellite cells and signaling pathways. *Frontiers in physiology*, 5, pp.99-110.
- Carlsen, M.H., Halvorsen, B.L., Holte, K., Bohn, S.K., Dragland, S., Sampson, L., Willey, C., Senoo, H., Umezono, Y., Sanada, C. and Barikmo, I., 2010. The total antioxidant content of more than 3100 foods, beverages, spices, herbs and supplements used worldwide. *Nutrition journal*, 9(1), pp.1-11.
- Centers for Disease Control and Prevention, 2020. National diabetes statistics report, 2020. *Atlanta, GA: Centers for Disease Control and Prevention, US Department of Health and Human Services*, pp.12-15.
- Ceriello, A. and Testa, R., 2009. Antioxidant anti-inflammatory treatment in type 2 diabetes. *Diabetes care*, 32(suppl 2), pp.232-236.
- Chatterjee, S., 2016. Oxidative stress, inflammation, and disease. In Oxidative stress and biomaterials. *Academic Press*. pp. 35-58.
- Choudhary, S., Sinha, S., Zhao, Y., Banerjee, S., Sathyanarayana, P., Shahani, S., Sherman, V., Tilton, R.G. and Bajaj, M., 2011. NF-κB-inducing kinase (NIK)



mediates skeletal muscle insulin resistance: blockade by adiponectin. *Endocrinology*, 152(10), pp.3622-3627.

Costamagna, D., Costelli, P., Sampaoli, M. and Penna, F., 2015. Role of inflammation in muscle homeostasis and myogenesis. *Mediators of inflammation*, 2015.

D'Souza, D.M., Al-Sajee, D., Hawke, T.J., 2013. Diabetic myopathy: Impact of diabetes mellitus on skeletal muscle progenitor cells. *Front. Physiol.* 4 DEC, pp.1-7. <https://doi.org/10.3389/fphys.2013.00379>

Dennery, P.A., 2007. Effects of oxidative stress on embryonic development. *Birth Defects Research Part C: Embryo Today: Reviews*, 81(3), pp.155-162.

Dick, S.A. and Megeney, L.A., 2013. Cell death proteins: an evolutionary role in cellular adaptation before the advent of apoptosis. *Bioessays*, 35(11), pp.974-983.

Dirks-Naylor, A.J., 2015. The benefits of coffee on skeletal muscle. *Life Sci.* 143, p.182–186. <https://doi.org/10.1016/j.lfs.2015.11.005>

Dong, J., Chen, P., Wang, R., Yu, D., Zhang, Y. and Xiao, W., 2011. NADPH oxidase: a target for the modulation of the excessive oxidase damage induced by overtraining in rat neutrophils. *International journal of biological sciences*, 7(6), p.881-899.

D'Souza, D.M., Al-Sajee, D. and Hawke, T.J., 2013. Diabetic myopathy: impact of diabetes mellitus on skeletal muscle progenitor cells. *Frontiers in physiology*, 4, pp.379-390.

Du, J., Wang, X., Miereles, C., Bailey, J.L., Debigare, R., Zheng, B., Price, S.R. and Mitch, W.E., 2004. Activation of caspase-3 is an initial step triggering accelerated muscle proteolysis in catabolic conditions. *The Journal of clinical investigation*, 113(1), pp.115-123.

Egan, B. and Zierath, J.R., 2013. Exercise metabolism and the molecular regulation of skeletal muscle adaptation. *Cell metabolism*, 17(2), pp.162-184.

Fachri, W., Sauriasari, R., Munim, A., Harahap, Y., Yanuar, A. and Elya, B., 2016. Uji penghambatan nadph oksidase oleh ekstrak etanol daun dan kulit batang jamblang (*syzygium cumini* (l.) skeels) secara in vitro menggunakan sel huvec dalam kondisi hiperglikemia= In vitro test for nadph oxidase inhibition by ethanol extract of leaf and bark of jamblang *syzygium cumini* 1 skeels using huvec cells under hyperglycemic condition.

Farah, A., Monteiro, M., Donangelo, C.M. and Lafay, S., 2008. Chlorogenic acids from green coffee extract are highly bioavailable in humans. *The Journal of nutrition*, 138(12), pp.2309-2315.



- Fazel Nabavi, S., Tejada, S., N Setzer, W., Gortzi, O., Sureda, A., Braidy, N., Daglia, M., Manayi, A. and Mohammad Nabavi, S., 2017. Chlorogenic acid and mental diseases: from chemistry to medicine. *Current neuropharmacology*, 15(4), pp.471-479.
- Federation, I.D., 2019. IDF diabetes atlas ninth. Dunia: IDF.
- Federer W. 1991. Statistics and society : data collection and interpretation. 2^{ed}. New York.
- Forbes, J.M. and Cooper, M.E., 2013. Mechanisms of diabetic complications. *Physiological reviews*, 93(1), pp.137-188.
- Fritzsche, K., Blüher, M., Schering, S., Buchwalow, I.B., Kern, M., Linke, A., Oberbach, A., Adams, V. and Punkt, K., 2008. Metabolic profile and nitric oxide synthase expression of skeletal muscle fibers are altered in patients with type 1 diabetes. *Experimental and clinical endocrinology & diabetes*, 116(10), pp.606-613.
- Funaki, M., 2009. Saturated fatty acids and insulin resistance. *The journal of medical investigation*, 56(3, 4), pp.88-92.
- Gao, J., He, X., Ma, Y., Zhao, X., Hou, X., Hao, E., Deng, J. and Bai, G., 2018. Chlorogenic acid targeting of the AKT PH domain activates AKT/GSK3β/FOXO1 signaling and improves glucose metabolism. *Nutrients*, 10(10), pp.1366-1377.
- Goh, S.Y. and Cooper, M.E., 2008. The role of advanced glycation end products in progression and complications of diabetes. *The Journal of Clinical Endocrinology & Metabolism*, 93(4), pp.1143-1152.
- Gökçen, B.B. and Şanlier, N., 2019. Coffee consumption and disease correlations. *Critical reviews in food science and nutrition*, 59(2), pp.336-348.
- Graham, T.E. and Abel, E.D., 2013. Autophagy in diabetes and the metabolic syndrome. *Autophagy in Health and Disease*, pp.117-139.
- Halliwell, B. and Gutteridge, J.M., 2015. *Free radicals in biology and medicine*. Oxford university press, USA.
- Hayden, M.S. and Ghosh, S., 2012. NF-κB, the first quarter-century: remarkable progress and outstanding questions. *Genes & development*, 26(3), pp.203-234.
- Hirata, Y., Nomura, K., Senga, Y., Okada, Y., Kobayashi, K., Okamoto, S., Minokoshi, Y., Imamura, M., Takeda, S.I., Hosooka, T. and Ogawa, W., 2019. Hyperglycemia induces skeletal muscle atrophy via a WWP1/KLF15 axis. *JCI insight*, 4(4).



- Ho, F.M., Liu, S.H., Liau, C.S., Huang, P.J. and Lin-Shiau, S.Y., 2000. High glucose-induced apoptosis in human endothelial cells is mediated by sequential activations of c-Jun NH₂-terminal kinase and caspase-3. *Circulation*, 101(22), pp.2618-2624.
- Huang, B.K., Monu, J.U. and Doumanian, J., 2010. Diabetic myopathy: MRI patterns and current trends. *American Journal of Roentgenology*, 195(1), pp.198-204.
- Indonesian Ministry of Health Information Center. Indonesian Health Profile 2016. Jakarta: Ministry of Health Republic of Indonesia.
- Jackman, R.W. and Kandarian, S.C., 2004. The molecular basis of skeletal muscle atrophy. *American Journal of Physiology-Cell Physiology*, 287(4), pp.834-843.
- Jang, Y.J., Son, H.J., Kim, J.S., Jung, C.H., Ahn, J., Hur, J., Ha, T.Y., 2018. Coffee consumption promotes skeletal muscle hypertrophy and myoblast differentiation. *Food Funct.* 9, pp.1102–1111. <https://doi.org/10.1039/c7fo01683b>
- Jin, S., Chang, C., Zhang, L., Liu, Y., Huang, X. and Chen, Z., 2015. Chlorogenic acid improves late diabetes through adiponectin receptor signaling pathways in db/db mice. *PLoS one*, 10(4), pp.120842-120857
- Karthikesan, K., Pari, L. and Menon, V.P., 2010. Combined treatment of tetrahydrocurcumin and chlorogenic acid exerts potential antihyperglycemic effect on streptozotocin-nicotinamide-induced diabetic rats. *Gen Physiol Biophys*, 29(1), pp.23-30.
- Karthikesan, K., Pari, L. and Menon, V.P., 2010. Protective effect of tetrahydrocurcumin and chlorogenic acid against streptozotocin-nicotinamide generated oxidative stress induced diabetes. *Journal of Functional Foods*, 2(2), pp.134-142.
- Kelleher, A.R., Fairchild, T.J. and Kelsay, S., 2010. STZ-induced skeletal muscle atrophy is associated with increased p65 content and downregulation of insulin pathway without NF-κB canonical cascade activation. *Acta diabetologica*, 47(4), pp.315-323.
- Kennedy, S.G., Kandel, E.S., Cross, T.K. and Hay, N., 1999. Akt/Protein kinase B inhibits cell death by preventing the release of cytochrome c from mitochondria. *Molecular and cellular biology*, 19(8), pp.5800-5810.
- Klotz, L.O., Sánchez-Ramos, C., Prieto-Arroyo, I., Urbánek, P., Steinbrenner, H., Monsalve, M., 2015. Redox regulation of FoxO transcription factors. *Redox Biol.* 6, pp.51–72. <https://doi.org/10.1016/j.redox.2015.06.019>
- Korat, A.V.A., Willett, W.C. and Hu, F.B., 2014. Diet, lifestyle, and genetic risk



factors for type 2 diabetes: a review from the Nurses' Health Study, Nurses' Health Study 2, and Health Professionals' Follow-up Study. *Current nutrition reports*, 3(4), pp.345-354.

Kowluru, R.A. and Koppolu, P., 2002. Diabetes-induced activation of caspase-3 in retina: effect of antioxidant therapy. *Free Radical Research*, 36(9), pp.993-999.

Krause, M.P., Al-Sajee, D., D'Souza, D.M., Rebalka, I.A., Moradi, J., Riddell, M.C. and Hawke, T.J., 2013. Impaired macrophage and satellite cell infiltration occurs in a muscle-specific fashion following injury in diabetic skeletal muscle. *PloS one*, 8(8), p.70971-70985.

Krause, M.P., Riddell, M.C. and Hawke, T.J., 2011. Effects of type 1 diabetes mellitus on skeletal muscle: clinical observations and physiological mechanisms. *Pediatric diabetes*, 12(4pt1), pp.345-364.

Lipina, C. and Hundal, H.S., 2017. Lipid modulation of skeletal muscle mass and function. *Journal of cachexia, sarcopenia and muscle*, 8(2), pp.190-201.

Liu, D., Wang, H., Zhang, Y. and Zhang, Z., 2020. Protective effects of chlorogenic acid on cerebral ischemia/reperfusion injury rats by regulating oxidative stress-related Nrf2 pathway. *Drug design, development and therapy*, 14, p.51-66.

Liu, T., Zhang, L., Joo, D. and Sun, S.C., 2017. NF-κB signaling in inflammation. *Signal transduction and targeted therapy*, 2(1), pp.1-9.

Luo, H.R., Hattori, H., Hossain, M.A., Hester, L., Huang, Y., Lee-Kwon, W., Donowitz, M., Nagata, E. and Snyder, S.H., 2003. Akt as a mediator of cell death. *Proceedings of the National Academy of Sciences*, 100(20), pp.11712-11717.

Mayer-Davis, E.J., Lawrence, J.M., Dabelea, D., Divers, J., Isom, S., Dolan, L., Imperatore, G., Linder, B., Marcovina, S., Pettitt, D.J. and Pihoker, C., 2017. Incidence trends of type 1 and type 2 diabetes among youths, 2002–2012. *N Engl J Med*, 376, pp.1419-1429.

Nakatani, N., Kayano, S.I., Kikuzaki, H., Sumino, K., Katagiri, K. and Mitani, T., 2000. Identification, quantitative determination, and antioxidative activities of chlorogenic acid isomers in prune (*Prunus domestica* L.). *Journal of Agricultural and Food Chemistry*, 48(11), pp.5512-5516.

Naveed, M., Hejazi, V., Abbas, M., Kamboh, A.A., Khan, G.J., Shumzaid, M., Ahmad, F., Babazadeh, D., FangFang, X., Modarresi-Ghazani, F. and WenHua, L., 2018. Chlorogenic acid (CGA): A pharmacological review and call for further research. *Biomedicine & Pharmacotherapy*, 97, pp.67-74.

Nguyen, D.V., Shaw, L. and Grant, M., 2012. Inflammation in the pathogenesis of



microvascular complications in diabetes. *Frontiers in endocrinology*, 3, pp.170-185.

Ong, K.W., Hsu, A., Tan, B.K.H., 2012. Chlorogenic acid stimulates glucose transport in skeletal muscle via AMPK activation: A contributor to the beneficial effects of coffee on diabetes. *PLoS One* 7. <https://doi.org/10.1371/journal.pone.0032718>

Ong, K.W., Hsu, A., Tan, B.K.H., 2013. Anti-diabetic and anti-lipidemic effects of chlorogenic acid are mediated by ampk activation. *Biochemical Pharmacology*, 85(9), pp.1341-135.

Ott, C., Jacobs, K., Haucke, E., Santos, A.N., Grune, T. and Simm, A., 2014. Role of advanced glycation end products in cellular signaling. *Redox biology*, 2, pp.411-429.

Patel, S. and Santani, D., 2009. Role of NF-κB in the pathogenesis of diabetes and its associated complications. *Pharmacological Reports*, 61(4), pp.595-603.

Pathak, L., Agrawal, Y. and Dhir, A., 2013. Natural polyphenols in the management of major depression. *Expert opinion on investigational drugs*, 22(7), pp.863-880.

Pei, H.F., Hou, J.N., Wei, F.P., Xue, Q., Zhang, F., Peng, C.F., Yang, Y., Tian, Y., Feng, J., Du, J. and He, L., 2017. Melatonin attenuates postmyocardial infarction injury via increasing Tom70 expression. *Journal of pineal research*, 62(1), p.12371-388.

Pendyala, S., Usatyuk, P.V., Gorshkova, I.A., Garcia, J.G. and Natarajan, V., 2009. Regulation of NADPH oxidase in vascular endothelium: the role of phospholipases, protein kinases, and cytoskeletal proteins. *Antioxidants & redox signaling*, 11(4), pp.841-860.

Peternejl, T.T. and Coombes, J.S., 2011. Antioxidant supplementation during exercise training. *Sports medicine*, 41(12), pp.1043-1069.

Pitocco, D., Tesauro, M., Alessandro, R., Ghirlanda, G. and Cardillo, C., 2013. Oxidative stress in diabetes: implications for vascular and other complications. *International journal of molecular sciences*, 14(11), pp.21525-21550.

Prabhakar, P.K. and Doble, M., 2009. Synergistic effect of phytochemicals in combination with hypoglycemic drugs on glucose uptake in myotubes. *Phytomedicine*, 16(12), pp.1119-1126.

Prabhakar, P.K., 2016. Pathophysiology of secondary complications of diabetes mellitus. *Pathophysiology*, 9(1).

Prause, M., Berchtold, L.A., Urizar, A.I., Trauelsen, M.H., Billestrup, N.,



- Mandrup-Poulsen, T. and Størling, J., 2016. TRAF2 mediates JNK and STAT3 activation in response to IL-1 β and IFN γ and facilitates apoptotic death of insulin-producing β -cells. *Molecular and cellular endocrinology*, 420, pp.24-36.
- Pusdatin Kemenkes, R.I., 2019. Hari Diabetes Sedunia. *Jakarta: Pusat data dan Informasi Kementerian Kesehatan RI*.
- Ramaswamy, S., Nakamura, N., Sansal, I., Bergeron, L. and Sellers, W.R., 2002. A novel mechanism of gene regulation and tumor suppression by the transcription factor FKHR. *Cancer cell*, 2(1), pp.81-91.
- Reddy, M.A. and Natarajan, R., 2011. Epigenetic mechanisms in diabetic vascular complications. *Cardiovascular research*, 90(3), pp.421-429.
- Renouf, M., Guy, P.A., Marmet, C., Fraering, A.L., Longet, K., Moulin, J., Enslen, M., Barron, D., Dionisi, F., Cavin, C. and Williamson, G., 2010. Measurement of caffeic and ferulic acid equivalents in plasma after coffee consumption: small intestine and colon are key sites for coffee metabolism. *Molecular nutrition & food research*, 54(6), pp.760-766.
- Rudrappa, S.S., Wilkinson, D.J., Greenhaff, P.L., Smith, K., Idris, I. and Atherton, P.J., 2016. Human skeletal muscle disuse atrophy: effects on muscle protein synthesis, breakdown, and insulin resistance—a qualitative review. *Frontiers in physiology*, 7, pp.36-45.
- Santana-Gálvez, J., Cisneros-Zevallos, L. and Jacobo-Velázquez, D.A., 2017. Chlorogenic acid: Recent advances on its dual role as a food additive and a nutraceutical against metabolic syndrome. *Molecules*, 22(3), pp.358-363.
- Saputra, N.T., Suartha, I.N., Dharmayudha A.A.G.O. 2018. Agen Diabetagonik Streptozotocin untuk Membuat Tikus Putih Jantan Diabetes Mellitus. Universitas Udayana. <https://doi.org/10.24843/bulvet.2018.v10.i02.p02>
- Sary, M.N., 2018. SKELETAL MUSCLE: STRUCTURE AND FUNCTION (OTOT RANGKA: STRUKTUR DAN FUNGSI). *Jurnal Manajemen Sains* pp.199-207.
- Sharma, P., Jha, A.B., Dubey, R.S. and Pessarakli, M., 2012. Reactive oxygen species, oxidative damage, and antioxidative defense mechanism in plants under stressful conditions. *Journal of botany*.
- Siu, P.M., Pistilli, E.E. and Alway, S.E., 2005. Apoptotic responses to hindlimb suspension in gastrocnemius muscles from young adult and aged rats. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 289(4), pp.1015-1026.



- Siwi, K., 2021. Pengaruh Asam Klorogenat (Chlorogenic Acid) dalam Meningkatkan mRNA Calcineurin, PGC-1 α , SOD-1 dan SOD-2 Terhadap Muscle Wasting pada Tikus Diabetes Mellitus. Tesis. Program Studi Magister Ilmu Biomedik. Universitas Gadjah Mada.
- Sudoyo, A.W., 2009. Buku Ajar Ilmu Penyakit Dalam Jilid II edisi V. Jakarta: Interna Publishing.
- Suryavanshi, S.V. and Kulkarni, Y.A., 2017. NF- κ B: a potential target in the management of vascular complications of diabetes. *Frontiers in pharmacology*, 8, p.798-810.
- Talbert, E.E., Smuder, A.J., Min, K., Kwon, O.S. and Powers, S.K., 2013. Calpain and caspase-3 play required roles in immobilization-induced limb muscle atrophy. *Journal of Applied Physiology*, 114(10), pp.1482-1489.
- Tian, L., Su, C.P., Wang, Q., Wu, F.J., Bai, R., Zhang, H.M., Liu, J.Y., Lu, W.J., Wang, W., Lan, F. and Guo, S.Z., 2019. Chlorogenic acid: A potent molecule that protects cardiomyocytes from TNF- α -induced injury via inhibiting NF- κ B and JNK signals. *Journal of cellular and molecular medicine*, 23(7), pp.4666-4678.
- Tornatore, L., Thotakura, A.K., Bennett, J., Moretti, M. and Franzoso, G., 2012. The nuclear factor kappa B signaling pathway: integrating metabolism with inflammation. *Trends in cell biology*, 22(11), pp.557-566
- Van Dam, R.M. and Hu, F.B., 2005. Coffee consumption and risk of type 2 diabetes: a systematic review. *Jama*, 294(1), pp.97-104.
- Vanessa Fiorentino, T., Prioletta, A., Zuo, P. and Folli, F., 2013. Hyperglycemia-induced oxidative stress and its role in diabetes mellitus related cardiovascular diseases. *Current pharmaceutical design*, 19(32), pp.5695-5703.
- Wang, Y., Peng, S., Mei, Z., Jin, C., Kang, J., Xiang, M., Wang, Z. and Hu, Y., 2020. Chlorogenic acid inhibits forming of diabetes mellitus in rats induced by high-fat high-sucrose and streptozotocin. *Pakistan Journal of Pharmaceutical Sciences*, 33(3).
- Wild, S., Roglic, G., Green, A., Sicree, R. and King, H., 2004. Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. *Diabetes care*, 27(5), pp.1047-1053.
- World Health Organization, 2006. Definition and diagnosis of diabetes mellitus and intermediate hyperglycaemia: report of a WHO/IDF consultation.
- Yan, L.J., 2014. Pathogenesis of chronic hyperglycemia: from reductive stress to oxidative stress. *Journal of diabetes research*.



Yang, H., Jin, X., Lam, C.W.K. and Yan, S.K., 2011. Oxidative stress and diabetes mellitus. *Clinical chemistry and laboratory medicine*, 49(11), pp.1773-1782.

Zhang, L.T., Chang, C.Q., Liu, Y. and Chen, Z.M., 2011. Effect of chlorogenic acid on disordered glucose and lipid metabolism in db/db mice and its mechanism. *Zhongguo yi xue ke xue yuan xue bao. Acta Academiae Medicinae Sinicae*, 33(3), pp.281-286.

Zhao, Y., Hu, X., Liu, Y., Dong, S., Wen, Z., He, W., Zhang, S., Huang, Q. and Shi, M., 2017. ROS signaling under metabolic stress: cross-talk between AMPK and AKT pathway. *Molecular cancer*, 16(1), pp.1-12.

Zheng, C., Yin, Q. and Wu, H., 2011. Structural studies of NF-κB signaling. *Cell research*, 21(1), pp.183-195.

Zuniga, L.Y., Aceves-de la Mora, M.C.A.D., González-Ortiz, M., Ramos-Núñez, J.L. and Martínez-Abundis, E., 2018. Effect of chlorogenic acid administration on glycemic control, insulin secretion, and insulin sensitivity in patients with impaired glucose tolerance. *Journal of medicinal food*, 21(5), pp.469-473.