

## DAFTAR PUSTAKA

- Abebe, K., *et al.* (2019). 'Laparotomy for Abdominal Injury Indication & Outcome of Patients at a Teaching Hospital in Addis Ababa, Ethiopia'. *Ethiopian journal of health sciences*, 29(4), 503–512. DOI: 10.4314/ejhs.v29i4.12
- Akoury, T., Whetstone, D.R. (2020). 'Splenic Rupture'. *Treasure Island (FL): StatPearls*. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK525951/>
- American College of Surgeons. (2018). 'Advanced Trauma Life Support (ATLS): Student Course Manual'. 10th ed.
- Basaran, A., & Ozkan, S. (2019). 'Evaluation of intra-abdominal solid organ injuries in children'. *Acta bio-medica : Atenei Parmensis*, 89(4), 505–512. DOI: 10.23750/abm.v89i4.5983
- Behboodi, F., *et al.* (2016). 'Outcome of Blunt Abdominal Traumas with Stable Hemodynamic and Positive FAST Findings'. *Emergency*, 4(3), 136–139.
- Bordoni, P., *et al.* (2017). 'Deaths from abdominal trauma: analysis of 1888 forensic autopsies'. *Revista do Colegio Brasileiro de Cirurgioes*, 44(6), 582–595. DOI: 10.1590/0100-69912017006006
- Costa G, *et al.* (2010). 'The epidemiology and clinical evaluation of abdominal trauma. An analysis of a multidisciplinary trauma registry'. *Ann Ital Chir*, 81(2), 95-102.
- Dalton, B., *et al.* (2015). 'Blunt Spleen and Liver Trauma'. *Journal of pediatric intensive care*, 4(1), 10–15. DOI: 10.1055/s-0035-1554983
- Doklešić, K., *et al.* (2015). 'Severe Blunt Hepatic Trauma in Polytrauma Patient - Management and Outcome'. *Srpski arhiv za celokupno lekarstvo*, 143(7-8), 416–422. DOI: 10.2298/sarh1508416d
- Fleming, S., *et al.* (2012). 'Accuracy of FAST scan in blunt abdominal trauma in a major London trauma centre'. *Int J Surg*, 10(9), 470-4. DOI: 10.1016/j.ijsu.2012.05.011
- Fodor, M., *et al.* (2019). 'Non-operative management of blunt hepatic and splenic injury: a time-trend and outcome analysis over a period of 17 years'. *World journal of emergency surgery*, 14, 29. DOI: 10.1186/s13017-019-0249-y
- Fomin, D., *et al.* (2019). 'Traumatic spleen rupture diagnosed during postmortem dissection: A STROBE-compliant retrospective study'. *Medicine*, 98(40), e17363. DOI: 10.1097/MD.00000000000017363
- Ghafouri, H. B., *et al.* (2016). 'Diagnostic accuracy of emergency-performed focused assessment with sonography for trauma (FAST) in blunt

- abdominal trauma'. *Electronic physician*, 8(9), 2950–2953. DOI: 10.19082/2950
- Guillon F. (2011). 'Epidemiology of Abdominal Trauma. In: Taourel P. (eds) CT of the Acute Abdomen'. *Medical Radiology. Springer, Berlin, Heidelberg*. DOI: 10.1007/174\_2010\_137
- Hahn, D. D., Offerman, S. R., & Holmes, J. F. (2002). 'Clinical importance of intraperitoneal fluid in patients with blunt intra-abdominal injury'. *The American journal of emergency medicine*, 20(7), 595–600. DOI: 10.1053/ajem.2002.35458
- Hekimoğlu A, *et al.* (2019). 'Comparison of ultrasound and physical examination with computerized tomography in patients with blunt abdominal trauma'. *Ulus Travma Acil Cerrahi Derg*, 25(4), 369-377. English. DOI: 10.5505/tjtes.2018.88288
- Jansen, J.O., Yule, S.R., Loudon, M.A. (2008). 'Investigation of Blunt Abdominal Trauma'. *BMJ*, 336(938), 42. DOI: 10.1136/bmj.39534.686192.80
- Kumar, S., *et al.* (2013). Accuracy of Focused Assessment with Sonography for Trauma (FAST) in Blunt Trauma Abdomen—A Prospective Study. *Indian Journal of Surgery*, 77. DOI: 10.1007/s12262-013-0851-2.
- Legome, E. L. (2019). 'Blunt Abdominal Trauma: Practice Essentials, Pathophysiology, Etiology'. Medscape. [online]. Available at: <https://emedicine.medscape.com/article/1980980-overview#a2>
- Lobo, V., *et al.* (2017). 'Caudal Edge of the Liver in the Right Upper Quadrant (RUQ) View Is the Most Sensitive Area for Free Fluid on the FAST Exam'. *The western journal of emergency medicine*, 18(2), 270–280. DOI: 10.5811/westjem.2016.11.30435
- Lynch, T., Kilgar, J., Al Shibli, A. (2018). 'Pediatric Abdominal Trauma'. *Curr Pediatr Rev*, 14(1), 59-63. DOI: 10.2174/1573396313666170815100547
- Madbak, F., *et al.* (2020). Serial hemoglobin monitoring in adult patients with blunt solid organ injury: less is more. *Trauma surgery & acute care open*, 5(1), e000446. DOI: 10.1136/tsaco-2020-000446
- Mohamed, S., *et al.* (2020) 'Patterns and outcomes of abdominal trauma patients Admitted to Trauma Intensive Care Unit'. *Assiut Scientific Nursing Journal*. DOI: 10.21608/asnj.2020.31467.1020.
- Moore, K. L., Dalley, A. F., Agur, A. M. R. (2010). 'Clinically Oriented Anatomy'. 6th ed. Philadelphia: Lippincott Williams & Wilkins.
- Nishijima, D.K., *et al.* (2012). 'Does This Adult Patient Have a Blunt Intra-abdominal Injury?'. *JAMA*, 307(14).
- Ntundu, S.H., *et al.* (2019). Patterns and outcomes of patients with abdominal trauma on operative management from northern Tanzania: a prospective

- single centre observational study. *BMC Surg*, 19(69). DOI: 10.1186/s12893-019-0530-8
- O'Brien, K.M., *et al.* (2015). 'Focused Assessment With Sonography for Trauma Examination'. *Journal of Ultrasound in Medicine*, 34: 1429-1434. DOI: 10.7863/ultra.34.8.1429
- Rajkumar, P. N., Kushal Kumar T. R., Deepak G. (2018). 'Challenges in management of blunt abdominal trauma: a prospective study'. *International Surgery Journal*. DOI: 10.18203/2349-2902.isj20184078
- Richards, J. R., *et al.* (2004). 'Sonographic patterns of intraperitoneal hemorrhage associated with blunt splenic injury'. *Journal of ultrasound in medicine : official journal of the American Institute of Ultrasound in Medicine*, 23(3), 387–396. DOI: 10.7863/jum.2004.23.3.387
- Rouhana S.W. (2002). 'Biomechanics of Abdominal Trauma'. *Accidental Injury. Springer, New York, NY*. DOI: 10.1007/978-0-387-21787-1\_17
- Rozycki, G. S., *et al.* (1998). 'Early detection of hemoperitoneum by ultrasound examination of the right upper quadrant: a multicenter study'. *The Journal of trauma*, 45(5), 878–883. DOI: 10.1097/00005373-199811000-00006
- Ruscelli, P., *et al.* (2019). 'The role of grade of injury in non-operative management of blunt hepatic and splenic trauma: Case series from a multicenter experience'. *Medicine*, 98(35). DOI: 10.1097/MD.00000000000016746
- Saleem, A.E.A., *et al.* (2016). Epidemiological evaluation and outcome of pure abdominal trauma victims who underwent surgical exploratory laparotomy. *Al Azhar Assiut Medical Journal*, 14:24-8.
- Sirlin, C.B., *et al.* (2001). 'Patterns of fluid accumulation on screening ultrasonography for blunt abdominal trauma: comparison with site of injury'. *J Ultrasound Med* 20(4):351-7. DOI: 10.7863/jum.2001.20.4.351
- Solanki HJ, Patel HR. (2018). 'Blunt abdomen trauma: a study of 50 cases'. *International Surgery Journal*. DOI: 10.18203/2349-2902.isj20181447
- Stengel, D., *et al.* (2015). 'Emergency ultrasound-based algorithms for diagnosing blunt abdominal trauma'. *Cochrane Database of Systematic Reviews*, 9. DOI: 10.1002/14651858.CD004446.pub4"
- Taghavi, S., Askari, R. (2020). 'Liver Trauma'. *Treasure Island (FL): StatPearls*. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK513236/>
- Waheed, K. B., *et al.* (2018). 'Diagnostic accuracy of Focused Assessment with Sonography for Trauma for blunt abdominal trauma in the Eastern Region of Saudi Arabia'. *Saudi medical journal*, 39(6), 598–602. DOI: 0.15537/smj.2018.6.22031