

DAFTAR PUSTAKA

- Akasaka, J., Furukawa, N., Shigemitsu, A., Kanayama, S., Kawaguchi, R., Kobayashi, H., 2013. Risk factors for wound complications after surgery for gynecologic malignancies. *Int. J. Gynecol. Cancer* 23, 1501–1505. <https://doi.org/10.1097/IGC.0b013e3182a2ff25>
- Assawapalanggool, S., Kasatpibal, N., Sirichotiyakul, S., Arora, R., Suntornlimsiri, W., 2016. Risk factors for cesarean surgical site infections at a Thai-Myanmar border hospital. *Am. J. Infect. Control* 44, 990–995. <https://doi.org/10.1016/j.ajic.2016.01.031>
- Boshier, P.R., Ziff, C., Adam, M.E., Fehervari, M., Markar, S.R., Hanna, G.B., 2018. Effect of perioperative blood transfusion on the long-term survival of patients undergoing esophagectomy for esophageal cancer: A systematic review and meta-analysis. *Dis. Esophagus* 31, 1–10. <https://doi.org/10.1093/dote/dox134>
- Carson, J.L., Guyatt, G., Heddle, N.M., Grossman, B.J., Cohn, C.S., Fung, M.K., Gernsheimer, T., Holcomb, J.B., Kaplan, L.J., Katz, L.M., Peterson, N., Ramsey, G., Rao, S. V., Roback, J.D., Shander, A., Tobian, A.A.R., 2016. Clinical practice guidelines from the AABB: Red blood cell transfusion thresholds and storage. *JAMA - J. Am. Med. Assoc.* 316, 2025–2035. <https://doi.org/10.1001/jama.2016.9185>
- CDC, 2017. Surgical Site Infection Event (SSI) Introduction : Settings : Requirements : 1–39.
- Cdc.gov. 2022. *Healthcare-Associated Infections (HAIs) | HAI | CDC*. [online] Available at: <<https://www.cdc.gov/hai/index.html>>
- Chairani, F., 2017. Evaluasi Penggunaan Antibiotika Profilaksis Terhadap Infeksi Luka Operasi Pada Pasien Bedah Obstetri Dan Ginekologi Di RSUP Dr. Sardjito Yogyakarta.
- De Simone, B., Sartelli, M., Coccolini, F., Ball, C.G., Brambillasca, P., Chiarugi, M., Campanile, F.C., Nita, G., Corbella, D., Leppaniemi, A., Boschini, E., Moore, E.E., Biffl, W., Peitzmann, A., Kluger, Y., Sugrue, M., Fraga, G., Di

- Saverio, S., Weber, D., Sakakushev, B., Chiara, O., Abu-Zidan, F.M., Ten Broek, R., Kirkpatrick, A.W., Wani, I., Coimbra, R., Baiocchi, G.L., Kelly, M.D., Ansaloni, L., Catena, F., 2020. Intraoperative surgical site infection control and prevention: A position paper and future addendum to WSES intra-abdominal infections guidelines. *World J. Emerg. Surg.* 15, 1–23. <https://doi.org/10.1186/s13017-020-0288-4>
- Dosch, A.R., Grigorian, A., Delaplain, P.T., Bartholomew, T.S., Won, E.J., Gabriel, V., Wolf, R.F., Jutric, Z., Imagawa, D.K., 2019. Perioperative blood transfusion is associated with an increased risk for post-surgical infection following pancreaticoduodenectomy. *Hpb* 21, 1577–1584. <https://doi.org/10.1016/j.hpb.2019.03.374>
- Dzik, W.H., 2003. Apoptosis, TGF β and transfusion-related immunosuppression: Biologic versus clinical effects. *Transfus. Apher. Sci.* 29, 127–129. [https://doi.org/10.1016/S1473-0502\(03\)00115-0](https://doi.org/10.1016/S1473-0502(03)00115-0)
- Elwood, N.R., Martin, A.N., Turrentine, F.E., Jones, R.S., Zaydfudim, V.M., 2018. The Negative Effect of Perioperative Red Blood Cell Transfusion on Morbidity and Mortality After Major Abdominal Operations. *Am. J. Surg.* <https://doi.org/10.1016/j.amjsurg.2018.02.015>
- Hidron, A.I., Edwards, J.R., Patel, J., Horan, T.C., Sievert, D.M., Pollock, D.A., Fridkin, S.K., 2008. Antimicrobial-Resistant Pathogens Associated With Healthcare-Associated Infections: Annual Summary of Data Reported to the National Healthcare Safety Network at the Centers for Disease Control and Prevention, 2006–2007. *Infect. Control Hosp. Epidemiol.* 29, 996–1011. <https://doi.org/10.1086/591861>
- Higgins, R.M., Helm, M.C., Kindel, T.L., Gould, J.C., 2019. Perioperative Blood Transfusion Increases Risk of Surgical Site Infection Following Bariatric Surgery. <https://doi.org/https://doi.org/10.1016/j.soard.2019.01.023>
- Ketcheson, F., Woolcott, C., Allen, V., Langley, J.M., 2017. Risk factors for surgical site infection following cesarean delivery: a retrospective cohort study. *C. Open* 5, E546–E556. <https://doi.org/10.9778/cmajo.20160164>
- Klein, H.G., Spahn, D.R., Carson, J.L., 2007. Red blood cell transfusion in clinical

- practice. *Lancet* 370, 415–426. [https://doi.org/10.1016/S0140-6736\(07\)61197-0](https://doi.org/10.1016/S0140-6736(07)61197-0)
- Lake, A.G., McPencow, A.M., Dick-Biascoechea, M.A., Martin, D.K., Erekson, E.A., 2013. Surgical site infection after hysterectomy. *Am. J. Obstet. Gynecol.* 209, 490.e1-490.e9. <https://doi.org/10.1016/j.ajog.2013.06.018>
- Lee, J.S., Hayanga, A.J., Kubus, J.J., Makepeace, H., Hutton, M., Campbell, D.A., Englesbe, M.J., 2011. Local anesthesia: A strategy for reducing surgical site infections? *World J. Surg.* 35, 2596–2602. <https://doi.org/10.1007/s00268-011-1298-x>
- Mahdi, H., Goodrich, S., Lockhart, D., DeBernardo, R., Moslemi-Kebria, M., 2014. Predictors of Surgical Site Infection in Women Undergoing Hysterectomy for Benign Gynecologic Disease: A Multicenter Analysis Using the National Surgical Quality Improvement Program Data. *J. Minim. Invasive Gynecol.* 21, 901–909. <https://doi.org/10.1016/j.jmig.2014.04.003>
- Mamo, T., Abebe, T.W., Chichiabellu, T.Y., Anjulo, A.A., 2017. Risk factors for surgical site infections in obstetrics: A retrospective study in an Ethiopian referral hospital. *Patient Saf. Surg.* 11, 1–9. <https://doi.org/10.1186/s13037-017-0138-9>
- Marik, P.E., Corwin, H.L., 2008. Efficacy of red blood cell transfusion in the critically ill: A systematic review of the literature. *Crit. Care Med.* 36, 2667–2674. <https://doi.org/10.1097/CCM.0b013e3181844677>
- Mockford, K., O’Grady, H., 2017. Prevention of surgical site infections. *Surg. (United Kingdom)* 35, 495–499. <https://doi.org/10.1016/j.mpsur.2017.06.012>
- Mujagic, E., Marti, W.R., Coslovsky, M., Soysal, S.D., Mechera, R., von Strauss, M., Zeindler, J., Saxer, F., Mueller, A., Fux, C.A., Kindler, C., Gurke, L., Weber, W.P., 2018. Associations of Hospital Length of Stay with Surgical Site Infections. *World J. Surg.* 42, 3888–3896. <https://doi.org/10.1007/s00268-018-4733-4>
- Muttaqien, M.I., Hamidy, M.Y., Rustam, R.P., 2014. the Overview of Surgical Site Infection of Pasca Caesarean. *J. Online Mhs. Fak. Kedokt. Univ. Riau* 3, 1–15.

- Nelson, G., Bakkum-Gamez, J., Kalogera, E., Glaser, G., Altman, A., Meyer, L.A., Taylor, J.S., Iniesta, M., Lasala, J., Mena, G., Scott, M., Gillis, C., Elias, K., Wijk, L., Huang, J., Nygren, J., Ljungqvist, O., Ramirez, P.T., Dowdy, S.C., 2019. Guidelines for perioperative care in gynecologic/oncology: Enhanced Recovery after Surgery (ERAS) Society recommendations - 2019 update. *Int. J. Gynecol. Cancer* 29, 651–668. <https://doi.org/10.1136/ijgc-2019-000356>
- Olsen, M., Higham-Kessler, J., Yokoe, D., Butler, A., Vostok, J., Stevenson, K.B., Khan, Y., Frasser, V.J., 2013. Developing a Risk Stratification Model for Surgical Site Infection after Abdominal Hysterectomy. *Infect Control Hosp Epidemiol* 30, 1077–1083. <https://doi.org/10.1086/606166>. Developing
- Pathak, A., Mahadik, K., Swami, M.B., Roy, P.K., Sharma, M., Mahadik, V.K., Lundborg, C.S., 2017. Incidence and risk factors for surgical site infections in obstetric and gynecological surgeries from a teaching hospital in rural India. *Antimicrob. Resist. Infect. Control* 6. <https://doi.org/10.1186/s13756-017-0223-y>
- Persson, E., Bergstorm, M., Larsson, P.-G., Moberg, P., Platz-Christensen, J., Schedvins, K., Wolner-Hanssen, P., 1996. Infections after hysterectomy; A prospective nation-wide Swedish study. *Acta Obs. Gynecol Scand* 75, 757–761.
- Poeran, J., Yeo, H., Rasul, R., Opperer, M., Memtsoudis, S.G., Mazumdar, M., 2015. Anesthesia type and perioperative outcome: Open colectomies in the United States. *J. Surg. Res.* 193, 684–692. <https://doi.org/10.1016/j.jss.2014.08.053>
- Remy, K.E., Hall, M.W., Cholette, J., Juffemans, N.P., Nicol, K., Doctor, A., Blumberg, N., Spinella, P.C., Norris, P.J., Dahmer, M.K., Muszynski, J.A., 2018. Mechanisms of red blood cell transfusion-related immunomodulation. <https://doi.org/doi:10.1111/trf.14488>
- Rodríguez-Acelas, A.L., de Abreu Almeida, M., Engelman, B., Cañon-Montañez, W., 2017. Risk factors for health care-associated infection in hospitalized adults: Systematic review and meta-analysis. *Am. J. Infect. Control* 45, e149–e156. <https://doi.org/10.1016/j.ajic.2017.08.016>

- Shenoy, D., Nalluri, K., Manasa, C., Reddy, P., Srinivasan, R., 2019. A study on evaluation of risk factors and anti-microbial prophylaxis in the prevention of surgical site infection. *J. Drug Deliv. Ther.* 9, 159–166.
- Shrestha, A., Pradhan, N., 2019. Analysis of the risk factors and microbial etiology of surgical site infections following lower segment caesarean section. *Sri Lanka J. Obstet. Gynaecol.* 41, 15. <https://doi.org/10.4038/sljog.v41i1.7828>
- Singh, R., Singla, P., Chaudhary, U., 2014. Surgical Site Infections : Classification , Risk factors , Pathogenesis and Preventive Management. *Int. J. Pharma Res. Heal. Sci.* 2, 203–214.
- Stewart, L.M., Spangler, E.L., Sutzko, D.C., Pearce, B.J., McFarland, G.E., Passman, M.A., Patterson, M.A., Haverstock, B., Unger, K., Novak, Z., Beck, A.W., 2021. The association between preoperative length of stay and surgical site infection after lower extremity bypass for chronic limb-threatening ischemia. *J. Vasc. Surg.* 73, 1340-1349.e2. <https://doi.org/10.1016/j.jvs.2020.08.037>
- Talbot, T., 2019. Surgical Site Infections and Antimicrobial Prophylaxis. In: G. Mandell, R. Dolin and M. Blaser, ed., *Mandell, Douglas, and Bennett's Principles and Practice of Infectious Diseases*, 9th ed. Elsevier, pp.3743-3756.
- Tan, L., Shiang, F., Wong, J., Azmah Tuan Mat, T.N., Gandhi, A., 2019. A Prospective Study of Surgical Site Infection in Elective and Emergency General Surgery in a Tertiary Public Hospital in Malaysia - A Preliminary Report. *Madridge J. Surg.* 2, 52–58. <https://doi.org/10.18689/mjs-1000113>
- Tjutanto, R., Wuwungan, A.A., Lalenoh, H.J., 2013. Autotransfusi Perioperatif. *J. Biomedik* 5, 17–20. <https://doi.org/10.35790/jbm.5.1.2013.2040>
- Tsai, P.S., Hsu, C.S., Fan, Y.C., Huang, C.J., 2011. General anaesthesia is associated with increased risk of surgical site infection after Caesarean delivery compared with neuraxial anaesthesia: A population-based study. *Br. J. Anaesth.* 107, 757–761. <https://doi.org/10.1093/bja/aer262>
- Vallejo, M.C., Attaallah, A.F., Shapiro, R.E., Elzamzamy, O.M., Mueller, M.G., Eller, W.S., 2017. Independent risk factors for surgical site infection after

cesarean delivery in a rural tertiary care medical center. *J. Anesth.* 31, 120–126. <https://doi.org/10.1007/s00540-016-2266-2>

Vamvakas, E.C., Blajchman, M.A., 2007. Transfusion-related immunomodulation (TRIM): An update. *Blood Rev.* 21, 327–348. <https://doi.org/10.1016/j.blre.2007.07.003>

Van Der Meer, P.F., De Wildt-Eggen, J., 2006. The effect of whole-blood storage time on the number of white cells and platelets in whole blood and in white cell-reduced red cells. *Transfusion* 46, 589–594. <https://doi.org/10.1111/j.1537-2995.2006.00778.x>

World Health Organization, 2016. Health care-associated infections FACT SHEET.

Yaddanapudi, S., Yaddanapudi, L.N., 2014. Indications for blood and blood product transfusion. *Indian J. Anaesth.* 58, 538–542. <https://doi.org/10.4103/0019-5049.144648>

Youssef, L.A., Spitalnik, S.L., 2017. 45 Transfusion-related immunomodulation; A reappraisal.pdf. <https://doi.org/doi:10.1097/MOH.0000000000000376>

Zollo, R.A., Eaton, M.P., Karcz, M., Pasternak, R., Glance, L.G., 2012. Blood transfusion in the perioperative period. *Best Pract. Res. Clin. Anaesthesiol.* 26, 475–484. <https://doi.org/10.1016/j.bpa.2012.10.001>