



REFERENCES

- Adham M, Kurniawan A, Muhtadi A, Roezin A, Hermani B, Gondhowiardjo S et al., 2012. Nasopharyngeal carcinoma in Indonesia: epidemiology, incidence, signs, and symptoms at presentation. *Chinese Journal of Cancer.*, 31(4), pp.185-196.
- Bakiu, E., Telhaj, E., Kozma, E., Ruci, F. and Malkaj, P., 2013. Comparison of 3D CRT and IMRT Treatment Plans. *Acta Informatica Medica*, 21(3), p.211.
- Baskar, R., Lee, K., Yeo, R. and Yeoh, K., 2012. Cancer and Radiation Therapy: Current Advances and Future Directions. *International Journal of Medical Sciences*, 9(3), pp.193-199.
- Bhattacharyya T, Babu G, Kainickal C., 2018. Current Role of Chemotherapy in Nonmetastatic Nasopharyngeal Cancer. *Journal of Oncology*.
- Bhide, S., Gulliford, S., Kazi, R., El-Hariry, I., Newbold, K., Harrington, K. and Nutting, C., 2009. Correlation between dose to the pharyngeal constrictors and patient quality of life and late dysphagia following chemo-IMRT for head and neck cancer. *Radiotherapy and Oncology*, 93(3), pp.539-544.
- Brennan, B., 2006. Nasopharyngeal carcinoma. *Orphanet Journal of Rare Diseases*, 1(1).
- Chambers M, Garden A, Kies M, Martin J., 2004. Radiation-induced Xerostomia in patients with head and neck cancer: Pathogenesis, impact on quality of life, and management. *Head & Neck*. 26(9), pp.796-807.12.
- Chan A, Grégoire V, Lefebvre J, Licitra L, Hui E, Leung S et al., 2012. Nasopharyngeal cancer: EHNS–ESMO–ESTRO Clinical Practice Guidelines for diagnosis, treatment and follow-up. *Annals of Oncology*, 23, pp.83-85.
- Chaudhury, N., Shirlaw, P., Pramanik, R., Carpenter, G. and Proctor, G., 2015. Changes in Saliva Rheological Properties and Mucin Glycosylation in Dry Mouth. *Journal of Dental Research*, 94(12), pp.1660-1667.
- Chen, J., Huang, Y., Kuo, S., Hong, R., Ko, J., Lou, P. and Wang, C., 2016. Intensity-modulated radiation therapy achieves better local control compared to three-dimensional conformal radiation therapy for T4-stage nasopharyngeal carcinoma. *Oncotarget*, 8(8), pp.14068-14077.
- Chen AY, Frankowski R, Bishop-Leone J, Hebert T, Leyk S, Lewin J, Goepfert H., 2001. The development and validation of a dysphagia-specific quality-of-life questionnaire for patients with head and neck cancer: the M. D.



Anderson dysphagia inventory. Arch Otolaryngol Head Neck Surg, 127(7), pp.870-876.

Chen, Y., Zhao, C., Wang, J., Ma, H., Lai, S., Liu, Y., Han, F., Lu, L., Bao, Y. and Chen, M., 2011. Intensity-modulated radiation therapy reduces radiation-induced trismus in patients with nasopharyngeal carcinoma. *Cancer*, 117(13), pp.2910-2916.

Cheng, J., Chao, K. and Low, D., 2001. Comparison of intensity modulated radiation therapy (IMRT) treatment techniques for nasopharyngeal carcinoma. *International Journal of Cancer*, 96(2), pp.126-132.

Cheung, K., 2006. Intensity modulated radiotherapy: advantages, limitations and future development. *Biomedical Imaging and Intervention Journal*, 2(1).

Chou J, Lin Y, Kim J, You L, Xu Z, He B et al., 2008. Nasopharyngeal carcinoma—Review of the molecular mechanisms of tumorigenesis. *Head & Neck*, 30(7), pp.946-963.

Citrin, D. and Mitchell, J., 2017. Mechanisms of Normal Tissue Injury From Irradiation. *Seminars in Radiation Oncology*, 27(4), pp.316-324.

Dijkema, T., Terhaard, C., Roesink, J., Raaijmakers, C., van den Keijbus, P., Brand, H. and Veerman, E., 2012. MUC5B levels in submandibular gland saliva of patients treated with radiotherapy for head-and-neck cancer: A pilot study. *Radiation Oncology*, 7(1).

Ferlay J, Soerjomataram I, Dikshit R, Eser S, Mathers C, Rebelo M et al. Cancer incidence and mortality worldwide: Sources, methods and major patterns in GLOBOCAN 2012. *International Journal of Cancer*. 2014;136(5):E359-E386.

Fong, R., Ward, E. and Rumbach, A., 2020. Dysphagia after chemo-radiation for nasopharyngeal cancer: A scoping review. *World Journal of Otorhinolaryngology - Head and Neck Surgery*, 6(1), pp.10-24.

Gebre-Medhin, M., Haghani, M., Robért, L., Kjellén, E. and Nilsson, P., 2016. Dose-volume analysis of radiation-induced trismus in head and neck cancer patients. *Acta Oncologica*, 55(11), pp.1313-1317.

Guggenheim, J. and Moore, P., 2003. Xerostomia. *The Journal of the American Dental Association*, 134(1), pp.61-69.

Guidry J, Birdwell C, Scott R. Epstein-Barr virus in the pathogenesis of oral cancers. *Oral Diseases*. 2017;24(4):497-508.



Haberer-Guillerm, S., Touboul, E. and Huguet, F., 2015. Intensity modulated radiation therapy in nasopharyngeal carcinoma. European Annals of Otorhinolaryngology, Head and Neck Diseases, 132(3), pp.147-151.

Haleshappa R, Thanky A, Kuntegowdanahalli L, Kanakasetty G, Dasappa L, Jacob L. Epidemiology and outcomes of nasopharyngeal carcinoma: Experience from a regional cancer center in Southern India. South Asian Journal of Cancer. 2017;06(03):122-124.

Hildesheim A, Wang C., 2012. Genetic predisposition factors and nasopharyngeal carcinoma risk: A review of epidemiological association studies, 2000–2011. Seminars in Cancer Biology, 22(2), pp.107-116.

Hong, J., Tian, J., Han, Q. and Ni, Q., 2015. Quality of Life of Nasopharyngeal Cancer Survivors in China. Current Oncology, 22(3), pp.142-147.

Hughes, P., Scott, P., Kew, J., Cheung, D., Leung, S., Ahuja, A. and van Hasselt, C., 2000. Dysphagia in treated nasopharyngeal cancer. Head & Neck, 22(4), pp.393-397.

Jager, D., Bots, C., Forouzanfar, T. and Brand, H., 2018. Clinical oral dryness score: evaluation of a new screening method for oral dryness. *Odontology*, 106(4), pp.439-444.

Jang-Chun L, Jing-Min H, Yee-Min J, et al. 2014. Comparisons of quality of life for patients with nasopharyngeal carcinoma after treatment with different RT technologies. *Acta Otorhinolaryngol Ital*, 34(4), pp.241-246.

Jiang, L., Huang, C., Gan, Y., Wu, T., Tang, X., Wang, Y., Wang, R. and Zhang, Y., 2018. Radiation-induced late dysphagia after intensity-modulated radiotherapy in nasopharyngeal carcinoma patients: a dose-volume effect analysis. *Scientific Reports*, 8(1).

Kim, J., Jenrow, K. and Brown, S., 2014. Mechanisms of radiation-induced normal tissue toxicity and implications for future clinical trials. *Radiation Oncology Journal*, 32(3), p.103.

King S, Dunlap N, Tennant P, Pitts T., 2016. Pathophysiology of Radiation-Induced Dysphagia in Head and Neck Cancer. *Dysphagia*., 31(3), pp.339-351.

Koom W, Ahn S, Song S, Lee C, Moon S, Chie E et al., 2012. Nutritional status of patients treated with radiotherapy as determined by subjective global assessment. *Radiation Oncology Journal*, 30(3), pp.132.



- Kristensen, C., Kjær-Kristoffersen, F., Sapru, W., Berthelsen, A., Loft, A. and Specht, L., 2007. Nasopharyngeal carcinoma. Treatment planning with IMRT and 3D conformal radiotherapy. *Acta Oncologica*, 46(2), pp.214-220.
- Lee, N., Xia, P., Quivey, J., Sultanem, K., Poon, I., Akazawa, C., Akazawa, P., Weinberg, V. and Fu, K., 2002. Intensity-modulated radiotherapy in the treatment of nasopharyngeal carcinoma: an update of the UCSF experience. *International Journal of Radiation Oncology*Biology*Physics*, 53(1), pp.12-22.
- Levendag, P., Teguh, D., Voet, P., van der Est, H., Noever, I., de Kruijf, W., Kolkman-Deurloo, I., Prevost, J., Poll, J., Schmitz, P. and Heijmen, B., 2007. Dysphagia disorders in patients with cancer of the oropharynx are significantly affected by the radiation therapy dose to the superior and middle constrictor muscle: A dose-effect relationship. *Radiotherapy and Oncology*, 85(1), pp.64-73.
- Li, H., Li, L., Huang, X., Li, Y., Zou, T., Zhuo, X., Chen, Y., Liu, Y. and Tang, Y., 2019. Radiotherapy-induced dysphagia and its impact on quality of life in patients with nasopharyngeal carcinoma. *Strahlentherapie und Onkologie*, 195(6), pp.457-467.
- Li, Y., Taylor, J., Ten Haken, R. and Eisbruch, A., 2007. The impact of dose on parotid salivary recovery in head and neck cancer patients treated with radiation therapy. *International Journal of Radiation Oncology*Biology*Physics*, 67(3), pp.660-669.
- Loh, S., Mcleod, R. and Elhassan, H., 2017. Trismus following different treatment modalities for head and neck cancer: a systematic review of subjective measures. *European Archives of Oto-Rhino-Laryngology*, 274(7), pp.2695-2707.
- Louise Kent, M., Brennan, M., Noll, J., Fox, P., Burri, S., Hunter, J. and Lockhart, P., 2007. Radiation-Induced trismus in head and neck cancer patients. *Supportive Care in Cancer*, 16(3), pp.305-309.
- Mai, H., Zhang, L., Chen, Q., Liu, H. and Tang, L., 2013. Emerging treatment options for nasopharyngeal carcinoma. *Drug Design, Development and Therapy*, p.37.
- Mehta, S., Suhag, V., Semwal, M. and Sharma, N., 2010. Radiotherapy: Basic Concepts and Recent Advances. *Medical Journal Armed Forces India*, 66(2), pp.158-162.
- Meng D, Sun R, Peng L, Huang Y, Yang Q, Luo D et al., 2018. A comparison of weekly versus 3-weekly cisplatin during concurrent chemoradiotherapy for

locoregionally advanced nasopharyngeal carcinoma using intensity modulated radiation therapy: a matched study. *Journal of Cancer*, 9(1), pp.92-99.

Nascimento M, Farias A, Carvalho A, Albuquerque R, Ribeiro L, Leao J et al., 2019. Impact of xerostomia on the quality of life of patients submitted to head and neck radiotherapy. *Medicina Oral Patología Oral y Cirugía Bucal*, 24(6), pp.770-775.

Owosho, A., Pedreira Ramalho, L., Rosenberg, H., Yom, S., Drill, E., Riedel, E., Tsai, C., Lee, N., Huryn, J. and Estilo, C., 2016. Objective assessment of trismus in oral and oropharyngeal cancer patients treated with intensity-modulated radiation therapy (IMRT). *Journal of Cranio-Maxillofacial Surgery*, 44(9), pp.1408-1413.

Pan X, Zhu X., 2012. Role of chemotherapy in stage IIb nasopharyngeal carcinoma. *Chinese Journal of Cancer*, 31(12), pp.573-578.

Pastor, M., Lopez Pousa, A., del Barco, E., Perez Segura, P., Astorga, B., Castelo, B., Bonfill, T., Martinez Trufero, J., Grau, J. and Mesia, R., 2017. SEOM clinical guideline in nasopharynx cancer (2017). *Clinical and Translational Oncology*, 20(1), pp.84-88.

Pauli, N., Johnson, J., Finizia, C. and Andréll, P., 2012. The incidence of trismus and long-term impact on health-related quality of life in patients with head and neck cancer. *Acta Oncologica*, 52(6), pp.1137-1145.

Pramanik, R., Osailan, S., Challacombe, S., Urquhart, D. and Proctor, G., 2010. Protein and mucin retention on oral mucosal surfaces in dry mouth patients. *European Journal of Oral Sciences*, 118(3), pp.245-253.

Rapidis, A., Dijkstra, P., Roodenburg, J., Rodrigo, J., Rinaldo, A., Strojan, P., Takes, R. and Ferlito, A., 2015. Trismus in patients with head and neck cancer: etiopathogenesis, diagnosis and management. *Clinical Otolaryngology*, 40(6), pp.516-526.

Rathod S, Gupta T, Ghosh-Laskar S, Murthy V, Budrukkar A, Agarwal J., 2013. Quality-of-life (QOL) outcomes in patients with head and neck squamous cell carcinoma (HNSCC) treated with intensity-modulated radiation therapy (IMRT) compared to three-dimensional conformal radiotherapy (3D-CRT): Evidence from a prospective randomized study. *Oral Oncology*, 49(6), pp.634-642.

Schindler, A., Denaro, N., Russi, E., Pizzorni, N., Bossi, P., Merlotti, A., Spadola Bisselli, M., Numico, G., Gava, A., Orlandi, E., Caspiani, O., Buglione, M., Alterio, D., Bacigalupo, A., De Sanctis, V., Pavanato, G., Ripamonti, C.,



- Merlano, M., Licitra, L., Sanguineti, G., Langendijk, J. and Murphy, B., 2015. Dysphagia in head and neck cancer patients treated with radiotherapy and systemic therapies: Literature review and consensus. *Critical Reviews in Oncology/Hematology*, 96(2), pp.372-384.
- Steiner, F., Evans, J., Marsh, R., Rigby, P., James, S., Sutherland, K., Wickens, R., Nedev, N., Kelly, B. and Tan, S., 2015. Mouth opening and trismus in patients undergoing curative treatment for head and neck cancer. *International Journal of Oral and Maxillofacial Surgery*, 44(3), pp.292-296.
- Strojan P, Hutcheson K, Eisbruch A, Beitler J, Langendijk J, Lee A et al., 2017. Treatment of late sequelae after radiotherapy for head and neck cancer. *Cancer Treatment Reviews*, 59, pp.79-92.
- Su W, Hildesheim A, Chang Y. Human Leukocyte Antigens and Epstein–Barr Virus-Associated Nasopharyngeal Carcinoma: Old Associations Offer New Clues into the Role of Immunity in Infection-Associated Cancers. *Frontiers in Oncology*. 2013;3.
- Sumitsawan Y, Chaiyasate S, Chitapanarux I, Anansuthiwara M, Roongrotwattanasiri K, Vaseenon V et al., 2009. Late complications of radiotherapy for nasopharyngeal carcinoma. *Auris Nasus Larynx.*, 36(2), pp.205-209.
- Taylor, A., 2004. Intensity-modulated radiotherapy - what is it?. *Cancer Imaging*, 4(2), pp.68-73.
- Teo, P., Ma, B. and Chan, A., 2004. Radiotherapy for nasopharyngeal carcinoma—transition from two-dimensional to three-dimensional methods. *Radiotherapy and Oncology*, 73(2), pp.163-172.
- Thomson, W., van der Putten, G., de Baat, C., Ikebe, K., Matsuda, K., Enoki, K., Hopcraft, M. and Ling, G., 2011. Shortening the Xerostomia Inventory. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*, 112(3), pp.322-327.
- Thomson WM, Chalmers JM, Spencer AJ, Williams SM., 1999. The Xerostomia Inventory: a multi-item approach to measuring dry mouth. *Community Dent Health*, 16(1), pp.12-17.
- Toya, R., Murakami, R., Saito, T., Murakami, D., Matsuyama, T., Baba, Y., Nishimura, R., Hirai, T., Semba, A., Yumoto, E., Yamashita, Y. and Oya, N., 2016. Radiation therapy for nasopharyngeal carcinoma: the predictive value of interim survival assessment. *Journal of Radiation Research*, 57(5), pp.541-547.



- Tribius, S. and Bergelt, C., 2011. Intensity-modulated radiotherapy versus conventional and 3D conformal radiotherapy in patients with head and neck cancer: Is there a worthwhile quality of life gain?. *Cancer Treatment Reviews*, 37(7), pp.511-519.
- Tsao S, Tsang C, Lo K., 2017. Epstein–Barr virus infection and nasopharyngeal carcinoma. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 372(1732):20160270.
- Van der Molen, L., Heemsbergen, W., de Jong, R., van Rossum, M., Smeele, L., Rasch, C. and Hilgers, F., 2013. Dysphagia and trismus after concomitant chemo-Intensity-Modulated Radiation Therapy (chemo-IMRT) in advanced head and neck cancer; dose–effect relationships for swallowing and mastication structures. *Radiotherapy and Oncology*, 106(3), pp.364-369.
- Villa, A., Connell, C. and Abati, S., 2014. Diagnosis and management of xerostomia and hyposalivation. *Therapeutics and Clinical Risk Management*, p.45.
- Wang, J., Wang, H. and Qian, H., 2018. Biological effects of radiation on cancer cells. *Military Medical Research*, 5(1).
- Wang K., 2017. Nasopharyngeal Carcinoma Diagnostic Challenge in a Nonendemic Setting: Our Experience with 101 Patients. *The Permanente Journal*, 21, pp.16-180.
- Wang, R., Wu, F., Lu, H., Wei, B., Feng, G., Li, G., Liu, M., Yan, H., Zhu, J., Zhang, Y. and Hu, K., 2012. Definitive intensity-modulated radiation therapy for nasopharyngeal carcinoma: long-term outcome of a multicenter prospective study. *Journal of Cancer Research and Clinical Oncology*, 139(1), pp.139-145.
- Wu L, Li C, Pan L., 2018. Nasopharyngeal carcinoma: A review of current updates. *Experimental and Therapeutic Medicine*, 15(4), pp.3687–3692.
- Wu, V. and Lam, Y., 2015. Radiation- induced temporo- mandibular joint disorder in post- radiotherapy nasopharyngeal carcinoma patients: assessment and treatment. *Journal of Medical Radiation Sciences*, 63(2), pp.124-132.
- Wu, V., Ying, M., Kwong, D., Khong, P., Wong, G. and Tam, S., 2020. A Longitudinal Study on Radiation Induced Xerostomia in Radiotherapy of Nasopharyngeal Carcinoma Patients. *Journal of Cancer Science and Therapy*, 12(6).
- Yu M, Yuan J., 2002. Epidemiology of nasopharyngeal carcinoma. *Seminars in Cancer Biology*, 12(6), pp.421-429.