

DAFTAR PUSTAKA

- Abena, P.M., Decloedt, E.H., Bottieau, E., Suleman, F., Adejumo, P., Agudu, N.A.S., Tamfum, J.J.M., Seydi, M., Eholie, S.P., Mills, E.J., Kallay, O., Zumla, A., and Nachega, J.B., 2020, Chloroquine and Hydroxychloroquine for the Prevention or Treatment of COVID-19 in Africa: Caution for Inappropriate Off-label Use in Healthcare Settings, *Am. J. Trop. Med. Hyg.*, 102(6), 1184-1188.
- Abraham, M.J., Murtola, T., Schulz, R., Páll, S., Smith, J.C., Hess B., and Lindahl, E., 2015, "GROMACS: High Performance Molecular Simulations Through Multi-Level Parallelism from Laptops to Supercomputers," *SoftwareX*, 1-2, 19–25.
- Anand, P., Kunnumakkara, A.B., Newman, A.B., and Aggarwal, B.B., 2007, Bioavailability of Curcumin: Problems and Promises, *Mol Pharm.*, 4(6), 807-818.
- Andi, B., Kumaran, D., Kreitler, D.F., Soares, A.S., Shi, W., Jakoncic, J., Fuchs, M.R., Keereetawee, J., Shanklin, J., Mc Sweeney, S., 2020, Crystal Structure of SARS-CoV-2 Main Protease (3CL_{pro}/M_{pro}) in Complex with Covalent Inhibitor Narlaprevir [To be published].
- Anonim, 2020, *Origin of SARS-CoV-2*, World Health Organization.
- Anonim, 2021, *Coronavirus (COVID-19) Dashboard*, World Health Organization.
- Armunanto, R., Schwenk, C.F., Tran, H.T., and Rode, B.M., 2004, Structure and Dynamics of Au⁺ Ion in Aqueous Solution: Ab Initio QM/MM MD Simulations, *J. Am. Chem. Soc.*, 126, 2582-2587.
- Astuti, E., Raharjo, T.R., Manalu, P.B., Putra, I.S., Waskitha, S.S., and Solin. J., 2021, Synthesis, Molecular Docking, and Evaluation of Some New Curcumin Analogs as Antimalarial Agents, *Indones. J. Chem.*, 452-461.
- Biovia, D.S., 2020, *Discovery studio 2021*, Dassault Systemes, San Diego.
- Boangmanalu, P.M., 2020, Sintesis Beberapa Senyawa Analog Kurkumin Sebagai Senyawa Antimalaria Terhadap Plasmodium Falciparum dan Penambatan Molekuler Terhadap Protein PfAPT6, *Skripsi*, Program Studi Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.
- Britannica, T. Editors of Encyclopedia., 2021, Coronavirus, *Encyclopedia Britannica*. <https://www.britannica.com/science/coronavirus-virus-group>.

- Budimarwanti, C. and Handayani, S., 2010, Efektivitas Katalis Asam Basa pada Sintesis 2-Hidroksikalkon, Senyawa yang Berpotensi sebagai Zat Warna, *Semin. Nas. Kim.*, 30 Oktober 2010, Yogyakarta.
- Cas, M.D., and Ghidoni, R., 2019, Dietary Curcumin: Correlation Between Bioavailability and Health Potential, *Nutrients*, 11, 2147.
- Chen, Y., 2015, Beware of docking!, *Trends Pharmacol. Sci.*, 36, 78-95.
- Chiou, W.C., Chen, J.C., Chen, Y.T., Yang, J.M., Hwang, L.H., Lyu Y.S., Yang, H.Y., dan Huang C., 2021, The Inhibitory Effect of PGG and EGCG Against The SARS-CoV-2 3C-Like Protease, *Biochem.Biophys.Res.Commun.*, 106 (12), 1-7.
- Devaux, C.A., Rolain, J.M., Colson, P., and Raoult, D., 2020, New Insights on The Antiviral Effects of Chloroquine Against Coronavirus: What to Expect for COVID-19?, *Int. J. Antimicrob. Agents.*, 105938.
- Durrant, J.D, dan McCammon, J.A., 2011, Molecular Dynamics Simulation and Drug Discovery, *BMC Biol.*, 1(9), 1-9.
- Erwin, J.J., and Shoichet, B.K., 2016, Docking Screens for Novel Ligands Conferring New Biology, *J. Med. Chem.*, 59, 4103-4120.
- Fessenden, R.J., dan Fessenden, J.S., 1986, *Kimia Organik Jilid 2*, Erlangga, Jakarta.
- Frenkel, D., and Smit, B., 2002, Understanding Molecular Simulation, *Underst. Mol. Simul.*, 638.
- Frimayanti, N., Zamri, A., Eryanti, Y., Herfindo, N., and Azteria, V., 2021, Docking and Molecular Dynamic Simulations Study to Search Curcumin Analogue Compounds as Potential Inhibitor Against SARS-CoV-2: A Computational Approach. *J. Kim. Sains Apl.*, 24(3), 85-90.
- Frisch, M.J., Trucks, G.W., Schlegel, H.B., Scuseria, G.E., Robb, M.A., Cheeseman, J.R., Scalmani, G., Barone, V., Mennucci B., Petersson, G.A., Nakatsuji, H., Caricato, M., Li, X., Hratchian, H.P., Izmaylov, A.F., Bloino, J., Zheng G., Sonneberg, J.L., Hada, M., Ehara, M., Toyota, K., Fukuda, R., Hasegawa, J., Ishida, M., Nakajima, T., Honda, Y., Kitao, O., Nakai, H., Vreven, T., Montgomery Jr., J.A., Peralta, J.E., Ogliaro, F., Bearpark M., Heyd, J.J., Brothers E., Kudin, K.N., Staroverov, V.N., Kobayashi, R., Normand, J., Raghavachari, K., Rendell, A., Burant, J.C., Iyengar, S.S., Tomasi, J., Cossi, M., Rega N., Millam, J.M., Klene, M., Knox, J.E., Cross, J.B., Bakken, V., Adamo, C., Jaramillo, J., Gomperts, R., Sratmann, R.E., Yazyev, O., Austin, A.J., Cammi, R., Pomelli, C., Ochterski, J.W.,

- Salvador, P., Danneberg, J.J., Dapprich, S., Daniels, A.D., Farkas, Ö., Foresman, J.B., Ortiz, J.V., Cioslowski, J., and Fox, D.J., 2009, Gaussian 09 Revision D.01.
- Gómez-jeria, J.S., Robles-navarro, A., Kpotin, G.A., and Gatica-díaz, N., 2020, Some Remarks About The Relationships Between The Common Skeleton Concept Within The Klopman-Peradejordi-Gómez QSAR Method and The Weak Molecule-site Interactions, *Chem. Res. J.*, 5, 32-52.
- Hall Jr., D.C., dan Ji, H.F., 2020, A Search for Medication to Treat COVID-19 Via In silico Molecular Docking Models of the SARS-CoV-2 Spike Glycoprotein and 3CL Protease, *Travel Med.Infect.Dis.*, 35, 101646.
- Hospital, A., Goni, J.R., Orozco, M., dan Gelpi, J.L., 2015, Molecular Dynamics Simulations: Advances and Applications, *AABC*, 8, 37-47.
- Horvarth, D., Marcou, G., and Varnek, A., 2019, Generative Topographic Mapping of the Docking Conformational Space, *Molecules*, 24(2260), 1-22.
- Huang, C., Wang, Y., Li X., Ren, L., Zhao, J., Hu, Y., Zhang, L., Fan, G., Xu, J., Gu, X., Cheng, Z., Yu, T., Xia, J., Wei, Y., Wu, W., Xie, X., Yin, W., Li, H., Liu, M., Xiao, Y., Gao, H., Guo, L., Xie, J., Wang, G., Jiang, R., Gao, Z., Jin, Q., Wang, J., and Cao, B., 2020, Clinical Features of Patients Infected with 2019 Novel Coronavirus in Wuhan, China, *The Lancet.*, 395, 497-506.
- Humphrey, M.C., Dalke, A., dan Schulten, K., 1996, VMD: Visual Molecular Dynamics, *J. Mol. Graph*, 33–38.
- Jena, A.B., Kanungo, N., Nayak, V., Chainy, G.B.N., and Dandapat, J., 2021, Catechin And Curcumin Interact with S Protein of SARS-CoV2 and ACE 2 of Human Cell Membrane: Insights from Computational Study, *Research Square*, 11, 2043
- Joselevich, E., 2004, Electronic Structure Structure and Chemical Reactivity of Carbon Nanotubes: A Chemist's View, *ChemPhysChem*, 5, 619-624.
- Karmalawy, A.A., Dahab, M.A., Metwaly, A.M., Elhady, S.S., Elkaeed, E.B., Eissa, I.H., and Darwish, K.M., 2021, Molecular Docking and Dynamics Simulation Revealed the Potential Inhibitory Activity of ACEIs Against SARS-Cov-2 Targeting the hACE2 Reseptor, *Front. Chem.*, 9, 661230.
- Karplus, M., and McCammon, J.A., 2002, Molecular Dynamics Simulations of Biomolecules, *Nat. Struct. Biol*, 9(9), 646-652.
- Kaysser, L., 2019, Built to bind : biosynthetic strategies for the formation of small molecule protease inhibitors, *Nat.Prod.Rep*, 12(36), 1654-1686.

- Khalid, A., 2013, Design and Molecular Docking of Antioxidant Lead Compound and its Analogues Acting as Human Tyrosine Kinase Inhibitors, *IOSR J. Pharm. Biol. Sci.*, 5, 75-80.
- Kim, Y.J., Lee, H.J., and Shin, Y., 2013, Optimization and Validation of High-Performance Liquid Chromatography Method for Individual Curcuminoids in Turmeric by Heat-Refluxed Extraction, *J. Agric. Food. Chem.*, 61, 10911-10918.
- Kitchen, D., Decornez, H., Furr, J., and Bajorath, J., 2004, Docking and Scoring in Virtual Screening for Drug Discovery: Method and Application, *Nat. Rev.*, 4, 935-949.
- Kumar, A., Roy, S., Tripathi, S., and Sharma, A., 2016, Molecular Docking Based Virtual Screening of Natural Compounds as Potential BACE1 Inhibitors: 3D QSAR Pharmacophore Mapping and Molecular Dynamics Analysis, *J. Biomol. Struct. Dyn.*, 34, 239-249.
- Leach, A.R., Shoichet, B.K., and Peishoff, C.E., 2006, Prediction of Protein Ligand Interactions Docking and Scoring: Successes and Gaps, *J. Med. Chem.*, 49(20), 5851-5855.
- Lehn, J.M., 2009, Towards Complex Matter: Supramolecular Chemistry and Self-organization, *Eur. Rev.*, 17, 263-280.
- Leidner, F., Kurt Yilmaz, N., Paulsen, J., Muller, Y.A., and Schiffer, C.A., 2018, Hydration Structure and Dynamics of Inhibitor-Bound HIV-1 Protease, *J. Chem. Theory Comput.*, 14, 2784-2796.
- Liu, J., Cao, R., Xu, M., Wang, X., Zhang, H., Hu, H., Li, Y., Hu, Z., Zhong, W., and Wang, M., 2020, Hydroxychloroquine, a Less Toxic Derivative of Chloroquine, is Effective in Inhibiting SARS-CoV-2 Infection In vitro. *Cell. Discov.*, 1-4.
- Liu, J., and Thiel, W., 2018, An Efficient Implementation of Semiempirical Quantum-chemical Orthogonalization-corrected Methods for Excited-state Dynamics", *J. Chem. Phys.* 148, 154103.
- Maffucci, I. and Contini, A., 2013, Explicit Ligand Hydration Shells Improve The Correlation Between MM-PB/GBSA Binding Energies and Experimental Activities, *J. Chem. Theory Comput.*, 9, 2706-2717.
- Manohar, S., Khan, S.I., Kandi, S.K., Raj, K., Sun, G., Yang, X., Molina, A.D.C., Ni, N., Wang, B., Rawat, D.S., 2013 Synthesis, Antimalarial Activity and Cytotoxic Potential of New Monocarbonyl Analogs of Curcumin, *Bioorg. Med. Chem. Lett.*, 23, 112-116.

- Maragakis, P., Lindorff-Larsen, K., Eastwood, M.P., Dror, R.O., Klepeis, J.L., Arkin, I.T., Jensen, M.Ø., Xu, H., Trbovic, N., Friesner, R.A., Palmer, A.G., and Shaw, D.E., 2008, Microsecond Molecular Dynamics Simulation Shows Effect of Slow Loop Dynamics on Backbone Amide Order Parameters of Proteins †, *J. Phys. Chem. B*, 112, 6155-6158.
- Mathew, D., and Hsu, W.L., 2018, Antiviral Potential of Curcumin, *J. Funct. Foods.*, 40, 692-699.
- Medina, J.S., Prosmiati, R., Villarreal, P., Delgado-barrio, G., Winter, G., Gonzáles, B., and Alemán, J. V., 2011, Molecular Dynamics Simulations of Rigid and Flexible Water Models: Temperature Dependence of Viscosity, *Chem. Phys.*, 388, 9-18.
- Mena-Ulecia, K., Tiznado, W., and Caballero, J., 2015, Study of the Differential Activity of Thrombin Inhibitors Using Docking, QSAR, Molecular Dynamics, and MM-GBSA, *PLoS One.*, 10(11), e0142774.
- Meng, L., Feng, K., dan Ren, Y., 2018, Molecular Modelling Studies of Tricyclic Triazinone Analogues as Potential PK C- θ Inhibitors Through Combined QSAR, Molecular Docking and Molecular Dynamics Simulation Techniques, *J. Taiwan Inst. Chem. Eng.*, 91, 155-175.
- Mishra, D., Maurya, R.R., Kumar, K., Munjal, N.S., Bahadur, V., Sharma, S., Singh, P., Bahadur, I., 2021, Structurally Modified Compounds of Hydroxychloroquine, Remdesivir and Tetrahydrocannabinol Against Main Protease of SARS-CoV-2, a Possible Hope for COVID-19: Docking and Molecular Dynamics Simulation Studies, *J. Mol. Liq.*, 335.
- Mladenović, M., Matic, S., Stanić, S., Solujić, S., Mihailovic, V., Tomasevic, N., Katanić S., and Jelena, 2013, Combining Molecular Docking and 3-D Pharmacophore Generation to Enclose The In vivo Antigenotoxic Activity of Naturally Occurring Aromatic Compounds: Myricetin, quercetin, rutin, and rosmarinic acid. *Biochem. Pharmacol.* 86.
- Mohanasundaram, N., and Sekhar, T., 2018, Computational Studies of Molecular Targets Regarding The Adverse Effects Of Isoniazid Drug for Tuberculosis, *Curr. Pharmacogenomics. Person. Med.*, 16, 210-218.
- Narkhede RR, Cheke RS, Ambore JP, Shinde SD. The Molecular Docking Study of Potential Drug Candidates Showing Anti-COVID-19 Activity by Exploring of Therapeutic Targets of SARS-CoV-2. *Eurasian. J. Med. Oncol.*, 2020;4:185-195.

- Naqvi, A., Fatima, K., Mohammad, T., Fatima, U., Singh, I.K., Singh, A., Atif, S.M., Hariprasad, G., Hasan, G.M., and Hassan, M.I., 2020, Insights Into SARS-CoV-2 Genome, Structure, Evolution, Pathogenesis and Therapies: Structural Genomics Approach. *Biochim. Biophys. Acta-Mol. Basis Dis.*, 1866(10), 165878.
- Ou, J.L., Mizushina, Y., Wang, S.Y., Chuang, D.Y., Nadar, M., and Hsu, W.L., 2013, Structure-activity Relationship Analysis of Curcumin Analogues on Anti-influenza Virus Activity, *FEBS J.*, 280, 5829–5840.
- Ou, X., Liu, Y., Lei, X., Li, P., Mi, D., Ren, L., Guo, Li, Guo, R., Chen, T., Hu, J., Xiang, Z., Mu, Z., Chen, X., Chen, J., Hu, K., Jin, Q., Wang, J., and Qian, Z., 2020, Characterization of Spike Glycoprotein of SARS-CoV-2 on Virus Entry and Its Immune Cross-reactivity with SARS-CoV, *Nat. Commun.*, 11, 1620.
- Patel, C., Pande, S., and Acharya, S., 2020, Potentiation of Anti-Alzheimer Activity of Curcumin by Probiotic *Lactobacillus Rhamnosus* UBLR-58 Against Scopolamine-induced Memory Impairment in Mice, *Naunyn-Schmiedeb. Arch. Pharmacol.*, 393(10), 1955–1962.
- Peele, K.A., Chandrasai, P., Srihansa, T., Krupanidhi, S., Sai, A.V., Babu, D.J., 2020, Molecular Docking and Dynamic Simulations for Antiviral Compounds Against SARS-CoV-2: a Computational Study. *Inform. Med. Unlocked*, 19:100345.
- Pinzi, L., and Rastelli, G., 2019, Molecular Docking: Shifting Paradigms in Drug Discovery, *Int. J. Mol. Sci.*, 20, 4331.
- Pushpakumari, K.N., Varghese, N., and Kottol, K., 2015, Enhancing The Absorption of Curcuminoids from Formulated Turmeric Extracts, *Int. J. Pharm. Sci. Res.*, 6, 2468–2476.
- Rai, H., Barik, A., Singh, Y.P., Suresh, A., Singh, L., Singh, G., Nayak, U.Y., Dubey, V.K., & Modi, G., 2021, Molecular Docking, Binding Mode Analysis, Molecular Dynamics, and Prediction of ADMET/toxicity Properties of Selective Potential Antiviral Agents Against SARS-CoV-2 Main Protease: an Effort Toward Drug Repurposing to Combat COVID-19. *Mol. Divers*, 25(3), 1905–1927.
- Rajagopalan, R., Sridharana, S., Menon, V.P., 2010, Hepatoprotective role of Bis-demethoxy Curcumin Analog on The Expression of Matrix Metalloproteinase Induced by Alcohol and Polyunsaturated fatty acid in rats. *Toxicol. Mech.*

- Ren, Z., Yan, L., Zhang, N., Guo, Y., Yang, C., Lou, Z., dan Rao, Z., 2013, The Newly Emerged SARS-Like Coronavirus HCoV-EMC Also Has an “Achilles’ heel”: Current Effective Inhibitor Targeting a 3C-Like Protease, *Protein Cell.*, 4(4), 248-250.
- Salentin, S., Haupt, V.J., Daminelli, S., and Schroeder, M., 2014, Polypharmacology Rescored: Protein-Ligand Interaction Profiles for Remote Binding Site Similarity Assessment, *Prog. Biophys. Mol. Biol.*, 116, 174-186.
- Savarino, A., Boelaert, J.R., Cassone, A., Majori, G., and Cauda, R., 2003, Effects of Chloroquine on Viral Infections: an Old Drug Against Today's Diseases?, *The Lancet.*, 722-727.
- Schmid, N., Eichenberger, A., Choutko, A., Riniker, S., Winger, M., Mark, A., and van Gunsteren, W., 2011, Definition and Testing of The GROMOS Force-field Versions 54A7 and 54B7, *Eur. Biophys.*, 40(7), 843–856.
- Schrödinger, L., and DeLano, W., 2020, *PyMOL*. Retrieved from <http://www.pymol.org/pymol>
- Sridhar, G., Rao, P.V.N., Kaladhar, D.S.V.G.K., Tatavarthi, U.D., and Kumar, S.V., 2012, In silico Docking of HNF-1a Receptor Ligands, *Adv. Bioinformatics.*, 705435, 1-5.
- Syahri, J., 2017, Desain dan Sintesis Senyawa Antimalaria dari Turunan Kalkon, *Disertasi*, Jurusan Kimia Fakultas Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Tripathi, A., and Bankaitis, V.A., 2017, Molecular docking: from Lock and Key to Combination Lock, *J. Mol. Med. Clin. Appl.*, 2(1), 10.
- Trott, O., and Olson, A.J., 2010, AutoDock Vina: Improving the Speed and Accuracy of Docking with a New Scoring Function, Efficient Optimization and Multithreading, *J. Comput. Chem.*, 31(2), 455-461.
- Uniyal, A., Mahapatra, M.K, Tiwari, V., Sandhir, R., Kumar, R., 2020, Targeting SARS-CoV-2 Main Protease: Structure Based Virtual Screening, In silico ADMET Studies and Molecular Dynamics Simulation for Identification of Potential Inhibitors. *J. Biomol. Struct. Dyn.*, 7(8):1–17.
- Vijayakumar, S., Manogar, P., Prabhu, S., dan Sanjeevkumar, R.A.S., 2018, Novel Ligand-Based Docking; Molecular Dynamic Simulations; and Absorption, Distribution, Metabolism, and Excretion Approach to Analyzing Potential Acetylcholinesterase Inhibitors for Alzheimer’s Disease, *J. Pharm. Anal.*, 8, 413–420. 0063.

- Wang, T., Wu, M., and Chen, Z., 2014, Fragment-Based Drug Discovery and Molecular Docking in Drug Design, *Curr. Pharm. Biotechnol.*, 15, 1-15.
- Wang, X., Ge, H., Yuan, X., Xiao, G., Wang, C., Deng, T., Yuan, Q., and Xiao, X., 2020, The Epidemiology and Clinical Information About COVID-19, *Eur. J. Clin. Microbiol. Infect.*, Dis, 1-9.
- Wen, C.C., Kuo, Y.H., Jan, J.T., Liang, P.H., Wang, S.Y., Liu, H.G., Lee, C.K., Chang, S.T., Kuo, C.J., Lee, S.S., Hou, C.C., Hsiao, P.W., Chien, S.C., Shyur, L.F., and Yang, N.S., 2007, Specific Plant Terpenoids and Lignoids Possess Potent Antiviral Activities Against Severe Acute Respiratory Syndrome Coronavirus, *J. Med. Chem.*, 50, 4087-4095.
- Wong, G., Bi, Y.B., Wang, Q.H., Chen, X.W., Zhang, Z.G., and Yao, Y.G., 2020, Zoonotic Origins of Human Coronavirus 2019 (HCoV-19/SARSCoV-2): Why is This Work Important?, *Zool. Res.*, 41; 213–219.
- Wu Y.C., Chen C.S., and Chan Y.J., 2020, The Outbreak of COVID-19, *J. Chin. Med Assoc.*, 83, 217-220.
- Yao, X., Ye, F., Zhang, M., Cui, C., Huang, B., Niu, P., Liu, X., Zhao, Li., Dong, E., Song, C., Zhan, S., Lu, R., Li, H., Tan, W., and Liu, D., 2020, In vitro Antiviral Activity and Projection of Optimized Dosing Design of Hydroxychloroquine for The Treatment of Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2), *Clin. Infect. Dis.*, 71(15),732-739.
- Yu, R., Chen, L., Lan, R., Shen, R., dan Li, P., 2020, Computational Screening of Antagonists Against The SARS-CoV-2 (COVID-19) Coronavirus by Molecular Docking, *Int.J.Anticrib.Agents.*, 2 (56), 106012.
- Zhang, L., Lin, D., Sun, X., Curth, U., Drosten, C., Sauerhing, L., Becker, S., Rox, K., and Hilgenfeld, R., 2020, Crystal Structure of SARS-CoV-2 Main Protease Provides a Basis for Design of Improved A-Ketoamide Inhibitors, *Science.*, 368, 409-412.