DAFTAR PUSTAKA

Abulafia, A., Barrett, G., Rotenberg, M., Kleinmann, G., Levy, A., Reitblat, O., Koch, D., Wang, L. and Assia, E. (2015). Intraocular lens power calculation for eyes with an axial length greater than 26.0 mm: Comparison of formulas and methods. *J Cataract Refrac Surg*, 41(3), pp.548-556.

Addo , E. & Oluyemisi, A. (2016). Anatomy of the Eye and Common Disease Affecting The Eye. *Springer International Publishing AG*.

Ahmed, I., Cionni, R., Kranemann, C. and Crandall, A. (2005). Optimal timing of capsular tension ring implantation: Miyake-Apple video analysis. *J Cataract Refrac Surg*, 31(9), pp.1809-1813.

American Academy of Ophthalmology. Glaucoma: Anterior segment optical coherence tomography (AS OCT) for glaucoma. Practicing Ophthalmologists Learning System, 2017 - 2019 San Francisco: *AAO*, 2017.

Applegate, R. & Howland, H.C. (1993). Magnification and Visual Acuity in Refractive Surgery. *Arch Ophthalmol*, 111(10), pp.1335.

Avetisov, K. S., Bakhchieva, N. A., Avetisov, S. E., Novikov, I. A., Frolova, A. A., Akovantseva, A. A., Efremov, Y. M., Kotova, S. L., & Timashev, P. S.(2020). Biomechanical properties of the lens capsule: A review. J Mech Behav Biomed Mater., 103, 103600.

Bang, S., Edell, E., Yu, Q., Pratzer, K. and Stark, W. (2011). Accuracy of Intraocular Lens Calculations Using the IOLMaster in Eyes with Long Axial Length and a Comparison of Various Formulas. *Ophthalmology*, 118(3), pp.503-506.

Baranwal, V., Kumar, S., Mishra, A. and Dutta, A. (2014). A study to evaluate whether CTR increases refractive unpredictability between predicted and actual IOL position. *Med J. Armed Forces India*, 70(1), pp.36-38.

Bassnett S. (2021). Zinn's zonule. Prog Retin Eye Res., 82, 100902.

Bolger, J.P. "Biometry for Ophthalmologists". October 2018. https://crstodayeurope.com/articles/2017-feb/biometry-for-ophthalmologists

Boomer, J. & Jackson, D. (2006). Effect of the Morcher capsular tension ring on refractive outcome. *J Cataract Refrac Surg*, 32(7), pp.1180-1183.

Bourge, J., Robert, A., Robert, L. and Renard, G. (2007). Zonular fibers, multimolecular composition as related to function (elasticity) and pathology. *Pathol. Biol.*, 55(7), pp.347-359.

Bourne, R., Stevens, G., White, R., Smith, J., Flaxman, S., Price, H., Jonas, J., Keeffe, J., Leasher, J., Naidoo, K., Pesudovs, K., Resnikoff, S. and Taylor, H. (2013). Causes of vision loss worldwide, 1990–2010: a systematic analysis. *The Lancet Global Health*, 1(6), pp.e339-e349.

Bowling, B. (2016). *Kanski's clinical ophthalmology*. New South Wales: Elsevier.
Bradford, C.A. (2004). Basic Ophthalmology. San Francisco: *AAO*.

Burger, J. Kreutzer, T. Alge, C,S., Strauss, R.W., Eibl, B. Haritoglou, C. Neubauer, A.S., Kamping, A. and Priglinger, S.G. (2008). Capsular tension ring–based in vitro capsule opacification model. *J Cataract Refrac Surg*, 34(7), pp. 1167-1172.

Chen, C., Xu, X., Miao, Y., Zheng, G., Sun, Y. and Xu, X. (2015). Accuracy of

Intraocular Lens Power Formulas Involving 148 Eyes with Long Axial Lengths: A Retrospective Chart-Review Study. *J. Ophthalmol*, 2015, pp.1- 7.

Choi, S., Lee, H. J., Cheong, Y., Shin, J. H., Jin, K. H., Park, H. K., & Park, Y. G. (2012). AFM study for morphological characteristics and biomechanical properties of human cataract anterior lens capsules. Scanning, 34(4), 247–256.

Chong, E.W. & Mehta, J.S. (2016). High Myopia and Cataract Surgery. *Curr Opin Ophthalmol*, 27, pp.45-50.

Chua, S. Y. L., et al. (2016). Age of onset of myopia predicts risk of high myopia in later childhood in myopic Singapore children. *Ophthalmic and Physiological Optics, 36(4), 388–394.*

Coombes, A. & Gartry, D. (2003). Cataract Surgery in: Susan Lightman, series editor. Fundamental of Clinical Ophthalmology. London: MBJ

Dahlan, M.S. (2009). Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan. *Edisi ke-2. Jakarta: Salemba Medika.*

Dang, M. & Raj, P. (1989). SRK II formula in the calculation of intraocular lens power. *Br. J. Ophthalmol*, 73(10), pp.823-826.

Devgan, U. "Maximizing Refractive Outcomes in Cataract Patients". October 2018. https://www.ophthalmologymanagement.com/supplements/2007/august- 2007/formula-for-success/formula-for-success.

Devgan, U. "Ocular Surgery News". October 2018. https://healio.com/ophthalmology/cataract-surgery/news/print/ocular-surgery-news/%7B426c5d56-f9a9-41bf-89c5 0bd2e153a02a%7D/pseudoexfoliation-can-create-challenges-in-catarct-surgery

Douglas, R.K. (2002). Myopia. *Br. Med. J.* 324, pp.1195.

Erb-Eigner, K. Hirnschall, N. Hackl, C. Schidmt, C. Asbach, P. Findl, O. (2015). Predicting Lens Diameter: Ocular Biometry With High-Resolution MRI. *Investig. Ophthalmol. Vis. Sci.*, 56(11), p. 6847-6854.

Fang, J.P., Hill, W., Wang, L., Chang, V., and Koch, D.D. (2006). Advanced intraocular lens power calculations. In Kohnen T. & Koch D.D. *J. Cataract Refract. Surg*. (pp. 31-46). Berlin, Heidelberg: Springler

Fesharaki, H., Peyman, A., Rowshandel, M., Peyman, M., and Alizadeh, P. (2012). A comparative study of complications of cataract surgery with phacoemulsification in eyes with high and normal axial length. *Adv. Biomed. Res* 1(2).

Findl, O. (2009). Intraocular Lens Materials and Design. In Colvard, D.M. *Achieving Excellence in Cataract Surgery : A Step-by-Step Approach* (pp. 95-108). Los Angeles.

Findl, O. & Leydolt, C. (2007). Meta-analysis of accommodating intraocular lenses. *J. Cataract. Refrac. Surg*, 33(3), pp.522-527.

Friedman, N.J. & Kaiser, P.K. (2007). *Essentials of Ophthalmology*, Philadelphia, PA: Elsevier.

Gimbel, H.V., Sun, R., and Heston, J.P. (1997). Management of zonular dialysis in phacoemulsification and IOL implantation using the capsular tension ring. *Ophthalmic Surg. Lasers Imaging*, 28(4), pp.273–281.

Haigis, W. (2009). Intraocular lens calculation in extreme myopia. *J. Cataract Refrac. Surg.*, 35(5), pp.906-911.

Hara, T., Sakanishi, K. and Yamada, Y. (1995). Efficacy of Equator Rings in an Experimental Rabbit Study. *Arch Ophthalmol*, 113(8), pp.1060- 1065.

Hashemi, H. Fotouhi, A. Yekta, A. Pakzad, R. Ostadimoghaddam, H. and Khabazkhoob, M. (2017). Global and regional estimates of prevalence of refractive errors: Systematic review and meta-analysis.*J Curr Ophthalmol*, 30(1), pp.3-22.

Hermans, E., Dubbelman, M., van der Heijde, G. and Heethaar, R. (2006). Estimating the external force acting on the human eye lens during accommodation by finite element modelling. *Vis. Res.*, 46(21), pp.3642-3650.

Herranz, R. & Herran, R. (2012) *Ocular surface : Anatomy and Physiology, Disorder and Therapeutic Care.* CRC Press.

Hirnschall, N. & Findl, O. (2015). Intraocular Lens Power Calculation – Still Searching for the Holy Grail. *Eur J Ophthalmol*, 09(01), p.13.

Holden, B., Fricke, T.R., Wilson, D.A., Jong, M., Naidoo, K.S., Sankaridurg, P. *et al.* (in preparation). (2016) Global prevalence of myopia, high myopia, and temporal trends from 2000 to 2050. *Ophthalmology,* 123(5):1036-45

Hugosson M, Ekstrom C. Prevalence and risk factors for age- related cataract in sweden. *Ups. J. Med. Sci.* 2020;125(4);311-315.

Ilyas, S. (2004). *Ilmu penyakit mata,* Edisi ke-3. Jakarta: Balai Penerbit FKUI

Irsch, K. (2009). *Encyclopedia of biometrics*. New York, NY: Springer.

Izatt, J.A., Hee, M.R., Swanson, E.A., *et al*.,(1994). Micrometer-scale resolution imaging of the anterior eye in vivo with optical 10 Journal of Ophthalmology coherence tomography. *Arch Ophthalmol*, 112(12), pp.1584–1589. Jackson, M.A. "CTR Review". October 2018.https://fci-ophthalmics.com/products/morcher-ctrs.

Jacob, S., Agarwal, A., Agarwal, A., Agarwal, S., Patel, N. and Lal, V. (2003). Efficacy of a capsular tension ring for phacoemulsification in eyes with zonular dialysis. *J Cataract Refrac Surg*, 29(2), pp.315- 321.

Jeon, S. & Kim, H. (2011). Clinical Characteristics and Outcomes of Cataract Surgery in Highly Myopic Koreans. *Korean J Ophthalmol*, 25(2), p.84.

Jin, J. (2014). *The Finite Element Method in Electromagnetics*. Edisi ke-3. New Jersey: John Wiley & Sons, Inc.

Kasthurirangan, S., Markwell, E., Atchison, D. and Pope, J. (2008). In Vivo Studyof Changes in Refractive Index Distribution in the Human Crystalline Lenswith Age and Accommodation. *Investig. Ophthalmol. Vis. Sci.*, 49(6), p.2531.

Khaw, P.T., Shah, P., and Elkington, A.R. (2004). *ABC of Eyes.* London: BMJ Publishing Group.

Khurana, A.K. (2007). *Comprehensive Ophthalmology.* New Delhi: New Age International.

Kim, M., Park, K. H., Kim, T. W., & Kim, D. M. (2011). Changes in anterior chamber configuration after cataract surgery as measured by anterior segment optical coherence tomography. *Korean J Ophthalmol*, 25(2), 77– 83.

Kohnen, T. & Koch, D.D. (2005). *Essentials in Ophthalmology: Cataract and*

Refractive Surgery. Berlin: Springer.

Krag, S., & Andreassen, T. T. (2003). Mechanical properties of the human posterior lens capsule. *Investig. Ophthalmol. Vis. Sci.*, *44*(2), 691–696.

Kurz, S. and Dick, B. (2004). Spring Constant of Capsular Tension Ring.. *J. Cataract Refrac. Surg.*, 30(9), pp.1993-1997.

Kurz, S. Krummenauer, F. Hacker, P. Pfeiffer, N. and Dick, H.B. (2005). Capsular bag shrinkage after implantation of a capsular bending or capsular tension ring. *J. Cataract Refract. Surg.*, 10,pp.1915-20

Lang, G. (2006). *Ophtahlmology, A Pocket Textbook Atlas*, 2nd Edition, Stuttgart: Thieme.

Lanzetta, P., Chiodini, R.G., Polito, A. and Bandello, F. (2002). Use of Capsular Tension Ring in Phacoemulsification : Indications and Technique. *Indian J. Ophthalmol.*, 50, pp.333-337.

Lee, A.C., Qazi, M.A., and Pepose, J.S. (2008). Biometry and intraocular lens power calculation. *Curr. Opin. Ophthalmol.*, 19, pp.13-17.

Lege, B.A. & Haigis, W. (2004). Laser interference biometry versus ultrasound biometry in certain clinical conditions. *Graefe's Archive for Clinical and Experimental Ophthalmology*, 242, pp.8-12.

Levin, L.A. & Albert, D.M. (2010). *Ocular Disease : Mechanisms and Management.* Saunders Elsevier.

Liang, D. & Chen, J. (1997). The incidence of retinal detachment after extracapsular cataract extraction in high myopia. *Yan Ke Xue Bao*,(2):90-2.

Lim, R., Mitchell, P. and Cumming, R. (1999). Refractive associations with cataract: the Blue Mountains Eye Study. *Invest. Ophthalmol. Vis. Sci.*, 40(12), pp.3021-3026.

Lim, S. (2015). Clinical Applications of Anterior Segment Optical Coherence Tomography. *J. Ophthalmol.*

Maceo, H. (2015). Evaluation of the Crystalline Lens Gradient Refractive Index using Laser Ray Tracing and Optical Coherence Tomograph. *Biomed. Eng.*, 136.

Mathias, R., Kistler, J. and Donaldson, P. (2007). The Lens Circulation. *J. Membr. Biol.*, 216(1), pp.1-16.

Menapace, R., Findl, O., Georgopoulos, M., Rainer, G., Vass, C. and Schmetterer, K. (2000). The capsular tension ring: designs, applications, and techniques. *J. Cataract Refrac. Surg*, 26(6), pp.898-912.

Messmer, J.J. (2010). LASIK : A Primer for Family Physicians. *Am. Fam. Physician*, 81(1), pp.42-47

Moore, K., Dalley, A. and Agur, A. (2010). *Clinically oriented anatomy*. Philadelphia, Pa.: Lippincott Williams & Wilkins.

Morris, D., Fraser, S. and Gray, C. (2007). Cataract surgery and quality of life implications. *Clin. Interv. Aging*, 2(1), pp.105-108.

Munoz, G. & Alio, J.L. (2002). Capsular Tension Ring as Adjuvant in Phacoemulsification Surgery. *Dev. Ophthalmol*, 34, pp.106- 118.

Nidek. "Auto Ref/Keratometer ARK-1s/1a/1". October 2018. https://www.nidek-intl.com/product/ophthaloptom/refraction/ref_auto/ark-1s.html

Nishi, O., Nishi, K., Menapace, R. and Akura, J. (2001). Capsular bending ring to

prevent posterior capsule opacification: 2 year follow-up. *J. Cataract Refrac. Surg.*, 27(9), pp.1359-1365.

Niwas, S.I, Lin, W,. Bai, X., Kwih, C.K, Sng, C.C, Aquino, M.C, Chew, P.T.K. (2015). Reliable Feature Selection for Automated Angle Closure Glaucoma Mechanism Detection. *J. Med. Syst.*, 39(21).

Nora, R.L.D. (2008). *Constant SRK/T untuk Pasien Miopia Tinggi Pascaoperasi Fakoemulsifikasi Menggunakan Capsular Tension Ring (CTR*). Jakarta:FKUI

Nora, R.L.D., Hendrotanto, P., Sitorus, R.S., Simangunsong, L., Sjarif, D.R., and Riono, P. (2010). Environmental and Genetic Risk Factors of Myopia in Indonesian Children Population. The Jakarta Urban Eye Health Study.*Invest. Ophthalmol Vis. Sci.*, 51(13), pp.1695.

Olsen, T. (2007). Calculation of intraocular lens power: a review. *Acta Ophthalmol. Scand.*, 85, pp.472–85.

Olsen, T. and Hoffmann, P. (2014). C constant: New concept for ray tracing–assisted intraocular lens power calculation. *J. Cataract Refrac. Surg.*, 40(5), pp.764-773.

Pan, C.W., Boey, P.Y., Cheng, C.Y., Saw, S.M., Tay, W.T., Wang, J.J. Tan, A.G., Mitchell, P. and Wong, T.Y. (2013). Myopia, axial length, and age-related cataract: the Singapore Malay eye study. *Invest. Ophthalmol Vis. Sci.*,2;54(7), pp.4498-502.

Park, H., Lee, H., Kim, D., Kim, E., Seo, K. and Kim, T. (2016). Effect of Co-Implantation of a Capsular Tension Ring on Clinical Outcomes after Cataract Surgery with Monofocal Intraocular Lens Implantation. *Yonsei Med. J.*, 57(5), p.1236.

Pedrigi, R., David, G., Dziezyc, J. and Humphrey, J. (2007). Regional mechanical properties and stress analysis of the human anterior lens capsule. *Vis. Res.*, 47(13), pp.1781-1789.

Praveen, M. R., Vasavada, A. R., Jani, U. D., Trivedi, R. H., & Choudhary, P. K. (2008). Prevalence of Cataract Type in Relation to Axial Length in Subjects with High Myopia and Emmetropia in an Indian Population. *American Journal of Ophthalmology, 145(1), 176–181.e1.*

Ramos, J.L.B., Li, Y., and Huang, D. (2009). Clinical and research applications of anterior segment optical coherence tomography—a review. *Clin. Exp. Optom.*, 37(1), pp.81–89.

Retzlaff, J., Sanders, D. and Kraff, M. (1990). Development of the SRK/T intraocular lens implant power calculation formula. *J. Cataract Refrac. Surg.*, 16(3), pp.333-340.

Roessler, G., Dietlein, T., Plange, N., Roepke, A., Dinslage, S., Walter, P. and Mazinani, B. (2012). Accuracy of intraocular lens power calculation using partial coherence interferometry in patients with high myopia. *Ophthalmic Physiol Opt.*, 32(3), pp.228-233.

Riedel, P.J. & Samuelson, T.W. (2009). Capsular Tension Rings. In Colvard, D.M, *Achieving Excellence in Cataract Surgery : A Step-by-Step Approach* (pp. 115-122). Los Angeles.

Riordan-Eva, P. & Cunningham, E.T. (2011). *Vaughan & Ashbury's General Ophthalmology.* 18th ed., New York: McGraw Hill Lange.

Russell, M., Gaskin, B., Russell, D. and Polkinghorne, P. (2006). Pseudophakic retinal detachment after phacoemulsification cataract surgery. *J. Cataract Refrac. Surg.*, 32(3), pp.442-445.

Saw, S.M, Gazzard, G., Koh, D., Farook, M., Widjaja, D., Lee, J., and Tan, D.T.H. (2002). Prevalence Rates of Refractive Errors in Sumatra, Indonesia. *Invest Ophthalmol Vis Sci*, 43(10), pp.3174-3180.

Schild, AM., Rosentreter, A., Hellmich, M., Lappas, A., Dinslage, S. and Dietlein, T. (2010). Effect of a capsular tension ring on refractive outcomes in eyes with high myopia. *J. Cataract Refrac. Surg.*, 36(12), pp.2087- 2093.

Sheard, R. (2013). Optimising biometry for best outcomes in cataract surgery. *Eye*, 28(2), pp.118-125.

Sheng, H., Bottjer, C.A., and Bullimore, M.A. (2004). Ocular component measurement using the Zeiss IOLMaster. *Optom. Vis. Sci.*, 81,pp.27-34.

Shi, Y. Qu, J. Zhang, D. Zhao, P. Zhang, Q. Tam, P.O.S., Sun, L. Zou, X. Zhou, X. Xiao, X. Hu, J. Li, Y. Cai, L. Liu, X. Lu, F. Liao, S. Chen, B. He, F. Gong, B. Lin, H. Ma, S. Cheng, J. Zhang, J. Chen, Y. Zhao, F. Yang, X. Chen, Y. Yang, C. Lam, D.S.C., Li, X. Shi, F. Wu, Z. Lin, Y. Yang, J. Li, S. Ren, Y. Xue, A. Fan, Y. Li, D. Pang, C.P., Zhang, X. and Yang, Z. (2011).Genetic Variants at 13q12.12 Are Associated with High Myopia in the HanChinese Population. *Am J Hum Genet*, 88(6), pp.805–813.

Saw, S,M., Tan, S.B., Fung, D. Chia, K.S., Koh, D. Tan, D.T.H., and Stone, R.A. (2004). IQ and the Association with Myopia in Children. *Invest. Ophthalmol Vis. Sci.*, 45(9).

Smith, T. (2009). Potential lost productivity resulting from the global burden of uncorrected refractive error. *B. WORLD HEALTH ORGAN.*, 87(6), pp.431-437.

Sun, J. Zhou, J. Zhaou, P. Lian, J. Zhu, H. Zhou, Y. Sun, Y. Wang, Y. Zhao, L. Wei, Y. Wang, L. Cun, B. Ge, S. Fan, X. (2012) High Prevalence of Myopia and High Myopia in 5060 Chinese University Students in Shanghai. *Invest. Ophthalmol Vis. Sci.*, 53,pp. 7504-7509.

Sun, R. & Gimbel, H.V. (1998). In vitro evaluation of the efficacy of the capsular tension ring for managing zonular dialysis in cataract surgery. *Ophthalmic Surg. Lasers Imaging*, 29, pp.502–505.

Suryathi, N.M.A., Jayanegara, W.G., Manuaba I.B.P. (2020). Characteristics retinometry pre and post cataract surgery on senile cataract patients in Sanglah Hospital, Bali-Indonesia. *Intisari Sains Medis*, 11,pp. 1504-1509.

Svetlova, O.V. & Koshitz, I.N. (2001). Modern biomechanical ideas about the Helmholtz theory of accommodation. *In Transactions : Ocular Biomechanics* (ed. E. N. Iomdina & I. N. Koshitz), pp 156-173. Moskow Helmholtz Research Institute for Eye Diseases.

Takimoto, M., Hayashi, K. and Hayashi, H. (2008). Effect of a capsular tension ring on prevention of intraocular lens decentration and tilt and on anterior capsule contraction after cataract surgery. *Jpn. J. Ophthalmol.*, 52(5), pp.363-367.

Tan, A.V., Kifley, A. Tham, Y.C., Shi, Y., Chee, M.L., Sabanayagam, C. Tan, N.Y.Q., Wong, K.H., Mitchell, P., Cumming, R.G., Wong, T.T., Wang, J.J.

and Cheng, C.Y. (2018). Six-Year Incidence of and Risk Factors for Cataract Surgery in a Multi-ethnic Asian Population: The Singapore Epidemiology of Eye Diseases Study. *Ophthalmology*, 125(12), pp.1844- 1853.

Tehrani, M., Dick, H. B., Krummenauer, F., Pfirrmann, G., Boyle, T., & Stoffelns, B. M. (2003). Capsule measuring ring to predict capsular bag diameter and follow its course after foldable intraocular lens implantation. *J. Cataract Refrac. Surg.*, *29*(11), 2127–2134.

Tsai, C., Chang, T., Kuo, L., Chou, P. and Woung, L. (2008). Visual Outcomes and Associated Risk Factors of Cataract Surgeries in Highly MyopicTaiwanese. *Ophthalmologica*, 222(2), pp.130-135.

Tsang, C., Chong, G., Yiu, E. and Ho, C. (2003). Intraocular lens power calculation formulas in Chinese eyes with high axial myopia. *J. Cataract Refrac. Surg.*, 29(7), pp.1358-1364.

Tuft, S., Minassian, D. and Sullivan, P. (2006). Risk Factors for Retinal Detachment after Cataract Surgery. *Ophthalmology*, 113(4), pp.650-656.

Vass, C., Menapace, R., Schmetterer, K., Findl, O., Rainer, G. and Steineck, I. (1999). Prediction of pseudophakic capsular bag diameter based on biometric variables. *J. Cataract Refrac. Surg.*, 25(10), pp.1376-1381.

Wang, H., Zhang, Y., Ding, J., Wang, N. (2013). Changes in the Circadian Rhythm in Patients with Primary Glaucoma. PloS ONE, 8(4)

Wang, J., Hu, C. and Chang, S. (2008). Intraocular lens power calculation using the IOLMaster and various formulas in eyes with long axial length. *J. Cataract Refrac. Surg.*, 34(2), pp.262-267.

Wang, J.K. & Chang, S.W. (2013). Optical biometry intraocular lens power calculation using different formulas in patients with different axial lengths. *Int. J. Ophthalmol.*, 6, pp.150-154.

Wang, K., Venetsanos, D., Wang, J. and Pierscionek, B. (2016). Gradient moduli lens models: how material properties and application of forces can affect deformation and distributions of stress. *Sci. Rep.*, 6(1).

Wang, L., Shirayama, M., Ma, X., Kohnen, T. and Koch, D. (2011). Optimizing intraocular lens power calculations in eyes with axial lengths above 25.0 mm. *J. Cataract Refrac. Surg.*, 37(11), pp.2018-2027.

Weber, C. & Cionni, R. (2015). All about capsular tension rings. *Curr. Opin. Ophthalmol.*, 26(1), pp.10-15.

Weber, M., Hirnschall, N., Rigal, K. and Findl, O. (2015). Effect of a capsular tension ring on axial intraocular lens position. *J. Cataract Refrac. Surg.*, 41(1), pp.122-125.

Wu, L.J. You, Q. S. Duan, J.L. Luo , Y.X. Liu, L.J. Li, X. Gao, Q. Zhu, H.P. He, Y. Xu, L. Jonas, J.B. Wang, W. and Gui, X.H. (2015) Prevalence and Associated Factors of Myopia in High-School Students in Beijing. *PLOSONE 10(3): e0120764. https://doi.org/10.1371/journal.pone.0120764*.

Xu L, Wang YX, Guo Y, You QS, Jonas JB, the Beijing Eye Study Group (2012) Prevalence and Associations of Steep Cornea/Keratoconus in Greater Beijing. The Beijing Eye Study. PLoS ONE 7(7): e39313. https://doi.org/10.1371/journal.pone.0039313

Yang, S. Jiang, H. Nie, K. Feng, L. and Fan, W. (2021). Effect of capsular tension

ring implantation on capsular stability after phacoemulsification in patients with weak zonules: a randomized controlled trial. CTR implantation in cataract patients with weak zonules. *BMC Ophthalmol.*, 21(1),p.12

Younan, C. Mitchell, P. Cumming, R.G. Rochtchina, E. and Wang, J.J. (2002). Myopia and incident cataract and cataract surgery: the blue mountains eye study. *Invest. Ophthalmol. Vis. Sci.*, 43(12), pp.3625-32.

Zaldivar, R., Shultz, M., Davidorf, J. and Holladay, J. (2000). Intraocular lens power calculations in patients with extreme myopia. *J. Cataract Refrac. Surg.*, 26(5), pp.668-674.

Zhang, Y., Liang, X., Liu, S., Lee, J., Bhaskar, S. and Lam, D. (2016). Accuracyof Intraocular Lens Power Calculation Formulas for Highly Myopic Eyes. *J. Ophthalmol.*, 2016, pp.1-7.

Zhao, Y., Li, J., Yang, K., Li, X. and Zhu, S. (2016). Combined Special Capsular Tension Ring and Toric IOL Implantation for Management of Astigmatism and High Axial Myopia with Cataracts. *Semin Ophthalmol.*, 33(3), pp.389-394.

Zhu, X., Zhang, K., He, W., Yang, J., Sun, X., Jiang, C., Dai, J. and Lu, Y. (2016). Proinflammatory status in the aqueous humor of high myopic cataract eyes. *Exp. Eye Res.*, 142, pp.13-18

Ziebart, N.M., Arrieta, E. Feuer, W.J., Moy. V.T., Manss, F. And Parel, J.M. (2011). Primate lens capsule elasticity assessed using Atomic Force Microscopy. *Exp. Eye Res.*, 92(6), pp.490-494.