

## REFERENCES

- Abdullah, M. *et al.* (2012) 'Molecular profile of colorectal cancer in Indonesia: Is there another pathway?', *Gastroenterology and Hepatology from Bed to Bench*, 5(2), pp. 71–78. doi: 10.22037/ghfbb.v5i2.245.
- Agarwal, R., Davis, J. L. and Smith, L. (2008) 'Serum Albumin Is Strongly Associated with Erythropoietin Sensitivity in Hemodialysis Patients', *Clinical Journal of the American Society of Nephrology: CJASN*, 3(1), p. 98. doi: 10.2215/CJN.03330807.
- Akhmaltdinova, L. *et al.* (2021) 'Proinflammatory cytokines and colorectal cancer – the impact of the stage', *Wspolczesna Onkologia*, 24(4), pp. 207–210. doi: 10.5114/wo.2020.102551.
- Anandan, P. K. *et al.* (2017) 'Pre-operative hypoalbuminemia is a major risk factor for anastomotic leak in emergency gastrointestinal resection and anastomosis', 4(4), pp. 1405–1408.
- Bajowa Edozien, G. Y. (2015) 'Sexual Offenses, Adult: Normal Anogenital Anatomy and Variants', *Encyclopedia of Forensic and Legal Medicine: Second Edition*, pp. 286–311. doi: 10.1016/B978-0-12-800034-2.00074-4.
- Baran, B. *et al.* (2018a) 'Difference Between Left-Sided and Right-Sided Colorectal Cancer: A Focused Review of Literature', *Gastroenterology research*, 11(4), pp. 264–273. doi: 10.14740/GR1062W.
- Baran, B. *et al.* (2018b) 'Difference Between Left-Sided and Right-Sided Colorectal Cancer: A Focused Review of Literature', *Gastroenterology Research*, 11(4), pp. 264–273. doi: 10.14740/gr1062w.
- Bekkering, G. E. and Kleijnen, J. (2008) 'Procedures and methods of benefit assessments for medicines in Germany', *European Journal of Health Economics*, 9(SUPPL. 1). doi: 10.1007/s10198-008-0122-5.
- Benny, Y., Aryandono, T. and Susetyowati, S. (2013) 'Hipoalbuminemia praoperasi pasien kanker kolorektal terhadap risiko komplikasi pascaoperasi dan lama rawat inap', *Jurnal Gizi Klinik Indonesia*, 9(4), p. 170. doi: 10.22146/ijcn.18365.
- Bnard, F. *et al.* (2018) 'Systematic review of colorectal cancer screening guidelines for average-risk adults: Summarizing the current global recommendations', *World Journal of Gastroenterology*, 24(1), pp. 124–138. doi: 10.3748/wjg.v24.i1.124.
- Bowen, R. C. *et al.* (2017) 'Neutrophil-to-lymphocyte ratio as prognostic indicator in gastrointestinal cancers: a systematic review and meta-analysis', *Oncotarget*, 8(19), pp. 32171–32189. doi: 10.18632/ONCOTARGET.16291.

- Chen, Z. Y. *et al.* (2015) 'Cytokine profile and prognostic significance of high neutrophil-lymphocyte ratio in colorectal cancer', *British Journal of Cancer*, 112(6), pp. 1088–1097. doi: 10.1038/bjc.2015.61.
- Definition of colon - NCI Dictionary of Cancer Terms - National Cancer Institute* (no date). Available at: <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/colon> (Accessed: 3 January 2022).
- Dekker, E. *et al.* (2019) 'Colorectal cancer', *The Lancet*, 394(10207), pp. 1467–1480. doi: 10.1016/S0140-6736(19)32319-0.
- Engin, O. (2015) *Colon Polyps and the Prevention of Colorectal Cancer, Colon Polyps and the Prevention of Colorectal Cancer*. doi: 10.1007/978-3-319-17993-3.
- Flemer, B. *et al.* (2017) 'Tumour-associated and non-tumour-associated microbiota in colorectal cancer', *Gut*, 66(4), pp. 633–643. doi: 10.1136/gutjnl-2015-309595.
- Forget, P. *et al.* (2017) 'What is the normal value of the neutrophil-to-lymphocyte ratio?', *BMC Research Notes*, 10(1), pp. 1–4. doi: 10.1186/s13104-016-2335-5.
- Geboes, K., Geboes, K. P. and Maleux, G. (2001) 'Vascular anatomy of the gastrointestinal tract', *Best Practice and Research: Clinical Gastroenterology*, 15(1), pp. 1–14. doi: 10.1053/bega.2000.0152.
- Imtiaz, F. *et al.* (2012) 'Neutrophil lymphocyte ratio as a measure of systemic inflammation in prevalent chronic diseases in Asian population', *International Archives of Medicine*, 5(1), p. 2. doi: 10.1186/1755-7682-5-2.
- Jager, K. J. *et al.* (2008) 'Confounding: What it is and how to deal with it', *Kidney International*, 73(3), pp. 256–260. doi: 10.1038/SJ.KI.5002650.
- Johnson, C. M. *et al.* (2013) 'Meta-analyses of Colorectal Cancer Risk Factors', *Cancer Causes Control*, 24(6), pp. 1207–1222. doi: 10.1007/s10552-013-0201-5.
- Keller, U. (2019) 'Nutritional Laboratory Markers in Malnutrition', *Journal of Clinical Medicine*, 8(6), p. 775. doi: 10.3390/jcm8060775.
- Kocarnik, J. M. *et al.* (2017) 'Long-term weight loss after colorectal cancer diagnosis is associated with lower survival: the Colon Cancer Family Registry', *Cancer*, 123(23), p. 4701. doi: 10.1002/CNCR.30932.
- Kostouros, A. *et al.* (2020) 'Large intestine embryogenesis: Molecular pathways and related disorders (Review)', *International Journal of Molecular Medicine*, 46(1), pp. 27–57. doi: 10.3892/ijmm.2020.4583.
- Koveitpour, Z. *et al.* (2019) 'Signaling pathways involved in colorectal cancer

- progression', *Cell and Bioscience*, 9(1), pp. 1–14. doi: 10.1186/s13578-019-0361-4.
- Lee, J. S. *et al.* (2018) 'Reference values of neutrophil-lymphocyte ratio, lymphocyte-monocyte ratio, platelet-lymphocyte ratio, and mean platelet volume in healthy adults in South Korea', *Medicine (United States)*, 97(26), pp. 1–5. doi: 10.1097/MD.00000000000011138.
- Lim, D. R. *et al.* (2017) 'Comparison of oncological outcomes of right-sided colon cancer versus left-sided colon cancer after curative resection', *Medicine (United States)*, 96(42), pp. 1–7. doi: 10.1097/MD.00000000000008241.
- Mandrekar, J. N. (2010) 'Receiver Operating Characteristic Curve in Diagnostic Test Assessment', *Journal of Thoracic Oncology*, 5(9), pp. 1315–1316. doi: 10.1097/JTO.0B013E3181EC173D.
- Mann, M. R. *et al.* (2021) 'The marginal artery of Drummond revisited: A systematic review', *Translational Research in Anatomy*, 24, p. 100118. doi: 10.1016/J.TRIA.2021.100118.
- Marzouk, O. and Schofield, J. (2011) 'Review of Histopathological and Molecular Prognostic Features in Colorectal Cancer', *Cancers*, 3(2), p. 2767. doi: 10.3390/CANCERS3022767.
- Maxwell, S. (2002) 'Tomorrow's Doctors .', 324, pp. 931–932.
- McDevitt, J., Comber, H. and Walsh, P. M. (2017) 'Colorectal cancer incidence and survival by sub-site and stage of diagnosis: a population-based study at the advent of national screening', *Irish Journal of Medical Science*, 186(1), pp. 113–121. doi: 10.1007/S11845-016-1513-8.
- Moman, R. N., Gupta, N. and Varacallo, M. (2021) 'Physiology, Albumin', *StatPearls*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK459198/> (Accessed: 3 January 2022).
- Nazha, B. (2015) 'Hypoalbuminemia in colorectal cancer prognosis: Nutritional marker or inflammatory surrogate?', *World Journal of Gastrointestinal Surgery*, 7(12), p. 370. doi: 10.4240/wjgs.v7.i12.370.
- Pevzner (2017) '乳鼠心肌提取 HHS Public Access', *Physiology & behavior*, 176(3), pp. 139–148. doi: 10.1159/000337673.Influence.
- Rosen, R. D. and Sapra, A. (2021) 'TNM Classification', *StatPearls NCBI*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK553187/> (Accessed: 21 December 2021).
- Shida, D. *et al.* (2020) 'Prognostic impact of primary tumor location in Stage III

colorectal cancer-right-sided colon versus left-sided colon versus rectum: a nationwide multicenter retrospective study', *Journal of gastroenterology*, 55(10), pp. 958–968. doi: 10.1007/S00535-020-01706-7.

Siegel, R. L. *et al.* (2020) 'Colorectal Cancer in the Young: Epidemiology, Prevention, Management', *American Society of Clinical Oncology Educational Book*, (40), pp. e75–e88. doi: 10.1200/edbk\_279901.

Szumilas, M. (2010) 'Information Management for the Busy Practitioner Explaining Odds Ratios', *Sun Life Financial Chair in Adolescent Mental Health*, 19(3). Available at: <http://www.csm-oxford.org.uk/> (Accessed: 14 January 2022).

Venook, A. (2016) 'Colorectal Cancer Survival Linked to Primary Tumor Location', pp. 1–6.

Yang, S. Y., Cho, M. S. and Kim, N. K. (2018) 'Difference between right-sided and left-sided colorectal cancers: from embryology to molecular subtype', *Expert Review of Anticancer Therapy*, 18(4), pp. 351–358. doi: 10.1080/14737140.2018.1442217.

Zahorec, R. (2021) 'Neutrophil-to-lymphocyte ratio, past, present and future perspectives', *Bratislavske lekarske listy*, 122(7), pp. 474–488. doi: 10.4149/BLL\_2021\_078.