

DAFTAR PUSTAKA

- Albert, S. M., Colombi, A., & Hanlon, J. 2010. Potentially inappropriate medications and risk of hospitalization in retirees: analysis of a US retiree health claims database. *Drugs & aging*, 27(5), 407–415
- Alhawassi, T.M., Alatawi, W. & Alwhaibi, M. 2019. Prevalence of potentially inappropriate medications use among older adults and risk factors using the 2015 American Geriatrics Society Beers criteria. *BMC Geriatr* 19, 154-158.
- Alomar, M.J. 2014. Factors affecting the development of adverse drug reactions. *Saudi Pharmaceutical Journal*.22: 83–94.
- American Geriatric Society. 2012. Guiding Principles for the Care of Older Adults with Multimorbidity : An Approach for Clinicians American Geriatrics Society Expert Panel on the Care of Older Adults. *International Journal American Geriatriy Society*.60: 1–26.
- American Geriatrics Society. 2015. Updated beers criteria for potentially inappropriate medication use in older adults. *Journal of the American Geriatrics Society*, 63(11), 2227-2246.
- American Geriatrics Society. 2019. Updated AGS Beers Criteria® for potentially inappropriate medication use in older adults. *Journal of the American Geriatrics Society*, 67(4), 674-694.
- Anisah, D., 2017, Analisis Jumlah Obat dan Lama Rawat Terhadap Potentially Inappropriate Medications (PIMs) Berdasarkan Beers Criteria Pada Pasien Hipertensi Geriatri di RSUD Arifin Achmad Provinsi Riau, Skripsi, Sekolah Tinggi Ilmu Farmasi Riau, Pekanbaru.
- Badan POM RI. 2015. Pusat Informasi Obat Nasional. <http://pionas.pom.go.id/ioni/pedoman-umum>. Diakses tanggal 27 Juni 2020.
- Badan Pusat Statistik. 2019. Statistik Penduduk Lanjut Usia 2019. <https://www.bps.go.id/publication/2019/12/20/ab17e75dbe630e05110ae53b/statistik-penduduk-lanjut-usia-2019.html>. Diakses tanggal 5 Juni 2020
- Badan Pusat Statistik. 2015. Proyeksi Penduduk Kabupaten/Kota Tahun 2010 – 2020 Provinsi Kalimantan Selatan. Jakarta : Badan Pusat Statistik. Hal. 62.
- Bahat G, Bay I, Tufan A, Tufan F, Kilic C, Karan MA. 2017. Prevalence of potentially inappropriate prescribing among older adults: a comparison of the Beers 2012 and screening tool of older Person's prescriptions criteria version 2. *Geriatr Gerontol Int.*;17(9):1245–51.
- Barry, P. J., P. Gallagher, C. Ryan, dan D. O'Mahony. 2007. START (Screening Tool to Alert Doctors to the Right Treatment) - an Evidence-Based Screening Tool to Detect Prescribing Omissions in Elderly Patients. *Age and Ageing*. 36(6): 632– 638.
- Bhavya dan Torgal., 2014, Potentially inappropriate medications in hospitalized elderly patients: a cross sectional study, *Int J Basic Clin Pharmacol*, 3(1): 215-219
- Blozik E, Rapold R, Reich O. 2015. Prescription of potentially inappropriate medication in older persons in switzerland: Does the dispensing channel make a difference? *Risk Manage Health Policy*. 873–880

- Budnitz DS, Lovegrove MC, Shehab N, Richards CL. 2011. Emergency hospitalizations for adverse drug events in older Americans. *N Engl J Med.*;365:2002-2012.
- Cahir C, Fahey T, Teeling M, Teljeur C, Feely J, Bennett K. 2010. Potentially inappropriate prescribing and cost outcomes for older people: a national population study. *Br J Clin Pharmacol*;69(5):543–552.
- Campanelli, C. M. 2012. American Geriatrics Society updated beers criteria for potentially inappropriate medication use in older adults: the American Geriatrics Society 2012 Beers Criteria Update Expert Panel. *Journal of the American Geriatrics Society*, 60(4), 616.
- Charlesworth CJ, Smit E, Lee DS, Alramadhan F, Odden MC. 2015. Polypharmacy among adults aged 65 years and older in the united states: 1988 –2010. *J Gerontol A Biol Sci Med Sci.*;70: 989 –95.
- Corsonello, A., Pranno, L., Garasto, S., Fabietti, P., Bustacchini, S., dan Lattanzio, F., 2009, Potentially Inappropriate Medication in Elderly Hospitalized Patients, *Drugs Aging J*, 26 (1):31-39.
- Dahlan, M.S., 2015. Statistik untuk kedokteran dan kesehatan. Penerbit Salemba Hal : 33, 168.
- Delgado, S. E., Montero, E. B., Muñoz, G. M., Vélez-Díaz-Pallarés, M., Lozano, M. I., Sánchez-Castellano, C., & Cruz-Jentoft, A. J. 2015. Improving drug prescribing in the elderly: a new edition of STOPP/START criteria. *Revista española de geriatría y gerontología*, 50(2), 89
- Ekasari, M.F., Riasmini, N.M., Hartini, T. 2018. Meningkatkan Kualitas Hidup Lansia. Konsep dan Berbagai Intervensi. Malang : Wineka Media. Hal 5-14.
- Elliott, R. A., & Stehlik, P. 2013. Identifying inappropriate prescribing for older people. *Journal of Pharmacy Practice and Research*, 43(4), 312 - 319.
- Ferner, R., & Aronson, J. 2019. Susceptibility to adverse drug reactions. *British journal of clinical pharmacology*, 85(10), 2205-2212.
- Fialova D, Topinkova E, Gambassi G, Finne-Soveri H, Jonsson PV, Carpenter I, et al. 2005. Potentially inappropriate medication use among elderly home care patients in europe. *JAMA*. 293(11):1348–58.
- Fick DM, Waller JL, Maclean JR. 2001. Potentially inappropriate medication use in a Medicare managed care population: Association with higher costs and utilization. *J Managed Care Pharm.*;7:407–13.
- Fick, D.M., Cooper, J.W., Wade, W.E., Waller, J.L., Maclean, J.R. and Beers, M.H. 2008. Updating the Beers Criteria for potentially inappropriate medication use in older adults: Result of a US consensus panel of expert. *Archives of internal Medicine*, 163(22), 2716-2724
- Fillenbaum GG, Hanlon JT, Landerman LR. 2004. Impact of inappropriate drug use on health services utilization among representative older community-dwelling residents. *Am J Geriatr Pharmacother.* 2:92–101.
- Floroff, C. K., Slattum, P. W., Harpe, S. E., Taylor, P., & Brophy, G. M. 2014. Potentially inappropriate medication use is associated with clinical outcomes in critically ill elderly patients with neurological injury. *Neurocritical care*, 21(3), 526-533
- Gallagher, P., Barry, P., & O'Mahony, D. 2007. Inappropriate prescribing in the

- elderly. *Journal of clinical pharmacy and therapeutics*, 32(2), 113-121
- Gallagher, P., dan O'Mahony, D. 2008. STOPP (Screening Tool of Older Persons' Potentially Inappropriate Prescriptions): Application to Acutely Ill Elderly Patients and Comparison with Beers' Criteria. *Age and Ageing*. 37(6): 673–679.
- Gallagher P, Ryan C, Byrne S, Kennedy J, O'Mahony D. 2008. STOPP (Screening Tool of Older Person's Prescriptions) and START (Screening Tool to Alert doctors to RightTreatment). Consensus validation. *Int J Clin Pharmacol Ther*;46:72–83.
- Garcia-Gollarte F, Baleriola-Julvez J, Ferrero-Lopez I, Cruz-Jentoft AJ. 2012. Inappropriate drug prescription at nursing home admission. *J Am Med Dir Assoc*. 13(1):83 9–15
- Gomez, C., S. Vega-Quiroga, F. Bermejo-Pareja, M. J. Medrano, E. D. Louis, dan J. Benito-Leon. 2014. Polypharmacy in the Elderly: A Marker of Increased Risk of Mortality in a Population-Based Prospective Study (NEDICES). *Gerontology*, 61(4), 301–309.
- Goulding MR. 2004. Inappropriate medication prescribing for elderly ambulatory care patients. *Arch Intern Med*;164:305–12
- Gurwitz, J. H., Field, T. S., Harrold, L. R., Rothschild, J., Debellis, K., Seger, A. C., Cadoret, C., Fish, L. S., Garber, L., Kelleher, M., & Bates, D. W. 2003. Incidence and preventability of adverse drug events among older persons in the ambulatory setting. *The Journal of the American Medical Association*, 289(9), 1107-1116.
- Hajar, ER, Cafiero, AC, Hanlon, JT .2007. Polypharmacy in Elderly Patients. *The American Journal of Geriatric Pharmacotherapy*, 5(4), pp. 345-351.
- Handajani, A., B. Roosihermatie, dan H. Maryani. 2010. Faktor-Faktor yang Berhubungan dengan Pola Kematian Pada Penyakit Degeneratif di Indonesia. *Buletin Penelitian Sistem Kesehatan*. 13(1): 42–53.
- Handayani, U., Alifiar, I. and Idacahyati, K., 2018. Studi ketidaksesuaian pengobatan pada pasien geriatri rawat inap. *Jurnal Ilmiah Farmasi*, 14(2), pp.87-93.
- Harugeri, A., Joseph, J., Parthasarathi, G., Ramesh, M., dan Guidu, S. 2010. Potentially Inappropriate Medication Use in Elderly Patients: A Study Prevalence and Predictors in Two Teaching Hospitals, *J Postgrad Med*, 56(3): 186-191
- Hilmer, Sarah N. 2008. The Dilemma of Polypharmacy. <https://www.nps.org.au/australian-prescriber/articles/the-dilemma-of-polypharmacy/>. Diakses tanggal 18 Juni 2020.
- Imaligy, E.U., 2014. Gagal jantung pada geriatri. *Cermin Dunia Kedokteran*, 41(1), pp.19-24.
- Jain, Phadnis. Effect of physiological problems on dietary intake of elderly. *Indian Journal of Gerontology*. 2007; 21 (1): 44-51.
- Jano E, Aparasu RR. 2007. Healthcare outcomes associated with Beers' criteria: A systematic review. *Annal Pharmacother*. 41:438–48.
- Julaiha, S., 2018. Identifikasi potentially inappropriate medications (PIMs) berdasarkan kriteria STOPP START pada pasien geriatri rawat inap di RS

- Advent Bandar Lampung. *Jurnal Analisis Kesehatan*, 7(1), pp.657-665.
- Jyrkka J, Enlund H, Korhonen MJ, Sulkava R, Hartikainen S. 2009. Polypharmacy status as an indicator of mortality in an elderly population. *Drugs Aging*;26(12):1039–1048.
- Kaufman DW, Kelly JP, Rosenberg L. 2002. Recent patterns of medication use in the ambulatory adult population of the United States: The Slone Survey. *JAMA*, 287, 337
- Kaur, S., Mitchell, G., Vitetta, L., & Roberts, M. S. 2009. Interventions that can reduce inappropriate prescribing in the elderly: a systematic review. *Drugs & Aging*, 26(12), 1013-1028.
- Keith, S. W., Maio, V., Dudash, K., Templin, M., & Canale, S. D. 2013. A physician-focused intervention to reduce potentially inappropriate medication prescribing in older people. *Drugs & Aging*, 30(2), 119–127.
- Kementerian Kesehatan Republik Indonesia. 2011. Modul Penggunaan Obat Rasional. Jakarta : Bina Pelayanan Kefarmasian.
- Kementerian Kesehatan Republik Indonesia. 2017. Analisis Lansia di Indonesia. Jakarta : Pusat Data dan Informasi Kementerian Kesehatan RI.
- Kementerian Kesehatan Republik Indonesia. 2019. Situasi dan Analisis Lanjut Usia. Jakarta : Pusat Data dan Informasi Kementerian Kesehatan RI.
- Kim, Jiwon., dan M. Mak. 2013. Geriatric Drug Use. Dalam Koda-Kimble dan Young's Applied Therapeutics: The Clinical Use of Drugs. Tenth Edition. Editor B. K. Aldredge, R. L. Corelli, M. E. Ernest, B. J. Guglielmo, P. A. Jacobson, W. A. Kradjan, et.al. Philadelphia: Lippincott Williams dan Wilkins.
- Klarin A, Wimo A, Fastbom J. 2005. The association of inappropriate drug use with hospitalization and mortality: A population-based study of the very old. *Drugs Aging*;22:69–82.
- Koh Y, Kutty FBM, and Li SC. 2005. Drug-Related Problems in Hospitalized Patients on Polypharmacy: The Influence of Age and Gender. *Therapeutics and Clinical Risk Management*, 1(1): 39-48.
- Landi, F., Russo, A., Liperoti, R., Barillaro, C., Danese, P., Pahor, M., Bernabei, R., & Onder, G. 2007. Impact of inappropriate drug use on physical performance among a frail elderly population living in the community. *European Journal of Clinical Pharmacology*, 63(8), 791-799.
- Laroche ML, Charmes JP, Nouaille Y, Picard N, Merle L. 2007. Is inappropriate medication use a major cause of adverse drug reactions in the elderly? *Br J Clin Pharmacol*.;63(2):177–86.
- Lau DT, Kasper JD, Potter DE, Lyles A, Bennett RG. Hospitalization and death associated with potentially inappropriate medication prescriptions among elderly nursing home residents. *Arch Intern Med*. 2005;165(1):68–74.
- Lechevallier-Michel N, Gautier-Bertrand M, Alperovitch A, Berr C, Belmin J, Legrain S, et al. 2005. Frequency and risk factors of potentially inappropriate medication use in a community-dwelling elderly population: Results from the 3c study. *Eur J Clin Pharmacol*. 60(11):813–9
- Liu, D., Ahmet, A., Ward, L., Krishnamoorthy, P., Mandelcorn, E. D., Leigh, R., & Kim, H. 2013. A practical guide to the monitoring and management of the

- complications of systemic corticosteroid therapy. *Allergy, Asthma & Clinical Immunology*, 9(1), 1-25.
- Lu, W. H., Wen, Y. W., Chen, L. K., & Hsiao, F. Y. 2015. Effect of polypharmacy, potentially inappropriate medications and anticholinergic burden on clinical outcomes: a retrospective cohort study. *Cmaj*, 187(4), E130-E137.
- Martin, J.H. 2018. *Pharmacology in Geriatric Medicine : A Problem-Based Approach*. Gateway East : Springer Nature :43-57.
- Meid, A. D., R. Quinzler, J. Freigofas, K. U. Saum, B. Schöttker, B. Holleczeck, W. E. Haefeli. 2015. Medication Underuse in Aging Outpatients with Cardiovascular Disease: Prevalence, Determinants, and Outcomes in a Prospective Cohort Study. *PLoS ONE*. 10(8): 1–13.
- Molony, S. M. S., & Greenberg, S. A. 2015. The 2012 American Geriatrics Society updated Beers criteria for potentially inappropriate medication use in older adults. *Pharmacotherapy*, 45(7-8), 977-989.
- Momin, T.G., Pandya, R.N., Rana, D.A., dan Patel,V.J., 2013, Use of Potentially Inappropriate Medications in Hospitalized Elderly at A Teaching Hospital: A Comparison Between Beers 2003 and 2012 criteria, *Indian J Pharmaco*, 45(6): 603-607.
- Mortazavi, S.S., M. Shati, A. Keshtkar. 2016. Defining polypharmacy in the elderly: a systematic review protocol. *BMJ Open.*, 6 (3), h.e010989.
- Muharni, S., 2018. Analisis Jumlah Obat terhadap Potentially Inappropriate Medications (PIMs) Berdasarkan Beers Criteria 2015 pada Pasien Hipertensi Geriatri di Puskesmas Sidomulyo Kota Pekanbaru. *Jurnal Penelitian Farmasi Indonesia*, 7(2), pp.70-76.
- Napolitano F, Izzo MT, Di Giuseppe G, Angelillo IF. 2013. Frequency of inappropriate medication prescription in hospitalized elderly patients in Italy. *PLoS One*. 8(12):8–14.
- Olyaei, A. J. & Bennett. W. M. (2009). *Geriatric Nephrology Curriculum*. Chapter 9: Drug Dosing and Renal Toxicity in the Elderly Patient. USA: the American Society of Nephrology
- O'Mahony, D., P. Gallagher, C. Ryan, S. Byrne, H. Hamilton, P. Barry, M. O'Connor, dan J. Kennedy. 2010. STOPP & START Criteria: A New Approach to Detecting Potentially Inappropriate Prescribing in Old Age. *European Geriatric Medicine*. 1(1): 45–51.
- O'Mahony, D., D. O'Sullivan, S. Byrne, M. N. O'Connor, C. Ryan, dan P. Gallagher. 2015. STOPP/START Criteria for Potentially Inappropriate Prescribing in Older People: Version 2. *Age and Ageing*. 44(2): 213–218.
- Osterberg, L., & Blaschke, Terrence. 2005. Adherence to Medication. *The New England Journal of Medicine*. 383. 487-97.
- O'Sullivan, P. David, D. O'Mahony, C. Parsons, C. Hughes, K. Murphy, S. Patterson, S. Byrne. 2013. A Prevalence Study of Potentially Inappropriate Prescribing in Irish Long-Term Care Residents. *Drugs Aging*. 30: 39-49.
- Page, R. L., dan J. M. Ruscini. 2006. The Risk of Adverse Drug Events and Hospital-Related Morbidity and Mortality Among Older Adults with Potentially Inappropriate Medication Use. *American Journal of Geriatric Pharmacotherapy*. 4(4): 297–305.

- Pedrós C, Formiga F, Corbella X. 2016. Adverse drug reactions leading to urgent hospital admission in an elderly population: prevalence and main features. *Eur J Clin Pharmacol*;72(2):219–226.
- Peraturan Pemerintah Republik Indonesia Nomor 43 Tahun 2004 tentang Pelaksanaan Upaya Peningkatan Kesejahteraan Lansia.
- Prithviraj, G. K., Koroukian, S., Margevicius, S., Berger, N. A., Bagai, R., & Owusu, C. 2012. Patient characteristics associated with polypharmacy and inappropriate prescribing of medications among older adults with cancer. *Journal of geriatric oncology*, 3(3), 228-237.
- Puspitasari, Rara Merinda. 2013. Uji Efektivitas "screening Tool For Older Peoples' Prescription" terhadap pengobatan yang berpotensi tidak tepat pada pasien geriatri di RSUD Kota Depok. Depok : Universitas Indonesia.
- Qato, D.M., Alexander, G.C., Conti, R.M., Johnson, M., Schumm, P. and Lindau, S.T., 2008. Use of prescription and over-the-counter medications and dietary supplements among older adults in the United States. *Jama*, 300(24), pp.2867-2878.
- Reich O, Rosemann T, Rapold R, Blozik E, Senn O. 2014. Potentially inappropriate medication use in older patients in swiss managed care plans: prevalence, determinants and association with hospitalization. *PLoS One*. 9(8):23–5.
- Runciman WB, Roughead EE, Semple SJ, Adams RJ. 2003. Adverse drug events and medication errors in Australia. *Int J Qual Health Care* 15:49-59
- Sarbini, D., Zulaekah, S., Isnaeni, F.N. 2019. Gizi Geriatri. Surakarta : Muhammadiyah University Press. Hal. 1-37.
- Setiati S, Harimurti K, Dewiasty E, Istanti R, Sari W, Verdinawati T. 2013. Comprehensive prevention & management for the elderly: interprofessional geriatric care. Jakarta : Perhimpunan Gerontologi Medik Indonesia :183
- Shah BM, Hajjar ER. 2012. Polypharmacy, adverse drug reactions, and geriatric syndromes. *Clin Geriatr Med*.;28(2):173–86
- Shahezwan, M., Wahab, A., Nyforthansen, K, & Kowalski S.R., 2012. Inappropriate Prescribing in Hospital Australian Elderly As Determination By STOPP Criteria. *International Journal Clinical Pharmacy*.34. 855- 862.
- Shorr, R.I., Hoth, A.B., Rawls, N. 2007. *Drugs for the Geriatric Patient*. Philadelphia : Elsevier. Page 27.
- Soejono, C. 2014. *Pengkajian Paripurna Pasien Geriatri*. Buku Ajar Ilmu Penyakit Dalam Edisi VI. Jakarta: Interna Publishing. Hal. 375.
- Steinman MA, Landefeld CS, Rosenthal GE, et al. 2006. Polypharmacy and prescribing quality in older adults. *J Am Geriatrics Soc*.;54:1516–23.
- Steinman, M. A., Beizer, J. L., DuBeau, C. E., Laird, R. D., Lundebjerg, N. E., & Mulhausen, P. 2015. How to use the American Geriatrics Society 2015 Beers Criteria—a guide for patients, clinicians, health systems, and payors. *Journal of the American Geriatrics Society*, 63(12), e1-e7.
- Sunarti, S., Ratnawati, R., Ngrahenny, D., Mattalitti, G.N.M., Ramadhan, R., Budianto, R, Pratiwi, I.C., Prakosa, A.G. 2019. *Prinsip Dasar Kesehatan Lanjut Usia (Geriatri)*. Malang : UB Press. Hal. 84-123.
- Syuaib, A.N. and Darmawan, M., 2015. Penggunaan Potentially Inappropriate Medications (PIMs) pada pasien geriatri rawat inap osteoarthritis di RS PKU

- Muhammadiyah Yogyakarta. *Pharmaciana*, 5(1), pp.77-84.
- Starner, C. I., S. L. Gray, D. R. Guay, E. R. Hajjar, S. M. Handler, dan J. T. Hanlon. 2008. *Geriatrics*. Dalam J. DiPiro, R. Talbert, G. Yee, G. Matzke, B. Wells, dan L. Pose, *Pharmacotherapy: A Pathophysiologic Approach*. Seventh Edition. New York: The McGraw Hill Companies.
- Tamher, S. & Noorkasiani. 2009. *Kesehatan Usia Lanjut dengan Pendekatan Asuhan Keperawatan*. Jakarta : Salemba Medika. Hal. 4-50.
- Thomas, R. E., & Thomas, B. C. 2019. A systematic review of studies of the STOPP/START 2015 and American Geriatric Society Beers 2015 criteria in patients \geq 65 years. *Current aging science*, 12(2), 121-154.
- Ubeda, A., Ferrandiz, M. L., Maicas, N., Gomez, C., Bonnet, M., & Peris, J. E. (2012). Potentially inappropriate prescribing in institutionalised older patients in Spain: the STOPP-START criteria compared with. *Pharmacy Practice*, 83-93
- Viktil, KK, Blix, HS, Moger, TA, Reikvarn, A. 2006. Polypharmacy as Commonly Defined is an Indicator of Limited Value in the Assessment of Drug-Related Problems, *British Journal of Clinical Pharmacology*, (63)2, pp. 187-192.
- Vishwas, H.N., Harugeri, A., Parthasarathi, G. and Ramesh, M., 2012. Potentially inappropriate medication use in Indian elderly: comparison of Beers' criteria and Screening Tool of Older Persons' potentially inappropriate Prescriptions. *Geriatrics & gerontology international*, 12(3), pp.506-514.
- Viviandhari, D., Wulandari, N., Rusdi, N.K., Rahmi, N., Hidayana, N. and Faniroh, N.S.S., Assessing Potentially Inappropriate Medications in Hospitalized Geriatric Patients in 2 Hospital in Jakarta using STOPP START Criteria. *JURNAL MANAJEMEN DAN PELAYANAN FARMASI (Journal of Management and Pharmacy Practice)*, 10(1), pp.26-34.
- World Health Organization. 2011. *Global Health and Aging*. National Institutes of Health. 1(11): 7737.
- World Health Organization. 2018. *WHO guidelines for the pharmacological and radiotherapeutic management of cancer pain in adults and adolescents*
- Zeenny R, Wakim S, Kuyumjian YM. 2017. Potentially inappropriate medications use in community-based aged patients: a cross-sectional study using 2012 Beers criteria. *Clin Interv Aging*;12:65-73.
- Zhang, X., Zhou, S., Pan, K., Li, X., Zhao, X., Zhou, Y., Liu, X. 2017. Potentially inappropriate medications in hospitalized older patients: a cross-sectional study using the Beers 2015 criteria versus the 2012 criteria. *Clinical interventions in aging*, 12, 1697.



UNIVERSITAS
GADJAH MADA

**POTENTIALLY INAPPROPRIATE MEDICATION (PIM) PADA PASIEN GERIATRI RAWAT INAP DI RSUD
Dr. H. MOCH.
ANSARI SALEH BANJARMASIN**

AMANDA WULANSARI, Dr. Chairun Wiedyaningsih, M.Kes., M.App.Sc., Apt.; Dr.dr. Probosuseno, Sp.PD-KGer (K),
Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>