

DAFTAR PUSTAKA

- Abebe, Z., Tola, Y. B., & Mohammed, A. (2017). Effects of edible coating materials and stages of maturity at harvest on storage life and quality of tomato (*Lycopersicon Esculentum* Mill.) fruits. *African Journal of Agricultural Research*, 12(8), 550–565. <https://doi.org/10.5897/ajar2016.11648>
- Adirahmanto, K. A., Hartanto, R., & Novita, D. D. (2013). Perubahan kimia dan lama simpan buah salak pondoh (*Salacca edulis* Reinw) dalam penyimpanan dinamis udara-CO₂. *Jurnal Teknik Pertanian Lampung*, 2(3), 123–132.
- Afifah, N., Ratnawati, L., & Darmajana, D. A. (2019). Evaluation of Plasticizer Addition in Composite Edible Coating on Quality of Fresh-Cut Mangoes during Storage. *IOP Conference Series: Earth and Environmental Science*, 251(1). <https://doi.org/10.1088/1755-1315/251/1/012029>
- Aini, A. B. N., & Karseno. (2021). Technical and fumigation time effects on shallot storage quality. *IOP Conference Series: Earth and Environmental Science*, 828(1). <https://doi.org/10.1088/1755-1315/828/1/012025>
- Ajanth, P. M., Karthika, P. K. ., Jayabalan, R., & Balasubramanian, P. (2019). Dietary fiber from Indian edible seaweeds and its in-vitro prebiotic effect on the gut microbiota. *Food Hydrocolloids*, 96(April), 343–353. <https://doi.org/10.1016/j.foodhyd.2019.05.031>
- Akilie, M. S. (2020). Kombinasi Suhu Rendah Dan Lama Penyimpanan Terhadap Sifat Fisik Buah Pepaya California (*Carica papaya* L.). *Agritechnology*, 3(1), 35. <https://doi.org/10.51310/agritechnology.v3i1.55>
- Aminudin, & Nawangwulan. (2014). Pengaruh Edible Coating Gel Lidah Buaya (*Aloe vera* Linne) Terhadap Mutu dan Umur Simpan Mentimun. *Ekologia*, 14(1), 1–12.
- Arah, I. K., Ahorbo, G. K., Anku, E. K., Kumah, E. K., & Amaglo, H. (2016). Postharvest Handling Practices and Treatment Methods for Tomato Handlers in Developing Countries: A Mini Review. *Advances in Agriculture*, 1–8. <https://doi.org/10.1155/2016/6436945>
- Ariska, N., & Rachmawati, D. (2017). Pengaruh Ketersediaan Air Berbeda Terhadap Pertumbuhan dan Hasil Tiga Kultivar Bawang Merah (*Allium cepa* L). *Jurnal Agrotek Lestari*, 4(2), 42–50. <http://jurnal.utu.ac.id/jagrotek/article/view/609>
- Asgar, A. (2017). Pengaruh Suhu Penyimpanan dan Jumlah Perforasi Kemasan

- Terhadap Karakteristik Fisik dan Kimia Brokoli (*Brassica oleracea* var. Royal G) Fresh-Cut. *Jurnal Hortikultura*, 27(1), 127–136. <https://doi.org/10.21082/jhort.v27n1.2017.p127-136>
- Bajer, M. T., & Gajewski, M. (2012). The effect of ca storage on quality parameters of shallot (*Allium ascalonicum* L.) bulbs. *Acta Horticulturae*, 934(2002), 1335–1340. <https://doi.org/10.17660/ActaHortic.2012.934.181>
- Benkeblia, N., Varoquaux, P., Gouble, B., & Selselet-Attou, G. (2000). Respiratory parameters of onion bulbs (*Allium cepa*) during storage. Effects of ionising radiation and temperature. *Journal of the Science of Food and Agriculture*, 80(12), 1772–1778. [https://doi.org/10.1002/1097-0010\(20000915\)80:12<1772::AID-JSFA700>3.0.CO;2-5](https://doi.org/10.1002/1097-0010(20000915)80:12<1772::AID-JSFA700>3.0.CO;2-5)
- Bergo, P., & Sobral, P. J. A. (2007). Effects of plasticizer on physical properties of pigskin gelatin films. *Food Hydrocolloids*, 21(8), 1285–1289. <https://doi.org/10.1016/j.foodhyd.2006.09.014>
- Berno, N. D., Tezotto-Uliana, J. V., dos Santos Dias, C. T., & Kluge, R. A. (2014). Storage temperature and type of cut affect the biochemical and physiological characteristics of fresh-cut purple onions. *Postharvest Biology and Technology*, 93, 91–96. <https://doi.org/10.1016/j.postharvbio.2014.02.012>
- Bodbodak, S., & Moshfeghifar, M. (2016). Advances in controlled atmosphere storage of fruits and vegetables. In *Eco-Friendly Technology for Postharvest Produce Quality* (Issue December). <https://doi.org/10.1016/B978-0-12-804313-4.00002-5>
- BPS-Statistics Indonesia. (2018). Statistics of seasonal vegetable and fruit plants. *Statistik Tanaman Sayuran Dan Buah-Buahan Semusim Indonesia 2018*, viii + 101. <https://www.bps.go.id/publication/2019/10/07/9c5dede09c805bc38302ea1c/statistik-tanaman-sayuran-dan-buah---buahan-semusim-indonesia-2018.html>
- Caleb, O. J., Herppich, W. B., & Mahajan, P. V. (2016). The Basics of Respiration for Horticultural Products. In *Reference Module in Food Science*. Elsevier. <https://doi.org/10.1016/b978-0-08-100596-5.21003-2>
- Choi, J. H., Choi, W. Y., Cha, D. S., Chinnan, M. J., Park, H. J., Lee, D. S., & Park, J. M. (2005). Diffusivity of potassium sorbate in κ -carrageenan based antimicrobial film. *LWT - Food Science and Technology*, 38(4), 417–423. <https://doi.org/10.1016/j.lwt.2004.07.004>
- Chope, G. A., Terry, L. A., & White, P. J. (2006). Effect of controlled atmosphere storage on abscisic acid concentration and other biochemical attributes of onion

- bulbs. *Postharvest Biology and Technology*, 39(3), 233–242.
<https://doi.org/10.1016/j.postharvbio.2005.10.010>
- Currah, L., Cools, K., & Terry, L. A. (2012). Onions, Shallots and Garlic. *Crop Post-Harvest: Science and Technology*, 360–391.
<https://doi.org/10.1002/9781444354652.ch17>
- Dabhi, M. N., Patel, N. C., & Dhamsaniya, N. K. (2008). Effect of storage conditions on the quality characteristics of onion. *Journal of Food Science and Technology*, 45(4), 376–377.
- Darmajana, D. A., Afifah, N., Solihah, E., & Indriyanti, N. (2017). Pengaruh Pelapis dapat Dimakan dari Karagenan terhadap Mutu Melon Potong dalam Penyimpanan Dingin. *Agritech*, 37(3), 280.
<https://doi.org/10.22146/agritech.10377>
- Darsana, K., Bhosale Yuvraj, K., & Siniya, V. R. (2016). Effect of Aril Browning on Physicho-Chemical. *International Journal of Science, Environment and Technology*, 5(3), 1116–1126.
- Djaeni, M., Arifin, U. F., & Sasongko, S. B. (2017). Physical-chemical quality of onion analyzed under drying temperature. *AIP Conference Proceedings*, 1823(March 2017). <https://doi.org/10.1063/1.4978114>
- Djaeni, M., Asiah, N., Wibowo, Y. P., & Yusron, D. A. A. (2016). Quality evaluation of onion bulbs during low temperature drying. *AIP Conference Proceedings*, 1737. <https://doi.org/10.1063/1.4949317>
- Djali, M., & Rachmat, R. (2013). Perubahan Karakteristik Umbi Bawang Merah (*Allium Ascalonicium* L) Akibat Proses Curing Selama Penyimpanan. *J. Pascapanen*, 10(1), 48–57.
- Downes, K., Chope, G. A., & Terry, L. A. (2010). Relationship between colour and biochemical composition of skin from “Red Baron” Onion bulbs cured at different temperatures. *Acta Horticulturae*, 877, 1175–1182.
<https://doi.org/10.17660/actahortic.2010.877.160>
- Dwivany, F. M., Aprilyandi, A. N., Suendo, V., & Sukriandi, N. (2020). Carrageenan edible coating application prolongs Cavendish banana shelf life. *International Journal of Food Science*, 2020, 11. <https://doi.org/10.1155/2020/8861610>
- Eboibi, O., & Uguru, H. (2017). Storage conditions effect on physic-mechanical properties of Nandini cucumber (cv Nandini) Fruit. *International Journal of Engineering and Technical Research (IJETR)*, 7(11), 2454–4698.
- Elik, A., & Aysar, N. (2019). Strategies to Reduce Post-Harvest Losses for Fruits and

- Vegetables. *International Journal of Scientific and Technological Research*, 5(3). <https://doi.org/10.7176/jstr/5-3-04>
- Esmeralda, M., Renate, D., & Rahmi, S. L. (2019). Pengaruh Suhu dan Lama Penyimpanan Terhadap Karakteristik Produk Cabai Merah Giling. *Jurnal Teknologi Dan Industri Pangan*, 20(1).
- Fahroji, Zulfia, V., & Syuryati. (2017). *Pascapanen Bawang Merah Dan Cabai*. Badan Penerbit Universitas Riau UR PRESS.
- Fardhyanti, D. S., & Julianur, S. S. (2015). Karakterisasi Edible Film Berbahan Dasar Ekstrak Karagenan Dari Rumpun Laut (*Eucheuma Cottonii*). *Jurnal Bahan Alam Terbarukan*, 4(2), 68–73. <https://doi.org/10.15294/jbat.v4i2.4127>
- Fonseca, S. C., Gil, L., Manso, M. C., & Cunha, L. M. (2018). Modelling the influence of storage temperature and time after cutting on respiration rate of diced red onions (*Allium cepa* L. cv. Vermelha da Póvoa). *Postharvest Biology and Technology*, 140(February), 27–33. <https://doi.org/10.1016/j.postharvbio.2018.02.003>
- Fonseca, S. C., Oliveira, F. A. R., & Brecht, J. K. (2002). Modelling respiration rate of fresh fruits and vegetables for.pdf. *Journal of Food Engineering*, 52(2), 99–119.
- Galdón, B. R., Rodríguez, C. T., Rodríguez, E. R., & Romero, C. D. (2008). Organic acid contents in onion cultivars (*Allium cepa* L.). *Journal of Agricultural and Food Chemistry*, 56(15), 6512–6519. <https://doi.org/10.1021/jf800282h>
- Gross, K. C., Wang, C. Y., & Saltveit, M. E. (2016). The commercial storage of fruits, vegetables, and florist and nursery stocks. *Agricultural Research Service, United States Department of Agriculture*, 66(66), 68–70. www.ntis.gov.
- Hamzah, H. M., Osman, A., Tan, C. P., & Mohamad Ghazali, F. (2013). Carrageenan as an alternative coating for papaya (*Carica papaya* L. cv. Eksotika). *Postharvest Biology and Technology*, 75, 142–146. <https://doi.org/10.1016/j.postharvbio.2012.08.012>
- Hartanto, R., Suprodjo, S., Rahardjo, B., & Tranggono, T. (2017). Model Pelunakan Buah Pisang Raja (*Musa* sp.) yang Disimpan dalam Atmosfir Termodifikasi. *Agritech*, 24(1), 29–34. <https://journal.ugm.ac.id/agritech/article/view/13497>
- Hasbullah, R. (2007). Teknik Pengukuran Laju Respirasi Produk Hortikultura pada Kondisi Atmosfir Terkendali Bagian I: Metode Sistem Tertutup. In *Journal Keteknikan Pertanian* (Vol. 21, Issue 4, pp. 419–428). <https://doi.org/10.19028/jtep.21.4.419-428>

- Hawa, L. C. (2006). Development of Texture and Shelf Life Time Model of Sapote Fruit (*Achras sapota* L.) with Temperature and Pressure Variation under Hypobaric Storage. *Jurnal Teknologi Pertanian*, 7(1), 10–19.
- Hidayat, T., Ivanti, L., & Mikasari, W. (2018). Pengaruh Konsentrasi Edible Coating Sarang Lebah Terhadap Susut Bobot, Tekstur, dan TPT Jeruk RGL Selama Penyimpanan. *AGRITEPA*, 5(1).
- Huri, D., & Choirun Nisa, F. (2014). Karakteristik Fisik dan Kimia Edible Film. *Jurnal Pangan Dan Agroindustri*, 2(4), 29–40. <https://jpa.ub.ac.id/index.php/jpa/article/view/75>
- Huse, A. M., Wignyanto, & Dewi, I. A. (2014). Aplikasi Edible Coating dari Karagenan dan Gliserol untuk Mengurangi Penurunan Kerusakan Apel Romebeauty. *Jurnal Teknologi Industri Pertanian*, 1–10. <http://skripsitipftp.staff.ub.ac.id/files/2014/10/11.-JURNAL-Moch-Anugerah-Huse.pdf>
- Ilang, I. E., Suriati, L., Singapurwa, N. M. A. S., & Mangku, I. G. P. (2020). Karakteristik Buah Rambutan pada Suhu Dingin dengan Kemasan Terbuka dan Tertutup. *Jurnal Gema Agro*, 25(1), 71–78.
- Imamah, N., Hasbullah, R., & Nugroho, L. P. E. (2016). Model Arrhenius untuk Pendugaan Laju Respirasi Brokoli Terolah Minimal. *Jurnal Keteknik Pertanian*, 4(1), 25–30.
- Jongsri, P., Wangsomboondee, T., Rojsitthisak, P., & Seraypheap, K. (2016). Effect of molecular weights of chitosan coating on postharvest quality and physicochemical characteristics of mango fruit. *LWT - Food Science and Technology*, 73, 28–36. <https://doi.org/10.1016/j.lwt.2016.05.038>
- Kader, A. A., Zagory, D., Kerbel, E. L., & Wang, C. Y. (1989). Critical Reviews in Food Science and Nutrition Modified atmosphere packaging of fruits and vegetables. In *Critical Reviews in Food Science and Nutrition* (Vol. 28, Issue 1).
- Kafrani, E. T., Shekarchizadeh, H., & Behabadi, M. M. (2016). Development of edible films and coatings from alginates and carrageenans. *Journal of Carbohydrate Polymers*, 137, 360–374.
- Kallai, S., Ravi, R., & Kudachikar, V. B. (2015). Assessment of Bulb pungency level in Indian onion cultivars under influence of low doses of Ionizing radiation and short term storage. *International Journal of Scientific & Engineering Research*, 6(10), 38–49.

- Kohar, T. A., Yusmarini, & Ayu, D. F. (2018). Aplikasi edible coating lidah buaya (*Aloe vera* L.) dengan penambahan keragenan terhadap kualitas buah jambu biji (*Psidium guajava* L.). *Jurnal SAGU*, 17(1), 29–39.
- Komar, N., Rakhmadiono, S., & Kurnia, L. (2001). Teknik Penyimpanan Bawang Merah. *Jurnal Teknologi Pertanian*, 79–95.
- Kusmali, M., Ahmad, U., & Darmawati, E. (2020). The effect of curing and leaves cutting in longterm storage of shallot. *IOP Conference Series: Earth and Environmental Science*, 542(1). <https://doi.org/10.1088/1755-1315/542/1/012009>
- Kusumiyati, Nurjanah, R., & Sutari, W. (2017). Pengaruh Suhu dan Lama Penyimpanan terhadap Kualitas Kentang Olahan (*Solanum tuberosum* L.) Kultivar Atlantik. *Jurnal Ilmu Pangan Dan Hasil Pertanian*, 1(2), 1–12. <https://doi.org/10.26877/jiphp.v1i2.1678>
- Leri, A. C., Dunigan, M. R., Wenrich, R. L., & Ravel, B. (2019). Particulate organohalogens in edible brown seaweeds. *Food Chemistry*, 272(August), 126–132. <https://doi.org/10.1016/j.foodchem.2018.08.050>
- Lestari, R. H. S., Sulistyaningsih, E., & Purwantoro, A. (2019). The Effect of Drying and Storage on the Quality of Shallot (*Allium cepa* L. Aggregatum group) Bulbs. *Ilmu Pertanian (Agricultural Science)*, 3(3), 117. <https://doi.org/10.22146/ipas.34203>
- Liguori, G., Gaglio, R., Settanni, L., Inglese, P., D’Anna, F., & Miceli, A. (2021). Effect of Opuntia ficus-indica Mucilage Edible Coating in Combination with Ascorbic Acid, on Strawberry Fruit Quality during Cold Storage. *Journal of Food Quality*. <https://doi.org/10.1155/2021/9976052>
- Lin, M. G., Lasekan, O., Saari, N., & Khairunniza-Bejo, S. (2018). Effect of chitosan and carrageenan-based edible coatings on post-harvested longan (*Dimocarpus longan*) fruits. *CYTA - Journal of Food*, 16(1), 490–497. <https://doi.org/10.1080/19476337.2017.1414078>
- Makino, Y. (2013). Oxygen consumption by fruits and vegetables. *Food Science and Technology Research*, 19(4), 523–529. <https://doi.org/10.3136/fstr.19.523>
- Mandei, J. H., & Muis, A. (2018). Pengaruh Konsentrasi Karagenan, Jenis dan Konsentrasi Lipid Pada Pembuatan Edible Coating/Film dan Aplikasinya Pada Buah Tomat, Apel, dan Kue Nogat. *Jurnal Penelitian Teknologi Industri*, 10(1), 25–36.
- Maringgal, B., Hashim, N., Tawakkal, I. S. M. A., Mohamed, M. T. M., Hamzah, M.

- H., & Ali, M. M. (2021). Effect of kelulut honey nanoparticles coating on the changes of respiration rate, ascorbic acid, and total phenolic content of papaya (*carica papaya* l.) during cold storage. *Foods*, 10(2), 432. <https://doi.org/10.3390/foods10020432>
- Marino, M., Breckwoldt, A., Teichberg, M., Kase, A., & Reuter, H. (2019). Livelihood aspects of seaweed farming in Rote Island, Indonesia. *Marine Policy*, 107(June), 103600. <https://doi.org/10.1016/j.marpol.2019.103600>
- Mathabe, P. M. K., Belay, Z. A., Ndlovu, T., & Caleb, O. J. (2020). Progress in proteomic profiling of horticultural commodities during postharvest handling and storage: A review. *Scientia Horticulturae*, 261. <https://doi.org/10.1016/j.scienta.2019.108996>
- Miskiyah, Widaningrum, & Winarti, C. (2011). Aplikasi Edible Coating Berbasis Pati Sagu dengan Penambahan Vitamin C pada Paprika : Preferensi Konsumen dan Mutu Mikrobiologi. *Jurnal Hortikultura*, 21(1), 68–76. <https://doi.org/10.21082/jhort.v21n1.2011.p68-76>
- Moraes, K. S. de, Fagundes, C., Melo, M. C., Andreani, P., & Monteiro, A. R. (2012). Conservation of Williams pear using edible coating with alginate and carrageenan. *Ciencia e Tecnologia de Alimentos*, 32(4), 679–684. <https://doi.org/10.1590/S0101-20612012005000106>
- Mulyadi, A. F., Kumalaningsih, S., & Giovanny, D. L. (2013). Aplikasi Edible Coating untuk Menurunkan Tingkat Kerusakan Jeruk Manis (*Citrus sinensis*) : Kajian Konsentrasi Karagenan dan Gliserol. *Prosiding Seminar Nasional Program Studi Teknologi Pertanian Dan Asosiasi Profesi Teknologi Agroindustri (APTA)*, 507–516.
- Musdalifah, N., Purwanto, Y. A., & Poerwanto, R. (2016). Pengaruh Suhu dan Lama Penyimpanan Terhadap Warna Jeruk Siam Pontianak Setelah Degreening. *Journal of Agro-Based Industry*, 33(1), 39–48.
- Mutia, A. K. (2019). Pengaruh Kadar Air Awal pada Bawang Merah (*Allium ascalonicum* L.) terhadap Susut Bobot dan Tingkat Kekerasan Selama Penyimpanan pada Suhu Rendah. *Gorontalo Agriculture Technology Journal*, 2(1), 30. <https://doi.org/10.32662/gatj.v2i1.538>
- Mutia, A. K., Purwanto, Y. A., & Pujantoro, L. (2014). Perubahan Kualitas Bawang Merah (*Allium Ascalonicum* L.) Selama Penyimpanan Pada Tingkat Kadar Air dan Suhu yang Berbeda. *J. Pascapanen*, 11(2), 108–115.
- Nagamaniammai, G., Chithra, M., & Ganga, M. U. (2019). Study on the effect of prawn (*Machrobrachium rosenbergii*) chitosan coating on peeled shallot (*Allium*

- ascalonicum*). *Current Research in Nutrition and Food Science*, 7(3), 927–935.
<https://doi.org/10.12944/CRNFSJ.7.3.31>
- Nasrudin, & Elizani, P. (2019). Pengaruh Simulasi LA NINA Terhadap Mutu Bawang merah Selama Penyimpanan Suhu Ruang. *Jurnal AGROSCRIPT*, 1(2), 62–69.
- Nasyiah, Darmanto, Y. S., & Wijayanti, I. (2014). Aplikasi Edible Coating Natrium Alginat Dalam Menghambat Kemuduran Mutu Dodol Rumput Laut. *Jurnal Pengolahan Dan Bioteknologi Hasil Perikanan*, 3(4), 82–88.
- Nisah, K., & Barat, Y. M. (2019). Efek Edible Coating Pada Kualitas Alpokat (*Persea America* Mill) Selama Penyimpanan. *Amina*, 1(1), 11–17.
<https://doi.org/10.22373/amina.v1i1.9>
- Novita, D. D., Sugianti, C., & Wulandari, K. P. (2016). Pengaruh Konsentrasi Karagenan Dan Gliserol terhadap Perubahan Fisik Dan Kandungan Kimia Buah Jambu Biji Varietas “Kristal” Selama Penyimpanan. *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*, 5(1), 49–56.
- Nugraha, S., Adiandri, R. S., & Yulianingsih. (2011). Pelayuan dan Pengeringan Bawang Merah Menggunakan Instore Drying Untuk Mempertahankan Mutu dan Mengurangi Tingkat Kerusakan. *J. Pascapanen*, 8(2), 72–81.
- Oriani, V. B., Molina, G., Chiumarelli, M., Pastore, G. M., & Hubinger, M. D. (2014). Properties of cassava starch-based edible coating containing essential oils. *Journal of Food Science*, 79(2), 189–194. <https://doi.org/10.1111/1750-3841.12332>
- Oses, J., Fernandez-Pan, I., Mendoza, M., & Mate, J. I. (2009). Stability of the mechanical properties of edible films based on whey protein isolate during storage at different relative humidity. *Food Hydrocolloids*, 23(1), 125–131.
<https://doi.org/10.1016/j.foodhyd.2007.12.003>
- Pakiding, F. L., Muhidong, J., & Hutabarat, O. S. (2015). Profil Sifat Fisik Buah Terung Belanda (*Cyphomandra betacea*). *Jurnal AgriTechno*, 8(2).
- Pardede, E. (2020). Pengemasan Buah Dan Sayur Dengan Atmosfir Termodifikasi. *Jurnal Visi Eksakta*, 1(1), 11–20. <https://doi.org/10.51622/eksakta.v1i1.52>
- Paul, V., Pandey, R., & Srivastava, G. C. (2012). The fading distinctions between classical patterns of ripening in climacteric and non-climacteric fruit and the ubiquity of ethylene-An overview. *Journal of Food Science and Technology*, 49(1), 1–21. <https://doi.org/10.1007/s13197-011-0293-4>
- Picauly, P., & Tetelepta, G. (2019). Pengaruh Edible Coating Pati Singkong Terhadap Kualitas dan Umur Simpan Buah Pisang Tongka Langit. *Jurnal Penelitian*

Pascapanen Pertanian, 16(3), 110–115.
<https://doi.org/10.21082/jpasca.v16n3.2019.110-115>

Pokhrel, B. (2021). Review on post-harvest handling to reduce loss of fruits and vegetables. *International Journal of Horticulture and Food Science Table*, 2(2), 48–52.

Priyantono, E., Purwanto, Y. A., & Sobir. (2016). Penyimpanan Dingin Bawang Merah (*Allium ascalonicum* L.). *Journal of Agro-Based Industry*, 33(1), 32–38.

Rachmawati, M. (2010). Kajian Sifat Kimia Salak Pondoh (*Salacca edulis* Reinw) dengan Pelpisan Kitosan Selama Penyimpanan untuk Memprediksi Masa Simpan. *Jurnal Teknologi Pertanian*, 6(1), 20–24.

Rahayu, D., Bintoro, N., & Saputro, A. D. (2021). Pemodelan Laju Respirasi Buah Klimakerik Selama Penyimpanan Pada Suhu yang Bervariasi. *Jurnal Teknologi Industri Pertanian*, 15(1), 80–91.

Rani, H., & Nurbani, K. (2016). Kajian Proses Pembuatan Edible Film dari Rumput Laut *Gracillaria* sp. dengan Penambahan Gliserol. *Prosiding Seminar Nasional Pengembangan Teknologi Pertanian Politeknik Negeri Lampung, September*, 219–225.

Ratna, Ichawana, & Mulyanti. (2014). Aplikasi Pre-Cooling Pada Penyimpanan Buah Tomat (*Lycopersicum esculentum*) Menggunakan Kemasan Plastik Polietilen. *Jurnal Edubio Tropika*, 2(1), 121–186.

Ratnaningsih, Vidiantika, D., Sukasih, E., & Setyadjit. (2018). Penggunaan Response Surface Methodology Pada Optimasi Proses Pengolahan Bawang Merah Iris In Brine. *Jurnal Penelitian Pascapanen Pertanian*, 15(1), 12–24.

Rudito. (2005). Perlakuan Komposisi Gelatin dan Asam Sitrat Dalam Edible Coating yang Mengandung Gliserol Pada Penyimpanan Tomat. *Jurnal Teknologi Pertanian*, 6(1), 1–6.

Rustini, S., & Prayudi, B. (2011). *Teknologi Produksi Benih Bawang Merah Varietas Bima Brebes. Risalah Hasil Pengkajian Inovasi Hortikultura di Jawa Tengah*. Balai Pengkajian Teknologi Pertanian Jawa Tengah.

Samad, M. Y. (2006). Pengaruh Penanganan Pasca Panen Terhadap Mutu Komoditas Hortikultura. *Jurnal Sains Dan Teknologi Indonesia*, 8(1), 31–36.

Sandoval, J. R. M., Sandoval, E. M., Rosas, M. E. M., & Velasco, M. M. M. (2018). Color Analysis and Image Processing Applied in Agriculture. *Colorimetry and Image Processing, January*. <https://doi.org/10.5772/intechopen.71539>

- Sari, M., & Simbolon, J. (2020). Prediksi laju respirasi terong dengan persamaan arrhenius. *Jurnal Agroteknosains*, 4(2), 21–27.
- Sari, R. N., Novita, D. D., & Sugianti, C. (2015). Pengaruh Konsentrasi Tepung Karagenan dan Gliserol Sebagai Edible Coating Terhadap Perubahan Mutu Buah Stroberi (*Fragaria x ananassa*) SELAMA PENYIMPANAN. *Jurnal Teknik Pertanian Lampung*, 4(4), 305–314.
- Setyadjit, & Sukasih, E. (2015). Effect of Addition of Filler on the Production of Shallot (*Allium Cepa* Var. Ascalonicum L.) Powder with Drum Dryer. *Procedia Food Science*, 3, 396–408. <https://doi.org/10.1016/j.profoo.2015.01.044>
- Sharma, K., & Lee, Y. R. (2016). Effect of different storage temperature on chemical composition of onion (*Allium cepa* L.) and its enzymes. *Journal of Food Science and Technology*, 53(3), 1620–1632. <https://doi.org/10.1007/s13197-015-2076-9>
- Siburian, P. W., Falah, M. A. F., & Mangunwikarta, J. (2021). Alginate-Based Edible Coatings Enriched with Cinnamon Essential Oil Extend Storability and Maintain the Quality of Strawberries under Tropical Condition. *Journal of Agro Science*, 9(1), 58–70. <https://doi.org/10.18196/pt.v9i1.10368>
- Sohany, M., Sarker, M. K. U., & Mahomud, M. S. (2016). Physiological Changes in Red Onion Bulbs at Different Storage Temperature. *World Journal of Engineering and Technology*, 4(2), 261–266. <https://doi.org/10.4236/wjet.2016.42025>
- Sudjatha, W., & Wisaniyasa, N. W. (2017). Fisiologi dan teknologi pascapanen. In *Udayana University Press*.
- Surhaini, & Indriyani. (2009). Pengaruh Jenis Plastik dan Cara Kemasan terhadap Mutu Tomat selama dalam Pemasaran. *Jurnal Agronomi*, 13(2), 44–50.
- Tambunan, K., Ansharullah, & Faradilla, R. (2020). Aplikasi Edible Coating Dari Karagenan Dengan Penambahan Xanthan Gum Terhadap Perubahan Mutu Pisang Muli (*Musa acuminata*) Selama Penyimpanan. *Journal Sains Teknologi Pangan*, 5(3), 2898–2910.
- Tarigan, S., Sembiring, M., & Dahang, D. (2020). Perubahan Fisik dan Kimia Pisang Barangan (*Musa acuminata* L.) Pengaruh Konsentrasi Gliserol Dalam Proses Edible Coating Selama Penyimpanan. *Jurnal Agroteknosains*, 4(1), 51–59.
- Terry, L., Mena, C., Williams, A., Jenney, N., & Whitehead, P. (2011). Fruit and Vegetable Resource Maps: Mapping Fruit and Vegetable Waste through the Wholesale Supply Chain. *Wrap*.

https://pdxscholar.library.pdx.edu/busadmin_fac/109/

- Tran, V. T., Kingwascharapong, P., Tanaka, F., & Tanaka, F. (2021). Effect of edible coatings developed from chitosan incorporated with tea seed oil on Japanese pear. *Scientia Horticulturae*, 288(January), 110314. <https://doi.org/10.1016/j.scienta.2021.110314>
- Tripathi, P. C., & Lawande, K. E. (2010). Temperature-related changes in respiration and Q10 coefficient in different varieties of onion. *Progressive Horticulture*, 42(1), 88–90.
- Ula, S., Sunaryo, & Barunawati, N. (2018). Respon Pertumbuhan dan Hasil Bawang Merah (*Allium cepa* var . ascalonicum L.) Varietas Bima Terhadap Dosis Fosfor dan Waktu Aplikasi PGPR. *Jurnal Produksi Tanaman*, 6(10), 2736–2742.
- Utto, W., Preutikul, R., Malila, P., Noomhorm, A., & Bronlund, J. E. (2017). Delaying microbial proliferation in freshly peeled shallots by active packaging incorporating ethanol vapour-controlled release sachets and low storage temperature. *Food Science and Technology International*, 24(2), 132–144. <https://doi.org/10.1177/1082013217735951>
- Wahjuningsih, S. B., Rohadi, Susanti, S., & Setyanto, H. Y. (2019). The effect of k-carrageenan addition to the characteristics of jicama starch-based edible coating and its potential application on the grapevine. *International Journal on Advanced Science, Engineering and Information Technology*, 9(2), 405–410. <https://doi.org/10.18517/ijaseit.9.2.8089>
- Wang, Z. W., Duan, H. W., & Hu, C. Y. (2009). Modelling the respiration rate of guava (*Psidium guajava* L.) fruit using enzyme kinetics, chemical kinetics and artificial neural network. *European Food Research and Technology*, 229(3), 495–503. <https://doi.org/10.1007/s00217-009-1079-z>
- Watson, J. A., Treadwell, D., Sargent, S. A., Brecht, J. K., & Pelletier, W. (2015). Postharvest Storage, Packaging and Handling of Specialty Crops: A Guide for Florida Small Farm Producers. *EDIS Publication System*, 18. <https://edis.ifas.ufl.edu/hs1270>
- Woldetsadik, S. K., & Workneh, T. S. (2010). Effects of nitrogen levels, harvesting time and curing on quality of shallot bulb. *African Journal of Agricultural Research*, 5(24), 3342–3353. <https://doi.org/10.5897/AJAR10.032>
- Zhang, Y. L., Cui, Q. L., Wang, Y., Shi, F., Liu, Y. P., Liu, J. L., & Nie, G. W. (2021). Effect of carboxymethyl chitosan-gelatin-based edible coatings on the quality and antioxidant properties of sweet cherry during postharvest storage. *Scientia Horticulturae*, 289(1), 110462. <https://doi.org/10.1016/j.scienta.2021.110462>



Analisis Teknis Pengaruh Edible Coating Berbahan Dasar Karagenan Dan Suhu Penyimpanan Terhadap

Perubahan Kualitas Bawang Merah (*Allium cepa* L.)

RANDI ANGGIT W, Dr. Ir. Nursigit Bintoro, M.Sc.

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>