

DAFTAR PUSTAKA

- Abdelfattah, A., Malacrino, A., Wisniewski, M., Cacciola, S. O., & Schena, L. (2017). Metabarcoding: A powerful tool to investigate microbial communities and shape future plant protection strategies. *Biological Control*.
- Ajibola, A., Chamunorwa, J. P., & Erlwanger, K. H. (2012). Nutraceutical values of natural honey and its contribution to human health and wealth. *Nutrition & metabolism*, 9, 61.
- Alvarez-Suarez, J. M., Gasparri, M., Forbes-Hernández, T. Y., Mazzoni, L., & Giampieri, F. (2014). The composition and biological activity of honey: A focus on manuka honey. *Foods*, 3(3), 420–432. <https://doi.org/10.3390/foods3030420>
- Balzan, S., Carraro, L., Merlanti, R., Lucatello, L., Capolongo, F., Fontana, F., Novelli, E., et al. (2020). Microbial metabarcoding highlights different bacterial and fungal populations in honey samples from local beekeepers and market in north-eastern Italy. *International Journal of Food Microbiology*, 334, 108806.
- Blomberg, A., & Adler, L. (1989). Roles of glycerol and glycerol-3-phosphate dehydrogenase (NAD⁺) in acquired osmotolerance of *Saccharomyces cerevisiae*. *Journal of Bacteriology*, 171(2), 1087–1092. <https://doi.org/10.1128/jb.171.2.1087-1092.1989>.
- Bolarinwa, I. F., Oke, M. O., Olaniyan, S. A., & Ajala, A. S. (2016). A review of cyanogenic glycosides in edible plants. *Toxicology–New Aspects to This Scientific Conundrum*.
- Čadež, N., Fülöp, L., Dlačny, D., & Péter, G. (2015). *Zygosaccharomyces favi* sp. nov., an obligate osmophilic yeast species from bee bread and honey. *Antonie Van Leeuwenhoek*, 107(3), 645–654.
- Carvalho, C. M., Rocha, A., & Estevinho, M. L. F. (2005). Identification of honey yeast species based on RFLP analysis of the ITS region. *Cienc. Tecnol. Aliment Journal*, 5(1), 11-17.
- Cai, S., Wang, O., Wang, M., He, J., Wang, Y., Zhang, D., Zhou, F., & Ji, B. (2012). In vitro inhibitory effect on pancreatic lipase activity of subfractions from ethanol extracts of fermented oats (*Avena sativa* L.) and synergistic effect of three phenolic acids. *Journal of Agricultural and Food Chemistry*, 60(29), 7245–7251. <https://doi.org/10.1021/jf3009958>
- Chen, S., Bi, K., Wu, S., Li, Y., Huang, Y., Sheng, C., & Dong, G. (2021). Water-soluble derivatives of evodiamine: Discovery of evodiamine-10-phosphate

- as an orally active antitumor lead compound. *European Journal of Medicinal Chemistry*, 220. <https://doi.org/10.1016/j.ejmech.2021.113544>
- Chikano, M., & Takahashi, J. ichi. (2020). Complete mitochondrial DNA sequence of the yeast *Zygosaccharomyces siamensis* (*Saccharomycetes: Saccharomycetales*) from fermented honey of the *Apis cerana japonica* in Japan. *Mitochondrial DNA Part B: Resources*, 5(3), 2645–2647. <https://doi.org/10.1080/23802359.2020.1785961>
- Chugh, J. K., Brückner, H., & Wallace, B. A. (2002). Model for a helical bundle channel based on the high-resolution crystal structure of trichotoxin_A50E. *Biochemistry*, 41(43), 12934–12941. <https://doi.org/10.1021/bi026150z>
- Codex Alimentarius Commission (2001). Revised Standards for Honey. Codex Standard 12-1981. Rome: FAO.
- Combina, M., Daguerre, C., Massera, A., Mercado, L., Sturm, M. E., Ganga, A., & Martinez, C. (2008). Yeast identification in grape juice concentrates from Argentina. *Letters in Applied Microbiology*, 46(2), 192–197.
- Cunha, J. da S. M. da, Alfredo, T. M., Santos, J. M. dos, Junior, V. V. A., Rabelo, L. A., Lima, E. S., Boleti, A. P. A. Carollo, C.A., Santos, E. L. d., Souza, K. de P. (2018). Antioxidant, antihyperglycemic, and antidiabetic activity of *Apis mellifera* bee tea. *PLoS ONE*, 13(6), 1–17. <https://doi.org/10.1371/journal.pone.0197071>
- Da Silva, P. M., Gauche, C., Gonzaga, L. V., Costa, A. C. O., & Fett, R. (2016). Honey: Chemical composition, stability and authenticity. *Food Chemistry*, 196(September 2015), 309–323. <https://doi.org/10.1016/j.foodchem.2015.09.051>
- Dakal, T. C., Solieri, L., & Giudici, P. (2014). Adaptive response and tolerance to sugar and salt stress in the food yeast *Zygosaccharomyces rouxii*. *International Journal of Food Microbiology*, 185, 140–157. <https://doi.org/10.1016/j.ijfoodmicro.2014.05.015>
- Dittrich, B., Munshi, P., & Spackman, M. A. (2006). Invariom-model refinement of L-valinol. *Acta Crystallographica Section C: Crystal Structure Communications*, 62(11), 633–635. <https://doi.org/10.1107/S0108270106037358>
- El Sohaimy, S. A., Masry, S. H. D., & Shehata, M. G. (2015). Physicochemical characteristics of honey from different origins. *Annals of Agricultural Sciences*, 60(2), 279–287.

- Escuredo, O., Dobre, I., Fernández-González, M., & Seijo, M. C. (2014). Contribution of botanical origin and sugar composition of honeys on the crystallization phenomenon. *Food chemistry*, 149, 84-90.
- Gbylik-Sikorska, M., Sniegocki, T., & Posyniak, A. (2015). Determination of neonicotinoid insecticides and their metabolites in honey bee and honey by liquid chromatography tandem mass spectrometry. *Journal of Chromatography. B, Analytical Technologies in the Biomedical and Life Sciences*, 990, 132–140.
- Gill, R. S., Hans, V. S., Singh, S., Pal Singh, P., & Dhaliwal, S. S. (2015). A small scale honey dehydrator. *Journal of Food Science and Technology*, 52(10), 6695–6702. <https://doi.org/10.1007/s13197-015-1760-0>
- Gleiter, R., Horn, H., & Isengard, H. (2006). Influence of type and state of crystallisation on the water activity of honey. *Food chemistry*, 96(3), 441–445.
- Greenacre, M. (2017). Ordination with any dissimilarity measure: a weighted Euclidean solution. *Ecology*, 98(9), 2293–2300. <https://doi.org/10.1002/ecy.1937>.
- Hawkins, J., de Vere, N., Griffith, A., Ford, C. R., Allainguillaume, J., Hegarty, M. J., Baillie, L., et al. (2015). Using DNA metabarcoding to identify the floral composition of honey: A new tool for investigating honey bee foraging preferences. *Plos One*, 10(8), e0134735.
- Hebert, P. D., Cywinska, A., Ball, S. L., & DeWaard, J. R. (2003). Biological identifications through DNA barcodes. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 270(1512), 313-321.
- Hidayat, S. A., Susilo, A., & Masyithoh, D. (2021). Effect of change in moisture content of Sumatra Forest Honey on total sugar, electrical conductivity and color. *IOP Conference Series: Earth and Environmental Science*, 788(1). <https://doi.org/10.1088/1755-1315/788/1/012107>
- Hu, J., Shi, X., Mao, X., Chen, J., & Li, H. (2014). Cytotoxic mannopyranosides of indole alkaloids from *Zanthoxylum nitidum*. *Chemistry and Biodiversity*, 11(6), 970–974. <https://doi.org/10.1002/cbdv.201300381>
- Ilmi, M., & Siswantoro, M. (2021). Lipid production from *Zygosaccharomyces siamensis* AP1 using sequencing batch method with acetic acid as carbon source. *IOP Conference Series: Earth and Environmental Science*, 743(1), 1–7. <https://doi.org/10.1088/1755-1315/743/1/012096>

- Iurlina, M. O., & Fritz, R. (2005). Characterization of microorganisms in Argentinean honeys from different sources. *International Journal of Food Microbiology*, 105(3), 297–304.
- Karabagias, I. K., Badeka, A., Kontakos, S., Karabournioti, S., & Kontominas, M. G. (2014). Characterisation and classification of Greek pine honeys according to their geographical origin based on volatiles, physicochemical parameters and chemometrics. *Food chemistry*, 146, 548–557.
- Khallouki, F., Akdad, M., & Bouddine, T. (2020). HPLC-ESI-MS and GC-EI-MS Identification and Quantitation of Polyphenolics and Alkaloids in Moroccan Jujube Honeys. *Journal of Apicultural Science*, 64(2), 287-299.
- Khan, S. U., Anjum, S. I., Rahman, K., Ansari, M. J., Khan, W. U., Kamal, S., Khattak, B., et al. (2018). Honey: Single food stuff comprises many drugs. *Saudi Journal of Biological Sciences*, 25(2), 320–325.
- Khansaritoreh, E., Salmaki, Y., Ramezani, E., Akbari Azirani, T., Keller, A., Neumann, K., Alizadeh, K., et al. (2020). Employing DNA metabarcoding to determine the geographical origin of honey. *Heliyon*, 6(11), e05596.
- Landeka, V., Kurtagić, H., Pažin, J., & Sarić, E. (2021). Determination of honey quality in the context of physico-chemical and microbiological data in Bosnia and Herzegovina. *Hrvatski Časopis Za Prehrambenu Tehnologiju, Biotehnologiju i Nutricionizam*, 16(1–2), 72–77. <https://doi.org/10.31895/hcptbn.16.1-2.10>
- Liu, G., Tao, C., Zhu, B., Bai, W., Zhang, L., Wang, Z., & Liang, X. (2016). Identification of *Zygosaccharomyces mellis* strains in stored honey and their stress tolerance. *Food Science and Biotechnology*, 25(6), 1645–1650. <https://doi.org/10.1007/s10068-016-0253-x>
- Lu, Q., Ma, R., Yang, Y., Mo, Z., Pu, X., & Li, C. (2020). *Zanthoxylum nitidum* (Roxb.) DC: Traditional uses, phytochemistry, pharmacological activities and toxicology. *Journal of Ethnopharmacology*, 260(May), 112946. <https://doi.org/10.1016/j.jep.2020.112946>.
- Lucek, K., Galli, A., Gurten, S., Hohmann, N., Maccagni, A., Patsiou, T., & Willi, Y. (2019). Metabarcoding of honey to assess differences in plant-pollinator interactions between urban and non-urban sites. *Apidologie*, 50(3), 317–329.
- Leaw, S. N., Chang, H. C., Sun, H. F., Barton, R., Bouchara, J. P., & Chang, T. C. (2006). Identification of medically important yeast species by sequence analysis of the internal transcribed spacer regions. *Journal of Clinical Microbiology*, 44(3), 693–699. <https://doi.org/10.1128/JCM.44.3.693-699.2006>.

- Machado De-Melo, A. A., Almeida-Muradian, L. B. de, Sancho, M. T., & Pascual-Maté, A. (2018). Composición y propiedades de la miel de *Apis mellifera*: una revisión. *Journal of Apicultural Research*, 57(1), 5–37. <https://doi.org/10.1080/00218839.2017.1338444>.
- Møller, B. L., Olsen, C. E., & Motawia, M. S. (2016). General and Stereocontrolled Approach to the Chemical Synthesis of Naturally Occurring Cyanogenic Glucosides. *Journal of Natural Products*, 79(4), 1198–1202. <https://doi.org/10.1021/acs.jnatprod.5b01121>
- Munitis, M. T., Cabrera, E., & Rodriguez-Navarro, A. (1976). An obligate osmophilic yeast from honey. *Applied and Environmental Microbiology*, 32(3), 320–323.
- National Center for Biotechnology Information (2022). PubChem Compound Summary for CID 49844972, Dihydrocaffeic acid 3-O-glucuronide. Retrieved January 5, 2022 from <https://pubchem.ncbi.nlm.nih.gov/compound/Dihydrocaffeic-acid-3-O-glucuronide>.
- Naik, R. R., Gandhi, N. S., Thakur, M., & Nanda, V. (2019). Analysis of crystallization phenomenon in Indian honey using molecular dynamics simulations and artificial neural network. *Food chemistry*, 300, 125182.
- Park, Y. K., Koo, M. H., & Oliveira, I. M. (1996). Biochemical characteristics of osmophilic yeasts isolated from pollens and honey. *Bioscience, Biotechnology, and Biochemistry*, 60(11), 1872–1873.
- Perna, A., Simonetti, A., Intaglietta, I., & Gambacorta, E. (2013). Antioxidant properties, polyphenol content and colorimetric characteristics of different floral origin honeys from different areas of Southern Italy. *Journal of Life Sciences*, 7(4), 428–436. Retrieved from <http://www.davidpublishing.com/davidpublishing/Upfile/8/11/2013/2013081166027337.pdf>
- Prica, N., Živkov Baloš, M., Jakšić, S., Mihaljev, Ž., Kartalović, B., Babić, J., & Savić, S. (2015). Moisture and Acidity As Indicators of the Quality of Honey Originating From Vojvodina Region. *Archives of Veterinary Medicine*, 7(2), 99–109. <https://doi.org/10.46784/e-avm.v7i2.135>
- Procopio, N., Ghignone, S., Williams, A., Chamberlain, A., Mello, A., & Buckley, M. (2019). Metabarcoding to investigate changes in soil microbial communities within forensic burial contexts. *Forensic science international. Genetics*, 39, 73–85.
- Rao, P. V., Krishnan, K. T., Salleh, N., & Gan, S. H. (2016). Biological and therapeutic effects of honey produced by honey bees and stingless bees: A

- comparative review. *Revista Brasileira de Farmacognosia*, 26(5), 657–664. <https://doi.org/10.1016/j.bjp.2016.01.012>
- Ribani, A, Utzeri, V. J., Taurisano, V., & Fontanesi, L. (2020). Honey as a Source of Environmental DNA for the Detection and Monitoring of Honey Bee Pathogens and Parasites. *Veterinary sciences*.
- Ribani, Anisa, Utzeri, V. J., Taurisano, V., & Fontanesi, L. (2020). Honey as a source of environmental DNA for the detection and monitoring of honey bee pathogens and parasites. *Veterinary Sciences*, 7(3).
- Robinson, W. S. (2012). Migrating giant honey bees (*Apis dorsata*) congregate annually at stopover site in Thailand. *Plos One*, 7(9), e44976.
- Rosa, L. H., Pinto, O. H. B., Šantl-Temkiv, T., Convey, P., Carvalho-Silva, M., Rosa, C. A., & Câmara, P. E. A. S. (2020). DNA metabarcoding of fungal diversity in air and snow of Livingston Island, South Shetland Islands, Antarctica. *Scientific Reports*, 10(1), 21793.
- Saksinchai, S., Suzuki, M., Chantawannakul, P., Ohkuma, M., & Lumyong, S. (2012). A novel ascosporeogenous yeast species, *Zygosaccharomyces siamensis*, and the sugar tolerant yeasts associated with raw honey collected in Thailand. *Fungal diversity*, 52(1), 123–139.
- Salgado Vital, M. J., Abranches, J., Hagler, A. N., & Mendonça-Hagler, L. C. (2002). Mycotoxinogenic yeasts isolated from amazon soils of the maracá ecological station, Roraima-Brazil. *Brazilian Journal of Microbiology*, 33(3), 230–235. <https://doi.org/10.1590/s1517-83822002000300008>
- Shen, W., Wang, Z. X., Rao, Z. M., Zhuge, J., & Zhuge, B. (2011). A genetic transformation system based on *trp1* complementation in *Candida glycerinogenes*. *World Journal of Microbiology and Biotechnology*, 27(4), 1005–1008. <https://doi.org/10.1007/s11274-010-0524-2>.
- Solieri, L. (2021). The revenge of *Zygosaccharomyces* yeasts in food biotechnology and applied microbiology. *World Journal of Microbiology and Biotechnology*, 37(6), 1–22. <https://doi.org/10.1007/s11274-021-03066-7>
- Singh, I., & Singh, S. (2018). Honey moisture reduction and its quality. *Journal of Food Science and Technology*, 55(10), 3861–3871.
- Standar Nasional Indonesia. (2018). *Madu*. Madu. Badan Standardisasi Nasional.
- Taberlet, P., Coissac, E., Pompanon, F., Brochmann, C., & Willerslev, E. (2012). Towards next-generation biodiversity assessment using DNA metabarcoding. *Molecular Ecology*, 21(8), 2045–2050.

- Tan, N. Q., Chinh, P. H., Thai, P. H., & Mulder, V. (1997). Rafter beekeeping with *Apis dorsata*: some factors affecting the occupation of rafters by bees. *Journal of Apicultural Research*, 36(1), 49-54.
- Tappi, S., Laghi, L., Dettori, A., Piana, L., Ragni, L., & Rocculi, P. (2019). Investigation of water state during induced crystallization of honey. *Food chemistry*, 294, 260–266.
- Thalji, R. K., Ramos, B., Gabriel Garcia, J., & Fronczek, F. R. (1998). (Z)-3-benzylidene-1-ethynyl-1-phenyl-1,3-dihydroisobenzofuran. *Acta Crystallographica Section C: Crystal Structure Communications*, 54(1), 109–111. <https://doi.org/10.1107/S0108270197012304>
- Tyakht, A., Kopeliovich, A., Klimenko, N., Efimova, D., Dovidchenko, N., Odintsova, V., Kleimenov, M., Toshchakov, S., Popova, A., Khomyakova, M., & Merkel, A. (2021). Characteristics of bacterial and yeast microbiomes in spontaneous and mixed-fermentation beer and cider. *Food Microbiology*, 94(May 2020), 103658. <https://doi.org/10.1016/j.fm.2020.103658>
- Wu, J. J., Ma, Y. K., Zhang, F. F., & Chen, F. S. (2012). Biodiversity of yeasts, lactic acid bacteria and acetic acid bacteria in the fermentation of “ Shanxi aged vinegar”, a traditional Chinese vinegar. *Food Microbiology*, 30(1), 289–297. <https://doi.org/10.1016/j.fm.2011.08.010>
- Yang, C. J., Li, H. xin, Wang, J. R., Zhang, Z. J., Wu, T. L., Liu, Y., Tang, C., Chu, Q., Du, S & He, Y. H. (2022). Design, synthesis and biological evaluation of novel evodiamine and rutaecarpine derivatives against phytopathogenic fungi. *European Journal of Medicinal Chemistry*, 227, 113937. <https://doi.org/10.1016/j.ejmech.2021.113937>
- Yoo, M., & Koh, D. (2020). Diethyl 4-(1 H -imidazol-2-yl)-2,6-dimethyl-1,4-dihydropyridine-3,5-dicarboxylate . *IUCrData*, 5(1), 1–7. <https://doi.org/10.1107/s2414314620000346>
- Zeng, Y. B., Ma, S. S., Guo, Z. K., Jiang, B., Mei, W. L., & Dai, H. F. (2016). A new degraded sesquiterpene from the twigs of *Trigonostemon lutescens*. *Natural Product Communications*, 11(3), 369–370. <https://doi.org/10.1177/1934578x1601100312>