

DAFTAR PUSTAKA

- Ajala, T. O., Abraham, A., Keck, C. M., Odeku, O. A., Elufioye, T. O., & Olopade, J. O. (2021). Shea butter (*Vitellaria paradoxa*) and *Pentaclethra macrophylla* oil as lipids in the formulation of Nanostructured lipid carriers. *Scientific African*, 13(e00965), 1–10. <https://doi.org/10.1016/j.sciaf.2021.e00965>
- Akhoond Zardini, A., Mohebbi, M., Farhoosh, R., & Bolurian, S. (2018). Production and characterization of nanostructured lipid carriers and solid lipid nanoparticles containing lycopene for food fortification. *Journal of Food Science and Technology*, 55(1), 287–298. <https://doi.org/10.1007/s13197-017-2937-5>
- Alcantara, K. P., Zulfakar, M. H., & Castillo, A. L. (2019). Development, characterization and pharmacokinetics of mupirocin-loaded nanostructured lipid carriers (NLCs) for intravascular administration. *International Journal of Pharmaceutics*, 571(118705), 1–16. <https://doi.org/10.1016/j.ijpharm.2019.118705>
- Alkandari, S., Al-Hassawi, F., Aldughpassi, A., Sidhu, J. S., Al-Amiri, H. A., Al-Othman, A., Ahmed, N., & Ahmad, A. (2021). Pilot scale production of functional foods using red palm olein: Antioxidant, vitamins' stability and sensory quality during storage. *Saudi Journal of Biological Sciences*, 28(10), 5547–5554. <https://doi.org/10.1016/j.sjbs.2021.06.032>
- Azevedo, M. A., Cerqueira, M. A., Fuciños, P., Silva, B. F. B., Teixeira, J. A., & Pastrana, L. (2021). Rhamnolipids-based nanostructured lipid carriers: Effect of lipid phase on physicochemical properties and stability. *Food Chemistry*, 344, 1–9. <https://doi.org/10.1016/j.foodchem.2020.128670>
- Babazadeh, A., Ghanbarzadeh, B., & Hamishehkar, H. (2016). Novel nanostructured lipid carriers as a promising food grade delivery system for rutin. *Journal of Functional Foods*, 26, 167–175. <https://doi.org/10.1016/j.jff.2016.07.017>
- Baek, E. J., Garcia, C. V., Shin, G. H., & Kim, J. T. (2020). Improvement of thermal and UV-light stability of β -carotene-loaded nanoemulsions by water-soluble chitosan coating. *International Journal of Biological Macromolecules*, 165, 1156–1163. <https://doi.org/10.1016/j.ijbiomac.2020.10.008>
- Bashiri, S., Ghanbarzadeh, B., Ayaseh, A., Dehghannya, J., & Ehsani, A. (2020). Preparation and characterization of chitosan-coated nanostructured lipid carriers (CH-NLC) containing cinnamon essential oil for enriching milk and anti-oxidant activity. *Lwt*, 119(July 2019), 108836. <https://doi.org/10.1016/j.lwt.2019.108836>
- Bashiri, S., Ghanbarzadeh, B., Ayaseh, A., Dehghannya, J., Ehsani, A., & Ozyurt, H. (2020). Essential oil-loaded nanostructured lipid carriers: The effects of liquid lipid type on the physicochemical properties in beverage models. *Food Bioscience*, 35, 1–10. <https://doi.org/10.1016/j.fbio.2020.100526>

- Benitez, L. O., Castagnini, J. M., Añón, M. C., & Salgado, P. R. (2020). Development of oil-in-water emulsions based on rice bran oil and soybean meal as the basis of food products able to be included in ketogenic diets. *Lwt*, 118(July 2019), 108809. <https://doi.org/10.1016/j.lwt.2019.108809>
- Borba, C. M., Tavares, M. N., Macedo, L. P., Araújo, G. S., Furlong, E. B., Dora, C. L., & Burkert, J. F. M. (2019). Physical and chemical stability of β -carotene nanoemulsions during storage and thermal process. *Food Research International*, 121, 229–237. <https://doi.org/10.1016/j.foodres.2019.03.045>
- Budiyanto, Silsia, D., Efendi, Z., & Janika, R. (2012). Perubahan Kandungan B-Karoten, Asam Lemak Bebas dan Bilangan Peroksida Minyak Sawit Merah Selama Pemanasan. *Jurnal Agritech*, 30(02), 75–79. <https://doi.org/10.22146/agritech.9676>
- Burdock, G. A. (2001). *Fenaroli's Handbook Of Flavor Ingredients 4th Edition* (4th ed.). CRC Press LLC.
- Chaudhari, V. S., Murty, U. S., & Banerjee, S. (2021). Nanostructured lipid carriers as a strategy for encapsulation of active plant constituents: Formulation and in vitro physicochemical characterizations. *Chemistry and Physics of Lipids*, 235(105037), 1–8. <https://doi.org/10.1016/j.chemphyslip.2020.105037>
- Chauhan, O. P., Archana, B. S., Singh, A., Raju, P. S., & Bawa, A. S. (2014). A refreshing beverage from mature coconut water blended with lemon juice. *Journal of Food Science and Technology*, 51(11), 3355–3361. <https://doi.org/10.1007/s13197-012-0825-6>
- Chen, H., & Zhong, Q. (2015). Thermal and UV stability of β -carotene dissolved in peppermint oil microemulsified by sunflower lecithin and Tween 20 blend. *Food Chemistry*, 174, 630–636. <https://doi.org/10.1016/j.foodchem.2014.11.116>
- Chinsriwongkul, A., Chareanputtakhun, P., Ngawhirunpat, T., Rojanarata, T., Sila-On, W., Ruktanonchai, U., & Opanasopit, P. (2012). Nanostructured lipid carriers (NLC) for parenteral delivery of an anticancer drug. *AAPS PharmSciTech*, 13(1), 150–158. <https://doi.org/10.1208/s12249-011-9733-8>
- Cornacchia, L., & Roos, Y. H. (2011). Stability of β -carotene in protein-stabilized oil-in-water delivery systems. *Journal of Agricultural and Food Chemistry*, 59(13), 7013–7020. <https://doi.org/10.1021/jf200841k>
- Da S. Lima, A., Maia, G. A., De Sousa, P. H. M., Do Prado, G. M., & Rodrigues, S. (2009). Storage stability of a stimulant coconut water-acerola fruit juice beverage. *International Journal of Food Science and Technology*, 44(7), 1445–1451. <https://doi.org/10.1111/j.1365-2621.2009.01977.x>
- Demiray, E., & Tulek, Y. (2017). Degradation kinetics of β -carotene in carrot slices during convective drying. *International Journal of Food Properties*, 20(1), 151–156. <https://doi.org/10.1080/10942912.2016.1147460>

- Desrumaux, A., & Marcand, J. (2002). Formation of sunflower oil emulsions stabilized by whey proteins with high-pressure homogenization (up to 350 MPa): Effect of pressure on emulsion characteristics. *International Journal of Food Science and Technology*, 37(3), 263–269. <https://doi.org/10.1046/j.1365-2621.2002.00565.x>
- Dong, S., Xia, H., Wang, F., & Sun, G. (2017). The effect of red palm oil on vitamin a deficiency: A meta-analysis of Randomized controlled trials. *Nutrients*, 9(12), 1–15. <https://doi.org/10.3390/nu9121281>
- Duong, V. A., Nguyen, T. T. L., Maeng, H. J., & Chi, S. C. (2019a). Data on optimization and drug release kinetics of nanostructured lipid carriers containing ondansetron hydrochloride prepared by cold high-pressure homogenization method. *Data in Brief*, 26(104475), 1–10. <https://doi.org/10.1016/j.dib.2019.104475>
- Duong, V. A., Nguyen, T. T. L., Maeng, H. J., & Chi, S. C. (2019b). Nanostructured lipid carriers containing ondansetron hydrochloride by cold high-pressure homogenization method: Preparation, characterization, and pharmacokinetic evaluation. *Journal of Drug Delivery Science and Technology*, 53(February), 101185. <https://doi.org/10.1016/j.jddst.2019.101185>
- Edem, D. O. (2002). Palm oil: Biochemical, physiological, nutritional, hematological, and toxicological aspects: A review. *Plant Foods for Human Nutrition*, 57(3–4), 319–341. <https://doi.org/10.1023/A:1021828132707>
- El-Hadad, N., Abd El-Aal, M. H., Youssef, M. M., & Abou-Gharbia, H. A. (2010). Red palm olein: Characterization and utilization in formulating novel functional biscuits. *JAOCs, Journal of the American Oil Chemists' Society*, 87(3), 295–304. <https://doi.org/10.1007/s11746-009-1497-x>
- Esfanjani, A. F., Jafari, S. M., Assadpoor, E., & Mohammadi, A. (2015). Nano-encapsulation of saffron extract through double-layered multiple emulsions of pectin and whey protein concentrate. *Journal of Food Engineering*, 165, 149–155. <https://doi.org/10.1016/j.jfoodeng.2015.06.022>
- Fang, C.-L., A. Al-Suwayeh, S., & Fang, J.-Y. (2012). Nanostructured Lipid Carriers (NLCs) for Drug Delivery and Targeting. *Recent Patents on Nanotechnology*, 7(1), 41–55. <https://doi.org/10.2174/18722105130105>
- Fathi, M., & Varshosaz, J. (2013). Novel hesperetin loaded nanocarriers for food fortification: Production and characterization. *Journal of Functional Foods*, 5(3), 1382–1391. <https://doi.org/10.1016/j.jff.2013.05.006>
- Fauzi, S. H. M., Rashid, N. A., & Omar, Z. (2013). Effects of chemical interesterification on the physicochemical, microstructural and thermal properties of palm stearin, palm kernel oil and soybean oil blends. *Food Chemistry*, 137, 8–17. <https://doi.org/10.1016/j.foodchem.2012.09.086>

- Fernández-García, E., Carvajal-Lérida, I., Jarén-Galán, M., Garrido-Fernández, J., Pérez-Gálvez, A., & Hornero-Méndez, D. (2012). Carotenoids bioavailability from foods: From plant pigments to efficient biological activities. *Food Research International*, 46(2), 438–450. <https://doi.org/10.1016/j.foodres.2011.06.007>
- Fiedor, J., Fiedor, L., Winkler, J., Scherz, A., & Scheer, H. (2001). Photodynamics of the Bacteriochlorophyll–Carotenoid System. 1. Bacteriochlorophyll-photosensitized Oxygenation of β -Carotene in Acetone. *Photochemistry and Photobiology*, 74(1), 64. [https://doi.org/10.1562/0031-8655\(2001\)074<0064:potbcs>2.0.co;2](https://doi.org/10.1562/0031-8655(2001)074<0064:potbcs>2.0.co;2)
- Gu, L., Sun, R., Wang, W., & Xia, Q. (2022). Nanostructured lipid carriers for the encapsulation of phloretin: preparation and in vitro characterization studies. *Chemistry and Physics of Lipids*, 242(105150), 1–7. <https://doi.org/10.1016/j.chemphyslip.2021.105150>
- Guerrero, P., Retegi, A., Gabilondo, N., & De La Caba, K. (2010). Mechanical and thermal properties of soy protein films processed by casting and compression. *Journal of Food Engineering*, 100(1), 145–151. <https://doi.org/10.1016/j.jfoodeng.2010.03.039>
- Haider, M., Abdin, S. M., Kamal, L., & Orive, G. (2020). Nanostructured lipid carriers for delivery of chemotherapeutics: A review. *Pharmaceutics*, 12(3), 1–26. <https://doi.org/10.3390/pharmaceutics12030288>
- Harianti, R., Marliyati, S. A., Rimbawan, R., & Sukandar, D. (2018). Development of High Antioxidant Red Palm Oil Cake as a Potential Functional Food. *Jurnal Gizi dan Pangan*, 13(2), 63–70. <https://doi.org/10.25182/jgp.2018.13.2.63-70>
- Hentschel, A., Gramdorf, S., Müller, R. H., & Kurz, T. (2008). β -Carotene-loaded nanostructured lipid carriers. *Journal of Food Science*, 73(2), 1–6. <https://doi.org/10.1111/j.1750-3841.2007.00641.x>
- Hong, I. K., Kim, S. I., & Lee, S. B. (2018). Effects of HLB value on oil-in-water emulsions: Droplet size, rheological behavior, zeta-potential, and creaming index. *Journal of Industrial and Engineering Chemistry*, 67, 123–131. <https://doi.org/10.1016/j.jiec.2018.06.022>
- Houacine, C., Adams, D., & Singh, K. K. (2020). Impact of liquid lipid on development and stability of trimyristin nanostructured lipid carriers for oral delivery of resveratrol. *Journal of Molecular Liquids*, 316, 1–19. <https://doi.org/10.1016/j.molliq.2020.113734>
- Huang, J., Wang, Q., Li, T., Xia, N., & Xia, Q. (2017). Nanostructured lipid carrier (NLC) as a strategy for encapsulation of quercetin and linseed oil: Preparation and in vitro characterization studies. *Journal of Food Engineering*, 215, 1–12. <https://doi.org/10.1016/j.jfoodeng.2017.07.002>

- Jafari, S. M., He, Y., & Bhandari, B. (2007). Effectiveness of encapsulating biopolymers to produce sub-micron emulsions by high energy emulsification techniques. *Food Research International*, 40(7), 862–873. <https://doi.org/10.1016/j.foodres.2007.02.002>
- Katouzian, I., Faridi Esfanjani, A., Jafari, S. M., & Akhavan, S. (2017). Formulation and application of a new generation of lipid nano-carriers for the food bioactive ingredients. *Trends in Food Science and Technology*, 68, 14–25. <https://doi.org/10.1016/j.tifs.2017.07.017>
- Keivani Nahr, F., Ghanbarzadeh, B., Hamishehkar, H., & Samadi Kafil, H. (2018). Food grade nanostructured lipid carrier for cardamom essential oil: Preparation, characterization and antimicrobial activity. *Journal of Functional Foods*, 40, 1–8. <https://doi.org/10.1016/j.jff.2017.09.028>
- Kellens, M., Gibon, V., Hendrix, M., & De Greyt, W. (2007). Palm oil fractionation. *European Journal of Lipid Science and Technology*, 109(4), 336–349. <https://doi.org/10.1002/ejlt.200600309>
- Khosa, A., Reddi, S., & Saha, R. N. (2018). Nanostructured lipid carriers for site-specific drug delivery. *Biomedicine and Pharmacotherapy*, 103, 598–613. <https://doi.org/10.1016/j.biopha.2018.04.055>
- Khosh manzar, M., Pirouzifard, M. K., Hamishehkar, H., & Pirs, S. (2020). Cocoa butter and cocoa butter substitute as a lipid carrier of Cuminum cyminum L. essential oil; physicochemical properties, physical stability and controlled release study. *Journal of Molecular Liquids*, 314, 1–10. <https://doi.org/10.1016/j.molliq.2020.113638>
- Lacatusu, I., Badea, N., Ovidiu, O., Bojin, D., & Meghea, A. (2012). Highly antioxidant carotene-lipid nanocarriers: Synthesis and antibacterial activity. *Journal of Nanoparticle Research*, 14(6), 1–16. <https://doi.org/10.1007/s11051-012-0902-9>
- Lawless, H. T., & Heymann, H. (2010). Sensory evaluation of food: principles of good practice. In D. R. Heldman (Ed.), *Sensory Evaluation of Food* (Second). Springer.
- Lee, W. J., Tan, C. P., Sulaiman, R., Smith, R. L., & Chong, G. H. (2018). Microencapsulation of red palm oil as an oil-in-water emulsion with supercritical carbon dioxide solution-enhanced dispersion. *Journal of Food Engineering*, 222, 100–109. <https://doi.org/10.1016/j.jfoodeng.2017.11.011>
- Liu, C., Meng, Z., Chai, X., Liang, X., Piatko, M., Campbell, S., & Liu, Y. (2019). Comparative analysis of graded blends of palm kernel oil, palm kernel stearin and palm stearin. *Food Chemistry*, 286, 636–643. <https://doi.org/10.1016/j.foodchem.2019.02.067>

- Mall, C., Tiwari, S., & Solanki, P. P. (2021). Studies of binding of oxazine and thiazine dyes with cetyltrimethylammonium bromide and tween 80 surfactant spectrophotometrically for the photogalvanic cell for solar energy conversion and storage. *Surfaces and Interfaces*, 27(October), 101547. <https://doi.org/10.1016/j.surfin.2021.101547>
- Manea, A. M., Vasile, B. S., & Meghea, A. (2014). Antioxidant and antimicrobial activities of green tea extract loaded into nanostructured lipid carriers. *Comptes Rendus Chimie*, 17(4), 331–341. <https://doi.org/10.1016/j.crci.2013.07.015>
- Mba, O. I., Dumont, M. J., & Ngadi, M. (2015). Palm oil: Processing, characterization and utilization in the food industry - A review. *Food Bioscience*, 10, 26–41. <https://doi.org/10.1016/j.fbio.2015.01.003>
- McClements, D. J., & Rao, J. (2011). Food-Grade nanoemulsions: Formulation, fabrication, properties, performance, Biological fate, and Potential Toxicity. *Critical Reviews in Food Science and Nutrition*, 51(4), 285–330. <https://doi.org/10.1080/10408398.2011.559558>
- Mehnert, W., & Mader, K. (2001). Solid lipid nanoparticles Production, characterization and applications. *Advanced Drug Delivery Reviews*, 47(2–3), 165–196. <https://doi.org/10.7551/mitpress/4945.003.0031>
- Mehnert, W., & Mäder, K. (2012). Solid lipid nanoparticles: Production, characterization and applications. *Advanced Drug Delivery Reviews*, 64, 83–101. <https://doi.org/10.1016/j.addr.2012.09.021>
- Mehrad, B., Ravanfar, R., Licker, J., Regenstein, J. M., & Abbaspourrad, A. (2018). Enhancing the physicochemical stability of β -carotene solid lipid nanoparticle (SLNP) using whey protein isolate. *Food Research International*, 105(December 2017), 962–969. <https://doi.org/10.1016/j.foodres.2017.12.036>
- Mohammadi, A., Jafari, S. M., Esfanjani, A. F., & Akhavan, S. (2016). Application of nano-encapsulated olive leaf extract in controlling the oxidative stability of soybean oil. *Food Chemistry*, 190, 513–519. <https://doi.org/10.1016/j.foodchem.2015.05.115>
- Müller, R. H., Radtke, M., & Wissing, S. A. (2002a). Nanostructured lipid matrices for improved microencapsulation of drugs. *International Journal of Pharmaceutics*, 242, 121–128.
- Müller, R. H., Radtke, M., & Wissing, S. A. (2002b). Solid lipid nanoparticles (SLN) and nanostructured lipid carriers (NLC) in cosmetic and dermatological preparations. *Advanced Drug Delivery Reviews*, 54(1), 131–155. [https://doi.org/10.1016/S0169-409X\(02\)00118-7](https://doi.org/10.1016/S0169-409X(02)00118-7)
- Neha, T., Shishir, T., & Ashutosh, D. (2017). Fourier transform infrared spectroscopy (FTIR) profiling of red pigment produced by *Bacillus subtilis* PD5. *African Journal of Biotechnology*, 16(27), 1507–1512. <https://doi.org/10.5897/ajb2017.15959>

- Ng, W. K., Yazan, L. S., Yap, L. H., Hafiza, W. A. G. W. N., How, C. W., & Abdullah, R. (2015). Thymoquinone-Loaded Nanostructured Lipid Carrier Exhibited Cytotoxicity towards Breast Cancer Cell Lines (MDA-MB-231 and MCF-7) and Cervical Cancer Cell Lines (HeLa and SiHa). *BioMed Research International*, 2015, 1–10. <https://doi.org/10.1080/13600869.2013.869919>
- Ni, S., Sun, R., Zhao, G., & Xia, Q. (2015). Quercetin loaded nanostructured lipid carrier for food fortification: Preparation, characterization and in vitro study. *Journal of Food Process Engineering*, 38(1), 93–106. <https://doi.org/10.1111/jfpe.12130>
- Nobari Azar, F. A., Pezeshki, A., Ghanbarzadeh, B., Hamishehkar, H., & Mohammadi, M. (2020). Nanostructured lipid carriers: Promising delivery systems for encapsulation of food ingredients. *Journal of Agriculture and Food Research*, 2(June), 100084. <https://doi.org/10.1016/j.jafr.2020.100084>
- Noor, N. M., Sheikh, K., Somavarapu, S., & Taylor, K. M. G. (2017). Preparation and characterization of dutasteride-loaded nanostructured lipid carriers coated with stearic acid-chitosan oligomer for topical delivery. *European Journal of Pharmaceutics and Biopharmaceutics*, 117, 372–384. <https://doi.org/10.1016/j.ejpb.2017.04.012>
- Osungbade, O. R., Ikujenlola, A. V., & Gbadamosi, S. O. (2021). Influence of Kersting's (*Kerstingiella geocarpa*) groundnut proteins on the physicochemical, bioactive properties and storage stability of orange juice. *Heliyon*, 7(2), 1–12. <https://doi.org/10.1016/j.heliyon.2021.e06246>
- Park, S. J., Garcia, C. V., Shin, G. H., & Kim, J. T. (2017). Development of nanostructured lipid carriers for the encapsulation and controlled release of vitamin D3. *Food Chemistry*, 225, 213–219. <https://doi.org/10.1016/j.foodchem.2017.01.015>
- Patil, G. B., Patil, N. D., Deshmukh, P. K., Patil, P. O., & Bari, S. B. (2014). Nanostructured lipid carriers as a potential vehicle for Carvedilol delivery: Application of factorial design approach. *Artificial Cells, Nanomedicine and Biotechnology*, 44(1), 1–8. <https://doi.org/10.3109/21691401.2014.909820>
- Pénicaud, C., Achir, N., Dhuique-Mayer, C., Dornier, M., & Bohuon, P. (2011). Degradation of β -carotene during fruit and vegetable processing or storage: Reaction mechanisms and kinetic aspects: A review. *Fruits*, 66(6), 417–440. <https://doi.org/10.1051/fruits/2011058>
- Perkebunan, D. J. (2019). *Statistik Perkebunan Indonesia (Tree Crop Estate Statistics Of Indonesia 2017-2019) Kelapa Sawit (Palm Oil)*. 1–81. <http://ditjenbun.pertanian.go.id>
- Pezeshki, A., Ghanbarzadeh, B., Mohammadi, M., Fathollahi, I., & Hamishehkar, H. (2014). Encapsulation of vitamin A palmitate in nanostructured lipid carrier (NLC)-effect of surfactant concentration on the formulation properties. *Advanced Pharmaceutical Bulletin*, 4(2), 563–568. <https://doi.org/10.5681/apb.2014.083>

- Pezeshki, A., Hamishehkar, H., Ghanbarzadeh, B., Fathollahy, I., Keivani Nahr, F., Khakbaz Heshmati, M., & Mohammadi, M. (2019). Nanostructured lipid carriers as a favorable delivery system for β -carotene. *Food Bioscience*, 27, 11–17. <https://doi.org/10.1016/j.fbio.2018.11.004>
- Rao, A. V., & Rao, L. G. (2007). Carotenoids and human health. *Pharmacological Research*, 55, 207–216. <https://doi.org/10.1016/j.phrs.2007.01.012>
- Reksamunandar, R. P., Edikresnha, D., Munir, M. M., Damayanti, S., & Khairurrijal. (2017). Encapsulation of β -carotene in poly(vinylpyrrolidone) (PVP) by Electrospinning Technique. *Procedia Engineering*, 170, 19–23. <https://doi.org/10.1016/j.proeng.2017.03.004>
- Rohmah, M., Choiri, S., Raharjo, S., Hidayat, C., & Martien, R. (2020). Palm stearin and olein binary mixture incorporated into nanostructured lipids carrier: Improvement food functionality for micronutrient delivery. *Journal of Food Processing and Preservation*, 44(10), 1–10. <https://doi.org/10.1111/jfpp.14761>
- Rohmah, M., Raharjo, S., Hidayat, C., & Martien, R. (2019a). Application of Response Surface Methodology for the Optimization of β -Carotene-Loaded Nanostructured Lipid Carrier from Mixtures of Palm Stearin and Palm Olein. *JAOCS, Journal of the American Oil Chemists' Society*, 97(2), 213–223. <https://doi.org/10.1002/aocs.12310>
- Rohmah, M., Raharjo, S., Hidayat, C., & Martien, R. (2019b). Formulasi dan Stabilitas Nanostructured Lipid Carrier dari Campuran Fraksi Stearin dan Olein Minyak Kelapa Sawit. *Jurnal Aplikasi Teknologi Pangan*, 8(1), 23–30. <https://doi.org/10.17728/jatp.3722>
- Rostamabadi, H., Sadeghi Mahoonak, A., Allafchian, A., & Ghorbani, M. (2019). Fabrication of β -carotene loaded glucuronoxylan-based nanostructures through electrohydrodynamic processing. *International Journal of Biological Macromolecules*, 139, 773–784. <https://doi.org/10.1016/j.ijbiomac.2019.07.182>
- Rutz, J. K., Borges, C. D., Zambiasi, R. C., Crizel-Cardozo, M. M., Kuck, L. S., & Noreña, C. P. Z. (2017). Microencapsulation of palm oil by complex coacervation for application in food systems. *Food Chemistry*, 220, 59–66. <https://doi.org/10.1016/j.foodchem.2016.09.194>
- Sagiri, S. S., Singh, V. K., Pal, K., Banerjee, I., & Basak, P. (2015). Stearic acid based oleogels: A study on the molecular, thermal and mechanical properties. *Materials Science and Engineering C*, 48, 688–699. <https://doi.org/10.1016/j.msec.2014.12.018>
- Sahidin, Matsjeh, S. dan Nuryanto, E. (2000). Degradasi β -karoten dari minyak sawit mentah oleh panas. *Jurnal Penelitian Kelapa Sawit* 8: 39-50.

- Salminen, H., Aulbach, S., Leuenberger, B. H., Tedeschi, C., & Weiss, J. (2014). Influence of surfactant composition on physical and oxidative stability of Quillaja saponin-stabilized lipid particles with encapsulated ω -3 fish oil. *Colloids and Surfaces B: Biointerfaces*, 122, 46–55. <https://doi.org/10.1016/j.colsurfb.2014.06.045>
- Saporito, F., Sandri, G., Bonferoni, M. C., Rossi, S., Boselli, C., Cornaglia, A. I., Mannucci, B., Grisoli, P., Vigani, B., & Ferrari, F. (2018). Essential oil-loaded lipid nanoparticles for wound healing. *International Journal of Nanomedicine*, 13, 175–186. <https://doi.org/10.2147/IJN.S152529>
- Sari, Y. P., Raharjo, S., Santoso, U., & Supriyadi. (2020). bran oil prepared by emulsion phase inversion. *Food Research*, 4(4), 1024–1029.
- Severino, P., Santana, M. H. A., & Souto, E. B. (2012). Optimizing SLN and NLC by 2 2 full factorial design: Effect of homogenization technique. *Materials Science and Engineering C*, 32(6), 1375–1379. <https://doi.org/10.1016/j.msec.2012.04.017>
- Shah, R., Eldridge, D., Palombo, E., & Harding, I. (2015). *Production Techniques*. Springer. https://doi.org/10.1007/978-3-319-10711-0_3
- Sharma, A., & Baldi, A. (2018). Nanostructured Lipid Carriers : A Review Journal of Developing Drugs. *Journal of Developing Drugs*, 7(2), 1–12. <https://doi.org/10.1080/21691401.2018.1465068>
- Sharma, A. K., Garg, T., Goyal, A. K., & Rath, G. (2016). Role of microemulsions in advanced drug delivery. *Artificial Cells, Nanomedicine and Biotechnology*, 44(4), 1177–1185. <https://doi.org/10.3109/21691401.2015.1012261>
- Sharma, S., Sathasivam, T., Rawat, P., & Pushpamalar, J. (2021). Lycopene-loaded nanostructured lipid carrier from carboxymethyl oil palm empty fruit bunch cellulose for topical administration. *Carbohydrate Polymer Technologies and Applications*, 2, 1–12. <https://doi.org/10.1016/j.carpta.2021.100049>
- Singh, S., Singh, M., Tripathi, C. B., Arya, M., & Saraf, S. A. (2015). Development and evaluation of ultra-small nanostructured lipid carriers: novel topical delivery system for athlete's foot. *Drug Delivery and Translational Research*, 6(1), 38–47. <https://doi.org/10.1007/s13346-015-0263-x>
- Sirikhet, J., Chanmahasathien, W., Raiwa, A., & Kiattisin, K. (2021). Stability enhancement of lycopene in Citrullus lanatus extract via nanostructured lipid carriers. *Food Science and Nutrition*, 9(3), 1750–1760. <https://doi.org/10.1002/fsn3.2156>
- Soeratri, W., Hidayah, R., & Rosita, N. (2019). Effect of Combination Soy Bean Oil and Oleic Acid to Characteristic, Penetration, Physical Stability of Nanostructure Lipid Carrier Resveratrol. *Folia Medica Indonesiana*, 55(3), 213–222. <https://doi.org/10.20473/fmi.v55i3.15505>

- Souto, E. B., Wissing, S. A., Barbosa, C. M., & Müller, R. H. (2004). Development of a controlled release formulation based on SLN and NLC for topical clotrimazole delivery. *International Journal of Pharmaceutics*, 278(1), 71–77. <https://doi.org/10.1016/j.ijpharm.2004.02.032>
- Subramaniam, B., Siddik, Z. H., & Nagoor, N. H. (2020). Optimization of nanostructured lipid carriers: understanding the types, designs, and parameters in the process of formulations. *Journal of Nanoparticle Research*, 22(141), 1–28. <https://doi.org/10.1007/s11051-020-04848-0>
- Tamjidi, F., Shahedi, M., Varshosaz, J., & Nasirpour, A. (2013). Nanostructured lipid carriers (NLC): A potential delivery system for bioactive food molecules. *Innovative Food Science and Emerging Technologies*, 19, 29–43. <https://doi.org/10.1016/j.ifset.2013.03.002>
- Uluata, S., McClements, D. J., & Decker, E. A. (2016). Riboflavin-induced oxidation in fish oil-in-water emulsions: Impact of particle size and optical transparency. *Food Chemistry*, 213, 457–461. <https://doi.org/10.1016/j.foodchem.2016.06.103>
- Van Rooyen, J., Esterhuyse, A. J., Engelbrecht, A. M., & Du Toit, E. F. (2008). Health benefits of a natural carotenoid rich oil: A proposed mechanism of protection against ischaemia/reperfusion injury. *Asia Pacific Journal of Clinical Nutrition*, 17(SUPPL. 1), 316–319.
- Varshosaz, J., Eskandari, S., & Tabakhian, M. (2010). Production and optimization of valproic acid nanostructured lipid carriers by the Taguchi design. *Pharmaceutical Development and Technology*, 15(1), 89–96. <https://doi.org/10.3109/10837450903013568>
- Whitehurst, R. J. (2004). *Emulsifiers in Food Technology Edited by (First)*. Blackwell Publishing Ltd. <https://doi.org/10.1002/9780470995747>
- Yang, W., Wu, Z., Huang, Z. Y., & Miao, X. (2017). Preservation of orange juice using propolis. *Journal of Food Science and Technology*, 54(11), 3375–3383. <https://doi.org/10.1007/s13197-017-2754-x>
- Yi, J., Lam, T. I., Yokoyama, W., Cheng, L. W., & Zhong, F. (2015). Beta-carotene encapsulated in food protein nanoparticles reduces peroxyl radical oxidation in Caco-2 cells. *Food Hydrocolloids*, 43, 31–40. <https://doi.org/10.1016/j.foodhyd.2014.04.028>
- Zheng, M., Falkeborg, M., Zheng, Y., Yang, T., & Xu, X. (2013). Formulation and characterization of nanostructured lipid carriers containing a mixed lipids core. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 430, 76–84. <https://doi.org/10.1016/j.colsurfa.2013.03.070>