

## DAFTAR PUSTAKA

- Agency for Toxic Substances and Disease Registry (ATSDR). (2004). *Toxicological Profile For Copper*. U.S. Department Of Health And Human Services, Public Health service, Atalanta, GA. PP. 11–18.
- Ahmed, M., Lin, O., Saup, C. M., Wilkins, M. J., & Lin, L. S. (2019). Effects of Fe/S ratio on the kinetics and microbial ecology of an Fe(III)-dosed anaerobic wastewater treatment system. *Journal of Hazardous Materials*, 369(November 2018), 593–600.
- Andaka, G. (2008). Penurunan kadar tembaga pada limbah cair industri kerajinan perak dengan presipitasi menggunakan natrium hidroksida. *Jurnal Teknologi*, 1(2), 127–134.
- Andriyanto, & Retnaningrum, E. (2016). *Pengaruh Zeolit Alam terhadap Aktivitas Pengendapan Logam Cu oleh Konsorsium Bakteri Pereduksi Sulfat*. Universitas Gadjah Mada.
- Armiyati, L. (2014). Industri Perak Kotagede Yogyakarta Melawan Badai Krisis. *Jurnal Sejarah Dan Budaya*, 2(1), 1–11.
- Atikah, W. S. (2017). Karakterisasi Zeolit Alam Gunung Kidul Teraktivasi Sebagai Media Adsorben Pewarna Tekstil. *Arena Tekstil*, 32(1), 17–24.
- Ayangbenro, A. S., Olanrewaju, O. S., & Babalola, O. O. (2018). Sulfate-reducing bacteria as an effective tool for sustainable acid mine bioremediation. *Frontiers in Microbiology*, 9, 1–10.
- Bertranda, R. L. (2019). Lag phase is a dynamic, organized, adaptive, and evolvable period that prepares bacteria for cell division. In *Journal of Bacteriology* (Vol. 201, Issue 7, pp. 1–21).
- Bratkova, S., Koumanova, B., & Beschkov, V. (2013). Biore source Technology Biological treatment of mining wastewaters by fixed-bed bioreactors at high organic loading. *Bioresource Technology*, 137, 409–413.
- Bratty, M., Lawrence, R., Kratochvil, D., & Marchant, B. (2006). Applications Of Biological H<sub>2</sub>S Production From Elemental Sulfur In The Treatment Of Heavy Metal Pollution Including Acid Rock Drainage. In *Proceedings of the 7th International Symposium of Acid Rock Drainage (ICARD)*, Louis: MO, 271–281.
- Coal, R., Bay, R., & Adriatic, N. (2019). Use of Bacteria and Synthetic Zeolites in Remediation of Soil and Water Polluted with Superhigh-Organic-Sulfur. *Water*, 11(7).

- Cohen, R. R. H. (2006). *Use of microbes for cost reduction of metal removal from metals and mining industry waste streams*. 14, 1146–1157.
- Cui, Y. Y., Qin, Y. X., Ding, Q. M., & Gao, Y. N. (2021). Study on corrosion behavior of X80 steel under stripping coating by sulfate reducing bacteria. *BMC Biotechnology*, 21(1), 1–12.
- Decho, A. W. (2000). Microbial biofilms in intertidal systems: An overview. *Continental Shelf Research*, 20(10–11), 1257–1273.
- Donlan, R. M. (2002). Biofilms: Microbial Life on Surfaces Rodney. *Emerging Infectious Diseases*, 8(9), 881–888.
- Fahrudin, Haedar, N., & Nafie, N. (2014). Perbandingan Kemampuan Sedimen Rawa dan Sawah Untuk Mereduksi Sulfat dalam Air Asam Tambang ( AAT ) Comparison of The Capacity of Swamp and Rice Fields Sediment to Reduce Sulphate in Acid Mine Water ( AMW ). *Sainsmat*, 3(2), 135–142.
- Friberg, L., Nordberg, G. F., & Vouk, V. B. (1981). *Handbook of the toxicology of metals*. Amsterdam. Elsevie.
- Gaikwad, R. W., & Gupta, D. V. (2008). Review on removal of heavy metals from acid mine drainage. *Applied Ecology and Environmental Research*, 6(3), 79–96.
- Giyatmi, Zaenul Kamal, D. M. (2008). Penurunan Kadar Cu,Cr dan Ag Dalam Limbah Cair Industri Perak Di Kotagede Setelah Diadsorpsi Dengan Tanah Liat dari Daerah Godean. In *Seminar Nasional IV*. SDM Teknologi Nuklir Yogyakarta.
- Peraturan daerah Istimewa Yogyakarta Nomor 7 Tahun 2016 tentang Baku Mutu Air Limbah, (2016).
- Haryono, A., Sondari, D., Harmami, S. B., & Randy, M. (2008). Sintesa Nanopartikel Perak dan Potensi Aplikasinya. *Jurnal Reiset Industri*, 2(3), 156–163.
- Hidayanti, A. K. (2014). Karakter Molekular Isolat Bakteri yang Resisten Terhadap Tembaga (Cu) dan Perak (Ag) dari Limbah Kerajinan Perak Kotagede Yogyakarta. In *Universitas Gadjah Mada*. Universitas Gadjah Mada.
- Hidayati, A. O. (2008). MIKROANATOMI HEPATOPANKREAS IKAN NILA ( *Oreochromis niloticus* Trewavas ). *Jurnal Purifikasi*, 9(1), 91–96.
- Hu, K., Xu, D., & Chen, Y. (2020). An assessment of sulfate reducing bacteria on treating sulfate-rich metal-laden wastewater from electroplating plant. *Journal of Hazardous Materials*, 393(October 2019), 122376.
- Hussain, A., Hasan, A., Javid, A., & Qazi, J. I. (2016). Exploited application of sulfate-reducing bacteria for concomitant treatment of metallic and non-

- metallic wastes: a mini review. *3 Biotech*, 6(2).
- Järup, L. (2003). Hazards of heavy metal contamination. *British Medical Bulletin*, 68, 167–182.
- Jia, Y., Bao, P., & Zhu, Y. G. (2015). Arsenic bioavailability to rice plant in paddy soil: influence of microbial sulfate reduction. *Journal of Soils and Sediments*, 15(9), 1960–1967.
- Khan, A. M., & Shahid, H. A. (2011). Correlation of COD and BOD of Domestic Wastewater with the Power Output of Bioreactor Correlation of COD and BOD of Domestic Wastewater with the Power Output of Bioreactor. *Science and Technology*, 33(May 2014), 269–274.
- Koda, E., Miskowska, A., & Sieczka, A. (2017). Levels of organic pollution indicators in groundwater at the old landfill and waste management site. *Applied Sciences (Switzerland)*, 7(6).
- Konecna, R., & Fintov, S. (2012). Copper and Copper Alloys: Casting, Classification and Characteristic Microstructures. In *Copper Alloys - Early Applications and Current Performance - Enhancing Processes* (pp. 3–29). University of Žilina Slovak Republic.
- Krol, M. (2020). Crystals. *Natural vs. Synthetic Zeolites Magdalena*, 10(622), 2–8.
- Kumar, A., Joshi, V., Dhewa, T., & Bisht, B. (2011). Review on bioremediation of polluted environment: A management tool. *International Journal of Environmental Sciences*, 1(6), 1079.
- Kuran, P., Trögl, J., Novkova, J., & All, A. (2014). Biodegradation of Spilled Diesel Fuel in Agricultural Soil : Effect of Humates , Zeolite , and Bioaugmentation. *The Scientific World Journal*, 2014, 1–8.
- Littlejohn, P., Kratochvil, D., & Consigny, A. (2015). *Using novel technology for residue management and sustainable mine closure*. Vancouver, Can: Mine Closure; 1-10.
- Michailides, M. K., Tekerlekopoulou, A. G., Akratos, C. S., Coles, S., Pavlou, S., & Vayenas, D. V. (2015). Molasses as an efficient low-cost carbon source for biological Cr(VI) removal. *Journal of Hazardous Materials*, 281, 95–105.
- Mijaylova Nacheva, P., Chávez, G. M., Bustos, C., Zúñiga, M. A. G., & Orozco, Y. H. (2008). Comparison of bioreactors with different kinds of submerged packed beds for domestic wastewater treatment. *Water Science and Technology*, 58(1), 29–36.
- Montalvo, S., Guerrero, L., Borja, R., Sánchez, E., Milán, Z., Cortés, I., & Angeles de la la Rubia, M. (2012). Application of natural zeolites in anaerobic digestion processes: A review. *Applied Clay Science*, 58, 125–133.

- Mori, K., Kim, H., Kakegawa, T., & Hanada, S. (2003). A novel lineage of sulfate-reducing microorganisms: *Thermodesulfobiaceae* fam. nov., *Thermodesulfobium narugense*, gen. nov., sp. nov., a new thermophilic isolate from a hot spring. *Extremophiles*, 7(4), 283–290.
- Muhammad, S. N., Kusin, F. M., & Madzin, Z. (2018). Coupled physicochemical and bacterial reduction mechanisms for passive remediation of sulfate- and metal-rich acid mine drainage. *International Journal of Environmental Science and Technology*, 15(11), 2325–2336.
- Nyankson, E., Efavi, J. K., Yaya, A., Manu, G., Asare, K., Daafuor, J., & Abrokwa, R. Y. (2018). Synthesis and characterisation of zeolite-A and Zn-exchanged zeolite-A based on natural aluminosilicates and their potential applications. *Cogent Engineering*, 5(1).
- Oliveira, N. M., Martinez-Garcia, E., Xavier, J., Durham, W. M., Kolter, R., Kim, W., & Foster, K. R. (2015). Biofilm formation as a response to ecological competition. *PLoS Biology*, 13(7), 1–23.
- Paula Putri, A. Y., Widjajanti, H., & Eka Handayani, H. (2020). Isolation and Potency Test of Sulfate Reducing Bacteria (SRB) as Bioremediation Agent for Ex-Coal Mining Soil. *Sriwijaya Journal of Environment*, 5(1), 23–29.
- Perić, J., Trgo, M., & Vukojević Medvidović, N. (2004). Removal of zinc, copper and lead by natural zeolite - A comparison of adsorption isotherms. *Water Research*, 38(7), 1893–1899.
- Purnamaningsih, N., Retnaningrum, E., & Wilopo, W. (2017). Pemanfaatan Konsorsium Bakteri Pereduksi Sulfat dan Zeolit Alam dalam Pengendapan Logam Mn. *Jurnal Penelitian Saintek*, 22(1), 37–48.
- Rabin, N., & Zheng, Y. (2015). Biofilm formation mechanisms and targets for developing antibiofilm agents. *Future Medicinal Chemistry*, 7(4), 493–512.
- Ramadhan, R. (2016). *Analisis Penyebaran Logam Berat Tembaga (Cu) Pada Air Tanah Dan Aliran Sungai Di Sekitar Industri Kerajinan Perak Kotagede Daerah Istimewa Yogyakarta*. Universitas Islam Indonesia.
- Retnaningrum, E., & Wilopo, W. (2017). Removal of Sulphate and Manganese on Synthetic Wastewater in Sulphate Reducing Bioreactor Using Indonesian Natural Zeolite. *Indones. J. Chem*, 17(2), 203–210.
- Rolfe, M. D., Rice, C. J., Lucchini, S., Pin, C., Thompson, A., Cameron, A. D. S., Alston, M., Stringer, M. F., Betts, R. P., Baranyi, J., Peck, M. W., & Hinton, J. C. D. (2012). Lag phase is a distinct growth phase that prepares bacteria for exponential growth and involves transient metal accumulation. *Journal of Bacteriology*, 194(3), 686–701.
- Royani, S., Fitriana, A. S., Bias, A., Enarga, P., & Zufrialdi, H. (2021). *KAJIAN*

*COD DAN BOD DALAM AIR DI LINGKUNGAN TEMPAT PEMROSESAN AKHIR ( TPA ) SAMPAH KALIORI KABUPATEN BANYUMAS sering digunakan untuk mengetahui kandungan zat organik dalam air . COD dan BOD adalah dua diantara parameter kualitas air di Indonesia berdasarka. 13(82), 40–49.*

Said, N. I. (2010). METODA PENGHILANGAN LOGAM BERAT ( As , Cd , Cr , Ag , Cu , Pb , Ni dan Zn ) DI DALAM AIR LIMBAH INDUSTRI. *JAI*, 6(2), 136–148.

Sani, R. K., Sani, R. K., Peyton, B. M., Peyton, B. M., Brown, L. T., & Brown, L. T. (2001). Copper-Induced Inhibition of Growth of *Desulfovibrio desulfuricans* G20: Assessment of Its Toxicity and Correlation with Those of Zinc and Lead. *APPLIED AND ENVIRONMENTAL MICROBIOLOGY*, 67(10), 4765–4772.

Saviano, A. M., & Lourenço, F. R. (2013). Uncertainty evaluation for determining linezolid in injectable solution by UV spectrophotometry. *Measurement: Journal of the International Measurement Confederation*, 46(10), 3924–3928.

Sekarwati, N., Murachman, B., & Sunarto. (2015). Dampak logam berat Cu (tembaga) dan Ag (perak) pada limbah cair industri perak terhadap kualitas air sumur dan kesehatan masyarakat serta upaya pengendaliannya di Kota Gede Yogyakarta. *Jurnal Ekosains*, VII(1), 13.

Singh, R., Kumar, A., Kirrolia, A., Kumar, R., Yadav, N., Bishnoi, N. R., & Lohchab, R. K. (2011). Removal of sulphate, COD and Cr(VI) in simulated and real wastewater by sulphate reducing bacteria enrichment in small bioreactor and FTIR study. *Bioresource Technology*, 102(2), 677–682.

Sprynskyy, M., Buszewski, B., Terzyk, A. P., & Namieśnik, J. (2006). Study of the selection mechanism of heavy metal (Pb<sup>2+</sup>, Cu<sup>2+</sup>, Ni<sup>2+</sup>, and Cd<sup>2+</sup>) adsorption on clinoptilolite. *Journal of Colloid and Interface Science*, 304(1), 21–28.

Stumm, W. (1971). Aquatic Chemistry: An Introduction Emphasizing Chemical Equilibria in Natural Waters. *Journal of Chemical Education*, 48(12), A779.

Verma, A., Dua, R., Singh, A., & Bishnoi, N. R. (2015). Biogenic sulfides for sequestration of Cr (VI), COD and sulfate from synthetic wastewater. *Water Science*, 29(1), 19–25.

Weiβ, S., Tauber, M., Somitsch, W., Meincke, R., Müller, H., Berg, G., & Guebitz, G. M. (2010). Enhancement of biogas production by addition of hemicellulolytic bacteria immobilised on activated zeolite. *Water Research*, 44(6), 1970–1980.

White, C., & Gadd, G. M. (2000). Copper accumulation by sulfate-reducing bacterial biofilms. *FEMS Microbiology Letters*, 183(2), 313–318.

- Widyati, E. (2006). *Bioremediasi tanah bekas tambang batubara dengan sludge industri kertas untuk memacu revegetasi lahan*. Progam Pascasarjana Institut Pertanian Bogor.
- Yao, G., Liu, Y., Zheng, S., & Xu, Y. (2021). High removal efficiency of diatomite-based X zeolite for Cu<sup>2+</sup> and Zn<sup>2+</sup>. *Materials*, 14(21).
- Yulianto, A., Hakim, L., Purwaningsih, I., & Pravitasari, V. A. (2009). Pengolahan Limbah Cair Industri Batik Pada Skala Laboratorium Dengan Menggunakan Metode Elektrokoagulasi. *Jurnal Teknologi Lingkungan Universitas Trisakti*, 5(1), 6–11.