

DAFTAR PUSTAKA

- Afza, R., M. Shen, F. J. Zapata-Arias, J. Xie, H. K. Fundi, K. Lee, E. Bobadilla-Mucino, and A. Kodym. 2000. Effect of spikelet position on rice anther culture efficiency. *Plant Science*, 153:155-159
- Agarwal, P., S. K. Parida, S. Raghuvanshi, S. Kapoor, P. Khurana, J. P. Khurana, and A. K. Tyagi. 2016. Rice improvement through genome-based functional analysis and molecular breeding in India. *Rice*, 9(1): 1-17
- Aryan, A. 2006. Rice microspore culture: a fast-track to new varieties. *IREC Farmers Newsletter*, 171: 42-43
- Aya, K., M. Ueguchi-Tanaka, M. Kondo, K. Hmada, K. Yano, M. Nishimura, and M. Matsuoka. 2009. Gibberellin modulates anther development in rice via the transcriptional regulation of GAMYB. *The Plant Cell*, 21: 1453-1472
- Barany, I., B. Fadon, M. C. Risueno, and P. S. Testillano. 2010. Microspore reprogramming to embryogenesis induces changes in cell wall and starch accumulation dynamics associated with proliferation and differentiation events. *Plant Signalling & Behavior*, 5(4): 341-345
- Bathla, S. C., M. A. Lal. 2018. *Plant physiology, development, and metabolism*. Springer Nature. Singapore. p.767-782
- Bernier, J., G. N. Atlin, R. Serraj, A. Kumar, and D. Spaner. 2008. Breeding upland rice from drought resistance. *Journal of the Science Food and Agriculture*, 88: 927-939
- Bilichak, A., J. Luu, and F. Eudes. 2015. Intracellular delivery of fluorescent protein into viable wheat microspores using cationic peptides. *Frontiers in Plant Science*, 6 (666): 1-10
- Borg, M., L. Brownfield, and D. Twell. 2009. Male gametophyte development: a molecular perspective. *Journal of Experimental Botany*, 60(5): 1465-1478
- Browne, R. G., S. Iacuone, S. F. Li, R. Dolferus, and R. W. Parish. 2018. Anther morphological development and stage determination in *Triticum aestivum*. *Frontiers in Plant Science*, 9(228):1-13
- Cha-um, S., B. Srianan, A. Pichakum, and C. Kirdmanee. 2009. An efficient procedure for embryogenesis callus induction and double haploid plant regeneration through anther culture of Thai aromatic rice (*Oryza sativa* L. subsp. *indica*). *In Vitro Cellular & Developmental Biology-Plant*, 45: 171-179
- Chardin, C., T. Girin, F. Roudlier, C. Meyer, and A. Krapp. 2014. The plant RWP-RK transcription factors: key regulators of nitrogen responses and of gametophyte development. *Journal of Experimental Botany* 65(19): 5577-5587
- Cheng, Y., R. Ma, Y. Jiao, N. Qiao, and T. Li. 2013. Impact of genotype, plant growth regulators and activated charcoal on embryogenesis induction in microspore culture of pepper (*Capsicum annuum* L.). *South African of Botany*, 88: 306-309
- Cho, M. S. and F. J. Zapata. 1998. Callus formation and plant regeneration in isolated pollen culture of rice (*Oryza sativa* L. cv. Taipei 309). *Plant Science*, 58: 239-244

- Cho, M. S. and F. J. Zapata. 1990. Plant regeneration from isolated microspore of *indica* rice. *Plant Cell Physiology*, 31(16): 881-885
- Chowdhury, B. and A. B. Mandal. 2001. Microspore embryogenesis and fertile plantlet regeneration in salt susceptible x salt tolerant rice hybrid. *Plant Cell, Tissue, and Organ Culture*, 65: 141-147
- Datta, S. K. 2005. Androgenic haploids: factors controlling development and its application in crop improvement. *Current Science*, 89:1870-1878
- Daryono, B. S. dan I. Sumardi. 1996. Pertumbuhan dan derajat ploidi sel-sel kalus hasil kultur kepala sari padi (*Oryza sativa* L. cv. Cianjur) dengan perlakuan 2,4-D. *Berkala Ilmiah Biologi*, 2(1): 11-18
- de Moraes, A. P., M. H. Bonadese-Zanettini, S. M. Callegaria-Jacques, and E. Kaltchuk-Santos. 2004. Effect of temperature shock on soybean microspore embryogenesis. *Brazilian Archives of Biology and Technology*, 47(4): 537-544
- Dewi, I. S., B. S. Purwoko, H. Aswidinnoor, I. H. Somantri, and M. A. Chozin. 2009. Plant regeneration from anther culture of several genotype of *indica* rice tolerant to aluminium toxicity. *Indonesian Journal of Agriculture*, 2(1): 1-5
- Dhagma, D. E. S., G. Hensel, T. Rutten, M. Melzer, and J. Kumlehn. 2014. Cellular dynamic during early barley pollen embryogenesis revealed by time-lapse imaging. *Frontiers in Plant Science*, 5(675): 1-14
- Dwimahyani, I., Ishak, dan Sobrizal. 2000. Induksi kalus dan regenerasi tanaman dari kultur antera padi F1 hibrid (*Oryza sativa* L.). *Berita Biologi*, 5(1): 13-19
- Elahi, N., R. W. Duncan, and C. Stasolla. 2016. Effect of altered expression of *LEAFY COTYLEDON1* and *FUSCA3* on microspore-derived embryogenesis of *Brassica napus* L. *Journal of Genetic Engineering and Biotechnology*, 14: 19-30
- Febriyanti, N. L. P. K., S. Nurliana, J. Gutierrez-Marcos, and E. Semiarti. 2020. The expression analysis of *AtRKD4* transgene in *Dendrobium lineale* Rolfe transgenic orchid carrying 35S::GR::*AtRKD4* for micropropagation. *The 6th International Conference on Biological Science ICBS*. AIP Conference Proceeding 2260
- Ferrie, A. M. R. and K. L. Caswell. 2011. Isolated microspore culture techniques and recent progress for haploid and doubled haploid plant production. *Plant Cell, Tissue, and Organ Culture*, 104: 301-309
- Francois, E., S. Youn-Sed, and J. Fengying. 2014. Engineering the haploid genome of microspores. *Biocatalysis and Agricultural Biotechnology*, 3: 20-23
- Germana, M. A. 2011. Anther culture for haploid and double haploid production. *Plant Cell, Tissue, and Organ Culture*, 104: 283-300
- Golam F., K. Zaidi, A. Nezhadahmadi, and M. Osman, 2014. Genetic analysis of F1 hybrids derived from aromatic (exotic) x aromatic (Malaysian) rice crosses and their callus induction performance for haploid production. *Indian Journal of Science and Technology*, 7(11): 1852-1860
- Goralski, G., F. Rozier, E. Matthys-Rochon, and L. Przywara. 2005. Cytological features of various microspore derivatives appearing during culture of isolated

- maize microspores. *Acta Biologica Cracoviensia Series Botanica*, 47(1): 75-83
- Green, M. R. and J. Sambrook. 2012. *Molecular cloning: a laboratory manual 4th edition*. Cold Spring Harbor Laboratory Press. New York.
- GRiSP (Global Rice Science Partnership). 2013. *Rice Almanac* 4th edition. Los Banos (Philippines): International Rice Research Institute. p.1-10
- Guan, Y., S. Li, X. Fan, and Z. Su. 2016. Application of somatic embryogenesis in woody plants. *Frontiers in Plant Science*, 7(938): 1-12
- Gueye, T. and K. N. Ndir, 2010. *In vitro* production of double haploid plants from two rice species (*Oryza sativa* L. and *Oryza glaberrima* Steudt.) for the rapid development of new breeding material. *Scientific Research and Essays*, 5(7): 709-713
- Gunarsih, C., B. S. Purwoko, I. S. Dewi, dan M. Syukur. 2016. Regenerasi dan aklimatisasi kultur antera enam persilangan F1 padi sawah. *Jurnal Agronomi Indonesia*, 44(2): 133-140
- Haryanti, W. D. U., H. P. Kusumaningrum, A. Budiharjo. 2013. Deteksi jenis padi *Indica* dan *Japonica* padi gogo rancak beras merah varietas Slegreng dan Mandel berbasis fragmen ORF100 dan ORF29. *Jurnal Sains dan Matematika*, 21(4): 98-102
- Hoekstra, S., M. H. van Zijderveld, J. D. Louwerse, F. Heidekamp, and F. van der Mark. 1992. Anther and microspore culture of *Hordeum vulgare* L. cv. Igri. *Plant Science*, 86: 89-96
- Horstman, A., M. Bemer, and K. Boutilier. 2017. A transcriptional view on somatic embryogenesis. *Regeneration*, 4: 201-216
- Hosp, J., S. F. Maraschin, A. Touraev, and K. Boutilier. 2007. Functional genomics of microspore embryogenesis. *Euphytica*, 158: 275-285
- Ikeda, K., H. Sunohara, and Y. Nagato. 2004. Developmental course of inflorescence and spikelet in rice. *Breeding Science*, 54: 147-156
- Indrianto, A., E. Heberle-Bors, and A. Touraev. 1999. Assessment of various stresses and carbohydrates for their effect on the induction of embryogenesis in isolated wheat microspores. *Planta Science*, 143: 71-72
- Indrianto, A., I. Barinova, A. Touraev, and E. Heberle-Bors. 2001. Tracking Individual wheat microspore *in vitro*: identification of embryogenic microspores and body axis formation in the embryo. *Planta*, 212: 163-174
- Indrianto, A., T. S. Mariani, and D. A. Sari. 2014. Induction of embryogenic microspore in oil palm (*Elais guineensis* Jacq) by starvation and temperature stress. *Asian Journal of Applied Sciences*, 2(5): 668-677
- Integrated Taxonomic Information System. *Oryza sativa* L. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=41976#null. Diakses 23 Maret 2020
- Ishimoto, K., S. Sohonahra, M. Kishi-Kaboshi, J. Itoh, K. Hibara, Y. Sato, T. Watanabe, K. Abe, A. Miayo, M. Nosaka-Takahashi, T. Suzuki, N. K. Ta, S. Shimizu-Sato, T. Suzuki, A. Toyoda, H. Takahashi, M. Nakazano, Y. Nagato, H. Hirochika, and Y. Sato. 2019. Specification of basal region identity after asymmetric zygotic division requires mitogen-activated protein kinase 6 in rice. *Development*, 146: 1-21

- Islam, S. M. S., I. Ara, N. Tuteja, S. Subramaniam. 2013. Efficient microspore isolation methods for high yield embryoids and regeneration in rice (*Oryza sativa* L.). *International Journal of Biological Science and Engineering*, 7(12): 891-896
- Irikova, T. P., S. Kintzios, S. Grozeva, and V. Rodeva. 2016. Pepper (*Capsicum annuum* L.) anther culture: fundamental research and practical applications. *Turkish Journal of Biology*, 40: 719-726
- Itoh, J., K. Nonumura, K. Ikeda, S. Yamaki, Y. Inukai, H. Yamagishi, H. Kitano, and Yasuo Nagato. 2005. Rice plant development: from zygote to spikelet. *Plant Cell Physiology*, 46(1): 23-47
- Itoh, J., Y. Sato, Y. Nagato, and M. Matsuoka. 2006. Formation, maintenance, and function of the shoot apical meristem in rice. *Plant Molecular Biology*, 60: 827-842
- Itoh, J., Y. Sato, Y. Sato, K. Hibara, S. Shimizu-Sato, H. Kobayashi, H. Takehisa, K. A. Sanguinet, N. Namiki, and Y. Nagamura. 2016. Genome-wide analysis of spatiotemporal gene expression pattern during early embryogenesis in rice. *Developmental*, 143: 1271-1227
- Jia, J., Y. Zhang, L. Cui, and H. Feng. 2019. Effect of thidiazuron on microspore embryogenesis and plantlet regeneration in Chinese flowering cabbage (*Brassica rapa*. var. *parachinensis*). *Plant Breeding*, 138(6): 1-9
- Joosen, R., J. Cordewener, E. D. J. Supena, O. Vorst, M. Lammers, C. Maliepaard, T. Zeilmaker, B. Miki, T. America, J. Custers, and K. Boutilier. 2007. Combined transcriptome and proteome analysis identifies pathways and markers associated with the establishment of rapeseed microspore-derived embryo development. *Plant Physiology*, 144: 155-172
- Kanaoka, Y., D. Kuniyoshi, E. Inasa, Y. Koide, Y. Okamoto, H. Yasui, and Y. Kishima. 2018. Anther culture in rice proportionally rescues microspores according to gametophytic gene effect and enhances genetic study of hybrid sterility. *Plant Methods*, 14(102):1-12
- Kaushal, L., S. Richa, S. M. Balachandran, K. Ulaganathan, and S. Vinay. 2014. Effect of cold treatment on improving anther culture response of rice (*Oryza sativa* L.). *Journal of Experimental Biology and Agricultural Sciences*, 2(2S): 233-242
- Kristamtini dan H. Purwaningsih. 2009. Potensi pengembangan beras merah sebagai plasma nutfah Yogyakarta. *Jurnal Litbang Pertanian*, 28(3): 88-95
- Kristamtini dan Prajitno. Karakteristik Padi Beras Merah Segreng Varietas Unggul Lokal Gunungkidul. *Jurnal Ilmu-ilmu Pertanian* 5(1): 45-51
- Kostyco, M. and M. Chwil. 2021. Structure of anther epidermis and endothecium, production of pollen, and content of selected nutrients in pollen grains from six *Rubus idaeus* L. cultivars. *Agronomy* 11(1723): 1-43
- Kumar S., Stecher G., Li M., Knyaz C., and Tamura K. 2018. MEGA X: Molecular evolutionary genetics analysis across computing platforms. *Molecular Biology and Evolution* 35:1547-1549
- Kurniawan, A. A. 2016. *Pengaruh auksin endogen terhadap embriogenesis mikrospora padi (Oryza sativa L. 'Fatmawati')*. Tesis. Universitas Gadjah Mada. Yogyakarta.

- Kurniasih, N. S., R. Susandari, F. A. Susanto, T. R. Nuringtyas, G. Jenkins, and Y. A. Purwestri. 2019. Characterization of Indonesian pigmented rica (*Oryza sativa*) based on morphology and Single Nucleotide Polymorphism. *Biodiversitas*, 20(4): 1208-1214
- Kusumawati, D. 2017. *Pengaruh 2,3,5-triiodobenzoic acid (TIBA) dan paclobutrazol pada embriogenesis mikrospora padi (Oryza sativa L. 'Fatmawati')*. Tesis. Universitas Gadjah Mada. Yogyakarta.
- Kyo, M. and H. Harada. 1986. Control of the developmental pathway of tobacco pollen in vitro. *Planta*, 168: 427-432
- Liu, C. D. Yuan, T. Liu, M. Xing, W. Xu, H. Zhang, H. Jin, C. Cai, and S. Li. 2020. Characterization and comparative analysis of RWP-RK proteins from *Arachis duranensis*, *Arachis ipaensis*, and *Arachis hypogaea*. *International Journal of Genomics*, 2020: 1-19
- Liu, J. and L. Qu. 2008. Meiotic and mitotic cell cycle mutants involved in gametophyte development in *Arabidopsis*. *Molecular Plant*, 1(4): 564-574
- Malik, M. R., F. Wang, J. M. Dirpaul, N. Zhou, P. L. Polowick, A. M. R. Ferrie, and J. E. Krochko. 2007. Transcript profiling and identification of molecular markers for early microspore embryogenesis in *Brassica napus*. *Plant Physiology*, 144: 134-154
- Maraschin, S. F., W. de Priester, H. P. Spalink, and M. Wang. 2005. Androgenic switch: an example of plant embryogenesis from the male gametophyte perspective. *Journal of Experimental Botany*, 58(417): 1711-1726
- McCormick, S. 2004. Control of male gametophyte development. *The Plant Cell*, 16: S142-S153
- Miah, G., M. Y. Rafii, M. R. Ismail, A. B. Puteh, H. A. Rahim, R. Asfaliza, and M. A. Latif. 2013. Blast resistance in rice: a review of conventional breeding to molecular approaches. *Molecular Biology Reports*, 40: 2369-2388
- Mishra, R., and G. J. N. Rao. 2016. In vitro androgenesis in rice: advantages, constraints and future prospects. *Rice Science* 23(2): 57-68
- Mayakaduwa, D. M. R. G. and T. D. Silva. 2017. A cytological indicator allows rapid assessment of microspore maturity, leading to improve *in vitro* anther response in *Indica* rice (*Oryza sativa* L.). *In Vitro Cellular & Developmental Biology -Plant*, 53: 591-597
- Mohiuddin, A. K. M., N. H. Karim, and S. Sultana. 2014. Development of improved doubled haploids through anther culture of *Indica* rice (*Oryza sativa* L.). *Annals of Biological Research*, 5(10): 6-13
- Mose, W., A. Indrianto, A. Purwantoro, and E. Semiarti. 2017. The influence of thidiazuron on direct somatic embryo formation from various types of explant in *Phalaenopsis amabilis* (L.) Blume orchid. *HAYATI Journal of Bioscience*, 24: 201-205
- Munoz-Amatriain, M., J. T. Svensson, A. Castillo, L. Cistue, T. J. Close, M. Valles. 2006. Transcriptome analysis of barley anther: effect of mannitol treatment on microspore embryogenesis. *Physiologia Plantarum*, 127: 551-560
- Nguyen, T. D., S. Moon, M. M. Oo, R. Tayade, M. Soh, J. T. Song, S. A. oh, K. H. Jung, and S. K. Park. 2016. Application of rice microspore-preferred

- promoters to manipulate early pollen development in *Arabidopsis*: a heterologous system. *Plant Reproduction*, 29: 291-300
- Nurhasanah, A. N. Pratama, Rusdiansyah, and W. Sunaryo. 2015. Effect of genotype and developmental stage of pollen on the success anther culture of local upland rice varieties from East Kalimantan. *Asian Journal of Microbiology, Biotechnology & Environmental Science*, 17(2): 329-340
- Nurmansyah, A. H. Setyadi, N. C. Fatumi, Y. Fatmawati, R. A. Wulandari, A. Purwanto. 2021. Genetic variation of doubled haploid derived from anther culture of M1 red rice plants. *Biodiversitas*, 22(11): 4923-4929
- Obert, B., L. Szabo, J. Mityko, A. Pretova, and B. Barnabas. 2005. Morphological events in cultures of mechanically isolated maize microspores. *In Vitro Cellular & Developmental Biology-Plant*, 41: 775-782
- Ochatt, S., C. Pech, R. Grewal, C. Conreux, M. Lulsdorf, and L. Jacas. 2009. Abiotic stress enhance androgenesis from isolated microspore of some legume species (Fabaceae). *Journal of Plant Physiology*, 166: 1314-1328
- Oh, S. A., D. Twell, and S. K. Park. 2011. *SIDECAR POLLEN* suggest a plant-specific regulatory network underlying asymmetric microspore division in *Arabidopsis*. *Plant Signaling & Behavior*, 6(3): 416-419
- Olmedilla, A. 2010. *Chapter 2: Microspore embryogenesis. Plant developmental biology – biotechnological perspective*. Springer-Verlag. Berlin
- Paladines, R., D. Jurado, T. Riksen-Bruinsma, and A. M. Quinones. 2012. Prospects of isolated microspore culture for haploid production in *Anemone coronaria* L. *Floriculture and Ornamental Biotechnology*, 6(2): 140-145
- Prayantini, D. C., P. Basunansa, dan R. H. Murti. Induksi haploid ganda pada padi *Japonica* (*Oryza sativa* L. ssp. *Japonica*), *Indica* (*Oryza sativa* L. ssp. *indica*), dan hibrida *Japonica* x *Indica*. *Ilmu Pertanian*, 16(1): 14-29
- Premvaranon, P., S. Vearasilp, S. Thanapornpoonpong, D. Karladee, and S. Gorinstein. 2011. *In vitro* studies to produce double haploid in *Indica* hybrid rice. *Biologi*, 66(6): 1074-1081
- Purwono dan H. Purnamawati. 2007. *Budidaya 8 jenis tanaman pangan unggul*. Penebar Swadaya. Jakarta. p. 9-13
- Poetri, A. 2018. *Pengaruh cekaman suhu dan masa inkubasi terhadap kultur mikrospora padi (Oryza sativa L.) secara in vitro*. Skripsi. Universitas Gadjah Mada. Yogyakarta.
- Qin, Y., Y. Huang, S. Pulli, and Y. Guo. 2015. Comparison of anther and microspore culture in androgenic embryogenesis and regeneration of broccoli (*Brassica oleracea* L. var. *italica* P.). *African Journal of Biotechnology*, 14(42): 2910-2916
- Raina, S. K. and S. T. Irfan. 1998. High-frequency embryogenesis and plantlet regeneration from isolated microspore of *Indica* rice. *Plant Cell Reports*, 17: 957-962
- Ramakrishnan, S., S. Saravanan, C. R. Anandakumar, and J. R. Kannanbapu. 2005. *In vitro* androgenesis in rice (*Oryza sativa* L.). *Asian Journal of Plant Sciences*, 4(6): 600-602
- Rodriguez-Serrano, M., I. Barany, D. Prem, M. Coronado, M. C. Risueno, and P. S. Testillano. 2011. NO, ROS, and cell death associated with caspase-like

- activity increase in stress-induced microspore embryogenesis of barley. *Journal of Experimental Botany* 63(5): 2007-2024
- Ruzin, S.E. 1999. *Plant Micro Technique and Microscopy*. Oxford University Press. Oxford. p. 95
- Safitri, H., B.S. Purwoko, I.S. Dewi, dan S. W. Ardie. 2016. Kultur antera untuk mendapatkan galur padi toleran salinitas. *Jurnal Agronomi Indonesia*, 44(3): 221-227
- Sah B P, Niroula R K. 2007. Successful regeneration and characterization of anther derived rice hybrid plants from *O. sativa* L. $\times$ *O. Rufipogon* Griff. *Science World*, 5(5): 14–18
- Sahu, M., A. Minj, R. Chopkar, Z. Jha, and S. B. Verulkar. 2015. Production of doubled haploid population in two *Indica* rice (*Oryza sativa* L.) cross Safri-17XIR-64 and MTU1010 variety. *Journal of Cell and Tissue Research*, 15(3): 5347-5350
- Samantaray, S., J. Ali, K. L. C. Nicolas, J. L. Katara, R. L. Verma, C. Parameswaran, B. N. Devanna, A. Kumar, B. Dash, and S. S. Bhuyan. 2021. *Doubled haploid in rice improvement: approaches, applications, and future prospects*. pp. 425-447. In Ali, J. and S. H. Wani (Eds). *Rice improvement: physiological, molecular breeding and genetic perspectives*. Springer. Switzerland.
- Sanchez, M. A., Y. M. Coronado, and A. C. M. Coronado. 2020. Androgenic studies in the production of haploids and doubled haploids in *Capsicum* spp. *Revista Facultad Nacional de Agronomia Medellin*, 73(1): 9047-9056
- Sanchez-Diaz, R. A., A. M. Catillo, and M. P. Valles. 2013. Microspore embryogenesis in wheat: new marker gene for early, middle and late stages of embryo development. *Plant Reproduction*, 26: 287-296
- Sasmita, P. 2007. *Aplikasi teknik kultur antera pada pemuliaan tanaman padi*. Apresiasi Hasil Penelitian Padi. Balai Besar Penelitian Tanaman Padi. Subang, Jawa Barat.
- Segui-Simarro, J. M., P. S. Tetillano, and M. C. Risueno. 2003. HSP70 and HSP90 change their expression and subcellular localization after microspore embryogenesis induction in *Brassica napus* L. *Journal of Structural Biology*, 142: 379-391
- Segui-Simarro, J. M. and F. Nuez. 2008. How micropores transform into haploid embryos: changes associated with embryogenesis induction and microspore-derived embryogenesis. *Physiologia Plantarum*, 134: 1-12
- Segui-Simarro, J. M., N. Jacquier, and T. Widiez. 2021. *Overview of in vitro and in vivo doubled haploid technologies*. pp.3-22. In Segui-Simarro, J. M. (Eds). *Doubled haploid technology: general topics, alliaceae, cereals*. Vol. 1. Humana Press. New York.
- Sharma, A., D. Lal, M. Sutradhar, H. Pradhan, and N. Kumari. 2018. Indirect regeneration of *Japonica* rice (*Oryza sativa* L.) varieties through anther culture. *International Journal of Current Microbiology and Applied Science*, 7(8): 667-677
- Sharma, K. D. and H. Nayyar. 2016. Regulatory network in pollen development under cold stress. *Frontiers in Plant Science*, 7(402): 1-13

- Shi, J., H. Tan, X. Yu, Y. Liu, W. Liang, K. Ranathunge, R. B. Franke, L. Schreiber, Y. Wang, G. Kai, J. Shanklin, H. Ma, and D. Zhang. 2011. Defective pollen wall is required for anther and microspore development in rice and encodes a fatty acyl carrier protein reductase. *The Plant Cell*, 23(6): 2225-2246
- Shimada, T., T. Endo, H. Fuji, M. Nakano, A. Sugiyama, G. Daido, S. Ohta, T. Yoshioka, and M. Omura. 2018. MITE insertion-dependent expression of CitRKD1 with RWP-RK domain regulates somatic embryogenesis in citrus nucellar tissues. *BMC Plant Biology*, 18(166): 1-19
- Sinha, R. K., F. Jiang, and F. Eudes. 2021. TALE protein mediated overexpression of embryogenesis related genes in wheat microspore. *South African Journal of Botany*, 138: 50-56
- Solis, M., A-A. El-Tantawy, V. Cano, M. C. Risueno, and P. S. Testillano. 2015. 5-azacytidine promotes microspore embryogenesis initiation by decreasing global DNA methylation but prevents subsequent embryo development in rapeseed and barley. *Frontiers in Plant Science*, 6 (472): 1-17
- Suaib dan M. J. Arma. 2012. Pengembangan kultur mikrospora pada varietas padi ladang lokal asal Kendari. *Jurnal Agronomi Indonesia*, 40(2): 99-104
- Suaib and M. J. Arma. 2013. Study on microspore culture of Kendari's local upland anthocyanin rice varieties. *Proceedings of the 8th CRISU-CUPT International Conference*: 214-220
- Supena, E. D. J. 2004. *Innovation in microspore embryogenesis in Indonesia hot pepper (*Capsicum annuum* L.) and *Brassica napus* L.* Disertasi. Wageningen. Wageningen University
- Supriyanti, A., Supriyanta, dan Kristamtini. 2015. Karakterisasi dua puluh padi (*Oryza sativa* L.) lokal di Daerah Istimewa Yogyakarta. *Vegetalika*, 4(3): 29-41
- Tefera, A. A. 2017. Review on concept and impact of double haploid techniques in crop improvement. *Journal of Natural Science Research*, 7(23): 10-20
- Thomson, M. J., E. M. Septiningsih, F. Suwardjo, T. J. Santoso, T. S. Silitonga, and S. R. McCouch. 2007. Genetic diversity analysis of traditional and improved Indonesian rice (*Oryza sativa* L.) germplasm using microsatellite markers. *Theoretical and Applied Genetics*, 114: 559-568
- Touraev, A., O. Vicente, and E. Heberle-Bors. 1997. Initiation of microspore embryogenesis by stress. *Trends in Plant Science*, 2(8): 297-302
- Twell, D., S. Oh, and D. Honys. 2006. Pollen development, a genetic and transcriptomic view. *Plant Cell Monographs*, 3: 15-45
- Vikrant and P. Janardhanan. 2018. Progress in understanding the regulation and expression of genes during plant somatic embryogenesis: A review. *Journal of Applied Biology & Biotechnology*, 6(05): 49-56
- Waki, T., T. Hiki, R. Watanabe, T. Hashimoto, and K. Nakajima. 2011. The *Arabidopsis* RWP-RK protein RKD4 triggers gene expression and pattern formation in early embryogenesis. *Current Biology*, 21: 1277-1281
- Wang, M., S. van Bergen, and B. van Duijn. 2000. Insight into a key developmental switch and its importance for efficient plant breeding. *Plant Physiology*, 124: 523-530

- Weigt, D., J. Niemann, I. Siatkowski, J. Zyprych-Walczak, P. Olejnik, and D. Kurasiak-Popowska. 2019. Effect of zearalenone and hormone regulators on microspore embryogenesis in anther culture of wheat. *Plants*, 8(487): 1-15
- Wedrich J. R. and D. Weijers. 2013. The Arabidopsis embryo as a miniature morphogenesis model. *New Phytologist*, 199: 14-25
- Wilson, Z. A. and D. Zhang. 2009. From *Arabidopsis* to rice: pathway in pollen development. *Journal of Experimental Botany*, 60(5): 1479-1492
- Wojnarowicz, G., S. Caredda, P. Devaux, R. Sangwan, and C. Clement. 2004. Barley anther culture: assessment of carbohydrate effects on embryo yield, green plant production and differential plastid development in relation with albinism. *Journal of Plant Physiology*, 161: 747-755
- Xie, J., M. Gao, Q. Cai, X. Cheng, Y. Shen, and Z. Liang. 1995. Improved isolated microspore culture efficiency in medium with maltose and optimized growth regulator combination in *Japonica* rice (*Oryza sativa*). *Plant Cell, Tissue and Organ Culture*, 42: 245-250
- Yan, G., H. Liu, H. Wang, Z. Lu, Y. Wang, D. Mullan, J. Hamblin, and C. Liu. 2017. Accelerated generation of selfed pure line plants for gene identification and crop breeding. *Frontiers in Plant Science*, 8(1786): 1-14
- Yang, W., M. Gao, X. Yn, J. Liu, Y. Xu, L. Zeng, Q. Li, S. Zhang, J. Wang, X. Zhang, and Z. He. 2013. Control of rice embryo development, shoot apical meristem maintenance, and grain yield by a novel cytochrome P450. *Molecular Plant*, 6(6): 1945-1960
- Yulianti, R. 2018. *Pengaruh cekaman kekeringan pada kultur mikrospora padi (Oryza sativa L.) dengan penambahan PEG-6000 secara in vitro*. Skripsi. Universitas Gadjah Mada. Yogyakarta
- Yoshida, H. and Y. Nagato. 2011. Flower development in rice. *Journal of Experimental Botany*, 62(14): 4719-4730
- Zhang, D., X. Luo, and L. Zhu. 2011. Cytological analysis and genetic control of rice anther development. *Journal of Genetic and Genomics*, 38: 379-390
- Zhang, D. and Z. A. Wilson. 2009. Stamen specification and anther development in rice. *Chinese Science Bulletin*, 54: 2342-2353
- Zhao, O., K. Begcy, T. Dresselhaus, and M. Sun. 2017. Does early embryogenesis in eudicots and monocots involve the same mechanism and molecular players?. *Plant Physiology*, 173: 130-142
- Zur, I., E. Dubas, M. Krzewska, and F. Janowiak. 2015. Current insights into hormonal regulation of microspore embryogenesis. *Frontiers in Plant Science*. 6(424) : 1-10