

DAFTAR PUSTAKA

- Agafonkin, V. (2010). Leaflet. Retrieved from <https://leafletjs.com>
- Andreastuti, S. D., Alloway, B. V., & Smith, I. E. M. (2000). A detailed tephrostratigraphic framework at Merapi Volcano, Central Java, Indonesia: Implications for eruption predictions and hazard assessment. *Journal of Volcanology and Geothermal Research*, 100(1–4), 51–67. [https://doi.org/10.1016/S0377-0273\(00\)00133-5](https://doi.org/10.1016/S0377-0273(00)00133-5)
- Bernat Gazibara, S., Krkač, M., & Mihalić Arbanas, S. (2019). Landslide inventory mapping using LiDAR data in the City of Zagreb (Croatia). *Journal of Maps*, 15(2), 773–779. <https://doi.org/10.1080/17445647.2019.1671906>
- Booth, A. M., Roering, J. J., & Perron, J. T. (2009). Automated landslide mapping using spectral analysis and high-resolution topographic data: Puget Sound lowlands, Washington, and Portland Hills, Oregon. *Geomorphology*, 109(3–4), 132–147. <https://doi.org/10.1016/j.geomorph.2009.02.027>
- BPS Kabupaten Magelang. (2017). *Kabupaten Magelang Dalam Angka 2017*.
- Brovelli, M. A., Minghini, M., & Zamboni, G. (2016). Public participation in GIS via mobile applications. *ISPRS Journal of Photogrammetry and Remote Sensing*, 114, 306–315. <https://doi.org/10.1016/j.isprsjprs.2015.04.002>
- Cartwright, W., & Peterson, M. P. (2007). *Multimedia Cartography*.
- Chacón, J., Irigaray, C., Fernández, T., & El Hamdouni, R. (2006). Engineering geology maps: Landslides and geographical information systems. *Bulletin of Engineering Geology and the Environment*, 65(4), 341–411. <https://doi.org/10.1007/s10064-006-0064-z>
- Christensson, P. (2014). Server Definition. Retrieved from <https://techterms.com/definition/server>
- Ciampalini, A., Cigna, F., Del Ventisette, C., Moretti, S., Liguori, V., & Casagli, N. (2012). Integrated geomorphological mapping in the north-western sector

of Agrigento (Italy). *Journal of Maps*, 8(2), 136–145.

<https://doi.org/10.1080/17445647.2012.680775>

Ciceli, T. (2015). STAKEHOLDER PROFILE IN SPATIAL DATA
LIFECYCLE DEFINED FROM SDI, (October 2014).

<https://doi.org/10.13140/RG.2.1.1529.2648>

Crozier, M. J. (2010). Landslide geomorphology: An argument for recognition,
with examples from New Zealand. *Geomorphology*, 120(1–2), 3–15.

<https://doi.org/10.1016/j.geomorph.2009.09.010>

Cruden, D. M., & Varnes, D. J. (1996). Landslide types and processes. *Special
Report - National Research Council, Transportation Research Board*, 247,
36–75.

Dahal, R. K., Hasegawa, S., Nonomura, A., Yamanaka, M., Masuda, T., &
Nishino, K. (2008). GIS-based weights-of-evidence modelling of rainfall-
induced landslides in small catchments for landslide susceptibility mapping.
Environmental Geology, 54(2), 311–324. [https://doi.org/10.1007/s00254-
007-0818-3](https://doi.org/10.1007/s00254-007-0818-3)

Damayanti, A., Angin, F., Adib, A., & Irfan, M. (2020). Geomorphological
Characteristic of Landslide Hazard Zones in Sukarame Village, Cisolok
Subdistric, Sukabumi Regency. *IOP Conference Series: Earth and
Environmental Science*, 412(1). [https://doi.org/10.1088/1755-
1315/412/1/012009](https://doi.org/10.1088/1755-1315/412/1/012009)

Davies, T., Beaven, S., Conradson, D., Densmore, A., Gaillard, J. C., Johnston,
D., ... Wilson, T. (2015). Towards disaster resilience: A scenario-based
approach to co-producing and integrating hazard and risk knowledge.

International Journal of Disaster Risk Reduction, 13, 242–247.

<https://doi.org/10.1016/j.ijdr.2015.05.009>

Đurić, D., Mladenović, A., Pešić-Georgiadis, M., Marjanović, M., & Abolmasov,
B. (2017). Using multiresolution and multitemporal satellite data for post-
disaster landslide inventory in the Republic of Serbia. *Landslides*, 14(4),

1467–1482. <https://doi.org/10.1007/s10346-017-0847-2>

Falco, E., Zambrano-Verratti, J., & Kleinhans, R. (2019). Web-based participatory mapping in informal settlements: The slums of Caracas, Venezuela. *Habitat International*, 94(August), 102038.

<https://doi.org/10.1016/j.habitatint.2019.102038>

Galli, M., Ardizzone, F., Cardinali, M., Guzzetti, F., & Reichenbach, P. (2008). Comparing landslide inventory maps. *Geomorphology*, 94(3–4), 268–289.

<https://doi.org/10.1016/j.geomorph.2006.09.023>

Gao, S., & Mai, G. (2018). Mobile GIS and Location-Based Services. *Comprehensive Geographic Information Systems*, 384–397.

<https://doi.org/10.1016/b978-0-12-409548-9.09710-4>

Gkatzoflias, D., Mellios, G., & Samaras, Z. (2013). Development of a web GIS application for emissions inventory spatial allocation based on open source software tools. *Computers and Geosciences*, 52, 21–33.

<https://doi.org/10.1016/j.cageo.2012.10.011>

Goetz, M., & Zipf, A. (2013). The Evolution of Geo Crowd Sourcing : Bringing Volunteered Geographic Information to the Third Dimension.

Gómez-Barrón, J. P., Manso-Callejo, M. Á., Alcarria, R., & Iturrioz, T. (2016). Volunteered geographic information system design: Project and participation guidelines. *ISPRS International Journal of Geo-Information*, 5(7).

<https://doi.org/10.3390/ijgi5070108>

Gomez, C., Janin, M., Lavigne, F., Gertisser, R., Charbonnier, S., Lahitte, P., ... Murwanto, H. (2010). Borobudur, a basin under volcanic influence: 361,000 years BP to present. *Journal of Volcanology and Geothermal Research*,

196(3–4), 245–264. <https://doi.org/10.1016/j.jvolgeores.2010.08.001>

Guzzetti, F., Cardinali, M., Reichenbach, P., & Carrara, A. (2000). Comparing landslide maps: A case study in the upper Tiber River basin, central Italy. *Environmental Management*, 25(3), 247–263.

<https://doi.org/10.1007/s002679910020>

- Guzzetti, Fausto, Mondini, A. C., Cardinali, M., Fiorucci, F., Santangelo, M., & Chang, K. T. (2012). Landslide inventory maps: New tools for an old problem. *Earth-Science Reviews*, 112(1–2), 42–66.
<https://doi.org/10.1016/j.earscirev.2012.02.001>
- Hancox, G. T. (2008). The 1979 Abbotsford Landslide, Dunedin, New Zealand: A retrospective look at its nature and causes. *Landslides*, 5(2), 177–188.
<https://doi.org/10.1007/s10346-007-0097-9>
- He, Y., Zhang, D., & Fang, Y. (2017a). Development of a mobile post-disaster management system using free and open source technologies. *International Journal of Disaster Risk Reduction*, 25(November 2016), 101–110.
<https://doi.org/10.1016/j.ijdr.2017.08.007>
- He, Y., Zhang, D., & Fang, Y. (2017b). Development of a mobile post-disaster management system using free and open source technologies. *International Journal of Disaster Risk Reduction*, 25(November 2016), 101–110.
<https://doi.org/10.1016/j.ijdr.2017.08.007>
- Huang, R., Huang, J., Ju, N., He, C., & Li, W. (2013). WebGIS-based information management system for landslides triggered by Wenchuan earthquake. *Natural Hazards*, 65(3), 1507–1517. <https://doi.org/10.1007/s11069-012-0424-x>
- Jacobs, L., Kabaseke, C., Bwambale, B., Katutu, R., Dewitte, O., Mertens, K., ... Kervyn, M. (2019). The geo-observer network: A proof of concept on participatory sensing of disasters in a remote setting. *Science of the Total Environment*, 670, 245–261. <https://doi.org/10.1016/j.scitotenv.2019.03.177>
- Juang, C. S., Stanley, T. A., & Kirschbaum, D. B. (2019). Using citizen science to expand the global map of landslides: Introducing the Cooperative Open Online Landslide Repository (COOLR). *Plos One*, 14(7), e0218657.
<https://doi.org/10.1371/journal.pone.0218657>
- Kocaman, S., & Gokceoglu, C. (2019). A CitSci app for landslide data collection. *Landslides*, 16(3), 611–615. <https://doi.org/10.1007/s10346-018-1101-2>

- Lavigne, F., De Coster, B., Juvin, N., Flohic, F., Gaillard, J. C., Texier, P., ...
Sartohadi, J. (2008). People's behaviour in the face of volcanic hazards:
Perspectives from Javanese communities, Indonesia. *Journal of Volcanology
and Geothermal Research*, 172(3–4), 273–287.
<https://doi.org/10.1016/j.jvolgeores.2007.12.013>
- Lavigne, F., Thouret, J., Voight, B., Suwa, H., & Sumaryono, A. (2000). Lahars at
Merapi volcano, Central Java: an overview. *Journal of Volcanology and
Geothermal Research*, 1000(1–4), 423–456.
- Maguire, D. (2007). GeoWeb 2.0 and volunteered GI. *Workshop on VGI*, 2–4.
Retrieved from
[http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:GeoWeb+
2+.+0+and+Volunteered+GI#0](http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:GeoWeb+2+.+0+and+Volunteered+GI#0)
- McKee, L. (n.d.). OGC History. Retrieved February 9, 2020, from
<https://www.opengeospatial.org/ogc/historylong>
- Moon, W. M. (2015). Geographic Information Systems and Science (3rd Edition)
by P. A. Longley, M. F. Goodchild, D. J. Maguire and D. W. Rhind (Book
Review), (August 2012).
- Ngadisih, Samodra, G., Bhandary, N. P., & Yatabe, R. (2017). *Landslide
inventory: Challenge for landslide hazard assessment in Indonesia. GIS
Landslide*. https://doi.org/10.1007/978-4-431-54391-6_8
- Nugraha, H., Wacano, D., Dipayana, G. A., Cahyadi, A., Mutaqin, B. W., &
Larasati, A. (2015). Geomorphometric Characteristics of Landslides in the
Tinalah Watershed, Menoreh Mountains, Yogyakarta, Indonesia. *Procedia
Environmental Sciences*, 28(Sustain 2014), 578–586.
<https://doi.org/10.1016/j.proenv.2015.07.068>
- Poorazizi, E., Alesheikh, A. A., & Behzadi, S. (2008). Developing a mobile GIS
for field geospatial data acquisition. *Journal of Applied Sciences*, 8(18),
3279–3283. <https://doi.org/10.3923/jas.2008.3279.3283>
- Putz, S. (1994). Interactive information services using World-Wide Web

hypertext. *Computer Networks and ISDN Systems*, 27(2), 273–280.

[https://doi.org/10.1016/0169-7552\(94\)90141-4](https://doi.org/10.1016/0169-7552(94)90141-4)

Remondo, J., Soto, J., González-Díez, A., Díaz de Terán, J. R., & Cendrero, A. (2005). Human impact on geomorphic processes and hazards in mountain areas in Northern Spain. *Geomorphology*, 66(1-4 SPEC. ISS.), 69–84.

<https://doi.org/10.1016/j.geomorph.2004.09.009>

Samodra, G., Chen, G., Sartohadi, J., & Kasama, K. (2018). Generating landslide inventory by participatory mapping: an example in Purwosari Area, Yogyakarta, Java. *Geomorphology*, 306, 306–313.

<https://doi.org/10.1016/j.geomorph.2015.07.035>

Smith, D. A. (2016). Online interactive thematic mapping: Applications and techniques for socio-economic research. *Computers, Environment and Urban Systems*, 57, 106–117. <https://doi.org/10.1016/j.compenvurbsys.2016.01.002>

Sonne, C., & Alstrup, A. K. O. (2019). Using citizen science to speed up plastic collection and mapping of urban noise: Lessons learned from Denmark. *Marine Pollution Bulletin*, 149(July), 110591.

<https://doi.org/10.1016/j.marpolbul.2019.110591>

Stachonň, Z., Šašinka, Č., Štěřba, Z., Zbořil, J., Březinová, Š., & Švancara, J. (2013). Influence of Graphic Design of Cartographic Symbols on Perception Structure. *KN - Journal of Cartography and Geographic Information*, 63(4), 216–220. <https://doi.org/10.1007/bf03546137>

Steiniger, S., & Hunter, A. J. S. (2013). The 2012 free and open source GIS software map - A guide to facilitate research, development, and adoption. *Computers, Environment and Urban Systems*, 39, 136–150.

<https://doi.org/10.1016/j.compenvurbsys.2012.10.003>

Sui, D., Elwood, S., & Goodchild, M. (2013). Crowdsourcing geographic Knowledge: Volunteered geographic information (VGI) in theory and practice. *Crowdsourcing Geographic Knowledge: Volunteered Geographic Information (VGI) in Theory and Practice*, 9789400745, 1–396.

<https://doi.org/10.1007/978-94-007-4587-2>

Sutanta, E., & Nurnawati, E. K. (2019). The Design of Relational Database for Multipurpose WebGIS Applications. *Journal of Physics: Conference Series*, 1413, 012029. <https://doi.org/10.1088/1742-6596/1413/1/012029>

Varnes, D. J. (1978). Slope movements types and processes. In: Schuster R.L., y Krizek R.J. (ed.). Landslides analysis and control. Washington D. C, National Academy Press, Transportation Research Board Special Report, 176, 9-33 p. [https://doi.org/In Special report 176: Landslides: Analysis and Control, Transportation Research Board, Washington, D.C.](https://doi.org/In%20Special%20report%20176:Landslides:Analysis%20and%20Control,Transportation%20Research%20Board,Washington,D.C.)