

- Abuilauiwi, F. A. dkk. (2010) 'Modification and functionalization of multiwalled carbon nanotube (MWCNT) via fischer esterification', *Arabian Journal for Science and Engineering*, 35(1 C), pp. 37–48.
- Ahmed, D. S., Haider, A. J. and Mohammad, M. R. (2013) 'Comparesion of functionalization of multi-walled carbon nanotubes treated by oil olive and nitric acid and their characterization', *Energy Procedia*, 36, pp. 1111–1118. doi: 10.1016/j.egypro.2013.07.126.
- Asadi, A. dkk. (2019) 'An experimental investigation on the effects of ultrasonication time on stability and thermal conductivity of MWCNT-water nanofluid: Finding the optimum ultrasonication time', *Ultrasonics Sonochemistry*, 58(April). doi: 10.1016/j.ultsonch.2019.104639.
- Bom, D. dkk. (2002) 'Thermogravimetric Analysis of the Oxidation of Multiwalled Carbon Nanotubes: Evidence for the Role of Defect Sites in Carbon Nanotube Chemistry', *Nano Letters*, 2(6), pp. 615–619. doi: 10.1021/nl020297u.
- Chen, Y. dkk. (2012) 'Preparation of curcumin-loaded liposomes and evaluation of their skin permeation and pharmacodynamics', *Molecules*, 17(5), pp. 5972–5987. doi: 10.3390/molecules17055972.
- Cui, H. dkk. (2017) 'Effects of various surfactants on the dispersion of MWCNTs–OH in aqueous solution', *Nanomaterials*, 7(9). doi: 10.3390/nano7090262.
- Diani, J. and Gall, K. (2006) 'Finite Strain 3D Thermoviscoelastic Constitutive Model', *Society*, pp. 1–10. doi: 10.1002/pen.
- Dlamini, N. dkk. (2019) 'Synthesis, characterization, kinetic drug release and anticancer activity of bisphosphonates multi-walled carbon nanotube conjugates', *Materials Science and Engineering C*, 104(July), p. 109967. doi: 10.1016/j.msec.2019.109967.
- Farahani, B. V., Behbahani, G. R. and Javadi, N. (2016) 'Functionalized multi walled carbon nanotubes as a carrier for doxorubicin: Drug adsorption study and statistical optimization of drug loading by factorial design methodology', *Journal of the Brazilian Chemical Society*, 27(4), pp. 694–705. doi: 10.5935/0103-5053.20150318.
- Ghadimi, A. and Metselaar, I. H. (2013) 'The influence of surfactant and ultrasonic processing on improvement of stability, thermal conductivity and viscosity of titania nanofluid', *Experimental Thermal and Fluid Science*, 51, pp. 1–9. doi: 10.1016/j.exptthermflusci.2013.06.001.
- Haghighi, M. and Khoshfetrat, A. (2021) 'Au-O-MWCNTs and TiO₂-O-MWCNTs as Efficient Nanocarriers for Dexamethasone: Adsorption Isotherms and Kinetic Studies', *International Journal of Chemical Engineering*, 2021. doi: 10.1155/2021/2040363.
- Iscen, C. F., Kiran, I. and Ilhan, S. (2007) 'Biosorption of Reactive Black 5 dye by *Penicillium restrictum*: The kinetic study', *Journal of Hazardous Materials*, 143(1–2), pp. 335–340. doi: 10.1016/j.jhazmat.2006.09.028.
- Koupaei Malek, S. dkk. (2019) 'Adsorption and in vitro release study of curcumin form polyethyleneglycol functionalized multi walled carbon nanotube: kinetic and isotherm study', *DARU, Journal of Pharmaceutical Sciences*, 27(1), pp. 9–20. doi: 10.1007/s40199-018-0232-2.

Lenman, J. H. dkk. (2011) 'Evaluating the characteristics of multiwall carbon nanotubes', *Carbon*, 49(8), pp. 2581–2602. doi: 10.1016/j.carbon.2011.03.028.

Massoumi, B. dkk. (2015) 'Multi-walled carbon nanotubes-g-[poly(ethylene glycol)-b-poly(ϵ -caprolactone)]: synthesis, characterization, and properties', *Journal of Polymer Research*, 22(11). doi: 10.1007/s10965-015-0863-7.

Meran, M. dkk. (2018) 'Noncovalent Pyrene-Polyethylene Glycol Coatings of Carbon Nanotubes Achieve in Vitro Biocompatibility', *Langmuir*, 34(40), pp. 12071–12082. doi: 10.1021/acs.langmuir.8b00971.

Mondal, S. and Ghosh, S. (2021) 'Spectroscopic study on the interaction of curcumin with single chain and gemini surfactants', *Chemical Physics Letters*, 762(3), pp. 179–195. doi: 10.1016/j.cplett.2020.138144.

Nasery, M. M., Abadi, B. and Poormoghadam, D. (2020) 'Curcumin Delivery Mediated by Bio-Based', pp. 1–29.

Ng, C. dkk. (2002) 'Freundlich adsorption isotherms of agricultural by-product-based powdered activated carbons in a geosmin-water system', *Bioresource Technology*, 85(2), pp. 131–135. doi: 10.1016/S0960-8524(02)00093-7.

Oleszczuk, P. and Xing, B. (2011) 'Influence of anionic, cationic and nonionic surfactants on adsorption and desorption of oxytetracycline by ultrasonically treated and non-treated multiwalled carbon nanotubes', *Chemosphere*, 85(8), pp. 1312–1317. doi: 10.1016/j.chemosphere.2011.07.044.

Phan, Q. T. dkk. (2016) 'Characteristics and cytotoxicity of folate-modified curcumin-loaded PLA-PEG micellar nano systems with various PLA:PEG ratios', *International Journal of Pharmaceutics*, 507(1–2), pp. 32–40. doi: 10.1016/j.ijpharm.2016.05.003.

Pichler, T. (2007) 'Carbon ahead', *Nature Materials*, 6(5), pp. 332–333. doi: 10.1038/nmat1898.

Rafiee, Z. dkk. (2019) 'Application of different nanocarriers for encapsulation of curcumin', *Critical Reviews in Food Science and Nutrition*, 59(21), pp. 3468–3497. doi: 10.1080/10408398.2018.1495174.

Rahman, M. M. dkk. (2017) 'Fabrication of an l-glutathione sensor based on PEG-conjugated functionalized CNT nanocomposites: A real sample analysis', *New Journal of Chemistry*, 41(19), pp. 10761–10772. doi: 10.1039/c7nj01704a.

Rance, G. A. dkk. (2010) 'UV-vis absorption spectroscopy of carbon nanotubes: Relationship between the π -electron plasmon and nanotube diameter', *Chemical Physics Letters*, 493(1–3), pp. 19–23. doi: 10.1016/j.cplett.2010.05.012.

Rasmussen, K. dkk. (2014) *Multi-walled Carbon Nanotubes, NM-400, NM-401, NM-402, NM-403: Characterisation and Physico-Chemical Properties, JRC Repository: NM-series of Representative Manufactured Nanomaterials, EUR - Scientific and Technical Research Reports*. doi: 10.2788/10753.

Rastogi, V. dkk. (2014) 'Carbon Nanotubes: An Emerging Drug Carrier for Targeting Cancer Cells', *Journal of Drug Delivery*, 2014, pp. 1–23. doi: 10.1155/2014/670815.

Saether, E., Frankland, S. J. V. and Pipes, R. B. (2003) 'Transverse mechanical properties of single-walled carbon nanotube crystals. Part I: Determination of elastic moduli',

Composites Science and Technology, 63(11), pp. 1543–1550. doi: 10.1016/S0266-3538(03)00056-3.

Sapalidis, A. dkk. (2018) ‘Fabrication of antibacterial poly(vinyl alcohol) nanocomposite films containing dendritic polymer functionalized multi-walled carbon nanotubes’, *Frontiers in Materials*, 5(March), pp. 1–10. doi: 10.3389/fmats.2018.00011.

Sharma, S. dkk. (2016) ‘Effect of functionalization on drug delivery potential of carbon nanotubes’, *Artificial Cells, Nanomedicine and Biotechnology*, 44(8), pp. 1851–1860. doi: 10.3109/21691401.2015.1111227.

Tibbitt, M. W., Dahlman, J. E. and Langer, R. (2016) ‘Emerging Frontiers in Drug Delivery’, *Journal of the American Chemical Society*, 138(3), pp. 704–717. doi: 10.1021/jacs.5b09974.

Torchilin, V. P. (2010) *Passive and active drug targeting: Drug delivery to tumors as an example, Handbook of Experimental Pharmacology*. doi: 10.1007/978-3-642-00477-3_1.

Tran, D. H. N. dkk. (2019) ‘Self-assembled poly(ethylene glycol) methyl ether-grafted gelatin nanogels for efficient delivery of curcumin in cancer treatment’, *Journal of Applied Polymer Science*, 136(20), pp. 1–10. doi: 10.1002/app.47544.

Tsai, H. C. dkk. (2013) ‘Drug-loading capacity and nuclear targeting of multiwalled carbon nanotubes grafted with anionic amphiphilic copolymers’, *International Journal of Nanomedicine*, 8, pp. 4427–4440. doi: 10.2147/IJN.S53636.

Vaisman, L., Wagner, H. D. and Marom, G. (2006) ‘The role of surfactants in dispersion of carbon nanotubes’, *Advances in Colloid and Interface Science*, 128–130(2006), pp. 37–46. doi: 10.1016/j.cis.2006.11.007.

Viseras, M. T. dkk. (2008) ‘Equilibrium and kinetics of 5-aminosalicylic acid adsorption by halloysite’, *Microporous and Mesoporous Materials*, 108(1–3), pp. 112–116. doi: 10.1016/j.micromeso.2007.03.033.

Wang, L. dkk. (2018) ‘Nanocapsules of Magnetic Au Self-Assembly for DNA Migration and Secondary Self-Assembly’, *ACS Applied Materials and Interfaces*, 10(6), pp. 5348–5357. doi: 10.1021/acsami.7b18689.

Wang, M. dkk. (2014) ‘Interactions of cationic trimeric, gemini and monomeric surfactants with trianionic curcumin in aqueous solution’, *Soft Matter*, 10(19), pp. 3432–3440. doi: 10.1039/c4sm00086b.

Wu, K. H., Wang, D. W. and Gentle, I. R. (2015) ‘Revisiting oxygen reduction reaction on oxidized and unzipped carbon nanotubes’, *Carbon*, 81(1), pp. 295–304. doi: 10.1016/j.carbon.2014.09.060.

Xu, L. dkk. (2017) ‘Surfactant-Modified Ultrafine Gold Nanoparticles with Magnetic Responsiveness for Reversible Convergence and Release of Biomacromolecules’, *Langmuir*, 33(12), pp. 3047–3055. doi: 10.1021/acs.langmuir.6b04591.

Xu, L. dkk. (2018) ‘Carbon nanotubes modified by a paramagnetic cationic surfactant for migration of DNA and proteins’, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 559(September), pp. 201–208. doi: 10.1016/j.colsurfa.2018.09.032.

Yu, S. dkk. (2018) ‘Antitumor effects of carbon nanotube-drug complex against human breast cancer cells’, *Experimental and Therapeutic Medicine*, 16(2), pp. 1103–1110. doi:

Zawawi, N. A., Majid, Z. A. and Rashid, N. A. A. (2017) ‘Adsorption and desorption of curcumin by poly(vinyl) alcohol-multiwalled carbon nanotubes (PVA-MWCNT)’, *Colloid and Polymer Science*, 295(10), pp. 1925–1936. doi: 10.1007/s00396-017-4163-0.

Zhang, J. dkk. (2015) ‘Self-carried curcumin nanoparticles for in vitro and in vivo cancer therapy with real-time monitoring of drug release’, *Nanoscale*, 7(32), pp. 13503–13510. doi: 10.1039/c5nr03259h.

Zou, L. dkk. (2019) ‘Cereal proteins in nanotechnology: formulation of encapsulation and delivery systems’, *Current Opinion in Food Science*, 25, pp. 28–34. doi: 10.1016/j.cofs.2019.02.004.

Zsila, F., Bikádi, Z. and Simonyi, M. (2003) ‘Molecular basis of the Cotton effects induced by the binding of curcumin to human serum albumin’, *Tetrahedron Asymmetry*, 14(16), pp. 2433–2444. doi: 10.1016/S0957-4166(03)00486-5.