

## DAFTAR PUSTAKA

- Alegantina, S., Isnawati, A., and Rooslamati, I. 2010. Isolasi dan identifikasi artemisinin dari herba *Artemisia annua* L. *Buletin Penelitian Kesehatan*. 38(3): 159-168.
- Altameme, H., Hameed, I., and Kareem, M. 2015. Analysis of alkaloid phytochemical compounds in the ethanolic extract of *Datura stramonium* and evaluation of antimicrobial activity. *African Journal of Biotechnology*. 14: 1668-1674.
- Anisimova, E. A., and Yarullina, D. R. 2019. Antibiotic resistance of *Lactobacillus* strains. *Current Microbiology*. 76(12): 1407–1416. DOI: 10.1007/s00284-019-01769-7
- Arendt, K. R., Hockett, K. L., Araldi-Brondolo, S. J., Baltrus, D. A., and Arnold, E. 2016. Isolation of endohyphal bacteria from foliar ascomycota and in vitro. *Applied and Environmental Microbiology*. 82(10): 2943–49. DOI: 10.1128/AEM.00452-16.
- Arundina, I., Budhy, T. I., Luthfi, M., and Indrawati, R. 2015. Identifikasi kromatografi lapis tipis sudamala (*Artemisia vulgaris* L.). *Majalah Kedokteran Gigi Indonesia*. 1(2): 167-171. DOI: 10.22146/majkedgiind.9226
- Ash, R., Mauck, B., and Morgan, M. 2002. Antibiotic resistance of gram-negative bacteria in rivers, United States. *Emerging Infectious Diseases*. 8(7): 713–716. DOI: 10.3201/eid0807.010264.
- Ávila, M. P., Staehr, P. A., Barbosa, F. A. R., Chartone-Souza, E., and Nascimento, A.M.A. 2017. Seasonality of freshwater bacterioplankton diversity in two tropical shallow lakes from the brazilian atlantic forest. *FEMS Microbiology Ecology*. 93(1): 1-11. DOI: 10.1093/femsec/fiw218.
- Bakr, R. O., El-Naa, M. M., Zaghoul, S. S., and Omar, M. M. 2017. Profile of bioactive compounds in *Nymphaea alba* L. leaves growing In Egypt: hepatoprotective, antioxidant and anti-inflammatory activity. *BMC Complementary Medicine and Therapies*. 17(1): 52. DOI: 10.1186/s12906-017-1561-2
- Bhosle, S., Ranadive, K., Bapat, G., Garad, S., Deshpande, G., and Vaidya, J. 2010. Taxonomy and diversity of *Ganoderma* from the western parts of Maharashtra (India). *Mycosphere*. 1(3):249–262.
- Bergmann, G. T., Bates, S. T., Eilers, K. G., Lauber, C. L., Caporaso, G., Walters, W. A., Knight, R., and Fierer, N. 2012. The under-recognized dominance of *Verrucomicrobia* in soil bacterial communities. *Soil Biology and Biochemistry*. 43(7):1450–1455. DOI: 10.1016/j.soilbio.2011.03.012.
- Bernardo, W. L., Boriollo, M. F., Gonçalves, R. B., and Höfling, J. F. 2005. *Staphylococcus aureus* ampicillin-resistant from the odontological clinic environment. *Revista do Instituto de Medicina Tropical de Sao Paulo*. 47(1): 19–24. DOI: 10.1590/s0036-46652005000100004.
- Bertaux, J., Schmid, M., Chemidlin Prévost-Bourre, N., Churin, J. L., Hartmann, A., Garbaye, J., and Frey-Klett, P. 2003. In situ identification of intracellular bacteria related to *Paenibacillus* spp. in the mycelium of the

- ectomycorrhizal fungus *Laccaria bicolor* S238N. *Applied and Environmental Microbiology*. 69(7): 4243–4248. DOI: 10.1128/AEM.69.7.4243–4248.2003.
- Bertaux, J., Schmid, M., Hutzler, P., Hartmann, A., Garbaye, J., and Frey-Klett, P. 2005. Occurrence and distribution of endobacteria in the plant-associated mycelium of the ectomycorrhizal fungus *Laccaria bicolor* S238N. *Environmental Microbiology*. 7(11): 1786–1795. DOI: 10.1111/j.1462-2920.2005.00867.x.
- Bianciotto, V., Genre, A., Jargeat, P., Lumini, E., Bécard, G., and Bonfante, P. 2004. Vertical transmission of endobacteria in the arbuscular mycorrhizal fungus *Gigaspora margarita* through generation of vegetative spores. *Applied and Environmental Microbiology*. 70(6): 3600–3608.
- Bignell, E. 2012. The molecular basis of pH sensing, signaling, and homeostasis in Fungi. *Advances in Applied Microbiology*. 79:1–18.
- Binh, P. T., Thao, N. P., Luyen, N. T., Trang, D. T., Binh, P. T. X., Nguyen, N. P. D., Hiep, N. T., Dang, N. H., Tran M. T., and Dat, N. T. 2018. Lanostane-type triterpenoids from *Ganoderma lucidum* and *G. multipileum* fruiting bodies. *Natural Product Communications*. 13 (11): 1441–44. DOI: 10.1177/1934578x1801301107.
- Boh, B., Berovic, M., Zhang, J., and Zhi-Bin, L. 2007. *Ganoderma lucidum* and its pharmaceutically active compounds. *Biotechnology Annual Review*. 13: 265–301. DOI: 10.1016/S1387-2656(07)13010-6.
- Briard, B., Heddergott, C., and Latgé, J. P. 2016. Volatile compounds emitted by *Pseudomonas aeruginosa* stimulate growth of the fungal pathogen *Aspergillus fumigatus*. *mBio*. 7(2): e00219.
- Büchs, J. 2001. Introduction to Advantages and problems of shaken cultures. *Biochemical Engineering Journal*. 7(2): 91–98. DOI: 10.1016/S1369-703X(00)00106-6.
- Caporaso, J. G., Kuczynski, J., Stombaugh, J., Bittinger, K., Bushman, F. D., Costello, E. K., Fierer, N., Peña, A. G., Goodrich, J. K., Gordon, J. I., Huttley, G. A., Kelley, S. T., Knights, D., Koenig, J. E., Ley, R. E., Lozupone, C. A., McDonald, D., Muegge, B. D., Pirrung, M., Reeder, J., Sevinsky, J. R., Turnbaugh, P. J., Walters, W. A., Widmann, J., Yatsunencko, T., Zaneveld, J., and Knight, R. 2010. QIIME allows analysis of high-throughput community sequencing data. *Nature Methods*. 7(5):335–336. DOI: 10.1038/nmeth.f.303.
- Chan, C. B., Poulie, C. B. M., Wismann, S. S., Soelberg, J., and Kristensen, J. L. 2021. The alkaloids from *Lophophora diffusa* and other “false peyotes.” *Journal of Natural Products*. 84(8): 2398–2407. DOI: 10.1021/acs.jnatprod.1c00381
- Chandelier, A., Abras, S., Laurent, F., Debruxelles, N., and Cavelier, M. 2006. Effect of temperature and bacteria on sporulation of *Phytophthora alni* in river water. *Communications in Agricultural and Applied Biological Sciences*. 71(3 Pt B): 873–880.
- Chao A. 1984. Non-parametric estimation of the number of classes in a population. *Scandinavian Journal of Statistics*. 11(4): 265–270.

- Chuah, X. Q., Okechukwu, P. N., Amini, F., and Teo, S. S. 2018. Eicosane, pentadecane and palmitic acid: The effects in in vitro wound healing studies. *Asian Pacific Journal of Tropical Medicine*. 8(10): 490-499. DOI: 10.4103/2221-1691.244158
- Çıkman, A., Parlak, M., Bayram, Y., Güdücüoğlu, H., and Berktaş, M. 2016. Antibiotics resistance of *Stenotrophomonas maltophilia* strains isolated from various clinical specimens. *African Health Sciences*. 16(1): 149–152. DOI: 10.4314/ahs.v16i1.20.
- Cueto, M., Jensen, P. R., Kauffman, C., Fenical, W., Lobkovsky, E., and Clardy, J. 2001. Pestalone, a new antibiotic produced by a marine fungus in response to bacterial challenge. *Journal of Natural Products*. 64(11): 1444–1446. DOI: 10.1021/np0102713.
- Cullen, C. M., Aneja, K. K., Beyhan, S., Cho, C. E., Woloszynek, S., Convertino, M., McCoy, S. J., Zhang, Y., Anderson, M. Z., Alvarez-Ponce, D., Smirnova, E., Karstens, L., Dorrestein, P. C., Li, H., Sen-Gupta, A., Cheung, K., Powers, J. G., Zhao, Z., and Rosen, G. L. 2020. Emerging priorities for microbiome research. *Frontiers in Microbiology*. 11(136): 1-27. DOI: 10.3389/fmicb.2020.00136.
- Dale, C., and Moran, N. A.. 2006. Molecular interactions between bacterial symbionts and their hosts. *Cell*. 126(3): 453–465.
- Darsih, C., Indrianingsih, A. W., Apriyana, W., Nur, H. S., Rosyida, V. T., Nisa, K., Ratih, D., and Indirayati, N. 2019. Antioxidant activity of methanol extracts from *Ganoderma lucidum* Karst. Mycelia. *IOP Conference Series: Earth and Environmental Science*. 251(1):012015. DOI: 10.1088/1755-1315/251/1/012015.
- Deveau, A., Bonito, G., Uehling, J., Paoletti, M., Becker, M., Bindschedler, S., Hacquard, S., Hervé, V., Labbé, J., Lastovetsky, O. A., Mieszkina, S., Millet, L. J., Vajna, B., Junier, P., Bonfante, P., Krom, B. P., Olsson, S., van Elsas, J. D., and Wick, L. Y. 2018. Bacterial-fungal interactions: ecology, mechanisms and challenges. *FEMS Microbiology Reviews*. 42(3): 335–352.
- Devi, N., Kumar, S., Pandey, S. K, Singh, V. 2018. 1(3)-formyl- $\beta$ -carboline: potential aldo-x precursors for the synthesis of  $\beta$ -carboline-based molecular architectures. *Asian Journal of Organic Chemistry*. 7(1): 6-36. DOI: 10.1002 /ajoc.201700477.
- Dewick, P. M. 2009. *The Acetate Pathway: Fatty Acids and Polyketides. In Medicinal Natural Products: A Biosynthetic Approach*. John Wiley and Sons Ltd. Hoboken.
- Dinis-Oliveira, R., Pereira, C., and Dias da Silva, D. 2018. Pharmacokinetic and pharmacodynamic aspects of peyote and mescaline: clinical and forensic repercussions. *Current Molecular Pharmacology*. 12(3): 184–194. DOI: 10.2174/1874467211666181010154139.
- Dyrka, W., Lamacchia, M., Durrens, P., Kobe, B., Daskalov, A., Paoletti, M., Sherman, D. J., and Saupe, S. J. 2014. Diversity and variability of NOD-like receptors in fungi. *Genome biology and evolution*. 6(12): 3137–3158.
- Edgar, R. C., 2013. UPARSE: high accurate OTU sequences from microbial amplicon reads. *Nature Metode*. 10(10): 996-998.

- El-Mekaway, S., Meselhy, M. R., Nakamura, N., Tezuka, Y., Hattori, M., Kakiuchi, N., Shimotohno, K., Kawahata, T., and Otake, T. 1998. Anti-HIV-1 and Anti-HIV-1-Protease substances from *Ganoderma lucidum*. *Phytochemistry*. 49(6): 1651–57. DOI: 10.1016/S0031-9422(98)00254-4.
- Elvira-Recueno, M., and Van-Vuurde, J. W. L. 2000. Natural incidence of endophytic bacteria in pea cultivars under field conditions. *Canadian Journal of Microbiology*. 46(11): 1036–41. DOI: 10.1139/w00-098.
- Farnsworth, N. R. 1966. Biological and phytochemical screening of plants. *Journal of Pharmaceutical Sciences*. 55(3): 225–276. DOI: 10.1002/jps.2600550302.
- Faust, K., and Raes, J. 2012. Microbial Interactions: From networks to models. *Nature Reviews Microbiology*. 10(8): 538–50. DOI: 10.1038/nrmicro2832.
- Fleming, A. 1929. On the antibacterial action of cultures of a *Penicillium*, with special reference to their use in the isolation of *B. influenzae*. *British Journal of Experimental Pathology*. 10(3):226–236.
- Frey-Klett, P., Burlinson, P., Deveau, A., Barret, M., Tarkka, M., and Sarniguet, A. 2011. Bacterial-fungal interactions: hyphens between agricultural, clinical, environmental, and food microbiologists. *Microbiology and Molecular Biology Reviews*. 75(4): 583–609. DOI: 10.1128/mmbr.00020-11.
- Fritz, I. B. 1959. Action of carnitine on long chain fatty acid oxidation by liver. *The American Journal of Physiology*. 197: 297–304. DOI: 10.1152/ajplegacy.1959.197.2.297.
- Garbaye, J., and Duponnois, R. 1993. Specificity and function of mycorrhization helper bacteria (MHB) associated with the *Pseudotsuga menziesii*-*Laccaria laccata* symbiosis. *Symbiosis*. 14:335-344.
- Garbeva, P., Hordijk, C., Gerards, S., and de Boer, W. 2014. Volatiles produced by the mycophagous soil bacterium *Collimonas*. *FEMS Microbiology Ecology*. 87(3): 639–649.
- Gao, J. J., Min, B. S., Ahn, E. M., Nakamura, N., Lee, H. K., and Hattori, M. 2002. New triterpene aldehydes, lucialdehydes A - C, from *Ganoderma lucidum* and their cytotoxicity against murine and human tumor cells. *Chemical and Pharmaceutical Bulletin*. 50(6): 837–40. DOI: 10.1248/cpb.50.837.
- Gibson, J., Sood, A. and Hogan, D. A. 2009. *Pseudomonas aeruginosa*-*Candida albicans* interactions: localization and fungal toxicity of a phenazine derivative. *Applied and Environmental Microbiology*. 75(2):504–513. DOI: 10.1128/AEM.01037-08.
- Graspeuntner, S., Loeper, N., Künzel, S., Baines, J. F., and Rupp J. 2018. Selection of validated hypervariable regions is crucial in 16S-based microbiota studies of the female genital tract. *Scientific Reports*. 8(1): 9678. DOI: 10.1038/s41598-018-27757-8.
- Hailini, Z. H. N., Seman, I. A., Noor, M. A., and Shariffah-Muzaimah, S. A. 2020. A Feasibility study on volatile organic compounds profiling of oil palm-*Ganoderma* infected wood for basal stem rot detection. *Malaysian Journal of Analytical Sciences*. 24(4): 599–614.

- Halket, J. M., Waterman, D., Przyborowska, A. M., Patel, R. K. P., Fraser, P. D., and Pe, M. B. 2005. Chemical derivatization and mass spectral libraries in metabolic profiling by GC/MS and LC/MS/MS. *Journal of Experimental Botany*. 56(410): 219–43. DOI: 10.1093/jxb/eri069.
- Hammer, Ø., Harper, D. A. T., and Ryan, P. D. 2001. PAST: Paleontological Statistics Software Package for Education and Data Analysis. *Palaeontologia Electronica*. 4(1): 1-9.
- Hanani, M. S. E. 2015. *Analisis fitokimia*. Penerbit buku kedokteran EGC. Jakarta.
- Handayani, R., Dinoto, A., and Bintang, M. 2021. Novel microbial transformation of *Andrographis paniculata* by *Aspergillus oryzae*. *Biodiversitas*. 23(1): 110-117.
- Hansen, T. K., and Jakobsen, M. 1997. Possible role of microbial interactions for growth and sporulation of *Penicillium roqueforti* in Danablu. *Lait*. 77(4):479–488.
- Harborne, J. B. 1987. *Metode fitokimia: penuntun cara modern menganalisis tumbuhan*. Terjemahan Kosasih Padmawinata dan Iwang Soediro. Penerbit ITB. Bandung.
- Haq, I. U., Calixto, R. O., Yang, P., Dos Santos, G. M., Barreto-Bergter, E., and van Elsas, J. D. 2016. Chemotaxis and adherence to fungal surfaces are key components of the behavioral response of *Burkholderia terrae* BS001 to two selected soil fungi. *FEMS Microbiology Ecology*. 92(11): fiw164.
- Heleno, S. A., Ferreira, I. C. F. R., Esteves, A. P., Ćirić, A., Glamočlija, J., Martins, A., Soković, M., and Queiroz, M. J. R. P. 2013. Antimicrobial and demelanizing activity of *Ganoderma lucidum* extract, p-hydroxybenzoic and cinnamic acids and their synthetic acetylated glucuronide methyl esters. *Food and Chemical Toxicology*. 5: 95–100. DOI: 10.1016/j.fct.2013.04.025.
- Hu, Y., Ahmed, S., Luo, J. Li, B., Gao, Z., Zhang, Q., Li, X., and Hu, X. 2017. Improved ganoderic acids production in *Ganoderma lucidum* by wood decaying components. *Scientific Reports*. 7(1): 1–10. DOI: 10.1038/srep46623.
- Hudzicki, J. 2010. *Kirby-Bauer disk diffusion susceptibility test protocol*. American Society for Microbiology (ASM). Washington DC.
- Hyun, M. W., Yun, Y. H., Kim, J. Y., and Kim, S. H. 2011. Fungal and plant phenylalanine ammonia-lyase. *Mycobiology*. 39(4): 257–265. DOI: 10.5941/MYCO.2011.39.4.257.
- Irianti, T., Purnomo, H., Kuswandi, Nuranto, S., Kanistri, D. N., Murti, Y. B., Farida, S. 2019. Uji penangkapan radikal 2,2-difenil-1-pikrilhidraziloleh ekstrak etanol bunga kecombrang (*Nicolaia Speciosa*) dan buah talok (*Muntingia calabura* L). *Jurnal Tumbuhan Obat Indonesia*. 12(1): 41-53.
- Jimenez-Sanchez, C., Wick, L. Y., Cantos, M., and Ortega-Calvo, J.J. 2015. Impact of dissolved organic matter on bacterial tactic motility, attachment, and transport. *Environmental Science and Technology*. 49(7): 4498–4505.
- Joseph, S., Janardhanan, K., George, V., and Baby, S. 2011. A new epoxidic ganoderic acid and other phytoconstituents from *Ganoderma lucidum*. *Phytochemistry Letters*. 4(3): 386-388. DOI: 10.1016/j.phytol.2011.08.011.

- Jussier, D., Morneau, A. D., and Mira de Orduna, R. 2006. Effect of simultaneous inoculation with yeast and bacteria on fermentation kinetics and key wine parameters of cool-climate Chardonnay. *Applied and Environmental Microbiology*. 72(1): 221–227.
- Kamble, R., Venkata, S., and Gupte, A. 2010. Antimicrobial activity of *Ganoderma lucidum* mycelia. *Journal of Pure and Applied Microbiology*. 5(2): 983–986.
- Kaur, H., Sharma, S., Khanna, P. K., and Kapoor, S. 2015. Evaluation of *Ganoderma lucidum* strains for the production of bioactive components and their potential use as antimicrobial agents. *Journal of Applied and Natural Science*. 7(1): 298-303. DOI: 10.31018/jans.v7i1.605.
- Kobayashi, D. Y., and Crouch, J. A. 2009. Bacterial/fungal interactions: from pathogens to mutualistic endosymbionts. *Annual Review of Phytopathology*. 47: 63–82. DOI: 10.1146/annurev-phyto-080508-081729.
- Kumar, A., and Bharmoria, A. 2021. *Ganoderma lucidum*: a traditional chinese medicine used for curing tumors. *International Journal of Pharmacy and Pharmaceutical Sciences*. 13(3): 1-13. DOI: 10.22159/ijpps.2021v13i3.40614.
- Lackner, G., and Hertweck, C. 2011. Impact of Endofungal bacteria on infection biology, food safety, and drug development. *PLoS Pathogens*. 7(6): 5–8. DOI: 10.1371/journal.ppat.1002096.
- Lin, C., Wan, J., Lu, Y., Zhang, H., Chen, X., Su, Y., and Zhu, W. 2019. Active bacterial communities of pig fecal microbiota transplantation suspension prepared and preserved under different conditions. *AMB Express*. 9(1): 63. DOI: 10.1186/s13568-019-0787-4.
- Lindequist, U., Niedermeyer, T. H. J., and Jülich, W. D. 2005. The Pharmacological potential of mushrooms. *Evidence-Based Complementary and Alternative Medicine*. 2(3): 285–99. DOI: 10.1093/ecam/neh107.
- Lomascolo, A., Stentelaire, C., Asther, M., and Lesage-Meessen, L. 1999. Basidiomycetes as new biotechnological tools to generate natural aromatic flavours for the food industry. *Trends in biotechnology*. 17(7), DOI: 10.1016/s0167-7799(99)01313-x.
- Liu, J., Kurashiki, K., Fukuta, A., Kaneko, S., Suimi, Y., Shimizu, K., and Kondo, R. 2012. Quantitative determination of the representative triterpenoids in the extracts of *Ganoderma lucidum* with different growth stages using high-performance liquid chromatography for evaluation of their 5 $\alpha$ -reductase inhibitory properties. *Food Chemistry*. 133(3): 1034–38. DOI: 10.1016/j.foodchem.2012.01.034.
- Luangharn, T., Karunarathna, S. C., Khan, S., Xu, J. C., Mortimer, P. E., and Hyde, K. D. 2017. Antibacterial activity, optimal culture conditions and cultivation of the medicinal *Ganoderma australe*, new to Thailand. *Mycosphere*. 8(8): 1108–23. DOI: 10.5943/mycosphere/8/8/11.
- Luk, W. Y. V. 2005. Anti-cancer effects of the products of *Ganoderma lucidum*, *G. tsugae* and their artificial hybrid on breast cancer cells. *Dissertations*. Chinese University of Hong Kong Graduate School. Division of Biology.

- Lumini, E., Bianciotto, V., Jargeat, P., Novero, M., Salvioli, A., Faccio, A., Bécard, G., and Bonfante, P. 2007. Presymbiotic growth and sporal morphology are affected in the arbuscular mycorrhizal fungus *Gigaspora margarita* cured of its endobacteria. *Cellular Microbiology*. 9(7): 1716–1729. DOI: 10.1111/j.1462-5822.2007.00907.x.
- Lumini, E., Ghignone, S., Bianciotto, V., and Bonfante, P. 2006. Endobacteria or bacterial endosymbionts? To be or not to be. *New Phytologist*. 170: 199–201.
- Magurran, A. 2004. *Measuring biological diversity*. Blackwell Science Ltd. Oxford.
- Mandal, P., Sinha, B. S. P., and Mandal, N. C. 2005. Antimicrobial activity of saponins from *Acacia auriculiformis*. *Fitoterapia*. 76(5): 462-565.
- Markham, K. R. 1988. *Cara mengidentifikasi flavonoid*. Terjemahan Kosasih Padmawinata, Penerbit ITB. Bandung.
- Min, B. S., Gao, J. J., and Hattori, M. 2001. Anticomplement activity of triterpenoids from the spores of *Ganoderma lucidum*. *Planta Medica*. 67(9): 811-814.
- Mishra, J., Joshi, A., Rajput, R., Singh, K., Bansal, A., and Misra, K. 2018. Phenolic rich fraction from mycelium and fruiting body of *Ganoderma lucidum* inhibit bacterial pathogens mediated by generation of reactive oxygen species and protein leakage and modulate hypoxic stress in HEK 293 cell line. *Advance in Pharmacological and Pharmaceutical Science*. 2018: 1-10.
- Mukherjee, P. K., Wang, H., Retuerto, M., Zhang, H., Burkey, B., Ghannoum, M. A. and Eng, C. 2017. Bacteriome and Mycobiome Associations in Oral Tongue Cancer. *Oncotarget*. 8(57): 97273–89. DOI: 10.18632/oncotarget.21921.
- Naine, J., Subathra, D. C., Mohanasrinivasan, V., and Babu, V. 2015. Antimicrobial, antioxidant and cytotoxic activity of marine *Streptomyces parvulus* VITJS11 crude extract. *Brazilian Archives of Biology and Technology*. 58: 198-207. DOI: 10.1590/S1516-8913201400173.
- Nakagawa, T., Zhu, Q., Tamrakar, S., Amen, Y., Mori, Y., Suhara, H., Kaneko, S., Kawashima, H., Okuzono, K., Inoue, Y., Ohnuki, K., and Shimizu, K. 2018. Changes in Content of triterpenoids and polysaccharides in *Ganoderma Lingzhi* at different growth stages. *Journal of Natural Medicines*. 72(3): 734–44. DOI: 10.1007/s11418-018-1213-y.
- Nguyen, N. P., Tandy, W., Mihai, P., and Bryan, W. 2016. A perspective on 16S rRNA operational taxonomic unit clustering using sequence similarity. *NPJ biofilms and microbiomes*. 2(1): 1-8.
- Neelakanta, G., and Sultana, H. 2013. The use of metagenomic approaches to analyze changes in microbial communities. *Microbiology Insights*. 6:37-48. DOI: 10.4137/mbi.s10819.
- Nelson, K. E. 2015. *Genes, genomes and metagenomes: basic, methods, database and tools*. Springer Science Media. Boston. DOI: 10.1007/978-1-4899-7478-5.

- Oh, D. C., Jensen, P. R., Kauffman, C. A., and Fenical, W. 2005. Libertellenones A-D: induction of cytotoxic diterpenoid biosynthesis by marine microbial competition. *Bioorganic and Medical Chemistry*. 13(17): 5267–5273.
- Ohyama, K., Okawa, A., Moriuchi, Y., Fujimoto, Y. 2013. Biosynthesis of steroidal alkaloids in Solanaceae plants: involvement of an aldehyde intermediate during C-26 amination. *Phytochemistry*. 89: 26–31. DOI: 10.1016/j.phytochem.2013.01.010.
- Paliya, B. S., Verma, S., and Chaudhary, H. S. 2014. Major Bioactive metabolites of the medicinal mushroom: *Ganoderma lucidum*. *International Journal of Pharmaceutical Research*. 6(1): 12–24.
- Palla, M. S., Guntuku, G. S., Muthyala, M. K. K., Pingali, S., and Sahu, P. K. 2018. Isolation and molecular characterization of antifungal metabolite producing actinomycete from mangrove soil. *Beni-Suef University Journal of Basic and Applied Sciences*. 7(2): 250–56. DOI: 10.1016/j.bjbas.2018.02.006.
- Partida-Martinez, L. P., and Hertweck, C. 2007a. A gene cluster encoding rhizoxin biosynthesis in ‘*Burkholderia rhizoxina*’, the bacterial endosymbiont of the fungus *Rhizopus microsporus*. *Chembiochem : A European Journal of Chemical Biology*. 8(1): 41–45. DOI: 10.1002/cbic.200600393.
- Partida-Martinez, L. P., Monajembashi, S., Greulich, K. O., and Hertweck, C. 2007b. Endosymbiont-dependent host reproduction maintains bacterial-fungal mutualism. *Current Biology*. 17(9): 773–777.
- Pastore, V., Sabatier, L., Enrique, A., Marder, M., and Bruno-Blanch, L. E. 2013. Synthesis and anticonvulsant activity of bioisosteres of trimethadione, N-derivative-1,2,3-oxathiazolidine-4-one-2,2-dioxides from  $\alpha$ -hydroxyamides. *Bioorganic and Medicinal Chemistry*. 21(4): 841–846. DOI: 10.1016/j.bmc.2012.12.033.
- Paudel, M. R, Chand, M. B., and Pant, B. 2019. Assessment of antioxidant and cytotoxic activities of extracts of *Dendrobium crepidatum*. *Biomolecules*. 9(9): 478. DOI: 10.3390/biom9090478.
- Poornima, K., and Akshaya, S B. 2021. Inhibitory potential of ethyl acetate extract from mushrooms against root-knot nematode (*Meloidogyne incognita*). *Journal of Entomology and Zoology Studies*. 9(1): 528-534. DOI: 10.22271/j.ento.2021.v9.i1h.8198.
- Poretsky, R, Rodriguez, R. L., Luo, C., Tsementzi, D, Konstantinidis, K. T. 2014. Strengths and limitations of 16S rRNA gene amplicon sequencing in revealing temporal microbial community dynamics. *PLoS One*. 9(4): 1-9. DOI: 10.1371/journal.pone.0093827.
- Pruesse, E., Quast, C., Knittel, K., Fuchs, B. M., Ludwig, W., Peplies, J., and Glöckner, F. O. 2007. SILVA: a comprehensive online resource for quality checked and aligned ribosomal RNA sequence data compatible with ARB. *Nucleic Acids Research*. 35(21): 7188–7196.
- Quereshi, S., Pandey, A. K., and Sandhu, S. S. 2010. evaluation of antibacterial activity of different *Ganoderma lucidum* extracts. *People’s Journal of Scientific Research*. 3(1): 9–13.
- Rakhee, Sethy, N., Bhardwaj, A., Singh, V., Sharma, R., Deswal, R., Bhargava, K., and Misra, K. 2017. Characterization of *Ganoderma lucidum*:

- phytochemical and proteomic approach. *Journal of Proteins and Proteomics*. 8(1): 25-33.
- Ranjard, L., Brothier, E., and Nazaret, S. 2000. Sequencing bands of ribosomal intergenic spacer analysis fingerprints for characterization and microscale distribution of 2728 soil bacterium populations responding to mercury spiking. *Applied and Environmental Microbiology*. 66(12): 5334–5339.
- Riedlinger, J., Schrey, S. D., Tarkka, M. T., Hampp, R., Kapur, M., and Fiedler, H. P. 2006. Auxofuran, a novel metabolite that stimulates the growth of fly agaric, is produced by the mycorrhiza helper bacterium *Streptomyces* strain AcH 505. *Applied and Environmental Microbiology*. 72(5): 3550–3557. DOI: 10.1128/AEM.72.5.3550-3557.2006.
- Robleto, E. A., Borneman, J., and Triplett, E. 1998. Effects of bacterial antibiotic production on rhizosphere microbial communities from a cultureindependent perspective. *Applied and Environmental Microbiology*. 64(12): 5020–5022.
- Rösecke, J., Pietsch, M., and König, W. A. 2000. Volatile constituents of wood-rotting basidiomycetes. *Phytochemistry*. 54(8): 747-750
- Sabotič, J., and Kos, J. 2012. Microbial and fungal protease inhibitors--current and potential applications. *Applied Microbiology and Biotechnology*. 93(4): 1351–1375. DOI: 10.1007/s00253-011-3834-x.
- Sahriawati, Sumarlin, S., and Wahyuni, S. 2019. Validasi metode penetapan kadar kolesterol ayam broiler dengan metode Lieberman-Burchard. *Lutjanus*. 24(2): 31-40.
- Sande, E., Baraza, D., Ooko, S., Nyongesa, P., Shiyenzi, L., Hossen, M., Syed, and Jan, U. 2019. Phytochemical screening and antimicrobial activity of kenyan mushroom *Ganoderma lucidum*. *Asian Journal of Chemical Sciences*. 6(2): 1-6. DOI: 10.9734/ajocs/2019/v6i218994.
- Sarnthima, R., Khammaung, S. and Sa-ard, P. 2017. Culture broth of *Ganoderma lucidum* exhibited antioxidant, antibacterial and  $\alpha$ -amylase inhibitory activities. *Journal of Food Science and Technology*. 54(11): 3724–30. DOI: 10.1007/s13197-017-2839-6.
- Sato, Y., Narisawa, K., Tsuruta, K., Umezu, M., Nishizawa, T., Tanaka, K., Yamaguchi, K., Komatsuzaki, M., and Ohta, H. 2010. Detection of Betaproteobacteria inside the mycelium of the fungus *Mortierella elongata*. *Microbes and Environments*. 25(4): 321–324.
- Satria, D., Tamrakar, S., Suhara, H., Kaneko, S., and Shimizu, K. 2019. Mass spectrometry-based untargeted metabolomics and  $\alpha$ -glucosidase inhibitory activity of lingzhi (*Ganoderma lingzhi*) during the developmental stages. *Molecules*. 24(11): 2044. DOI: 10.3390/molecules24112044.
- Schirmer, A., Rude, M. A., Li, X., Popova, E., and del Cardayre, S. B. 2010. Microbial biosynthesis of alkanes. *Science*. 329(5991): 559–562. DOI: 10.1126/science.1187936.
- Schmidt, R., Etalo, D. W., de Jager, V., Gerards, S., Zweers, H., and de Boer, W. 2016. Microbial Small Talk: Volatiles in Fungal-Bacterial Interactions. *Frontier in Microbiology*. 6:1495
- Schulz-Bohm, K., Kristin, O. T., Boer, W., Peereboom, N., Debets, F., Zaagman, N., Janssens, T. K. S., and Garbeva, P. 2016. Fungus-associated

- bacteriome in charge of their host behavior. *Fungal Genetics and Biology*. 102: 38–48. DOI: 10.1016/j.fgb.2016.07.011.
- Schouten, A., van den Berg, G., Edel-Hermann, V., Steinberg, C., Gautheron, N., Alabouvette, C., de Vos, C. H., Lemanceau, P., and Raaijmakers, J. M. 2004. Defense responses of *Fusarium oxysporum* to 2,4-diacetylphloroglucinol, a broad-spectrum antibiotic produced by *Pseudomonas fluorescens*. *Molecular Plant Microbe Interactions*. 17(11): 1201–1211. DOI: 10.1094/MPMI.2004.17.11.1201.
- Schrey, S. D., Schellhammer, M., Ecke, M., Hampp, R., and Tarkka, M.T. 2005. Mycorrhiza helper bacterium *Streptomyces* AcH 505 induces differential gene expression in the ectomycorrhizal fungus *Amanita muscaria*. *The New Phytologist*. 168(1): 205–216. DOI: 10.1111/j.1469-8137.2005.01518.x.
- Schwarz, S., Kehrenberg, C., Doublet, B., and Cloeckaert, A. 2004. Molecular basis of bacterial resistance to chloramphenicol and florfenicol. *FEMS Microbiology Reviews*. 28(5): 519–42. DOI: 10.1016/j.femsre.2004.04.001.
- Shaffer, J. P., Ren, J. M. U., Gallery, R. E., Baltrus, D. A., and Arnold, A. E. 2017. An endohyphal bacterium (Chitinophaga, Bacteroidetes) alters carbon source use by *Fusarium keratoplasticum* (*F. Solani* species complex, Nectriaceae). *Frontiers in Microbiology*. 8(350): 1-17. DOI: 10.3389/fmicb.2017.00350.
- Sharma, C., Bhardwaj, N., Sharma, A., Tuli, H. S., Batra, P., Beniwal, V., Gupta, G. K., and Sharma, A. K. 2019. Bioactive metabolites of *Ganoderma lucidum*: factors, mechanism and broad spectrum therapeutic potential. *Journal of Herbal Medicine*. 17–18(8): 100268. DOI: 10.1016/j.hermed.2019.100268.
- Shah, P., Modi, H., Shukla, M., and Lahiri, S. 2014. Preliminary phytochemical analysis and antibacterial activity of *Ganoderma lucidum* collected from Dang District of Gujarat, India. *International Journal of Current Microbiology and Applied Sciences*. 3(3): 246-255.
- Siadi, K. 2012. Ekstrak bungkil biji jarak pagar sebagai biopestisida yang efektif dengan penambahan larutan NaCl. *Jurnal MIPA*. 35(1): 77-83.
- Siwulski, M., Sobieralski, K., Golak-Siwulska, I., Sokol, S., and Sękara, A. 2015. *Ganoderma lucidum* (Curt.: Fr.) Karst. – health-promoting properties. A review. *Herba Polonica*. 61(3): 105-118. DOI: 10.1515/hepo-2015-0026.
- Sohretoglu, D., and Huang, S. 2018. *Ganoderma lucidum* polysaccharides as an anti-cancer agent. *Anti-Cancer Agents in Medicinal Chemistry*. 18(5): 667–74. DOI: 10.2174/187152061766617111312246.
- Spakowicz, D. J., and Strobel, S. A. 2015. Biosynthesis of hydrocarbons and volatile organic compounds by fungi: bioengineering potential. *Applied microbiology and biotechnology*. 99(12): 4943–4951. DOI: 10.1007/s00253-015-6641-y.
- Splivallo, R., Deveau, A., Valdez, N., Kirchhoff, N., Frey-Klett, P., and Karlovsky, P. 2015. Bacteria associated with truffle-fruited bodies contribute to truffle aroma. *Environmental Microbiology*. 17(8): 2647–2660. DOI: 10.1111/1462-2920.12521

- Su, P., Lou, J., Brookes, P. C., Luo, Y., He, Y., and Xu, J. 2017. Taxon-specific responses of soil microbial communities to different soil priming effects induced by addition of plant residues and their biochars. *Journal of Soils and Sediments*. 17(3): 674–84. DOI: 10.1007/s11368-015-1238-8.
- Sudheer, S., Alzorqi, I., Manickam, S., and Ali, A. 2019. Bioactive compounds of the wonder medicinal mushroom “*Ganoderma lucidum*”. In: Mérillon J. M., and Ramawat, K. G., editors. *Bioactive Molecules in Food*. Springer International Publishing. Cham. pp. 1863-1893. DOI: 10.1007/978-3-319-78030-6\_45.
- Surahmaida, Sudarwati, T. P. R., and Junairiah. 2018. Identification of secondary metabolites and activity test of *Ganoderma lucidum* methanol extract as anti-termite (*coptotermes curvignathus*) biopesticide. *Bioscience Research*. 15(3): 1962–68.
- Székely, A. J., Sipos, R., Berta, B., Vajna, B., Hajdú, C., and Márialigeti, K. 2009. DGGE and T-RFLP analysis of bacterial succession during mushroom compost production and sequence-aided T-RFLP profile of mature compost. *Microbial Ecology*. 57(3): 522–33. DOI: 10.1007/s00248-008-9424-5.
- Tanaka, M., Knowles, W., Brown, R., Hondow, N., Arakaki, A., Baldwin, S., Staniland, S., and Matsunaga, T. 2016. Biomagnetic recovery and bioaccumulation of selenium granules in magnetotactic bacteria. *Applied and Environmental Microbiology*. 82(13): 3886–91. DOI: 10.1128/AEM.00508-16.
- Tiqiang, C., Kaiben, L., and Yu, Z. 1996. Micro-morphology of the intact and wall-cracked spores of log-cultivated *Ganoderma lucidum*. *Acta Edulis Fungi*. 3(1): 63-66.
- Tschesche, R., and Spindler, M. 1978. Zur biogenese des aza-oxa-spiran-systems der steroid steroidalkaloide vom spirostan-typ in Solanaceen. *Phytochemistry*. 17:251– 255.
- Tsuchiya, H., Sato, M., Inuma, M., Yokoyama, J., Ohyama, M., Tanaka, T., Takase, I., and Namikawa, I. 1994. Inhibition of the growth of cariogenic bacteria *in vitro* by plant flavanones. *Experientia*. 50(9): 846-9.
- Ueda, K. 2021. iNaturalist research-grade observations [iNaturalist.org]. (last updated January 10, 2021). <https://doi.org/10.15468/ab3s5x> accessed via GBIF.org on 2021-02-22 [accessed January 15, 2021].
- van Rij, E. T., Girard, G., Lugtenberg, B. J., and Bloemberg, G. V. 2005. Influence of fusaric acid on phenazine-1-carboxamide synthesis and gene expression of *Pseudomonas chlororaphis* strain PCL1391. *Microbiology*. 151: 2805–2814.
- Vazirian, M., Faramarzi, M. A., Ebrahimi, S. E., Esfahani, H. R., Samadi, N., Hosseini, S. A., Asghari, A., Manayi, A., Mousazadeh, A. R., Asef, M. R., Habibi, E., and Amanzadeh, Y. 2014. Antimicrobial effect of the Lingzhi or Reishi medicinal mushroom, *Ganoderma lucidum* (higher Basidiomycetes) and its main compounds. *International Journal of Medicinal Mushrooms*. 16(1): 77-84.
- Wagner, H. 1996. *Plant drug analysis: a thin layer chromatography atlas*. Springer. Berlin.

- Weinstock, G. M. 2012. Genomic approaches to studying the human microbiota. *Nature*. 489(7415): 250–256. DOI: 10.1038/nature11553.
- Weng, Y., Xiang, L., Matsuura, A., Zhang, Y., Huang, Q., and Qi, J. 2010. Ganodermasides A and B, Two novel anti-aging ergosterols from spores of a medicinal mushroom *Ganoderma lucidum* on yeast via UTH1 gene. *Bioorganic and Medicinal Chemistry*. 18(3): 999–1002. DOI: 10.1016/j.bmc.2009.12.070.
- Whiteley, A. S., Jenkins, S., Waite, I., Kresoje, N., Payne, H., Mullan, B., Allcock, R., and O'Donnell, A. 2012. Microbial 16S rRNA ion tag and community metagenome sequencing using the ion torrent (PGM) platform. *Journal of Microbiological Methods*. 91(1): 80–88. DOI: 10.1016/j.mimet.2012.07.008.
- Wongsuk, T., Pumeesat, P., Luplertlop, N. 2016. Fungal quorum sensing molecules: role in fungal morphogenesis and pathogenicity. *Journal of Basic Microbiology*. 56:440–7.
- Worrich, A., Stryhanyuk, H., Musat, N., König, S., Banitz, T., Centler, F., Frank, K., Thullner, M., Harms, H., Richnow, H., Miltner, A., Kaestner, M., Wick, L. 2017. Mycelium-mediated transfer of water and nutrients stimulates bacterial activity in dry and oligotrophic environments. *Nature Communications*. 8: 1-9.
- Wu, T., He, M., and Zang, X. 2013. A structure-activity relationship study of flavonoids as inhibitors of *E. coli* by membrane interaction effect. *Biochimica et Biophysica Acta*. 1828(11): 2751-6.
- Xia, F., Liu, Y., Guo, M. Y., Shen, G. R., Lin, J., and Zhou, X. W. 2016. Pyrosequencing Analysis revealed complex endogenous microorganism community from natural dongchong xiacao and its microhabitat. *BMC Microbiology*. 16(1): 1–12. DOI: 10.1186/s12866-016-0813-5.
- Xie, L., Zhou, A., Zhao, J., Tang, Y., Zhao, R., Zhou, Y., Cao, G., Zhong, C., and Li, J. 2021. Comparative insights into multiple drug resistance determinants in *Stenotrophomonas maltophilia* MER1. *Journal of Global Antimicrobial Resistance*. 27: 20–25. DOI: 10.1016/j.jgar.2021.07.017.
- Yadnya-Putra, A. A. G. R., Samirana, P. O., and Andhini, D. A. A. 2019. Isolasi dan karakterisasi senyawa flavonoid potensial natioksidan dari daun binahong (*Nredea scandens* (L.) Moq.). *Jurnal Farmasi Udayana*. 8(2): 85-94.
- Yang, Q., Wang, S. W., Xie, Y. H., Sun, J. Y., and Wang, J. B. 2010. HPLC Analysis of *Ganoderma lucidum* polysaccharides and its effect on antioxidant enzymes activity and Bax, Bcl-2 Expression. *International Journal of Biological Macromolecules*. 46(2): 167–72. DOI: 10.1016/j.ijbiomac.2009.11.002.
- Yuan, S. J., He, X. S., Yuan, X. H., and Huang, Y. 2019. Low-polarity components analysis and antioxidant activity evaluation of two Polyporaceae mushrooms. *South Asian Research Journal of Natural Products*. 2(1): 1-10.
- Zhang, B., Yan, L., Li, Q., Zou, J., Tan, H., Tan, W., Peng, W., Li, X., and Zhang, X. 2018. Dynamic succession of substrate-associated bacterial

- composition and function during *Ganoderma lucidum* growth. *PeerJ*. 6: e4975. DOI: 10.7717/peerj.4975.
- Zhang, C. R., Yang, S. P., and Yue, J. M. 2008. Sterols and triterpenoids from the spores of *Ganoderma lucidum*. *Natural Product Research*. 22(13): 137-1142.
- Zhang, D. M., Liu, J. S., Tang, M. K., Yiu, A., Cao, H. H., Jiang, L., Chan, J. Y., Tian, H. Y., Fung, K. P., and Ye, W. C. 2012. Bufotalin from *Venenum bufonis* inhibits growth of multidrug resistant HepG2 cells through G2/M cell cycle arrest and apoptosis. *European Journal of Pharmacology*. 692(1-3): 19–28. DOI: 10.1016/j.ejphar.2012.06.045.
- Ziegenbein, F. C., Hanssen, H. P., and König, W. A. 2006. Secondary metabolites from *Ganoderma lucidum* and *Spongiporus leucomallellus*. *Phytochemistry*. 67(2): 202–11. DOI: 10.1016/j.phytochem.2005.10.025.