



## DAFTAR PUSTAKA

- Abourashed, E. A., & El-Alfy, A. T., 2016. Chemical diversity and pharmacological significance of the secondary metabolites of nutmeg (*Myristica fragrans* Houtt.). *Phytochemistry Reviews*. 15(6): 1035-1056.
- Ajibade, S. R., N. F. Weeden and S. M. Chite. 2000. Inter-simple sequence repeat analysis of genetic relationships in the genus *Vigilla*. *Euphytica* 111, 47-55.
- Albani, M.C., dan M.J. Wilkinson. 1998. Inter simple sequence repeat polymerase chain reaction for the detection of somaclonal variation. *Plant Breeding*, 117: 573-575.
- Arrijani. 2005. Biologi dan Konservasi Marga Myristica di Indonesia. *Biodiversitas* 6(2):147-151.
- Asgarpanah, J and Kazemivash, N. 2012. Phytochemistry and Pharmacologica Properties of *Myristica fragrans* Houtt: A Review. *African Journal of Biotechnology*. 11 (65):12787-12793.
- Backer, C.A. and R.C. Bakhuizen van den Brink. 1965. *Flora of Java (Spermatophytes only)*. Vol. I. Groningen: N.V.P. Noordhoff.
- Bellwood, P. (Ed.), 2019. *The Spice Islands in Prehistory: Archaeology in the Northern Moluccas, Indonesia*. Australia: ANU Press. Diakses pada 7 November 2020, dari <http://www.jstor.org/stable/j.ctvk8vzbv>.
- BPS Maluku. 2006. *Maluku dalam angka. Maluku in figures 2005/2006*. Ambon: Penerbit BPS Maluku.
- Bustaman, S. 2007. Prospek dan Strategi Pengembangan Pala di Maluku. *Jurnal Prespektif* 6(2):68-74
- Campos, E. T., Espinosa, M. A. G, Warburton, M. L, Varela A. S. and Monter, Á.V (2005). "Characterization of madarin (CITRUS SPP.) Using morphological and afp markers." *Formato Documento Electrónico* (ISO) 30(11): 687-693
- Chen Q, Wang CH, Lu G, Song X, Xu JW, Yang QL, Li SF., 2009. Analysis of genetic variation in grass carp (*Ctenopharyngodon idellus*) from native and colonized regions using ISSR markers, *Biochem. Syst. Ecol.*, pp. 1-7.
- Chen Y, Zhou R, Lin X, Wub K, Qian X, Huang S., 2008. ISSR analysis of genetic diversity in sacred lotus cultivars. *Aquat. Bot.*, 89: 311-316.
- Cynthia Weinig, Johanna Schmitt, 2004. Environmental Effects on the Expression of Quantitative Trait Loci and Implications for Phenotypic Evolution, *BioScience*, Volume 54, Issue 7, July 2004, Pages 627–635,
- Das, S. S., Sudarsono, S., Djoefrie, H. B., & Ek, Y. W., 2012. Keragaman Spesies Pala (*Myristica* Spp.) Maluku Utara Berdasarkan Penanda Morfologi Dan Agronomi. *Jurnal Penelitian Tanaman Industri*. 18(1): 1-9.
- De Guzman, C.C. and J.S. Siemonsma. 1999. *Plant Resources of South East Asia No. 13: Spices*. Leiden: Backhuys Publishers.



- Dilek, T.O.K., SENTÜRK-AKFIRAT, F., Sevinc, D., AYDIN, Y. and ALTINKUT-UNCUOĞLU, A., 2011. Identification of genetic polymorphism and DNA methylation pattern in wheat (*Triticum aestivum* L.). *Turkish Journal of Field Crops*, 16(2), pp.157-165.
- Dixit, Ritu & Mohapatra, Bhagyalaxmi. 2018. *Genetic Variation*. Uttar Pradesh: Banaras Hindu University.
- Driscoll, C.A., Raymond, M.M., Nelson, G., Goldstein, D., & O'Brien, S.J., 2002. Genomic Microsatellites as Evolutionary Chronometers: A Test in Wild Cats. *Genome Research* 12: 414-423.
- Fageria, N.K., Gheyi, H.R., Carvalho, M.C.S. and Moreira, A., 2016. Root growth, nutrient uptake and use efficiency by roots of tropical legume cover crops as influenced by phosphorus fertilization. *Journal of Plant Nutrition*, 39(6), pp.781-792.
- Fitriana, Nita. 2019. Keanekaragaman dan Hubungan Kekerabatan Kultivar Bawang Merah (*Allium cepa* L.) di Pulau Jawa Berdasarkan Karakter Morfologi dan Marka ISSR. Tesis Biologi UGM: Yogyakarta.
- Francia E, Tacconi G, Crosatti C, Barabaschi D, Bulgarelli D, Dall'Aglio E, Valè G. 2005. Marker assisted selection in crop plants. *Plant Cell Tissue Org.* 82: 317–342.
- Godwin, I.D., Aitken, E.A. and Smith, L.W., 1997. Application of inter simple sequence repeat (ISSR) markers to plant genetics. *Electrophoresis*, 18(9), pp.1524-1528.
- Hetharie, H., Raharjo, S.H.T., Rahado, K. and Hehanussa, M.L., 2015. Morphological diversity of nutmeg mother trees and seedlings in Lilibooi Village, Ambon Island. In *Proceeding of the 1st International Seminar of Basic Science, Faculty of Mathematics and Natural Sciences, Pattimura University, Ambon*.
- Heyne, K., 1987. *Tumbuhan Berguna Indonesia, Volume II*. Jakarta: Yayasan Sarana Wana Jaya : Diedarkan oleh Koperasi Karyawan, Badan Litbang Kehutanan.
- Heywood, V. H., & McNeill, J. 1964. Phenetic and phylogenetic classification. *Nature*. 203(4951): 1220-1224.
- Hormaza JI, Pinney K, Polito VS (1998) Genetic diversity of pistachio (*Pistacia vera*, Anacardiaceae) germplasm based on randomly amplified polymorphic DNA (RAPD) markers. *Econ Bot* 52:78–87
- Houttuyn, Maarten. 1774. *Myristica fragrans* Houtt. <https://www.tropicos.org/name/21800077>. Diakses tanggal 02 Maret 2021.
- Hussain, A.J., Y. Gupta, J. Ali, P.K. Ranjekar, dan E.A. Siddiq. 2000. Physiological characterization, genetics and molecular mapping of a new source of temperature sensitive genetic male sterility in rice. *Fourth International Rice Genetics Symposium*, 22-27 Oktober 2000. IRRI, Philippines. p. 95



- Huxley, A. 1992. The New RHS Dictionary of Gardening. Millan: MacMillan Press.
- Ingkiriwang, Marselino., Rudi A. Repi, Fanny N. Nanlohy. 2017. Analisis Filogeni Molekuler Tanaman Pala (*Myristica* sp) dari Tahun Menggunakan gen rbcL DNA Kloroplas. *Jurnal Sains, Matematika, & Edukasi (JSME)* 5(02): 2337-6139.
- Jeffers, J.N., 1967. Two case studies in the application of principal component analysis. *Journal of the Royal Statistical Society: Series C (Applied Statistics)*, 16(3), pp.225-236.
- Jolliffe, I.T. and Cadima, J., 2016. Principal component analysis: a review and recent developments. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 374(2065), p.20150202.
- Keane, R., 2017. Disturbance regimes and the historical range of variation in terrestrial ecosystems [Chapter 389]. In: Levin, SA, ed. *Encyclopedia of Biodiversity, Volume 2*. Waltham, MA: Academic Press.
- Krishnan AG, John R, Cyriac A, Sible GV. 2017. Estimation of genetic diversity in nutmeg (*Myristica fragrans* Houtt.) selections using RAPD markers. *International Journal of Plant Sciences* 12:102-107.
- Kumari, I., Kaurav, H. and Chaudhary, G., 2021. *Myristica fragrans* (Jaiphal): A Significant Medicinal Herbal Plant. *International Journal for Research in Applied Sciences and Biotechnology*, 8(2), pp.213-224.
- Krishnan, A.G., John, R. and Varghese, S.G., 2019. Marker Based Assessment of Genetic Diversity In Nutmeg (*Myristica fragrans* Houtt.) Using ISSR Primers. *Journal of Experimental Biology and Agricultural Sciences*. 7(2): 108-116.
- Lande, R., & Barrowclough, G.F., 1987. *Effective population size, genetic variation, and their use in population management*. In: *Viable populations for conservation*. Soule, M.E., ed. Pp. 87-123 Cambridge University Press: New York, NY.
- Landry BS, Li RQ, Cheung WY, Granger RL (1994) Phylogeny analysis of 25 apple rootstocks using RAPD markers and tactical gene tagging. *Theor Appl Genet* 89:847–852
- Legoh, W.L., Kojoh, D., dan Runtunuwu, S. 2016. *Kajian Budidaya Tanaman Pala* (*Myristica fragrans* Houtt.) di Kabupaten Kepulauan Sangihe. Manado: FP Universitas Sam Ratulangi.
- Levin, I., N. Gilboa, E. Yeselson, S. Shen, dan A.A. Schaffer. 2000. Fxr, a major locus that modulates the fructose to glucose ratio in mature tomato fruits. *Theor. Appl. Genet.* 100: 256-262.
- Luo, Z., Brock, J., Dyer, J.M., Kutchan, T., Schachtman, D., Augustin, M., Ge, Y., Fahlgren, N. and Abdel-Haleem, H., 2019. Genetic diversity and population structure of a *Camelina sativa* spring panel. *Frontiers in Plant Science*, 10, p.184.



- Lynch, M., 1996. *A quantitative-genetic perspective on conservation issues*. In: *Conservation genetics. Case histories from nature* Avise, J. C., & Hamrick, J. L., eds. Pp. 471-501. Chapman & Hall: New York.
- Mabberley, D. J., 1987. *The Plant Book*. Cambridge: Cambridge University Press.
- Marzuki, I. 2007. *Karakteristik produksi, proksimat atsiri pala Banda*. Makalah Pada Seminar Nasional Akselerasi Inovasi Teknologi Pertanian Spesifik Lokasi Mendukung Ketahanan Pangan di Wilayah Kepulauan. BPTP Maluku: Maluku.
- Métais I, Aubry A, Hamon B, Jaluoziot R (2000) Description and analysis of genetic diversity between commercial bean lines (*Phaseolus vulgaris* L.). *Theor Appl Genet* 101:1207-1214
- Moeschlin, S. 1965. Poisoning, diagnosis and treatment. New York: Grune and Stratton.
- Murdaningsih, H.K., A. Baihaki, G. Satari, T. Danakusuma dan A.H. Permadi. 1990. Variasi genetik sifat-sifat tanaman bawang putih di Indonesia. *Zuriat* 1(1): 32-36.
- Naeem, N., Rehman, R., Mushtaq, A., & Ghania, J. B. 2016. Nutmeg: A review on uses and biological properties. *International Journal of Chemical and Biochemical Sciences*. 9:107-110.
- Nugroho, K.F., 2019. Analysis of Sangihe Islands Movements derived from Recent GPS Observation. *JGISE: Journal of Geospatial Information Science and Engineering*. 2: 220-227.
- Nurdjannah, N. 2007. *Teknologi Pengolahan Pala*. Bogor: Badan Penelitian dan Pengembangan Pertanian. Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian.
- Ogunwande, I.A., Olawore, N.O., Adeleke, K.A., Ekundayo, O., 2013. Chemical composition of essential oil of *Myristica fragrans* Houtt. (Nutmeg) from Nigeria. *Jeobp* 6: 21-26.
- Orwa C, A Mutua, Kindt R, Jamnadass R, S Anthony. 2009 Agroforestry Database: a tree reference and selection guide version 4.0 (<http://www.worldagroforestry.org/sites/treedbs/treedatabases.asp>)
- Periasamy, G., Karim, A., Gibrelibanos, M., & Gebremedhin, G., 2016. *Essential Oils in Food Preservation Flavor and Safety: Nutmeg (*Myristica fragrans* Houtt.) oils*. Cambridge: Academic Press.
- Poehlman J. M., and Sleper D.A. 1995. Breeding Field Crops. Fourth Edition. Iowa State University Press
- Prevost, A., dan M.J. Wilkinson. 1999. A new system of comparing PCR primers applied to ISSR fingerprinting of potato cultivars. *Theor. Appl. Genet.* 98: 107-112.



- Rahayu, S.E., dan Sri Handayani. 2010. Keragaman genetik pandan asal Jawa Barat berdasarkan penanda Inter Simple Sequence Repeat. *Jurnal MAKARA, Sains.* 14(2): 158-162.
- Robert, S. Runtunuwu, J.E.X. Rogi dan Y. Pamandungan. 2015. *Keragaman Buah Pala (Myristica fragransHoutt) di Kabupaten Kepulauan Sangihe dan Kabupaten Sitaro*. Eugenia. 21(3): 118-126.
- Ross I.A. (2001) *Myristica fragrans*. In: Medicinal Plants of the World. Humana Press, Totowa, NJ. [https://doi.org/10.1007/978-1-59259-237-1\\_18](https://doi.org/10.1007/978-1-59259-237-1_18)
- Sambrook, J. & Russel, D.W. 1989. *Molecular Cloning: A Laboratory Manual*. New York: Cold-Spring Harbor Laboratory.
- Sari, V., Miftahudin, dan Sobir. 2016. Keragaman Genetik Bawang Merah (*Allium cepa* L.) Berdasarkan Marka Morfologi dan ISSR. *J. Agron. Indonesia*, Agustus 2017, 45(2):175-181.
- Shaffer, M.L., 1981. Minimum population sizes for species conservation. *BioScience* 31:131- 134.
- Sheeja TE, Sabeesh C, Shabna OV, Shalini RS, Krishnamoorthy B (2013) Genetic diversity analysis of *Myristica* and related genera using RAPD and ISSR markers. *Journal of Spices and Aromatic Crops*. 22: 38-46.
- Shimada T, Hayama H, Haji T, Yamaguchi M, Yoshida M., 1999. Genetic diversity of plums characterized by random amplified polymorphic DNA (RAPD) analysis. *Euphytica* 109:143–147.
- Shulgin, A. T., 1963. Composition of the myristicin fraction from oil of nutmeg. *Nature*. 197:379-379.
- Singh, S.K., Kumar, M., Seema, Singh, P.K., Yadav, L.M. 2010. Effect of Sulphur Sources and Levels on Growth, Yield and Quality of Onion (*Allium cepa* L.). *Current Journal of Applied Science and Technology*. 33(2): 1-4.
- Sokal RR. 1986. *Phenetic taxonomy: Theory and Methods*. Annu Rev. Ecol. Evol. Syst. 17:423-442.
- Susanto, A.N. dan S. Bustaman. 2006. *Data dan Informasi Sumberdaya Lahan untuk Mendukung Pengembangan Agribisnis di Wilayah Kepulauan Provinsi Maluku*. Ambon: Balai Pengkajian Teknologi Pertanian Maluku.
- Stanfield, W.D. 1991. *Theory and Problems Genetics*. 3rd Ed. Interational Ed. Shaum's Outline Series Singapore: Mc. Graw - Hill.
- Stuessy, T. F. 1990. *Plant Taxonomy The Systematic Evaluation of Comparative Data*. New York: Columbia University Press.
- Susandarini, R., Arifati, R., Chasani, A.R. and Subandiyah, S., 2016. The assessment of genetic variability and taxonomic affinity of local pummelo accessions from Yogyakarta, Indonesia based on RAPD. *Indonesian Journal of Biotechnology*, 19(2), pp.153-158.



- Tallei, T.E., Kolondam, B.J., 2015. DNA barcoding of Sangihe Nutmeg (*Myristica fragrans*) using matK gene. *HAYATI Journal of Biosciences*. 22(1): 41-47.
- Tan, P.N., Steinbach, M. and Kumar, V., 2013. Data mining cluster analysis: basic concepts and algorithms. *Introduction to data mining*, pp.487-533.
- Vidal JR, Coarer M, Defontain (1999) A Genetic relationships among grapevine varieties grown in different French and Spanish regions based on RAPD markers. *Euphytica* 109:161–172
- Vijayan, Kunjupillai. 2005. Inter Simple Sequence Repeat (ISSR) Polymorphism and Its Application in Mulberry Genome Analysis. *International Journal of Industrial Entomology*. 10. 79-86.
- Virk, P.S., I. Zhu, H.J. Newbury, G.J. Bryan, M.T. Jackson, dan B.Y. Ford-Lloyd. 2000. Effectiveness of different classes of molecular marker for classifying and revealing variation in rice (*Oryza sativa*) germplasm. *Euphytica*, 112: 275-284.
- Wahyuni, S. and Hadad, E.A., 2008. Keragaman produksi plasma nutfah pala (*Myristica fragrans*) di KP Cicurug. *Buletin Plasma Nutfah*, 14(2), pp.68-75.
- Wang, G., R. Mahalingam, dan H.T. Knap. 1998. (C-A) and (GA) anchored simple sequence repeats (ASSRs) generated polymorphism in soybean, *Glycine max* (L.) Merr. *Theor. Appl. Genet.* 96: 1086-1096.
- Wexler, P., Anderson, B.D., Gad, S.C., Hakkinen, P.B., Kamrin, M., De Peyster, A., Locey, B., Pope, C., Mehendale, H.M. and Shugart, L.R. eds., 2005. *Encyclopedia of toxicology* (Third Edition). Academic Press.
- Wolfe, A.D., Q-Y. Xiang, dan S.R. Kephart. 1998. Diploid hybrid speciation in *Penstemon* (Scrophulariaceae). *Proc. Natl. Acad. Sci.* 95: 5112-5115.
- Worsham, M.L., Julius, E.P., Nice, C.C., Diaz, P.H. and Huffman, D.G., 2017. Geographic isolation facilitates the evolution of reproductive isolation and morphological divergence. *Ecology and evolution*. 7(23):10278-10288.
- Wu, Z., Raven, P.H. and Hong, D., 2008. *Flora of China, Volume 7: Menispermaceae through Capparaceae*. Science Press.
- Yinyang, J., Mpondo Mpondo, E., Tchatat, M., Ndjid, R.C., Mvogo Ottou, P.B., Dibong, S.D., 2014. [Les plantes à alcaloïdes utilisées par les populations de la ville de Douala (Cameroun)]. *J. Appl. Biosci.* 78: 6600-6619.
- Zhang X, Zhang Y, Yan R, Han G, Hong F, Wang J, Cao K (2010) Genetic variation of white clover (*Trifolium repens* L.) collections from China detected by morphological traits, RAPD and SSR. *Afr J Biotechnol* 9(21):3032-3041