



REFERENCES

- Adams, M.L., Grandpre, J., Katz, D.L. and Shenson, D. (2019) ‘The impact of key modifiable risk factors on leading chronic conditions’, *Preventive Medicine*, 120, pp. 113–118.
- Ahmed, I.A., Mansour, A., Elnady, B.M., Basset, S.A.A. and Mohammad, I. (2016) ‘Association of interleukin-1 receptor antagonist (IL1RN) genetic variants with severity of knee osteoarthritis’, 36(2), pp. 85–93.
- Alstergren, P., Benavente, C. and Kopp, S. (2003) ‘Interleukin-1 β , interleukin-1 receptor antagonist, and interleukin-1 soluble receptor II in temporomandibular joint synovial fluid from patients with chronic polyarthritides’, *Journal of Oral and Maxillofacial Surgery*, 61(10), pp. 1171–1178.
- Attia, J., Ioannidis, J.P.A., Thakkinstian, A., McEvoy, M., Scott, R.J., Minelli, C., Thompson, J., Infante-Rivard, C. and Guyatt, G. (2009) ‘How to Use an Article About Genetic Association’, *JAMA*, 301(2), p. 191.
- Attur, M., Statnikov, A., Samuels, J., Li, Z., Alekseyenko, A. V, Greenberg, J.D., Krasnokutsky, S., Rybak, L., Lu, Q.A., Todd, J., Zhou, H., Jordan, J.M., Kraus, V.B., Aliferis, C.F. and Abramson, S.B. (2015) ‘Plasma levels of interleukin-1 receptor antagonist (IL1Ra) predict radiographic progression of symptomatic knee osteoarthritis’, 23.
- Attur, M., Wang, H.-Y., Kraus, V.B., Bukowski, J.F., Aziz, N., Krasnokutsky, S., Samuels, J., Greenberg, J., McDaniel, G., Abramson, S.B. and Kornman, K.S. (2010) ‘Radiographic severity of knee osteoarthritis is conditional on interleukin 1 receptor antagonist gene variations’, *Annals of the Rheumatic Diseases*, 69(5), pp. 856–861. Available at: <http://ard.bmjjournals.org/cgi/doi/10.1136/ard.2009.113043>.
- Attur, Mukundan, Wang, H., Kraus, V.B., Bukowski, J.F., Aziz, N., Krasnokutsky, S., Samuels, J., Greenberg, J., McDaniel, G., Abramson, S.B. and Kornman, K.S. (2010) ‘Radiographic severity of knee osteoarthritis is conditional on interleukin 1 receptor antagonist gene variations’, (5 ml), pp. 856–861.
- Attur, M., Zhou, H., Samuels, J., Krasnokutsky, S., Yau, M., Scher, J.U., Doherty, M., Wilson, A.G., Bencardino, J., Hochberg, M., Jordan, J.M., Mitchell, B., Kraus, V.B. and Abramson, S.B. (2019) ‘Interleukin 1 receptor antagonist (IL1RN) gene variants predict radiographic severity of knee osteoarthritis and risk of incident disease’, *Annals of the Rheumatic Diseases*, 1, pp. 400–407.
- Attur, M.G., Dave, M.N., Leung, M.Y., Cipolletta, C., Meseck, M., Woo, S.L.C. and Amin, A.R. (2002) ‘Functional genomic analysis of type II IL-1 β decoy receptor: potential for gene therapy in human arthritis and inflammation.’, *Journal of Immunology (Baltimore, Md. : 1950)*, 168(4), pp.



2001–10. (Accessed: 21 December 2017).

- Aubourg, G., Rice, S.J. and Loughlin, J. (2021) ‘Genetics of osteoarthritis’, *Osteoarthritis and Cartilage* [Preprint], (xxxx). Available at: <https://doi.org/10.1016/j.joca.2021.03.002>.
- Bacconnier, L., Jorgensen, C. and Fabre, S. (2009) ‘Erosive osteoarthritis of the hand : clinical experience with anakinra’, *Ann Rheum Dis*, 68(6), pp. 1078–1079.
- Bacon, K., LaValley, M.P., Jafarzadeh, S.R. and Felson, D. (2020) ‘Does cartilage loss cause pain in osteoarthritis and if so, how much?’, *Annals of the Rheumatic Diseases*, 79(8), pp. 1105–1110.
- Baker, K., Grainger, A., Niu, J., Clancy, M., Guermazi, A., Crema, M., Hughes, L., Buckwalter, J., Wooley, A., Nevitt, M. and Felson, D.T. (2010) ‘Relation of synovitis to knee pain using contrast-enhanced MRIs’, *Annals of the Rheumatic Diseases*, 69(10), pp. 1779–1783.
- Baldwin, J.N., McKay, M.J., Simic, M., Hiller, C.E., Moloney, N., Nightingale, E.J., Burns, J., Baldwin, J.N., McKay, M.J., Chard, A., Ferreira, P., Fong Yan, A., Hiller, C.E., Lee (nee Zheng), F., Mackey, M., Mousavi, S., Nicholson, L., Nightingale, E.J., Pourkazemi, F., Raymond, J., Rose, K., Simic, M., Sman, A., Wegener, C., Refshauge, K., Burns, J., Moloney, N., North, K., Hübscher, M., Vanicek, N. and Quinlan, K. (2017) ‘Self-reported knee pain and disability among healthy individuals: reference data and factors associated with the Knee injury and Osteoarthritis Outcome Score (KOOS) and KOOS-Child’, *Osteoarthritis and Cartilage*, 25(8), pp. 1282–1290.
- Ballegaard, C., Riis, R.G.C., Bliddal, H., Christensen, R., Henriksen, M., Bartels, E.M., Lohmander, L.S., Hunter, D.J., Bouert, R. and Boesen, M. (2014) ‘Knee pain and inflammation in the infrapatellar fat pad estimated by conventional and dynamic contrast-enhanced magnetic resonance imaging in obese patients with osteoarthritis: A cross-sectional study’, *Osteoarthritis and Cartilage*, 22(7), pp. 933–940.
- Bastick, A.N., Runhaar, J., Belo, J.N. and Bierma-Zeinstra, S.M.A. (2015) ‘Prognostic factors for progression of clinical osteoarthritis of the knee: a systematic review of observational studies’, *Arthritis Research & Therapy*, 17(1), p. 152.
- Bessler, H., Osovsky, M., Beilin, B., Alcalay, Y. and Sirota, L. (2007) ‘The Existence of Gender Difference in IL-1Ra Gene Polymorphism’, *Journal of Interferon & Cytokine Research*, 27(11), pp. 931–936.
- Bierma-Zeinstra, S.M.A. and Koes, B.W. (2007) ‘Risk factors and prognostic factors of hip and knee osteoarthritis’, *Nature Clinical Practice Rheumatology*, 3(2), pp. 78–85.



THE ROLE OF GENETIC POLYMORPHISM OF INTERLEUKIN - 1 (IL-1R1 AND IL1RN) AS
PREDISPOSING FACTOR IN

PRIMARY KNEE OSTEOARTHRITIS IN INDONESIAN POPULATION

NICOLAAS C. B., Prof. dr. Tri Wibawa, Ph.D., Sp.MK.; dr. Rahadyan Magetsari, Sp.OT(K)., Ph.D

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Bijlsma, J.W.J., Berenbaum, F. and Lafeber, F.P.J.G. (2011) ‘Osteoarthritis: An update with relevance for clinical practice’, *The Lancet*, 377(9783), pp. 2115–2126.
- Blagojevic, M., Jinks, C., Jeffery, A. and Jordan, K.P. (2010) ‘Risk factors for onset of osteoarthritis of the knee in older adults: a systematic review and meta-analysis’, *Osteoarthritis and Cartilage*, 18(1), pp. 24–33.
- Bondeson, J., Wainwright, S.D., Lauder, S., Amos, N. and Hughes, C.E. (2006) ‘The role of synovial macrophages and macrophage-produced cytokines in driving aggrecanases, matrix metalloproteinases, and other destructive and inflammatory responses in osteoarthritis.’, *Arthritis research & therapy*, 8(6), p. R187. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=1794533&tool=pmcentrez&rendertype=abstract>.
- Bott, R. (2014) ‘Apley’s System of Orthopaedic and Fractures’, *Igarss 2014*, (1), pp. 1–5.
- Braun, H.J. and Gold, G.E. (2012) ‘Diagnosis of osteoarthritis: Imaging’, *Bone*, 51(2), pp. 278–288. Available at: <http://dx.doi.org/10.1016/j.bone.2011.11.019>.
- Bravatà, V., Minafra, L., Forte, G.I., Cammarata, F.P., Saporito, M., Boniforti, F., Lio, D., Gilardi, M.C. and Messa, C. (2015) ‘DVWA gene polymorphisms and osteoarthritis’, *BMC Research Notes*, 8, p. 30. Available at: <http://www.biomedcentral.com/1756-0500/8/30>.
- Brooks, P. (2003) ‘Inflammation as an important feature of osteoarthritis.’, *Bulletin of the World Health Organization*, 81(9), pp. 689–90. (Accessed: 3 December 2017).
- Budhiparama, N., Lumban-Gaol, I., Sudoyo, H., Magetsari, R., Wibawa, T. (2022) ‘Interleukin-1 genetic polymorphisms in knee osteoarthritis: what do we know? a meta-analysis and systematic review’. *Journal of Orthopaedic Surgery*. doi:10.1177/23094990221076652
- Caron, J.P., Fernandes, J.C., Martel-Pelletier, J., Tardif, G., Mineau, F., Geng, C. and Pelletier, J.-P. (1996) ‘Chondroprotective effect of intraarticular injections of interleukin-1 receptor antagonist in experimental osteoarthritis. Suppression of collagenase-1 expression’, *Arthritis & Rheumatism*, 39(9), pp. 1535–1544.
- Carotti, M., Salaffi, F., Di Carlo, M. and Giovagnoni, A. (2017) ‘Relationship between magnetic resonance imaging findings, radiological grading, psychological distress and pain in patients with symptomatic knee osteoarthritis’, *La radiologia medica*, 122(12), pp. 934–943.
- Cole, A.A. and Kuettner, K.E. (2002) ‘Molecular basis for differences between human joints.’, *Cellular and molecular life sciences : CMLS*, 59(1), pp. 19–



26. (Accessed: 2 January 2018).

- Costa, D., Cruz, E.B., Silva, C., Canhão, H., Branco, J., Nunes, C. and Rodrigues, A.M. (2021) ‘Factors Associated With Clinical and Radiographic Severity in People With Osteoarthritis: A Cross-Sectional Population-Based Study’, *Frontiers in Medicine*, 8.
- Etti, A.E. and Assy, N. (2018) ‘Management of Osteoarthritis of the Knee in the Active Patient’, in *Interleukin-1. In eLS*.
- Feeley, B.T., Gallo, R.A., Sherman, S. and Williams, R.J. (2010) ‘Management of Osteoarthritis of the Knee in the Active Patient’, *Journal of the American Academy of Orthopaedic Surgeons*, 18(7), pp. 406–416. Available at: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20595133 Ahttp://www.jaaos.org/cgi/reprint/18/7/406.pdf.
- Fernandes, J., Tardif, G., Martel-Pelletier, J., Lascau-Coman, V., Dupuis, M., Moldovan, F., Sheppard, M., Krishnan, B.R. and Pelletier, J.-P. (1999) ‘In Vivo Transfer of Interleukin-1 Receptor Antagonist Gene in Osteoarthritic Rabbit Knee Joints’, *The American Journal of Pathology*, 154(4), pp. 1159–1169.
- Fernández-Moreno, M., Rego, I., Carreira-Garcia, V. and Blanco, F.J. (2008) ‘Genetics in osteoarthritis.’, *Current genomics*, 9(8), pp. 542–7. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/19516961>.
- Frisbie, D., Ghivizzani, S., Robbins, P., Evans, C. and McIlwraith, C. (2002) ‘Treatment of experimental equine osteoarthritis by in vivo delivery of the equine interleukin-1 receptor antagonist gene’, *Gene Therapy*, 9(1), pp. 12–20.
- Genemaras, A.A., Reiner, T., Huang, C.-Y. and Kaplan, L. (2015) ‘Early intervention with Interleukin-1 Receptor Antagonist Protein modulates catabolic microRNA and mRNA expression in cartilage after impact injury’, *Osteoarthritis and Cartilage*, 23(11), pp. 2036–2044.
- Godziuk, K., Prado, C.M., Woodhouse, L.J. and Forhan, M. (2018) ‘The impact of sarcopenic obesity on knee and hip osteoarthritis: a scoping review’, *BMC Musculoskeletal Disorders*, 19(1), p. 271.
- Goldring, M.B. (2001) ‘Anticytokine therapy for osteoarthritis’, *Expert Opinion on Biological Therapy*, 1(5), pp. 817–829.
- Goldring, S.R. and Goldring, M.B. (2004) ‘The role of cytokines in cartilage matrix degeneration in osteoarthritis.’, *Clinical orthopaedics and related research*, (427 Suppl), pp. S27-36. (Accessed: 3 December 2017).
- Golozar, A., Beaty, T.H., Gravitt, P.E., Ruczinski, I., Qiao, Y., Fan, J., Ding, T., Tang, Z., Etemadi, A., Hu, N., Hyland, P.L., Wang, L., Wang, C., Dawsey, S.M., Freedman, N.D., Abnet, C.C., Goldstein, A.M. and Taylor, P.R.



- (2014) ‘Oesophageal squamous cell carcinoma in high-risk Chinese populations: Possible role for vascular epithelial growth factor A’, *European Journal of Cancer*, 50(16), pp. 2855–2865. Available at: <http://dx.doi.org/10.1016/j.ejca.2014.07.022>.
- Gómez-Flores-Ramos, L., Torres-Flores, J. and Gallegos-Arreola, M. (2014) ‘IL1RN (interleukin 1 receptor antagonist)’, *Atlas of Genetics and Cytogenetics in Oncology and Haematology [Preprint]*, (10).
- Herrero-Beaumont, G., Roman-Blas, J.A., Bruyère, O., Cooper, C., Kanis, J., Maggi, S., Rizzoli, R. and Reginster, J.-Y. (2017) ‘Clinical settings in knee osteoarthritis: Pathophysiology guides treatment’, *Maturitas*, 96, pp. 54–57.
- Hingorani, A.D., Shah, T., Kumari, M., Sofat, R. and Smeeth, L. (2010) ‘Translating genomics into improved healthcare’, *BMJ*, 341(nov05 1), pp. c5945–c5945.
- Holmberg, S., Thelin, A. and Thelin, N. (2005) ‘Knee osteoarthritis and body mass index: a population-based case-control study’, *Scandinavian Journal of Rheumatology*, 34(1), pp. 59–64.
- Honsawek, S., Malila, S., Yuktanandana, P., Tanavalee, A., Deepaisarnsakul, B. and Parvizi, J. (2013) ‘Association of MMP-3 (-1612 5A/6A) polymorphism with knee osteoarthritis in Thai population’, *Rheumatology International*, 33(2), pp. 435–439.
- Ismail, S. and Essawi, M. (2012) ‘Genetic Polymorphism Studies in Humans’, *Middle East Journal of Medical Genetics*, 1(2), pp. 57–63.
- Jevsevar, D. (2013) ‘Treatment of Osteoarthritis of the Knee: Evidence-Based Guideline, 2nd Edition’, *The Journal of the American Academy of Orthopaedic Surgeons*, 21.
- Jotanovic, Z., Mihelic, R., Sestan, B. and Dembic, Z. (2012) ‘Role of Interleukin-1 Inhibitors in Osteoarthritis’, *Drugs & Aging*, 29(5), pp. 343–358.
- Kaarvatn, M.H., Jotanovic, Z., Mihelic, R., Etokebe, G.E., Mulac-Jericevic, B., Tijanic, T., Balen, S., Sestan, B. and Dembic, Z. (2013) ‘Associations of the Interleukin-1 Gene Locus Polymorphisms with Risk to Hip and Knee Osteoarthritis: Gender and Subpopulation Differences’, *Scandinavian Journal of Immunology*, 77(2), pp. 151–161.
- Kaneko, N., Kurata, M., Yamamoto, T., Morikawa, S. and Masumoto, J. (2019) ‘The role of interleukin-1 in general pathology’, 5, pp. 1–16.
- Kanoh, T., Hasegawa, Y., Masui, T., Yamaguchi, J., Ishiguro, N. and Hamajima, N. (2008) ‘Interleukin-1beta gene polymorphism associated with radiographic signs of osteoarthritis of the knee.’, *Journal of orthopaedic science : official journal of the Japanese Orthopaedic Association*, 13(2), pp. 97–100. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/18392912>.



Kapoor, M., Martel-Pelletier, J., Lajeunesse, D., Pelletier, J.-P. and Fahmi, H. (2011) ‘Role of proinflammatory cytokines in the pathophysiology of osteoarthritis’, *Nature Reviews Rheumatology*, 7(1), pp. 33–42.

Kellgren, J.H. and Lawrence, J.S. (1957) ‘Radiological Assessment of Osteo-Arthritis’, *Annals of the rheumatic diseases*, 16, p. 494.

Kerkhof, H.J.M., Doherty, M., Arden, N.K., Abramson, S.B., Attur, M., Bos, S.D., Cooper, C., Dennison, E.M., Doherty, S.A., Evangelou, E., Hart, D.J., Hofman, A., Javaid, K., Kerna, I., Kisand, K., Kloppenburg, M., Krasnokutsky, S., Maciewicz, R.A., Meulenbelt, I., Muir, K.R., Rivadeneira, F., Samuels, J., Sezgin, M., Slagboom, E., Smith, A.J.P., Spector, T.D., Tamm, A., Tamm, A., Uitterlinden, A.G., Wheeler, M., Zhai, G., Zhang, W., van Meurs, J.B.J. and Valdes, A.M. (2011) ‘Large-scale meta-analysis of interleukin-1 beta and interleukin-1 receptor antagonist polymorphisms on risk of radiographic hip and knee osteoarthritis and severity of knee osteoarthritis’, *Osteoarthritis and Cartilage*, 19(3), pp. 265–271.

Kohn, M.D., Sasoon, A.A. and Fernando, N.D. (2016) ‘Classifications in Brief: Kellgren-Lawrence Classification of Osteoarthritis’, *Clinical Orthopaedics and Related Research*, 474(8), pp. 1886–1893.

Lammert, E. and Zeeb, M. (2014) *Metabolism of human diseases: Organ physiology and pathophysiology, Metabolism of Human Diseases: Organ Physiology and Pathophysiology*. Springer.

Lancia, G., Bafna, V., Istrail, S., Lippert, R. and Schwartz, R. (2001) ‘SNPs Problems, Complexity, and Algorithms’, in, pp. 182–193.

Lao, T.D. (2021) ‘Data Integration Reveals the Potential Biomarkers of Circulating MicroRNAs in Osteoarthritis’.

Leung, Y.Y., Huebner, J.L., Haaland, B., Wong, S.B.S. and Kraus, V.B. (2017) ‘Synovial fluid pro-inflammatory profile differs according to the characteristics of knee pain’, *Osteoarthritis and Cartilage*, 25(9), pp. 1420–1427.

Li, X., Gibson, G., Kim, J., Kroin, J., Xu, S., Wijnen, A.J. Van and Im, H. (2011) ‘MicroRNA-146a is linked to pain-related pathophysiology of osteoarthritis’, *Gene*, 480(1–2), pp. 34–41. Available at: <http://dx.doi.org/10.1016/j.gene.2011.03.003>.

Litwack, G., Begley, T.P., Means, A.R., O’Malley, B.W., Riddiford, L. and Tashjian, A.H.J. (eds) (2006) *Interleukins*. 1st Editio. Academic Press.

Liu, H., Zhai, J., Luo, K. and Liu, L. (2014) ‘Chromatin structure is distinct between coding and non-coding single nucleotide polymorphisms’, *BMC Molecular Biology*, 15(1), pp. 1–10.

Loughlin, J. (2002) ‘Genome studies and linkage in primary osteoarthritis.’,



Rheumatic diseases clinics of North America, 28(1), pp. 95–109. (Accessed: 3 December 2017).

Loughlin, J. (2005) ‘The genetic epidemiology of human primary osteoarthritis: current status’, *Expert Reviews in Molecular Medicine*, 7(09), pp. 1–12. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/15910695>.

Loughlin, J., Dowling, B., Mustafa, Z. and Chapman, K. (2002) ‘Association of the interleukin-1 gene cluster on chromosome 2q13 with knee osteoarthritis’, *Arthritis and Rheumatism*, 46(6), pp. 1519–1527.

Luo, S.X., Li, S., Zhang, X.H., Zhang, J.J., Long, G.H., Dong, G.F., Su, W., Deng, Y., Liu, Y., Zhao, J.M. and Qin, X. (2015) ‘Genetic polymorphisms of Interleukin-16 and risk of knee osteoarthritis’, *PLoS ONE*, 10(5), pp. 1–12.

Luz-Santos, C., Ribeiro Camatti, J., Barbosa Paixão, A., Nunes Sá, K., Montoya, P., Lee, M. and Fontes Baptista, A. (2017) ‘Additive effect of tDCS combined with Peripheral Electrical Stimulation to an exercise program in pain control in knee osteoarthritis: study protocol for a randomized controlled trial’, *Trials*, 18(1), p. 609.

Ma, C.A., Rajandran, S.N., Liu, J., Wong, S.B.-S. and Leung, Y.-Y. (2020) ‘The association of plasma IL-1Ra and related cytokines with radiographic severity of early knee osteoarthritis’, *Osteoarthritis and Cartilage Open*, 2(2), p. 100046.

Maaten, S., Kephart, G., Kirkland, S. and Andreou, P. (2008) ‘Chronic disease risk factors associated with health service use in the elderly’, *BMC Health Services Research*, 8(1), p. 237.

Manchanda, P.K., Bid, H.K., Kumar, A. and Mittal, R.D. (2006) ‘Genetic association of interleukin-1 β and receptor antagonist (IL-1Ra) gene polymorphism with allograft function in renal transplant patients’, *Transplant Immunology*, 15(4), pp. 289–296.

Mannami, K., Mitsuhashi, T., Takeshita, H., Okada, K., Kuzuhara, A., Yamashita, F. and Sakakida, K. (1989) ‘Concentration of interleukin-1 beta in serum and synovial fluid in patients with rheumatoid arthritis and those with osteoarthritis.’, *Nihon Seikeigeka Gakkai zasshi*, 63(11), pp. 1343–52.

Martel-Pelletier, J., Mineau, F., Jolicoeur, F.C., Cloutier, J.M. and Pelletier, J.P. (1998) ‘In vitro effects of diacerhein and rhein on interleukin 1 and tumor necrosis factor-alpha systems in human osteoarthritic synovium and chondrocytes.’, *The Journal of rheumatology*, 25(4), pp. 753–62.

Martin, J.A. and Buckwalter, J.A. (2001) ‘Roles of articular cartilage aging and chondrocyte senescence in the pathogenesis of osteoarthritis.’, *The Iowa orthopaedic journal*, 21, pp. 1–7.

Meulenbelt, I., Seymour, A.B., Nieuwland, M., Huizinga, T.W.J., Van Duijn, C.M. and Slagboom, P.E. (2004) ‘Association of the Interleukin-1 Gene Cluster



With Radiographic Signs of Osteoarthritis of the Hip', *Arthritis and Rheumatism*, 50(4), pp. 1179–1186.

van Meurs, J.B.J. and Uitterlinden, A.G. (2012) 'Osteoarthritis year 2012 in review: Genetics and genomics', *Osteoarthritis and Cartilage*, 20(12), pp. 1470–1476. Available at: <http://dx.doi.org/10.1016/j.joca.2012.08.007>.

Miller, M.D. and Hart, J.A. (2008) 'Review of Orthopaedics'. Philadelphia: Saunders Elseviers.

Miller, M.E., Jack Rejeski, W., Messier, S.P. and Loeser, R.F. (2001) 'Modifiers of change in physical functioning in older adults with knee pain: The Observational Arthritis Study in Seniors (OASIS)', *Arthritis Care and Research*, 45(4), pp. 331–339.

Moos, V., Rudwaleit, M., Herzog, V., Höhlig, K., Sieper, J. and Müller, B. (2000) 'Association of genotypes affecting the expression of interleukin-1 β or interleukin-1 receptor antagonist with osteoarthritis', *Arthritis and Rheumatism*, 43(11), pp. 2417–2422.

Na, Y., Bai, R., Zhao, Z., Wei, Y., Li, D., Wang, Y., Sun, C., Sun, L., Zhang, B., Jin, T. and Liu, W. (2017) 'IL1R1 gene polymorphisms are associated with knee osteoarthritis risk in the Chinese Han population', *Oncotarget*, 8(3).

Pelletier, J.-P., Caron, J.P., Evans, C., Robbins, P.D., Georgescu, H.I., Jovanovic, D., Fernandes, J.C. and Martel-Pelletier, J. (1997) 'In vivo suppression of early experimental osteoarthritis by interleukin-1 receptor antagonist using gene therapy', *Arthritis & Rheumatism*, 40(6), pp. 1012–1019.

Pelletier, J.-P., Yaron, M., Haraoui, B., Cohen, P., Nahir, M.A., Choquette, D., Wigler, I., Rosner, I.A. and Beaulieu, A.D. (2000) 'Efficacy and safety of diacerein in osteoarthritis of the knee: A double-blind, placebo-controlled trial', *Arthritis & Rheumatism*, 43(10), pp. 2339–2348.

Perruccio, A. V., Badley, E.M., Power, J.D., Canizares, M., Kapoor, M., Rockel, J., Chandran, V., Gandhi, R., Mahomed, N.M., Davey, J.R., Syed, K., Veillette, C. and Rampersaud, Y.R. (2019) 'Sex differences in the relationship between individual systemic markers of inflammation and pain in knee osteoarthritis', *Osteoarthritis and Cartilage Open*, 1(1–2), p. 100004.

Phyomaung, P.P., Dubowitz, J., Cicuttini, F.M., Fernando, S., Wluka, A.E., Raaijmakers, P., Wang, Y. and Urquhart, D.M. (2014) 'Are depression, anxiety and poor mental health risk factors for knee pain? A systematic review', *BMC Musculoskeletal Disorders*, 15(1), p. 10.

Ramírez-Bello, J. and Jiménez-Morales, M. (2017) '[Functional implications of single nucleotide polymorphisms (SNPs) in protein-coding and non-coding RNA genes in multifactorial diseases].', *Gaceta medica de Mexico*, 153(2), pp. 238–250.



Reynolds, R., Dennis, S., Hasan, I., Slewa, J., Chen, W., Tian, D., Bobba, S. and Zwar, N. (2018) 'A systematic review of chronic disease management interventions in primary care', *BMC Family Practice*, 19(1), p. 11.

Rhodes, D.M., Smith, S.A., Holcombe, M. and Qwarnstrom, E.E. (2015) 'Computational Modelling of NF- κ B Activation by IL-1RI and Its Co-Receptor TILRR, Predicts a Role for Cytoskeletal Sequestration of I κ B α in Inflammatory Signalling', *PLOS ONE*. Edited by S.M. Srinivasula, 10(6), p. e0129888. Available at: <http://dx.plos.org/10.1371/journal.pone.0129888>.

Rider, L.G., Artlett, C.M., Foster, C.B., Ahmed, A., Neeman, T., Chanock, S.J., Jimenez, S.A. and Miller, F.W. (2000) 'Polymorphisms in the IL-1 receptor antagonist gene VNTR are possible risk factors for juvenile idiopathic inflammatory myopathies.', *Clinical and experimental immunology*, 121(1), pp. 47–52.

Rousseau, J., Millet, M., Croset, M., Sornay-rendu, E., Borel, O. and Chapurlat, R. (2020) 'Association of circulating microRNAs with prevalent and incident knee osteoarthritis in women : the OFELY study', 5.

Růžicková, S., Senolt, L., Gatterová, J., Vencovský, J. and Pavelka, K. (2008) 'The lack of correlation between the increased frequency of allele IL-1RN*2 of interleukin-1 receptor antagonist gene in Czech patients with knee osteoarthritis and the markers of cartilage degradation.', *Folia biologica*, 54(4), pp. 115–20.

Saito, S., Fujioka, M., Sudo, A. and Uchida, A. (2007) 'A functional polymorphism in the 5' UTR of GDF5 is associated with susceptibility to osteoarthritis', *Nature genetics*, 39(4), pp. 529–533.

Scanzello, C.R. and Goldring, S.R. (2012) 'The role of synovitis in osteoarthritis pathogenesis', *Bone*, 51(2), pp. 249–257.

Sellam, J. and Berenbaum, F. (2010) 'The role of synovitis in pathophysiology and clinical symptoms of osteoarthritis', *Nature Reviews Rheumatology*, 6(11), pp. 625–635. Available at: <http://dx.doi.org/10.1038/nrrheum.2010.159>.

Shorter, E., Sannicandro, A.J., Poulet, B., Goljanek-whysall, K. and Shorter, E. (2019) 'Skeletal Muscle Wasting and Its Relationship With Osteoarthritis : a Mini-Review of Mechanisms and Current Interventions'.

Silverwood, V., Blagojevic-Bucknall, M., Jinks, C., Jordan, J.L., Protheroe, J. and Jordan, K.P. (2015) 'Current evidence on risk factors for knee osteoarthritis in older adults: a systematic review and meta-analysis', *Osteoarthritis and Cartilage*, 23(4), pp. 507–515.

Smith, A.J.P., Keen, L.J., Billingham, M.J., Perry, M.J., Elson, C.J., Kirwan, J.R., Sims, J.E., Doherty, M., Spector, T.D. and Bidwell, J.L. (2004) 'Extended haplotypes and linkage disequilibrium in the IL1R1-IL1A-IL1B-IL1RN



gene cluster: Association with knee osteoarthritis', *Genes and Immunity*, 5(6), pp. 451–460.

Sokolove, J. and Lepus, C.M. (2013) 'Role of inflammation in the pathogenesis of osteoarthritis: latest findings and interpretations', *Therapeutic Advances in Musculoskeletal Disease*, 5(2), pp. 77–94. Available at: <http://journals.sagepub.com/doi/10.1177/1759720X12467868>.

Srikanth, V.K., Fryer, J.L., Zhai, G., Winzenberg, T.M., Hosmer, D. and Jones, G. (2005) 'A meta-analysis of sex differences prevalence, incidence and severity of osteoarthritis', *Osteoarthritis and Cartilage*, 13(9), pp. 769–781.

Stylianou, E., Neillli, L.A.J.O., Rawlinsons, L., Edbrookell, M.R., Wool, P. and Saklatvalas, J. (1992) 'Interleukin 1 Induces NF-KB through Its Type I but Not Its Type II Receptor in Lymphocytes *', pp. 15836–15841.

Swellam, M., Mahmoud, M.S., Samy, N. and Gamal, A.A. (2010) 'Potential influence of interleukin-1 receptor antagonist gene polymorphism on knee osteoarthritis risk', *Disease Markers*, 28(5), pp. 299–305.

Taruc-Uy, R.L. and Lynch, S. a (2013) 'Diagnosis and treatment of osteoarthritis.', *Primary care*, 40(4), pp. 821–36, vii. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/24209720>.

Tavallaei, G., Rockel, J.S., Lively, S. and Kapoor, M. (2020) 'MicroRNAs in Synovial Pathology Associated With Osteoarthritis', 7(August), pp. 1–8.

Terry, C.F., Loukaci, V. and Green, F.R. (2000) 'Cooperative Influence of Genetic Polymorphisms on Interleukin 6 Transcriptional Regulation', *Journal of Biological Chemistry*, 275(24), pp. 18138–18144.

Tetlow, L.C., Adlam, D.J. and Woolley, D.E. (2001) 'Matrix Metalloproteinase and Proinflammatory Cytokine Production by Chondrocytes of Human Osteoarthritic Cartilage Associations With Degenerative Changes', 44(3), pp. 585–594.

Valdes, A.M., Loughlin, J., Van Oene, M., Chapman, K., Surdulescu, G.L., Doherty, M. and Spector, T.D. (2007) 'Sex and ethnic differences in the association of ASPN, CALM1, COL2A1, COMP, and FRZB with genetic susceptibility to osteoarthritis of the knee', *Arthritis and Rheumatism*, 56(1), pp. 137–146.

Vandenbroeck, K. (ed.) (2006) *Cytokine Gene Polymorphisms in Multifactorial Conditions*. Taylor and Francis.

Vitaloni, M., Botto-van Bemden, A., Sciortino Contreras, R.M., Scotton, D., Bibas, M., Quintero, M., Monfort, J., Carné, X., de Abajo, F., Oswald, E., Cabot, M.R., Matucci, M., du Souich, P., Möller, I., Eakin, G. and Verges, J. (2019) 'Global management of patients with knee osteoarthritis begins with quality of life assessment: a systematic review', *BMC Musculoskeletal Disorders*, 20(1), p. 493.



Walley, A.J., Aucan, C., Kwiatkowski, D. and Hill, A.V.S. (2004) 'Interleukin-1 gene cluster polymorphisms and susceptibility to clinical malaria in a Gambian case – control study', 1, pp. 132–138.

Wang, J.H., Shih, K.S., Wu, Y.W., Wang, A.W. and Yang, C.R. (2013) 'Histone deacetylase inhibitors increase microRNA-146a expression and enhance negative regulation of interleukin-1 β signaling in osteoarthritis fibroblast-like synoviocytes'.

Wang, Q., Wang, W., Zhang, F., Deng, Y., Long, Z., Second, T., Hospital, X., Second, T., Hospital, X., Hunan, T. and Xiangya, T.S. (2017) 'NEAT1 / miR-181c regulates osteopontin (OPN) -mediated synoviocyte', (March 2017).

Wang, X., Perry, T.A., Arden, N., Chen, L., Parsons, C.M., Cooper, C., Gates, L. and Hunter, D.J. (2020) 'Occupational Risk in Knee Osteoarthritis: A Systematic Review and Meta-Analysis of Observational Studies', *Arthritis Care & Research*, 72(9), pp. 1213–1223.

Wojdasiewicz, P., Poniatowski, Ł.A. and Szukiewicz, D. (2014) 'The role of inflammatory and anti-inflammatory cytokines in the pathogenesis of osteoarthritis', *Mediators of Inflammation*, 2014.

Wu, W., Yang, H., Feng, Y., Zhang, P., Li, S., Wang, X., Peng, T., Wang, F., Xie, B., Guo, P., Li, M., Wang, Y., Zhao, N. and Wang, S. (2016) 'Polymorphisms in Inflammatory Mediator Genes and Risk of Preeclampsia in Taiyuan , China'.

Wu, X., Kondragunta, V., Kornman, K.S., Wang, H., Duff, G.W., Renner, J.B. and Jordan, J.. (2013) 'IL-1 Receptor Antagonist Gene as a Predictive Biomarker of Progression of Knee Osteoarthritis in a Population Cohort', 21(7), pp. 930–938.

Yang, C., Shih, K., Liou, J., Wu, Y., Hsieh, I., Lee, H., Lin, T. and Wang, J. (2014) 'Denbinobin upregulates miR-146a expression and attenuates IL-1 β - induced upregulation of ICAM-1 and VCAM-1 expressions in osteoarthritis fibroblast-like synoviocytes', pp. 1147–1158.

Zheng, H. and Chen, C. (2015) 'Body mass index and risk of knee osteoarthritis : systematic review and meta-analysis of prospective studies'.

Zhou, Z.-Y., Liu, Y.-K., Chen, H.-L. and Liu, F. (2014) 'Body mass index and knee osteoarthritis risk: A dose-response meta-analysis', *Obesity*, 22(10), pp. 2180–2185.