

## DAFTAR PUSTAKA

- Abdalla, H. I., Bhattacharya, S. and Khalaf, Y. (2010) 'Is meaningful reporting of national IVF outcome data possible?', *Human Reproduction*, 25(1), pp. 9–13. doi: 10.1093/humrep/dep357.
- Andersen, A. N. *et al.* (2008) 'Assisted reproductive technology in Europe, 2004: results generated from European registers by ESHRE.', *Human reproduction (Oxford, England)*. Hum Reprod, 23(4), pp. 756–771. doi: 10.1093/humrep/den014.
- Baart, E. B., Macklon, N. S. and Fauser, B. J. (2009) 'Ovarian stimulation and embryo quality', *Reproductive BioMedicine Online*, 18, pp. S45–S50. doi: 10.1016/S1472-6483(10)60448-8.
- Baker, V. L. *et al.* (2010) 'Factors affecting success rates in two concurrent clinical IVF trials: An examination of potential explanations for the difference in pregnancy rates between the United States and Europe', *Fertility and Sterility*. Fertil Steril, 94(4), pp. 1287–1291. doi: 10.1016/j.fertnstert.2009.07.1673.
- Bennett, L. R. *et al.* (2012) 'Indonesian infertility patients' health seeking behaviour and patterns of access to biomedical infertility care: An interviewer administered survey conducted in three clinics', *Reproductive Health*. BioMed Central, p. 24. doi: 10.1186/1742-4755-9-24.
- Bhattacharya, S., Maheshwari, A. and Mollison, J. (2013) 'Factors associated with failed treatment: An analysis of 121,744 women embarking on their first IVF Cycles', *PLoS ONE*. PLoS One, 8(12). doi: 10.1371/journal.pone.0082249.
- Björndahl, L. *et al.* (2010) *A Practical Guide to Basic Laboratory*. Cambridge: Cambridge University Press.
- Björndahl, L. *et al.* (2016) "'How to count sperm properly": Checklist for acceptability of studies based on human semen analysis', *Human Reproduction*. Oxford University Press, 31(2), pp. 227–232. doi: 10.1093/humrep/dev305.
- Cetin, M. T. *et al.* (2010) 'Factors affecting pregnancy in IVF: Age and duration of embryo transfer', *Reproductive BioMedicine Online*. Elsevier, 20(3), pp. 380–386. doi: 10.1016/j.rbmo.2009.12.008.
- Chamayou, S. *et al.* (2021) 'More blastocysts are produced from fewer oocytes in ICSI compared to IVF – results from a sibling oocytes study and definition of a new key performance indicator', *Reproductive Biology and Endocrinology : RB&E*, 19, p.

116. doi: 10.1186/s12958-021-00804-2.

D'Angelo, A. *et al.* (2019) 'Recommendations for good practice in ultrasound: oocyte pick up†', *Human Reproduction Open*, 2019(4), p. hoz025. doi: 10.1093/hropen/hoz025.

Eftekhar, M., Rahmani, E. and Pourmasumi, S. (2014) 'Evaluation of clinical factors influencing pregnancy rate in frozen embryo transfer', *Iranian Journal of Reproductive Medicine*, 12(7), pp. 513–518.

ESHRE (2017) 'The Vienna consensus: report of an expert meeting on the development of ART laboratory performance indicators', in *Reproductive BioMedicine Online*. Elsevier Ltd, pp. 494–510. doi: 10.1016/j.rbmo.2017.06.015.

Fabozzi, G. *et al.* (2020) 'Which key performance indicators are most effective in evaluating and managing an in vitro fertilization laboratory?', *Fertility and Sterility*, 114(1), pp. 9–15. doi: 10.1016/j.fertnstert.2020.04.054.

Fang, C. *et al.* (2010) 'Mechanically expanding the zona pellucida of human frozen thawed embryos: a new method of assisted hatching', *Fertility and Sterility*, 94(4), pp. 1302–1307. doi: 10.1016/j.fertnstert.2009.08.014.

Franco, J. G. *et al.* (2017) 'Key performance indicators score (KPIs-score) based on clinical and laboratorial parameters can establish benchmarks for internal quality control in an ART program', *JBRA Assist Reprod*, 21(2), pp. 61–66.

Franco Jr, J. G. *et al.* (2017) 'Key performance indicators score (KPIs-score) based on clinical and laboratorial parameters can establish benchmarks for internal quality control in an ART program', *JBRA Assisted Reproduction*, 21(2), pp. 61–66. doi: 10.5935/1518-0557.20170016.

Gardner, D. K. *et al.* (2000) 'Blastocyst score affects implantation and pregnancy outcome: towards a single blastocyst transfer', *Fertility and Sterility*, 73(6), pp. 1155–1158. doi: 10.1016/S0015-0282(00)00518-5.

Gleicher, N., Weghofer, A. and Barad, D. (2007) 'Update on the comparison of assisted reproduction outcomes between Europe and the USA: the 2002 data', *Fertility and Sterility*, 87(6). doi: 10.1016/j.fertnstert.2006.11.024.

Goto, S. *et al.* (2011) 'Prediction of pregnancy rate by blastocyst morphological score and age, based on 1,488 single frozen-thawed blastocyst transfer cycles', *Fertility and Sterility*, 95(3), pp. 948–952. doi: 10.1016/j.fertnstert.2010.06.067.

Hammond, E. R. and Morbeck, D. E. (2019) 'Tracking quality: can embryology key performance indicators be used to identify clinically relevant shifts in pregnancy rate?', *Human Reproduction*, 34(1), pp. 37–43. doi: 10.1093/humrep/dey349.

Harzif, A. K., Santawi, V. P. A. and Wijaya, S. (2019) 'Discrepancy in perception of infertility and attitude towards treatment options: Indonesian urban and rural area', *Reproductive Health*. BioMed Central Ltd., 16(1), p. 126. doi: 10.1186/s12978-019-0792-8.

Hassan, H. A. (2001) 'Clinical Assisted Reproduction: Cumulus Cell Contribution to Cytoplasmic Maturation and Oocyte Developmental Competence In Vitro', *Journal of Assisted Reproduction and Genetics*, 18(10), pp. 539–543. doi: 10.1023/A:1011901923261.

Hsu, M.-I. *et al.* (2016) 'Impact of the number of retrieved oocytes on pregnancy outcome in in vitro fertilization', *Taiwanese Journal of Obstetrics and Gynecology*, 55(6), pp. 821–825. doi: 10.1016/j.tjog.2015.05.009.

Huang, Z. *et al.* (2013) 'Brief co-incubation of sperm and oocytes for in vitro fertilization techniques', *The Cochrane Database of Systematic Reviews*, (4), p. CD009391. doi: 10.1002/14651858.CD009391.pub2.

Hughes, E. G. *et al.* (2010) 'Cellular and synaptic mechanisms of anti-NMDA receptor encephalitis', *Journal of Neuroscience*. Society for Neuroscience, 30(17), pp. 5866–5875. doi: 10.1523/JNEUROSCI.0167-10.2010.

Idries AM (2017) *Aspek Medikolegal pada Inseminasi Buatan / Bayi Tabung*. 1st edn. Jakarta: Bina Rupa Aksara.

Inge, G. B., Brinsden, P. R. and Elder, K. T. (2005) 'Oocyte number per live birth in IVF: were Steptoe and Edwards less wasteful?', *Human Reproduction*, 20(3), pp. 588–592. doi: 10.1093/humrep/deh655.

Irani, M. *et al.* (2017) 'Morphologic grading of euploid blastocysts influences implantation and ongoing pregnancy rates', *Fertility and Sterility*. Elsevier Inc., 107(3), pp. 664–670. doi: 10.1016/j.fertnstert.2016.11.012.

Irani, M. *et al.* (2018) 'Blastocyst development rate influences implantation and live birth rates of similarly graded euploid blastocysts', *Fertility and Sterility*. Elsevier, 110(1), p. 95–102.e1. doi: 10.1016/j.fertnstert.2018.03.032.

Ishizuka, Y. *et al.* (2014) 'Prolonged exposure to hyaluronidase decreases the

- fertilization and development rates of fresh and cryopreserved mouse oocytes’, *Journal of Reproduction and Development*, 60(6), pp. 454–459. doi: 10.1262/jrd.2014-045.
- Jones, C. A. *et al.* (2019) ‘Patient and in vitro fertilization (IVF) cycle characteristics associated with variable blastulation rates: a retrospective study from the Duke Fertility Center (2013–2017)’, *Middle East Fertility Society Journal*, 24(1), p. 4. doi: 10.1186/s43043-019-0004-z.
- Kontopoulos, G. *et al.* (2019) ‘Cleavage stage versus blastocyst stage embryo transfer in oocyte donation cycles’, *Medicina (Lithuania)*, 55(6), pp. 2–9. doi: 10.3390/medicina55060293.
- Lean, S. C. *et al.* (2017) ‘Advanced maternal age and adverse pregnancy outcomes: A systematic review and meta-analysis’, *PLoS One*, 12(10), p. e0186287. doi: 10.1371/journal.pone.0186287.
- Lee, C. I. *et al.* (2016) ‘Detection of early cleavage embryos improves pregnancy and delivery rates of Day 3 embryo transfer during in vitro fertilization’, *Taiwanese Journal of Obstetrics and Gynecology*. Elsevier Ltd, 55(4), pp. 558–562. doi: 10.1016/j.tjog.2016.06.005.
- Lee, S. C., Ezzati, M. and Gvakharia, M. (2021) ‘ANALYSIS OF THE IVF LABORATORY KEY PERFORMANCE INDICATORS (KPIs) IN IVF PATIENTS WITH DIFFERENT OVULATION TRIGGER REGIMENS’, *Fertility and Sterility*, 116(3), p. e134. doi: 10.1016/j.fertnstert.2021.07.372.
- Lin, Y.-C. *et al.* (2003) ‘Human Oocyte Maturity In Vivo Determines the Outcome of Blastocyst Development In Vitro’, *Journal of Assisted Reproduction and Genetics*, 20(12), pp. 506–512. doi: 10.1023/B:JARG.0000013651.37866.0c.
- Liu, P. *et al.* (2016) ‘Association between perinatal outcomes and maternal pre-pregnancy body mass index’, *Obesity Reviews: An Official Journal of the International Association for the Study of Obesity*, 17(11), pp. 1091–1102. doi: 10.1111/obr.12455.
- van Loendersloot, L. L. *et al.* (2010) ‘Predictive factors in in vitro fertilization (IVF): A systematic review and meta-analysis’, *Human Reproduction Update*, 16(6), pp. 577–589. doi: 10.1093/humupd/dmq015.
- Lopez-Regalado, M. L. *et al.* (2018) ‘Critical appraisal of the Vienna consensus: performance indicators for assisted reproductive technology laboratories’,

*Reproductive Biomedicine Online*, 37(2), pp. 128–132. doi: 10.1016/j.rbmo.2018.05.009.

De Los Santos, M. J. *et al.* (2016) ‘Revised guidelines for good practice in IVF laboratories (2015)’, *Human Reproduction*. Oxford University Press, 31(4), pp. 685–686. doi: 10.1093/humrep/dew016.

Maggiulli, R. *et al.* (2020) ‘The effect of ICSI-related procedural timings and operators on the outcome’, *Human Reproduction*, 35(1), pp. 32–43. doi: 10.1093/humrep/dez234.

McAvey, B. *et al.* (2011) ‘How many eggs are needed to produce an assisted reproductive technology baby: is more always better?’, *Fertility and Sterility*, 96(2), pp. 332–335. doi: 10.1016/j.fertnstert.2011.05.099.

Menkveld, R. (2010) ‘Clinical significance of the low normal sperm morphology value as proposed in the fifth edition of the WHO Laboratory Manual for the Examination and Processing of Human Semen’, *Asian Journal of Andrology*. Asian J Androl, pp. 47–58. doi: 10.1038/aja.2009.14.

Naji, O. *et al.* (2018) ‘Early oocyte denudation does not compromise ICSI cycle outcome: a large retrospective cohort study’, *Reproductive BioMedicine Online*, 37(1), pp. 18–24. doi: 10.1016/j.rbmo.2018.03.014.

Niinimäki, M., Veleva, Z. and Martikainen, H. (2015) ‘Embryo quality is the main factor affecting cumulative live birth rate after elective single embryo transfer in fresh stimulation cycles’, *European Journal of Obstetrics and Gynecology and Reproductive Biology*, 194, pp. 131–135. doi: 10.1016/j.ejogrb.2015.08.031.

Ovarian Stimulation, T. E. G. G. O. *et al.* (2020) ‘ESHRE guideline: ovarian stimulation for IVF/ICSI†’, *Human Reproduction Open*, 2020(2), p. hoaa009. doi: 10.1093/hropen/hoaa009.

Papathanasiou, A. and Bhattacharya, S. (2015) ‘Prognostic factors for IVF success: Diagnostic testing and evidence-based interventions’, *Seminars in Reproductive Medicine*, 33(2), pp. 65–76. doi: 10.1055/s-0035-1545364.

Pirtea, P. *et al.* (2020) ‘Which key performance indicators are optimal to assess clinical management of assisted reproduction cycles?’, *Fertility and Sterility*, 114(1), pp. 24–30. doi: 10.1016/j.fertnstert.2020.04.055.

Pujol, A. *et al.* (2018) ‘Is there a relation between the time to ICSI and the

reproductive outcomes?', *Human Reproduction (Oxford, England)*, 33(5), pp. 797–806. doi: 10.1093/humrep/dey067.

Riskesdas (2013) 'Laporan Nasional 2013 Riset Kesehatan Dasar'. Jakarta: Badan Penelitian dan Pengembangan Kesehatan, Departemen Kesehatan, Republik Indonesia.

Sánchez-Pozo, M. C. *et al.* (2013) 'Proposal of guidelines for the appraisal of SEMen QUALity studies (SEMQUA)', *Human Reproduction*. Oxford University Press, 28(1), pp. 10–21. doi: 10.1093/humrep/des355.

Scott, R. T. and Ziegler, D. de (2020) 'Introduction: Key performance indicators in assisted reproductive technologies', *Fertility and Sterility*, 114(1), pp. 4–5. doi: 10.1016/j.fertnstert.2020.04.057.

Sherwood, L. (2015) *Human Physiology: From Cells to Systems, Seventh Edition*. USA: Cengage Learning.

Simopoulou, M. *et al.* (2014a) 'Oocyte and embryo vitrification in the IVF laboratory: a comprehensive review', *Folia medica*. Folia Med (Plovdiv), pp. 161–169. doi: 10.2478/folmed-2014-0023.

Simopoulou, M. *et al.* (2014b) 'Oocyte and embryo vitrification in the IVF laboratory: a comprehensive review', *Folia Medica*, 56(3), pp. 161–169. doi: 10.2478/folmed-2014-0023.

Sneed, M. L. *et al.* (2008) 'Body mass index: impact on IVF success appears age-related', *Human reproduction*, 23(8), pp. 1835–1839.

Sunkara, S. K. *et al.* (2011) 'Association between the number of eggs and live birth in IVF treatment: an analysis of 400 135 treatment cycles', *Human reproduction*, 26(7), pp. 1768–1774.

'The Alpha consensus meeting on cryopreservation key performance indicators and benchmarks: proceedings of an expert meeting' (2012) *Reproductive BioMedicine Online*, 25(2), pp. 146–167. doi: 10.1016/j.rbmo.2012.05.006.

'The Vienna consensus: report of an expert meeting on the development of ART laboratory performance indicators' (2017) *Reproductive BioMedicine Online*, 35(5), pp. 494–510. doi: 10.1016/j.rbmo.2017.06.015.

“There is only one thing that is truly important in an IVF laboratory: everything”

- Cairo Consensus Guidelines on IVF Culture Conditions' (2020) *Reproductive BioMedicine Online*, 40(1), pp. 33–60. doi: 10.1016/j.rbmo.2019.10.003.
- Thurin, A. *et al.* (2005) 'Predictors of ongoing implantation in IVF in a good prognosis group of patients', *Human Reproduction*, 20(7), pp. 1876–1880. doi: 10.1093/humrep/deh872.
- Trisnawati, Y., Kebidanan, A. and Purwokerto, Y. (2015) *Analysis Reproductive Health Women Based On Reproductive Health History of Infertility in RS Margono Soekardjo 2015*, *Jurnal Kebidanan*.
- Ubaldi, F. M. *et al.* (2019) 'Advanced Maternal Age in IVF: Still a Challenge? The Present and the Future of Its Treatment', *Frontiers in Endocrinology*, 10, p. 94. doi: 10.3389/fendo.2019.00094.
- Vanni, V. S. *et al.* (2017) 'Top quality blastocyst formation rates in relation to progesterone levels on the day of oocyte maturation in GnRH antagonist IVF/ICSI cycles', *PLOS ONE*, 12(5), p. e0176482. doi: 10.1371/journal.pone.0176482.
- Verberg, M. F. G. *et al.* (2009) 'The clinical significance of the retrieval of a low number of oocytes following mild ovarian stimulation for IVF: a meta-analysis', *Human Reproduction Update*, 15(1), pp. 5–12. doi: 10.1093/humupd/dmn053.
- Vlaisavljevic, V. *et al.* (2021) 'The Maribor consensus: report of an expert meeting on the development of performance indicators for clinical practice in ART†', *Human Reproduction Open*, 2021(3), p. hoab022. doi: 10.1093/hropen/hoab022.
- Wang, H. *et al.* (2021) 'Use of a new set of key performance indicators for evaluating the performance of an in vitro fertilization laboratory in which blastocyst culture and the freeze-all strategy are the primary treatment in patients with in vitro fertilization', *Journal of International Medical Research*, 49(9), p. 03000605211044364. doi: 10.1177/03000605211044364.
- Wasiu Eniola Olooto (2012) 'Infertility in male; risk factors, causes and management-A review', *Journal of Microbiology and Biotechnology Research*, 2(4), pp. 641–645.
- Wiryan Permadi *et al.* (2008) *Hanya 7 Hari Memahami Fertilisasi In Vitro*. Bandung: PT Refika Aditama.
- Xing, W. *et al.* (2015) 'Is the GnRH Antagonist Protocol Effective at Preventing OHSS for Potentially High Responders Undergoing IVF/ICSI?', *PLoS ONE*, 10(10),

p. e0140286. doi: 10.1371/journal.pone.0140286.

Zhang, B. *et al.* (2019) 'IVF outcomes of women with discrepancies between age and serum anti-Müllerian hormone levels', *Reproductive Biology and Endocrinology : RB&E*, 17, p. 58. doi: 10.1186/s12958-019-0498-3.