



DAFTAR PUSTAKA

- Abdel-Tawwab, M., M.N. Monier, A.M. Abdelrhman & M.A.O. Dawood. 2020. Effect of dietary multi-stimulants blend supplementation on performance, digestive enzymes and antioxidants biomarkers of common carp, *Cyprinus carpio* L. and its resistance to ammonia toxicity. Aquaculture. 735529.
- Abou, Y., V. Oké & H.O. Odountan. 2016. Effects of stocking density on growth, production and farming probability of African catfish *Clarias gariepinus* (Burchell, 1822) fed chicken viscera diet in earthen ponds. International Journal of Biosciences. 6 (6): 404-414
- Adeoye, A.A., Y. Rungtawan, J. Alexander, R. Ana, L.M. Daniel & J.D. Simon. 2016. Combined effect of exogenous enzymes and probiotics on nile tilapia (*Oreochromis niloticus*) growth, intestinal morphology and microbiome. Journal of Aquaculture. 61-70.
- Affandi, R. & Usman. 2002. Fisiologi hewan air. Unri Press. Pekanbaru, Riau, Indonesia. 217 hal.
- Ahmed, N. & G.M. Turchini. 2021. Review Recirculating aquaculture systems (RAS): Environmental solution and climate change adaptation. Journal of Cleaner Production 297: 126604
- Al-Harbi, A.H. & A.Q. Siddiqui. 2000. Effects of tilapia stocking densities on fish growth and water quality in tanks. Asian Fisheries Science.13: 391-396.
- Amri, K. & Khairuman. 2008. Budidaya nila merah secara intensif. Cetakan kesembilan. Agromedia Pustaka. Jakarta.
- Andinet, T., I. Kim & J.Y. Lee. 2016. Effect of microbubble generator operating parameters on oxygen transfer efficiency in water. Desalination and Water Treatment. 1-9.
- AOAC (Association of Analytical Chemist). 2005. Official methods of analysis.W. Horowitz, (eds). Official methods of analysis 18th eds. AOAC. Gaithersburg MD.
- Arana, E., J. Chappell, T. Hanson, J. Amezquita, A. Romellon, A. Quiñonez, G. Lopez & H. Quintero. 2018. Commercial demonstration of in-pond raceways. Global Aquac. Advocate.
- Ardiansyah & R. Fotedar. 2016. Water quality, growth and stress responses of juvenile barramundi (*Lates calcarifer* Bloch), reared at four different densities in integrated recirculating aquaculture systems. Aquaculture. 458: 113-120.
- Avnimelech, Y. 2006. Bio-filters: The need for a new comprehensive approach. Aquacultural Engineering, 34(3): 172-178.



- Ayuningrum. S.B., I. Istiqomah, Rustadi, B. Triyatmo, A. Isnansetyo, W. Budhijanto & Deendarlianto. 2020. Protective effect of microbubble aeration and dietary probiotics balss on survival and immunity of white leg shrimp (*Litopenaeus vannamei*) postlarvae against acute low salinity stres. Jurnal Perikanan Universitas Gadjah Mada. Vol 22 (1): 1-7
- Badan Pusat Statistik (BPS). 2021. Ekspor-Import. <https://www.bps.go.id/exim>. Diakses 6 Januari 2022.
- Badiola, M., D. Mendiola & J. Bostock. 2012. Recirculating aquaculture system (RAS) analysis: Main issues on management and future challenges. Aquacultural Engineering, 51: 26-35.
- Balarin, J.D. 1979. Tilapia: a guide to their biology and culture in Africa. University of Sterling, Sterling. 174 pp.
- Balarin, J.D. & R.D. Haller. 1983. Commercial tank culture of tilapia. In: Fishelson, L., Yaron, Z. (Eds.), International Symposium on Tilapia in Aquaculture. Tel Aviv University, Tel Aviv, Israel. 473-483.
- Bao, J.W., J. Qiang, Y.F. Tao, L. Hong-Xi, H. Jie, X. Pao & D.J. Chen. 2018. Respones of blood biochemistry, fatty acid composition and expression of microRNAs to heat stres in genetically improved farmed tilapia (*Oreochromis niloticus*). Journal of Thermal Biology. 73: 91 - 97
- Barton, B.A. 2002. Stres in fishes: a diversity of respones with particular reference to changes in circulating corticosteroids. Integrated and Comparative Biology. 42: 517-525.
- Beamish, F.W.H. & P.S. Mookherjee. 1964 Respiration of fishes with special emphasis on standard oxygen consumption. Influence of weight and temperatur on respiration of goldfish, *Carassius auratus*. Can. J. Zool. 42 :161–175.
- Becker, K. & L. Fishelson. 1986. Standard and routine metabolic rate, critical oxygen tension and spontaneous scope for activity of tilapias. In: Maclean JL, Dizon LB, Hosillos LV (eds) The first Asian fisheries forum. Asian Fisheries Society, Manila, Philippines. 623-628 p.
- Behrends, R.B., R.G. Nelson, R.O. Smitherman & N.M. Stone. 1982. Breeding and culture of the red-gold color phase of tilapia. World Maricult. Sot. 13: 210-220.
- Benefield, C. R. & C.W. Randall. 1980. Aeration, in: Biological process design for waste water treatment, Prentice-Hall, Englewood Cliffs, NJ. Chap. 5: 281-293.
- Bosworth, B., Ott. Brian. & L. Torrans. 2015. Effects of stocking density on production traits of channel catfish x blue catfish hybrids effects of stocking density on production traits of channel catfish x blue catfish hybrids. North American Journal of Aquaculture. 77(4): 437-443.



- Boyd, C.E. & D.J. Martinson. 1984. Evaluation of propeller-aspirator-pump aerators. *Aquaculture*. 36 (3): 283-292.
- Boyd, C.E. 1990. Water quality in ponds for aquaculture, Alabama Agricultural Experiment Station, Auburn University, Alabama, pp. 482.
- Boyd, C.E. 1998. Pond water aeration systems. *Aquacultureal Engineering*. 18: 9-40
- Boyd, C.E. 2004. Farm-level issues in aquaculture certification: Tilapia. Report commissioned by WWF-US in 2004. Auburn University, Alabama 36831
- Boyd, C.E. 2017. General relationship between water quality and aquaculture performance in ponds. *Fish Diseases*. 147-166.
- Brahimi-Horn, M.C. & J. Pouysse'gur. 2007. Oxygen, a source of life and stress. Minireview. *FEBS Letters*. 581: 3582-3591
- Brauner, C.J. & T.S. Harter. 2017. Beyond just hemoglobin: Red blood cell potentiation of hemoglobin-oxygen unloading in fish. *J Appl Physiol*. 123: 935–941
- Budijanto, W. 2015. Enhancement of aerobic wastewater treatment by the application of attached growth microorganism and microbubble generator. *International Journal of Technology*. 7: 1101-1109
- Budijanto, W. Deendarlianto, Y.S. Pradana & M. Hartono. 2017. Application of micro bubble generator as low cost and high efficient aerator for sustainable fresh water fish farming. *AIP Conference Proceedings* 1840, 110008.
- Burggren, W.W., J.F. Mendez-Sanchez, G. Bautista, E. Martínez, R. Peña, García, Martínez, González & C.A. Alvarez. 2019. Developmental changes in oxygen consumption and hypoxia tolerance in the heat and hypoxia-adapted tabasco line of the Nile tilapia (*Oreochromis niloticus*), with a survey of the metabolic literature for the genus (*Oreochromis*). *Journal of Fish Biology*. 94 (5): 732-744
- Caldini, N.N., D.D.H. Cavalcante, P.R.N.R. Filho & M.V. Docarmo. 2015. Feeding Nile Tilapia with artificial diet and dried bioflocs biomass. *Acta Scientiarum. Animal Sciences*, 37(4):335-341
- Cao, W., J. Huana, C. Liua, Y. Qina & F. Wu. 2019. A combined model of dissolved oxygen prediction in the pond based on multiple-faktor analysis and multi-scale feature extraction. *Aquacultural Engineering*. 84: 50–59
- Cavalcante, D.D.H., N.N. Caldini, J.L.S. da Silva, F.R.D.S. Lima & M.V. Docarmo. 2014. Imbalance in the hardness/alkalinity ratio of water and Red tilapia's growth performance. *Acta Scientiarum, Technology*. 36 (1): 49-54



- Chakraborty, S.B., D. Mazumdar & S. Banerjee. 2010. Determination of ideal stocking density for cage culture of monosex Nile Tilapia (*Oreochromis niloticus*) in India. Proceedings of the Zoological Society. 63(1): 53–59.
- Chen, W.H., L.T. Sun, C.L. Tsai, Y.L. Song & C.F. Chang. 2002. Cold-stress induced the modulation of catecholamines, cortisol, immunoglobulin M, and leukocyte phagocytosis in tilapia. General and Comparative Endocrinology. 126: 90-100.
- Cheng, C.H., F.F. Yang, R.Z. Ling, S.A. Liao, Y.T. Miao, C.X. Ye & A.L. Wang. 2015. Effects of ammonia exposure on apoptosis, oxidative stress and immune response in pufferfish (*Takifugu obscurus*). Aquatic Toxicology. 164: 61-71.
- Cheng, J., J. Xu, Q. Ye, X. Lai, X. Zhang & J. Zhou. 2019. Strengthening mass transfer of carbon dioxide microbubble dissolver in a horizontal tubular photo-bioreactor for improving microalgae growth. Bioresource Technology. 277: 11-17
- Coche, A.G. 1977. Premiers résultats de l'élevage en cages de *Tilapia nilotica* (L) dans le lac Kossou, Côte d'Ivoire. Preliminary results of cage rearing *Tilapia nilotica* (L.) in Lake Kossou, Ivory Coast. Aquaculture. 10: 109-140
- Coey, J.M.D., M. Möbius, J.G. Alice & S. Sen. 2017. Generation and stability of freestanding aqueous microbubble. Electrochemistry Communications. 76: 38-41.
- Cole, T.G. 1983. Oxygen isotope geothermometry and origin of smectites in the Atlantis II Deep, Red Sea. Earth and Planetary Science Letters. 66: 166-176
- Colt, J. 1984. Computation of dissolved gas concentrations in water as functions of temperature, salinity, and pressure. American Fisheries Society. Special Publication No. 14. Bethesda, Maryland. 155 pp
- Colt, J., B. Watten & M. Rust. 2009. Modeling carbon dioxide, pH and un-ionized ammonia relationships in serial reuse systems. Aquacultural Engineering 28-44
- Costa, Â.A.P., R. Roubach, B.S.L. Dallago, G.W. Bueno, C. McManus & F.E.M. Bernal. 2017. Influence of stocking density on growth performance and welfare of juvenile tilapia (*Oreochromis niloticus*) in cages. Arquivo Brasileiro de Medicina Veterinária e Zootecnia 69: 243-251.
- Cui, Y., B. Liu, J. Xie, P. Xu, H.M. HabteTsion & Y. Zhang. 2014. Effect of heat stress and recovery on viability, oxidative damage, and heat shock protein expression in hepatic cells of grass carp (*Ctenopharyngodon idellus*). Fish Physiology and Biochemistry. 40: 721-729.
- da-Costa, O.T.F., L. Ca Dias, C.S.Y. Malmann, C.A.L. Ferreira, I.B. do Carmo, A.G. Wischneski, R. Lu de Sousa, B.A.S. Cavero, J. Luiza, V. Lameiras & M.C. Dos-Santos. 2018. The effects of stocking density on the hematology, plasma protein profile and immunoglobulin production of juvenile tambaqui (*Colossoma macropomum*) farmed in Brazil. J aquaculture. 09.040



- Dampin, N., W. Tarnchalanukita, K Chunkao & M. Maleewong. 2012. Fish growth model for Nile Tilapia (*Oreochromis niloticus*) in wastewater oxidation pond, Thailand. *Procidia Environmental Sciences*. 13: 513 - 524
- Danley, M.L., P.B. Kenney, P.M. Mazik, R. Kiser & J.A. Hankins. 2005. Effect of carbon dioxide exposure on intensively cultured rainbow trout *Oncorhynchus mykiss*: physiological responses and fillet attributes. *Journal of the World Aquaculture Society*. 36: 249-261.
- Das, P.C., J. Jena, B. Patro & D. Mahanta. 2016. High density rearing of rohu, *Labeo rohita* (Hamilton) from spawn to fry in concrete tanks: effect of daily feed ration and soil base on fry growth and survival. *Aquaculture Research*. 47(12): 3973 - 3979.
- Dasuki, A., J. Auta & S.J. Oniye. 2013. Effect of stocking density on production of *Clarias gariepinus* (Tuegels) in floating bamboo cages at Kubanni reservoir, Zaria, Nigeria. *Bayero Journal of Pure and Applied Sciences*. 6(1): 112-117.
- Dawood, M.A.O., N.M. Eweedah, E.M. Moustafa & E.M. Farahat. 2020. Probiotic effects of *Aspergillus oryzae* on the oxidative status, heat shock protein, and immune related gene expression of Nile Tilapia (*Oreochromis niloticus*) under hypoxia challenge. *Aquaculture*. 520: 734669
- Dawood, M.A.O. 2021. Nutritional immunity of fish intestines: important insights for sustainable aquaculture. *Aquaculture*. 13 (1): 642-663.
- Deendarlianto, W. Budijanto, A.E. Tontowi, Indarto & A.G.W. Iriawan. 2015. The implementation of a developed microbubble generator on the aerobic wastewater treatment, *International Journal of Technology*. 6(6): 924 - 930.
- Déniel, C. 1981. Les Poissons plats (Téléostéens, Pleuronectiformes) en baie de Douarnenez: reproduction, croissance et migration des Bothidae, Scophthalmidae, Pleuronectidae et Soleidae. Université de Bretagne occidentale-Brest.
- Dong, N.M., K.K. Brandt, J. Sørensen, N.N. Hung, C.V. Hach, P.S. Tan & T. Dalsgaard. 2012. Effects of alternating wetting and drying versus continuous flooding on fertilizer nitrogen fate in rice fields in the Mekong Delta, Vietnam. *Soil Biol. Biochem.* 47: 166-174.
- Ebeling, J.M., M.B. Timmons & J.J. Bisogni. 2006. Engineering analysis of the stoichiometry of photoautotrophic, autotrophic and heterotrophic removal of ammonia-nitrogen in aquaculture systems. *Aquaculture* 257. 346-358.
- Effendi, H. 2003. *Telaah Kualitas Air*. Kanisius. Yogyakarta.



- Eissa, A.E., M. Moustafa, M. Abdelaziz & N.A. Ezzeldeen. 2008. *Yersinia ruckeri* infection in cultured Nile tilapia, *Oreochromis niloticus*, at a semi-intensive fish farm in lower Egypt. African Journal of Aquatic Science. Vol 33 (3): 283-286
- Ellis, T., B. North, A. Scott, N. Bromage, M. Porter & D. Gadd. 2002. The relationships between stocking density and welfare in farmed rainbow trout. Journal of Fish Biology. 61: 493-531.
- El-Leithy A.A.A, S.A. Hemeda, W.S.H. Abd El Naby & A.F. El Nahas, S.A.H. Hassan, S.T. Awad, S.I. El-Deeb & Z.A. Helmy. 2019. Optimum salinity for Nile tilapia (*Oreochromis niloticus*) growth and mRNA transcripts of ion-regulation, inflammatory, stress and immune-related genes. Fish Physiol Biochem. 45: 1217-1232.
- El-Saidy & M.M.A. Gaber. 2005. Effect of dietary protein levels and feeding rates on growth performance, production traits and body composition of Nile tilapia, *Oreochromis niloticus* (L.) cultured in concrete tanks Aquacult. Res., 36:163-171
- El-Sayed, A.F.M. 2019. Tilapia culture. CABI Publishing, Oxfordshire, U.K. 277 p.
- El-Sayed, A.F.M. 2020. Intensive culture. Tilapia Culture: 103-134.
<https://doi.org/10.1016/B978-0-12-816509-6.00006-9>
- Endo, A., S. Srithongouthai, H. Nashiki, I. Teshiba, T. Iwasaki, D. Hama & H. Tsutsumi. 2008. DO-increasing effects of a microscopic bubble generating system in a fish farm. Marine Pollution Bulletin. 57: 78-85
- Fatima, S., S. Izhar, Z. Usman, F. Rashid, Z. Kanwal, G. Jabeen & A.A. Latif. 2018. Effects of high stocking density on condition factor and profile of free thyroxine and cortisol in *Catla catla* (Hamilton, 1822) and *Labeo rohita* (Hamilton, 1822). Turkish Journal of Fisheries and Aquatic Sciences. 18: 217-221.
- Fatima, S., W. Komal, F. Manzoor, A.A. Latif, R. Liaqat, S. Ameen & R.S. Janjua. 2021. Analysis of the growth performance, stress, profile of fatty acids and amino acids and cortisol in Tilapia (*Oreochromis niloticus*), cultured at high stocking density using in-pond raceway system. Saudi Journal of Biological Sciences 28: 7422-7431
- Fazio, F., F. Filiciotto, S. Marafioti, V. Di-Stefano, A. Assenza, F. Placenti, G. Buscaino, G. Piccione & S. Mazzola. 2012. Automatic analysis to assess haematological parameters in farmed gilthead sea bream (*Sparus aurata* Linnaeus, 1758). Mar Freshw Behav Phy. 45: 63-73.
- Fazio, F., V. Ferrantelli, G. Fortino, F. Arfuso, G. Giangrosso & C. Faggio. 2015. The influence of acute handling stress on some blood parameters in cultured sea bream (*Sparus aurata* Linnaeus, 1758). Italian Journal of Food Safety. 4: 4174



- Fazio, F., F. Arfuso, M. Levanti, C. Saoca, and G. Piccione. 2017. High stocking density and water salinity levels influence haematological and serum protein profile in mullet (*Mugil cephalus*, Linnaeus, 1758). Cah. Biol. Mar. 58: 331-339
- Fazio, F. 2019. Fish hematology analysis as an important tool of aquaculture: a review. Aquaculture. 500: 237-242.
- Fitzsimmons, K.M. 2016. Global tilapia market update 2015. In: WAS 2016, Las Vegas.
- Fivelstad, S., H. Haavik, G. Lovik. & B.A. Olsen. 1998. Sublethal effects and safe levels of carbon dioxide in seawater for Atlantic salmon postsomlts (*Salmo salar* L.): ion regulation and growth. Aquaculture. 160: 305-316.
- Fivelstad, S., A.B. Olsen, T. Åsgård, G. Baeverfjord, T. Rasmussen, T. Vindheim & S. Stefansson. 2003. Long-term sublethal effects of carbon dioxide on Atlantic salmon smolts (*Salmo salar* L.): ion regulation, haematology, element composition, nephrocalcinosis and growth parameters. Aquaculture. 215: 301-319.
- Fletcher, R. 2020 Tilapia production figures revealed. The Fish Site. 2020. Available online: <https://thefishsite.com/articles/2020-tilapia-production-figures-revealed>. diakses Agustus 2021.
- Food and Agriculture Organization (FAO). 2020. The State of World Fisheries and Aquaculture 2020. Sustainability in action. Rome
- Gabriel, U.U., O.A. Akinrotimi & F. Eseimokumo. 2011. Haematological responses of wild Nile Tilapia (*Oreochromis niloticus*) after acclimatization to captivity. Jordan J Biol Sci 4: 225-30.
- Garcia, F., D.M. Romera, K.S. Gozi, E.M. Onaka, F.S. Fonseca & S.H.C. Schalch. 2013. Stocking density of Nile tilapia in cages placed in a hydroelectric reservoir. Aquaculture 411: 51-56.
- Georges, K., A. Thornton & R. Sadler. 2009. Transforming wastewater treatment to reduce carbon emissions In: E. Agency, (Ed.). Environment Agency. 1-76
- Ghufran, M. & K. Kordi. 2010. Budidaya Nila merah di kolam terpal. Yogyakarta: Lily Publisher.
- Gibbs, M.T. 2009. Implementation barriers to establishing a sustainable coastal aquaculture sector. Marine Policy, 33: 83-89.
- Glasser, F. & M. Oswald. 2001. High stocking densities reduce *Oreochromis niloticus* yield: model building to aid the optimisation of production. Aquatic Living Resources, EDP Sciences. 14: 319-326



- Glencross, B. D. 2009. Reduced water oxygen levels affect maximal feed intake, but not protein or energy utilization efficiency of rainbow trout (*Oncorhynchus mykiss*). *Aquac Nutr.* 15(1): 1-8.
- GLOBEFISH. 2021. Information and Analysis on World Fish Trade. The Tilapia sector is expected to resume rapid growth after a temporary slowdown in 2020. Available at <http://www.fao.org/in-action/globefish/fishery-information/resource-detail/en/c/1393129/>. accessed April, 2021.
- Goddard, S. 1996. Feed management in intensive aquaculture. Chapman and Hall, New York.
- Hanotu, J., H. Bandulasena & Zimmerma. 2017. Aerator design for *microbubble* generator. *Chemical Engineering Research and Design* 123: 367-376.
- Harfadli, M.M., M.N.I.L. Saud & I.C. Nikmah. 2019. Estimasi koefisien transfer oksigen (KLa) pada metode aerasi fine bubble diffuser: Studi kasus pengolahan air Lindi TPA Manggar Kota Balikpapan. *Jurnal Sains Terapan.* 5 (2): 107-112.
- Hassan, S.M., M.A. Sulaiman, Rahman, R.A. & R. Kamaruddin. 2018. Efets of long term and continuous magnetic fifield exposure on the water properties, growth performance, plasma biochemistry and body composition of tilapia in a recirculating aquaculture system. *Aquacultural Engineering.* 83: 76-84
- Helfrich, L.A & G. Libey. 2013. Fish farming in recirculating aquaculture systems (RAS). Department of Fisheries and Wildlife Sciences Virginia Tech. <http://fisheries.tamu.edu/files/2013/09/Fish-Farming-in-Recirculating-Aquaculture-Systems-RAS>. Diakses 22 September 2021.
- Heo, W.M. & B. Kim. 2004. The effect of artificial destratification on phytoplankton in a reservoir. *Hydrobiologia.* 524: 229 - 239.
- Hoseini, S.M., M. Yousefi, S.H. Hoseinifar & H.V. Doan. 2019. Antioxidant, enzymatic and hematological respones of common carp (*Cyprinus carpio*) fed with myrcene or menthol-supplemented diets and exposed to ambient amonia. *Aquaculture.* 506: 246-255.
- Hrubec, T.C. & S.A. Smith. 2010. Hematology of Fishes. In: Schalm's Veterinary Hematology, 6th ed. Douglas J. ed. Singapore: Blackwell Publishing Ltd, 994-1003.
- Hundt, M., M. Schiffer, M. Weiss, B. Schreiber, C.M. Kreiss, R. Schulz & R. Gergs. 2015. Effect of temperatur on growth, survival and respiratory rate of larval allis shad *Alosa alosa*. *Knowledge and Management of Aquatic Ecosystems.* 27: 3-14.
- Ip, A.Y & S.F. Chew. 2010. Amonia production, excretion, toxicity, and defense in fish: areview, *Front. Physiol.* 1 (134): 1-20.



- Islam, S.M.M., M.dM. Zahangir, R. Jannat, Md.N. Hasan, S.A. Suchana, Md.F Rohani & Md. Shahjahan. 2020. Hypoxia reduced upper thermal limits causing cellular and nuclear abnormalities of erythrocytes in Nile tilapia, *Oreochromis niloticus*. Journal of Thermal Biology: 102604.
- Izel-Silva, J., E.A. Ono, M.N. de Queiroz, R.B. dos Santos & E.G. Affonso. 2020. Aeration strategy in the intensive culture of tambaqui, *Colossoma macropomum*, in the tropics. Aquaculture. 529: 735644
- Izzati, M. 2008. Perubahan Oksigen terlarut dan pH perairan tambak setelah penambahan rumput laut *Sargassum plagyophyllum* dan Ekstraknya. Laboratorium Biologi Struktur dan Fungsi Tumbuhan Jurusan Biologi FMIPA UNDIP. 10 hal.
- Jaya, R. 2011. Hubungan parameter kualitas air dalam budidaya ikan nila. manajemen kualitas air. Universitas Negeri Musamus Merauke.
- Jhunkeaw, C., N. Khongcharoen, N. Rungrueng, P. Sangpo, W. PanpHut, A. Thapinta, S. Senapin, S. St-Hilaire & H.T. Dong. 2021. Ozone nanobubble treatment in freshwater effectively reduce pathogenic fish bacteria and is safe for Nile tilapia (*Oreochromis niloticus*). Aquaculture. 534: 736286
- Jia, R., B.L. Liu, W.R. Feng, C. Han, B. Huang & J.L. Lei. 2016. Stres and immune responses in skin of turbot (*Scophthalmus maximus*) under different stocking densities. Fish Shelfish Immunol. 55: 131-139.
- Jia, Y., J. Wang, Y. Gao & B Huang. 2021. Hypoxia tolerance, hematological, and biochemical response in juvenile turbot (*Scophthalmus maximus*. L). Aquaculture. 535: 736380.
- Kawahara, A., M. Sadatomi, H. Matsuura, M. Tominaga, & M. Noguchi. 2009. Prediction of Micro-Bubble Dissolution Characteristic in Water and Seawater. Experimental Thermal and Fluid Science 33 (5): 883-894
- Kementrian Kelautan dan Perikanan (KKP). 2012. Pelepasan nila merah strain Nilasa. Keputusan menteri kelautan dan perikanan Republik Indonesia nomor kep.47/men/2012. 9 halaman. www.djpb.kkp.go.id/public/upload. Diakses 25 November 2021.
- Kepenyes, J. & L. Váradi. 1984. Chapter 21: Aeration and oxygenation in aquaculture. United Nations Development Programme Food and Agriculture Organization Of The United Nations. Rome.
- Khuntia, S, S.K. Majumder & P. Ghosh. 2012. Microbubble-aided water and wastewater purification: a review. p. 191.
- Kim, J.H., Y.J. Kang, K.I. Kim, S.K. Kim & J.H. Kim. 2019. Toxic effects of nitrogenous compounds (amonia, nitrite, and nitrate) on acute toxicity and antioxidant



responses of juvenile olive flounder, *Paralichthys olivaceus*. Short communication Environ Toxicol Pharmacol 67: 73-78.

Kisa, S.M. & Hughes G.M. 1993. Routine oxygen consumption in different sizes of a tilapia, *Oreochromis niloticus* (Trewavas) using the closed chamber respiratory method. Acta Biol. Hung. 44: 367-374

Kumar, A., S. Moulick, & B.M. Chandra. 2013. Selection of Aerator for Intensive Aquaculture pond. Aquaculture Enginnering 56: 71-78

Kuo, C. D., Shiao, G. M., Lee, J. D. 1993. The effects of high-fat and high-carbohydrate diet loads on gas exchange and ventilation in COPD patients and normal subjects Chest. 104 (1): 189-196.

Lekang, O. I. 2013. Aquaculture engineering. John Wiley & Sons.

Lemen, C.L., Vieira, V.L.P., M.R.C. Schetinger, R. Lappe, & C.R. Gioda. 2005. ATP, ADP and AMP dephosphorylation in membrane fractions of Rhamdiaquelen exposed to different temperaturs. Fish Physiology and Biochemistry. 31: 295-301.

Li, D., Z. Liu & C. Xie. 2012. Effect of stocking density on growth and serum concentrations of thyroid hormons and cortisol in *Amur sturgeon*, *Acipenser schrenckii*. Fish Physiol. Biochem. 38: 511-520.

Li, D., & S. Liu. 2019. Sensors in water quality monitoring. Water quality monitoring and management. 1-54

Li, P. 2006. Development of advanced water treatment technology using microbubble. Dissertationof Keio University, Keiko.

Liandy, Z. & Deendarlianto. 2017. Pengaruh pengoperasian microbubble generator terhadap kadar dissolved oxygen dan laju pertumbuhan ikan nila (*Oreochromis Niloticus*) Di Kolam Perikanan Mina Ngremboko, Desa Bokesan, Sleman. Skripsi. Universitas Gadjah Mada. Yogyakarta

Lim, C. & C.D. Webster. 2006. Tilapia: biology, culture and nutrition. CRC Press. New York.

Link, K., G. Berishvili, N. Shved, H. D'Cotta, J. Baroiller, M. Reinecke & E. Eppler. 2010. Seawater and freshwater challenges affect the insulin-like growth faktors IGF-I and IGF-II in liver and osmoregulatory organs of the tilapia. Mol. Cell. Endocrinol. 327: 40-46

Liu, C., T. Hiroshi, J. Zhang, L. Zhang, J. Yang, X. Huang & N. Kubota. 2013. Successful application of shirasu porous glass (spg) membrane sistem for microbubble aeration in biofilm reactor treating synthetic wastewater. Separation and Purification Technology. 103: 53–59



- Long, L., H. Zhang, Q. Ni, H. Liu, F. Wu & X. Wang. 2019. Effects of stocking density on growth, stress, and immune responses of juvenile Chinese sturgeon (*Acipenser sinensis*) in a recirculating aquaculture system. Comparative Biochemistry and Physiology, Part C. 219: 25 - 34.
- López-Luna, J., M.A. Ibáñez & M. Villarroel. 2013. Using multivariate analysis of water quality in RAS with Nile tilapia (*Oreochromis niloticus*) to model the evolution of macronutrients. Aquacultural Engineering. 54: 22-28
- Lucky, Z. 1977. Methods for the diagnosis of fish disease. United States Department of the Interior and the National Science Foundation, Washington DC by America Publishing Co Pvt. Pp: 40-47. New Delhi
- Mahasri, G., A. Saskia, P.S. Apandi, N.N. Dewi, Rozi & N.M. Usman. 2018. Development of an aquaculture system using nanobubble technology for the optimisation of dissolved oxygen in culture media for nile tilapia (*Oreochromis niloticus*). IOJUHHP Conf. Series: Earth and Environmental Science 137 012046. ASEAN-FEN INTERNATIONAL FISHERIES SYMPOSIUM-2017
- Mahmoud, S., A. Sabry, A. Abdelaziz & M. Shukry. 2020. deleterious impacts of heat stress on steroidogenesis markers, immunity status and ovarian tissue of Nile tilapia (*Oreochromis niloticus*) Journal of Thermal Biology. 91: 102578
- Makori, A.J., P.O. Abuom, R. Kapiyo, D.N. Anyona & G.O. Dida. 2017. Effects of water physico-chemical parameters on tilapia (*Oreochromis niloticus*) growth in earthen ponds in Teso North Sub-County, Busia County. Fish Aquatic Sci. 20: 30 p.
- Mallya, Y.J. 2007. The effects of dissolved oxygen on fish growth in aquaculture, Kingolwira national fish farming centre, Fisheries Division Ministry of Natural Resources and Tourism, Tanzania.
- Manduca, L.G., M.A. da Silva, E.R. de Alvarenga, G.F. de Oliveira Alves, N.H. Ferreira, E. de Alencar Teixeira, A.F.A. Fernandes, M.de Almeida e Silva & E. M. Turra. 2021. Effects of different stocking densities on Nile tilapia performance and profitability of a biofloc system with a minimum water exchange. Aquaculture 530: 735814
- Martínez, L., 1994. Cultivo de camarones pendidos, principios y prácticas. AGT Editor, Mexico D.F.
- Masser, M.P., J. Rakocy & T.M. Losordo. 1999. Recirculating aquaculture tank production systems: management of recirculating system, Southern Regional Aquaculture Center (SRAC) Publication No. 452
- Matsuo, K., T. Nakayama, H. Oonari, & T. Shimose. 2001. Study on scallop cultivation by using microbubble technique. Proceeding of Annual Conference of the Japan Society of Civil Engineers, JSCE. 2 (56): 384-385, in Japanese.



- Mazur, C.F. & G.K. Iwama. 1993. Effect of handling and stocking density on hematokrit, plasma cortisol, and survival in wild and hatchery-reared chinook salmon (*Oncorhynchus tshawytscha*). Aquaculture. 112: 291-299.
- McClave, S.A. Lowen, C.C. Kleber, M.J. McConnell, J. Wesley, Jung, L.Y. Goldsmith & J. Linda. 2003. Clinical use of the respiratory quotient obtained from indirect calorimetry. JPEN. Journal of Parenteral and Enteral Nutrition. 27(1): 21-26
- Melard, C.H., & PPhilipart, J.C., 1980. Pisciculture intensive de *Sarotherodon niloticus* (L.) dans les effluents thermiques d'une central nucleaire en Belgique. EIFAEIFAC Symposium on New Development in Utilization of Heated Effluents and of Recirculation Sistems for Intensive Aquaculture. Stavanger, Norway. EIFAC/80/DOC.E/11.
- Metcalf and Eddy. 1991. "Wastewater and engineering" 3rd ed, McGraw Hill International Engineering, Singapore
- Minapoli. 2019. *Microbubble Generator*, Solusi masalah perikanan budidaya. <https://minapoli.com/info/microbubble-generator-solusi-masalah-perikanan-budidaya>
- Mirghaed, A.T., S. Fayaz, S.M. Hoseini. 2019. Effects of dietary 1,8-cineole supplementation on serum stres and antioxidant markers of common carp (*Cyprinus carpio*) acutely exposed to ambient amonia. Aquaculture. 509: 8-15
- Mohammad, T.R. 2006. Comparative study of growth performance of three strains of Nile tilapia, *Oreochromis niloticus*, L. at two stocking densities. Aquac. Res. 37: 172 - 179.
- Morgan, J.D. & G.K. Iwama. 1991. Effects of salinity on growth, metabolism and ion regulation in juvenile rainbow and steelhead trout (*Onchorhyncus mykiss*) and fall shinook salmon (*Onchorhyncus tshawytscha*). Can. J. Fish. Aquat. Sci. 48: 2083-2094.
- Mota, V.C., T.O. Nilsen, J. Gerwins, M. Gallo, E. Ytteborg, G. Baeverfjord, J. Kolarevic, S.T. Summerfelt & B.F. Terjesen. 2019. The effects of carbon dioxide on growth performance, welfare, and health of Atlantic salmon post-smolt (*Salmo salar*) in recirculating aquaculture systems. Aquaculture. 498: 578-586.
- Nabhitabhata J., R. Prepiyamat, K. Tharawut & S. Kbinrum., 2002 Estimation on optimum stocking density of grouper, EpinepHelus tauvina (Forskal), in cages on basis of dissolved oxygen budget: Rayang Coastal Aquaculture Station. Patrat river. 130-136
- Nasichah, Zahrotun, P. Widjanarko, A. Kurniawan & D. Arfiati. 2016. Analisis kadar glukosa darah ikan tawes (*Barbomyrus gonionotus*) dari Bendung Rolak Songo Hilir Sungai Brantas. Universitas Brawijaya, Malang, Indonesia. 333 p.



Navisa J., Sravya T., Swetha M., Venkatesan M., 2014 Effect of bubble size on aeration process. Asian Journal of Scientific Research 7(4): 482-487

Naylor, M.A., H. Kaiser & C.L.W. Jones. 2011. Water quality in a serial-use raceway and its effect on the growth of South African abalone, *Haliotis midae* Linnaeus, 1758. Aquaculture. 42: 918-930.

Near, T.J., I.E. Ron, A. Dornburg, L.K. Kristen, J.A. Moore, P. Matthew, M.P. Davis, P.C. Wainwright, M. Friedman, & W.L. Smith. 2012. Resolution of ray-finned fish phylogeny and timing of diversification. PNAS. 109 (34) :13698-13703

Ni, M., H.S. Wen, J.F. Li, M.L. Chi, Y. Bu, Y.Y. Ren, M. Zhang, Z.F. Song & H.M. Ding 2014. The physiological performance and immune responses of juvenile Amur sturgeon (*Acipenser schrenckii*) to stocking density and hypoxia stress. Fish Shellfish Immunol. 36: 325-335.

Nieuwegenissen, P.G.V., A.S. Boerlagt, J.A.J. Verreth & J.W. Schrama. 2008. Assessing the effects of a chronic stressor, stocking density, on Welfare Indicators of Juvenile African catfish, *Clarias gariepinus* Burchell. Applied Animal Behavior Science. 115: 233-243

Nobui, B., H. Onari, T. Shimose, & K. Maeda. 2002. Study on pearl cultivation by using microbubble technique. Proceeding of Annual Conference of the Japan Society of Civil Engineers, JSCE. 7 (57): 499-500, in Japanese.

Norris, D.O., J.M. Camp, T.A. Maldonado & J.D. Woodling. 2000. Some aspects of hepatic function in feral brown trout, *Salmo trutta*, living in metal contaminated water. Comp. Biochem. Physiol. 127: 71-78.

North, B.P., T. Ellis, J.F. Turnbull, J. Davis & N.R. Bromage. 2006a. Stocking density practices of commercial UK rainbow trout farms. Aquaculture. 259: 260-267.

North, B.P., J.F. Turnbull, T. Ellis, M.J. Porter, H. Migaud, J. Bron, & N.R. Bromage. 2006b. The impact of stocking density on the welfare of rainbow trout (*Oncorhynchus mykiss*). Aquaculture. 255: 466-479

Odhiambo, E., P.O. Angienda, P. Okoth & D. Onyango. 2020. Stocking density induced stress on plasma cortisol and whole blood glucose concentration in nile tilapia fish (*Oreochromis niloticus*) of Lake Victoria, Kenya. International Journal of Zoolog. DOI: 10.1155/2020/9395268

Oh, K.H., D.H. Jeong, S.Y. Yang, T.W. Jeon & Y.C. Cho. 2013. Effects of submerged aerator on the growth of algae in Daechung reservoir, J. Korean Soc. Environ. Eng. 35: 268-275.

Okéa, V., & N.J. Goosen. 2019. The effect of stocking density on profitability of African catfish (*Clarias gariepinus*) culture in extensive pond systems. Aquaculture 507: 385-392



- Onari, H., K. Maeda, K. Matsuo, Y. Yamahara, K. Watanabe & N. Ishikawa. 2002. Effect of microbubble technique on oyster cultivation. Annual Journal of Hydraulic Engineering. 46: 1163, in Japanese.
- Papoutsoglu, S., G. Tziha, X. Vrettos & A. Athanasiou. 1998. Effects of stocking density on behavior and growth rate of European sea bass (*Dicentrarchus labrax*) juveniles reared in a closed circulated sistem. Aquacultural Engineering. 18: 135 -144.
- Park, J.S & K. Kurata. 2009. Application of microbubble to hydroponics solution promotes lettuce growth. Hort Technology. 19 (1): 212-215.
- Parker, N.C. 1987. Feed conversion indices: controversy or convention? Prog. Fish Cult. 49: 161-166
- Parmar, R., S. Kuma & Majumder. 2013. Microbubble generation and microbubble-aided transport intensification a state of the art report, Chemical Engineering and Process: Process Intensification. 64. pp. 79-97.
- Plante, S., C. Audet, Y. Lambert & J. de la Noüe. 2005. Alternative methods for measuring energy content in winter flounder. North American Journal of Fisheries Management. 25 (1): 1-6.
- Popma, T. & M. Masser. 1999. Tilapia: Life history and biology, Southern Regional Aquaculture Center (SRAC) Publication No. 283.
- Poursaeid, S., B. Falahatkar & G.V.D. Kraak. 2015. Short-term effects of cortisol implantation on blood biochemistry and thyroid hormons in previtellogenic great sturgeon (*Huso huso*). Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology. 179: 197-203.
- Pujante, I.M., J.A. Martos-Sitcha, F.J. Moyano, I. Ruiz-Jarabo, G. Martínez-Rodríguez, & J.M. Mancera. 2015. Starving/re-feeding processes induce metabolic modifications in thick-lipped grey mullet (*Chelon labrosus*, Risso 1827). Comp. Biochem. PHysiol. B 180: 57-67.
- Qi, X.Z., M.Y. Xue, S.B. Yang, J.W. Zha, G.X. Wang, & F. Ling. 2017. Amonia exposure alters the expression of immune-related and antioxidant enzymes-related genes and the gut microbial community of crucian carp (*Carassius auratus*). Fish & Shellfish Immunology. 70: 485-492.
- Qiang, J., H. Yang, H. Wang, M.D. Kpundeh & P. Xu. 2012. Interacting effects of water temperatur and dietary protein level on hematological parameters in nile tilapia juveniles, *Oreochromis niloticus* (L) and mortality under *Streptococcus iniae* infection. Fish and Shellfish Immunology. 34: 8-16.
- Rafatnezhad, S., B. Falahatkar & M.H.T. Gilani. 2008. Effects of stocking density on haematological parameter, growth and fin erosion of great sturgeon (*Huso huso*) juvenile. Aquaculture Research. 39: 1506-1513.



- Rahman, M.A., M.A. Mazid, M.R. Rahman, M.N. Khan, M.A. Hossain & M.G. Hussain. 2005. Effect of stocking density on survival and growth of critically endangered mahseer, *Tor putitora* (Hamilton), in nursery ponds. *Aquaculture*. 249: 275-284.
- Rahman, M. M., M. Verdegem & M.A. Wahab. 2008. Effects of tilapia (*Oreochromis niloticus* L.) stocking and artificial feeding on water quality and production in rohu-common carp bi-culture ponds. *Aquaculture Research*, 39 (15):1579-1587.
- Rahman, M.M., Y. Hyeonho, M. Monirzzaman, F. Ferreira, K. Kim & S.C. Bai. 2014. Effects of feeding rate and water temperatur on growth and body composition of juvenile Korean rockfish, *Sebastes schlegeli* (Hilgendorf 1880). *Asian-Australasian journal of animal sciences*. 27: 690-699.
- Randall, D.J., 1982 The control of respiration and circulation in fish during exercise and hypoxia *Journal Experimental Biology* 100: 275-288
- Randall, D.J & T.K.N. Tsui. 2002. Ammonia toxicity in fish. *Mar Pollut Bull* 45:17-23
- Rappaport, A., S. Sarig & M. Marek. 1976. Results of tests of various aeration sistems on the oxygen regime in the genosar experimental ponds Israel and growth of fish there in 1075. *Bamidgeh*. 28: 35-49.
- Rehman, F., G.J.D. Medley, H. Bandulasena & W.B.J. Zimmerman. 2015. Fluidic oscillator-mediated microbubble generation to provide cost effective mass transfer and mixing efficiency to the wastewater treatment plants. *Environmental Research*. 137: 32-39.
- Ren, Q., X. Wang, W. Li, Y. Wei & D. An. 2020. Research of dissolved oxygen prediction in recirculating aquaculture systems based on deep belief networks. *Aquacultural Engineering*. 90: 102085
- Rombout, J.H.W.M., H.B.T. Huttenhuis, S. Picchietti & G. Scapigliati. 2005. Phylogeny and ontogeny of fish leucocytes. *Fish & Shellfish Immunology*. 19: 441-455.
- Ronald, N., G. Bwanika & G. Eriku. 2014. The effects of stocking density on the growth and survival of nile tilapia (*Oreochromis niloticus*) fry at son fish farm, Uganda. *Journal of Aquaculture*. 5(2): 1-7.
- Ross, B. & L.G. Ross. 1983. The oxygen requirements of *Oreochromis niloticus* under adverse conditions in L. Fishelson and Z. Yaron, editors. *Proceedings of the First International Symposium on Tilapia in Aquaculture*. Tel Aviv University, Tel Aviv, Israel. 134-143
- Ross, L.G., 2000. Environmental physiology and energetics. In Beveridge, M.C.M.m McAndrew, B.J. (Eds), *Tilapias: biology and exploitation*. Kluwer Academic Publisher, Dordrecht. 89-128



- Ross, L.G., T.C. Telfer, L. Falconer, D. Soto, J. Aguilar-Manjarrez, R. Asmah, J. Bermúdez, M.C.M. Beveridge, C.J. Byron, A. Clément, R. Corner, B.A. Costa-Pierce, S. Cross, M. De-Wit, S. Dong, J.G. Ferreira, J.M. Kapetsky, I. Karakassis, W. Leschen, D. Little, A.-K. Lundebye, F.J. Murray, M. PHillips, L. Ramos, S. Sadek, P.C. Scott, A. Valle-levinson, D. Waley, P.G. White & C. Zhu. 2013. Carrying capacities and site selection within the ecosistem approach to aquaculture. In L.G. Ross, T.C. Telfer, L. Falconer, D. Soto & J. Aguilar-Manjarrez, eds. Site selection and carrying capacities for inland and coastal aquaculture. 19-46.
- Rosso, D., M.K. Stenstrom & L.E. Larson. 2008. Aeration of large-scale municipal wastewater treatment plants: state of the art. Water Sci. Technol.: J. Int. Assoc. Water Sci Technol. 57 (7) : 973-8.
- Rotllant, J., M. Pavlidis, M.E. Kentouri, Abad & L. Tort. 1997. Non-specific immune responses in the red porgy *Pagrus pagrus* after Crowding Stres. Aquaculture. 156: 279-290.
- Rowland, S.J., C. Mifsud, M. Nixon & P. Boyd. 2006. Effects of stocking density on the performance of the Australian freshwater silver perch (*Bidyanus bidyanus*) in cages. Aquaculture. 253 (1-4): 301-308.
- Roy, S.M., Jayraj, P., Machavaram, R., Pareek, C.M., Mal, B.C., 2021a. Diversified aeration facilities for effective aquaculture systems a comprehensive review. Aquacult. Int. 29: 1181-1217
- Roy, S.M., Tanveer, M., Gupta, D., Pareek, C.M., Mal, B.C., 2021b. Prediction of standard aeration efficiency of propeller diffused aeration system using response surface methodology and artificial neural network. Water Supply. <https://doi.org/10.2166/ws.2021.199>.
- Russell, M., R. Shuke, & S. Samantha. 2011. Effects of conductivity on survivorship and weight of Goldfish (*Carassius auratus*). Available at <http://departments.juniata.edu/biology/eco/documents/Russell-et al.pdf>. 23 Apr 2021.
- Rust, M.B. 2002. Nutritional physiology. In: Halver, J.E., R.W. Hardy (eds). Fish Nutrition. Academic Press. USA. 822 p.
- Rustadi. 2008. Kelarutan nitrogen dan fosfor untuk menaksir daya dukung lingkungan perairan budidaya ikan di Waduk Sermo, Kulonprogo, Daerah Istimewa Yogyakarta. Disertasi. UGM, Yogyakarta
- Rustadi. 2009. Eutrofikasi nitrogen dan fosfor serta pengendaliannya dengan perikanan di Waduk Sermo. Jurnal Manusia dan Lingkungan. 16 (3): 176-78.
- Rustadi, S.B. Priyono, H.S. Hermawan & Sunaryo. 2013. Pengembangan produksi induk dan benih nila merah (*Oreochromis sp.*) unggul. Laporan Akhir Kegiatan Penelitian Unggulan Perguruan Tinggi. UGM.



- Rychel, A.L., S.E. Smith, H.T. Shimamoto & B.J. Swalla. 2006. "Evolution and development of the chordates: collagen and pharyngeal cartilage". *Molecular Biology and Evolution*. 23 (3): 541-549.
- Sadatomi, M., A. Kawahara, A. Kano & A. Ohtomo. 2008. Performance of a new microbubble generator with a spherical body in a flowing water tube. *Experimental Thermal and Fluid Science*. 29: 615-623
- Sadatomi, M., A. Kawahara & A. Suzuki. 2015. Surface tension Effects on vertical Upward annular flows in a small diameter pipe, which will be presented in Japan-U.S. Seminar on Two-Phase flow Dynamics, West Lafayette, Indiana, USA.
- Salas-Leiton, E., V. Anguis, M. Manchado & J.P. Cañavate. 2008. Growth, feeding and oxygen consumption of Senegalese sole (*Solea senegalensis*) juveniles stocked at different densities. *Aquaculture*. 285: 84-89.
- Saputra, H.K., K. Nirmala, E. Supriyono & N.T. Rochman. 2018. Micro/nanobubble technology: characteristics and implications biology performance of koi *Cyprinus carpio* in recirculation aquaculture system (RAS). *Omni-Akuatika*. 14 (2): 29-36.
- Sawyer, C.N., McCarty, P.L. & G.F. Parkin. 2003. Chemistry for environmental engineering and science, fifth ed. McGraw-Hill, New York. ISBN: 0-07-248066-1
- Schumann, M. & A. Brinker. 2020. Understanding and managing suspended solids in intensive salmonid aquaculture: a review. *Aquaculture*.
<https://doi.org/10.1111/raq.12425>
- Sergeanta, C. 2014. The management of ammonia levels in an aquaculture environment. Cancer Research UK 44 Lincoln's Inn Fields, London: 1-2.
- Serizawa, A., T. Inui, T. Yahiro & Z. Kawara. 2003. Laminarization of microbubble containing milky bubbly flow in a pipe. In Proceedings of the 3rd EuropeanJapanese Two-PHase Flow Group Meeting, 21-27 September, 2003. Certosa di Pontignano.
- Shelton, W.L. & T.J. Popma. 2006. Biology. In: Lim, C.E., Webster, C.D. (Eds.), *Tilapia: biology, culture and nutrition*. The Hawthorne Press, Binghamton, NY, pp. 1-50.
- Shourbela, R.M., W.N. El-Hawarry, M.R. Elfadadny & M. A. O. Dawood. 2021. Oregano essential oil enhanced the growth performance, immunity, and antioxidative status of Nile tilapia (*Oreochromis niloticus*) reared under intensive systems. *Aquaculture* 542: 736868.
- Siddiqui, A.Q., A.H. Al-Harbi & Y.S. Hafedh. 1997. Effects of stocking density on patterns of reproduction and growth of hybrid tilapia in concrete tanks in Saudi Arabia. *Asian Fisheries Science* 10: 41-49.
- Silva, C.A. & Fujimoto, R.Y., 2015. Tambaqui growth in response to stocking density in cages. *Acta Amazonica*. 45: 323-332



- Soderberg, R.W. 2006. Culture in flowing water. In: Lim, C.E., Webster, C.D. (Eds), *Tilapia : Biology, culture and nutrition*. Food Products Press, London, pp. 289-312
- Søderberg, R. 2017. Aquaculture technology: Flowing water and static water fish culture. Book. DOI: 10.1201/b22135. ISBN: 9781315194813
- Sousa, R.G.C., J.I.G. Piñeyro, N.A. Cardoso, J.E. Andrade, J.G. Da Silva & H.T.B. Barbosa. 2016. Stocking density and its effects to the zootechnical development of young tambaqui in an intensive production system. *Acta of Fisheries and Aquatic Resources*. 4: 80-92.
- Standar Nasional Indonesia (SNI). 2009. Produksi induk nila merah hitam (*Oreochromis niloticus* Bleeker) kelas induk pokok. Badan Standarisasi Nasional (BSN). Jakarta.
- Stone, N., J.L. Shelton, B.E. Haggard & H.K. Thomforde. 2013. Interpretation of water analysis reports for fish culture. Southern Regional Aquaculture Center (SRAC) Publication No. 4606:12
- Sultana, T., M.M. Haque, M.A. Salam & M. Alam. 2017. Effect of aeration on growth and production of fish in intensive aquaculture sistem in Earthen Ponds. *J. Bangladesh Agril. Univ.* 15 (1): 113-122.
- Sun, K., L. Tao, D.J. Miller, M.A. Khan & M.A. Zondlo. 2014. On-road amonia emissions characterized by mobile, open-path measurements, *Environ. Sci. Technol.* 48(7): 3943-3950.
- Supriyono, E., W. Kurniawan, Hidayat, D. Djokosetiyo & A. Widiyati. 2016. The use of rubber microporous tubing as an aeration diffuser and the effect on blood gas in hybrid catfish *Pangasius* sp. *AACL Bioflux*. 9 (6): 1294-1300.
- Suslow, T.V. 2004. Oxidation-Reduction Potential for water disinfection monitoring, control, and documentation. University of California.
- Syed, M.S.N. & S. Rehana. 2014. Determination of water quality parameters of water supply in different areas of Karachi City. *Eur Acad Res* 1 (12): 6031-6050
- Tahmasebi-Kohyani, A., A. Keyvanshokooh, A. Nematollahi, N. Mahmoudi & H.P. Zanoosi. 2012. Effects of dietary nucleotides supplementation on rainbow trout (*Oncorhynchus mykiss*) performance and acute stres respone. *Fish Physiol. Biochem.* 38: 431-440.
- Takahashi, M. 2003. Constriction and collapse of microbubble. In: Lecture series of the Japanese society for multiphase flow. 28: 15-19. in Japanese.
- Tan, C., D. Sun, H. Tan, W. Liu, G. Luo & X. Wei. 2018. Effect of stocking density on growth, body composition, digestive enzyme levels and blood biochemical



parameter of anguilla marmorata in recirculating aquaculture system. Turk. J. Fish. Aquat. Sci. 18: 9-16.

Tchobanoglous, G., F.L. Burton & H.D. Stensel. 2003. Wastewater engineering: Treatment and reuse, 4th ed., Metcalf and Eddy, Inc., McGraw-Hill Book Company, New York.

Teichert-Coddington, D. & B.W. Green. 1993. Tilapia yield improvement through maintenance of minimal oxygen concentrations in experimental grow-out ponds in Honduras. Aquaculture. 118: 63-71.

Temesgen, T., T.T. Bui, M. Han, T-il Kim & H. Park. 2017. Micro and nanobubble technologies as a new horizon for water-treatment techniques: A review. Advances in Colloid and Interface Science. 246: 40-51.

Tesař, V. 2007. Fluidics applied to generating small aeration bubbles, In: Proceedings of the 9th International Symposium FLUCOME 2007, Tallahassee, FLA USA.

Thorarensen, H., & A.P. Farrell. 2011. The biological requirements for post-smolt Atlantic salmon in closed-containment systems. Aquaculture. 312: 1-14.

Tran, C.T., P. Petch, C. Nida, K. Anongrit, T. Pattarapon, V. Jirasak, M. Parinya, V. Pongpisan, S. Teerapong, K. Kittikun, & L.T. Tran. 2013. Total ammonia nitrogen (TAN) variation in flows of a recirculating intensive aquaculture system be attached by biological hybrid configuration of constructed wetland and facultative anaerobic biofilter. J. Sci. Technol. MSU. 32 (3): 307-314.

Tran-Duy, A., W.S. Johan, A.V.D. Anne & A.J.V. Johan. 2008. Effects of oxygen concentration and body weight on maximum feed intake, growth and hematological parameters of Nile tilapia (*Oreochromis niloticus*) Aquaculture. 275: 152-162.

Tresnati, J., Umar M.T. & Sulfirayana. 2018. Perubahan hati terkait pertumbuhan oosit ikan sebelah (*Psettodes erumei*). Jurnal Pengelolaan Perairan. 1 (1): 31-36.

Tsuge, H. 2015. Micro and Nanobubble: Fundamental and Applications CRS Press. Taylor & Francis Group, LLC. Boca Raton-Florida.

Turnbull, J.F., B.P. North, T. Ellis, C.E. Adams, J. Bron, C.M. MacIntyre, & F.A. Huntingford. 2008. Stocking density and the welfare of farmed salmonids, in: Branson, E.J. (Ed.), Fish Welfare. Blackwell Publishing Ltd: 111-120.

Ullah, K., A. Emmanuel & M.Z. Anjum. 2018. Effect of stocking density on growth performance of Indus mahseer (*Tor macrotelis*). International Journal of Fisheries and Aquatic Studies. 6 (3): 49-52.

Uma, A., P. Philominal, E. Prabu & M. S. Musthafa. 2022. Dietary Bougainvillea glabra leaf meal on growth, haemato-biochemical responses and disease resistance in



UNIVERSITAS
GADJAH MADA

PENINGKATAN DAYA DUKUNG BUDIDAYA NILA MERAH (*Oreochromis sp.*) MENGGUNAKAN
TEKNOLOGI MICROBUBBLE
DALAM SISTEM RESIRKULASI
ENY HERIYATI, Prof. Dr. Ir. Rustadi, M.Sc.; Dr. Ir. Alim Isnansetyo, M.Sc.; Dr. Ir. Bambang Triyatmo, M.P.
Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Nile tilapia, *Oreochromis niloticus* against *Enterococcus faecalis*. Aquaculture (549). 737806: 1-7

Undang-Undang Nomor 23/Tahun 1997/No. 68, TLN NO. 3699. 1997. Tentang Pengelolaan Lingkungan Hidup. LL SETNEG: 34 hal

United States Agency for International Development (USAID). 2009. Manual for the commercial pond production of the african catfish in uganda. In: Fisheries investment for sustainable harvest project. Department of Fisheries Saanin and Allied Aquacultures, Auburn University, Alabama, USA.

Vanhо, S. 2010. Pengujian mutu air dan limbah (Online). ([Http://stevenvanho-indblogz.blogspot.com/21010/05](http://stevenvanho-indblogz.blogspot.com/21010/05)

VanLoon, Gary, Duffy & StepHen. 2011. Environmental chemistry (Gary Wallace) a global perspective (3rd ed.). Oxford University Press. pp. 235–248. ISBN: 978-0-19-922886-7.

Voslarova, E., V. Pistekova, Z. Svobodova & I. Bedanova. 2008. Nitrite Toxicity to *Danio rerio*: Effects of subchronic exposure on fish growth. ACTA VET. BRNO, 77: 455–460.

Wambua, D.M., P.G. Home, J.M. Raude & S. Ondimu. 2020. Environmental and energy requirements for different production biomass of Nile tilapia (*Oreochromis niloticus*) in recirculating aquaculture system (RAS) in Kenya. Aquaculture and Fisheries. DOI: 10.1016/j.aaf.2020.07.019

Wang, Yuyu, Xu, Pao, Nie, Zhijuan, Li, Quanjie, Shao, Nailin, Xu & Gangchun, 2019. Growth, digestive enzymes activities, serum biochemical parameters and antioxidant status of juvenile genetically improved farmed tilapia (*Oreochromis niloticus*) reared at different stocking densities in in-pond raceway recirculating culture system. Aquac. Res. 50 (4), 1338-1347.

Watanabe, W.O., J.H. Clark, J.B.Dunhkam, R.I. Wicklund & B.L. Olla. 1990. Culture of Florida red tilapia in marine cages: the effects of stocking and dietary protein on growth. Aquaculture 90: 123-134.

Wedemeyer, G.A and Yasutke. 1977. Clinical methods for the assessment on the effect of enviromental stres on fish health. Technical Paper of The US Departement of The Interior Fish and the Wildlife Service. 89: 1-17.

Wedemeyer, G.A. 1996. Interactions with Water Quality Conditions. in Physiology of fish in intensive culture sistems. Chapman and Hall, New York, New York.

Welker, T.L., K. Overturf & J. Abernathy. 2019. Effect of aeration and oxygenation on growth and survival of rainbow trout in a commercial serial-pass, flow-through raceway system. Aquaculture Reports. 14: 100194.



- Wells, R.M.G. & N.W. Pankhurst. 1999. Evaluation of simple instruments for the measurement of blood glucose and lactate, and plasma protein as stress indicators in fish. *J World Aquacult Soc.* 30: 276-84.
- Widmaier, P. Eric, Raff, Hershel, Strang & T. Kevin. 2016. *Vander's human physiology : the mechanisms of body function* (14th ed). New York. McGraw Hill.
- Willoughby, H. 1968. A method for calculating carrying capacities of hatchery troughs and ponds. *Progressive Fish-Culturist.* 30: 173-174.
- Wu, C., P. Li, S. Xia, S. Wang, Y. Wang, J. Hu, Z. Liu & S. Yu. 2019. The role of interface in microbubble ozonation of aromatic compounds. *Chemosphere.* 220: 1067-1074
- Wuenschel, M.J., A.R. Jugovich & J.A. Hare. 2005. Metabolic response of juvenile gray snapper (*Lutjanus griseus*) to temperature and salinity: Physiological cost of different environments. *J. Exp. Mar. Biol. Ecol.* 321: 145-154.
- Xu, Y.Q., Z.W. Cao, Z.K. Ding & X. Gan. 2010. Effects and prevention of high temperature on fishes. *Fisheries science.* 29: 235-242
- Yamasaki, K., K. Sakata & K. Chuhjoh. 2010. Water treatment method and water treatment.
- Yarahmadi, P., H.K. Miandare, S.H. Hoseinifar, N. Gheysvandi, & A. Akbarzadeh. 2015. The effect of stocking density on hemato-immunological and serum biochemical parameters of rainbow trout (*Oncorhynchus mykiss*). *Aquac. Int* 23: 55-63.
- Yarahmadi, P., H.K. Miandare, S. Fayaz & C.M.A. Caipang. 2016. Increased stocking density causes changes in expression of selected stress- and immune-related genes, humoral innate immune parameters and stress responses of rainbow trout (*Oncorhynchus mykiss*). *Fish Shellfish Immunol.* 48: 43-53.
- Yilmaz, E. 2019. Effects of dietary anthocyanin on innate immune parameters, gene expression responses, and ammonia resistance of Nile tilapia (*Oreochromis niloticus*). *Fish and Shellfish Immunology.* (93): 694-701
- Yin, J., J. Li, H. Li, W. Liu & D. Wang. 2015. Experimental study on the bubble generation characteristics for an venturi type bubble generator. *International J. Of Heat and Mass Transfer.* 91: 218-224.
- Yue, G.H., H.R. Lin & J.L. Li. 2016. Tilapia is the Fish for Next - Generation Aquaculture. *Int J Marine Sci Ocean Technol.* 3(1): 11-13.
- Zeiton, M.M., K.E.D.M. El-Azraq, M.A. Zaki, B.R. Nemat-Allah & E.S.E. Mehana. 2016. Effects of ammonia toxicity on growth performance, cortisol, glucose and hematological response of Nile Tilapia (*Oreochromis niloticus*). *Aceh Journal of Animal Science* 1(1): 21-28.



UNIVERSITAS
GADJAH MADA

PENINGKATAN DAYA DUKUNG BUDIDAYA NILA MERAH (*Oreochromis sp.*) MENGGUNAKAN
TEKNOLOGI MICROBUBBLE
DALAM SISTEM RESIRKULASI
ENY HERIYATI, Prof. Dr. Ir. Rustadi, M.Sc.; Dr. Ir. Alim Isnansetyo, M.Sc.; Dr. Ir. Bambang Triyatmo, M.P.
Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhu, M., W. Zhao, L. Jia, J. Lu, T. Qiao & Q. Qu. 2009. "The oldest articulated osteichthyan reveals mosaic gnathostome characters". *Nature*. 458 (7237): 469-474.

Zimmerman, W.B., V. Tesař & H.C.H Bandulasena. 2011. Towards energy efficient nanobubble generation with fluidic oscillation. *Current Opinion in Colloid & Interface Science*. 16: 350-356.