

- Adityosulindro, S. (2017). Activation of homogeneous and heterogeneous Fenton processes by ultrasound and ultraviolet/visible irradiations for the removal of ibuprofen in water. Thesis: Institut National Polytechnique de Toulouse.
- Ahmed, M. J., & Theydan, S. K. (2014). Fluoroquinolones antibiotics adsorption onto microporous activated carbon from lignocellulosic biomass by microwave pyrolysis. *Journal of the Taiwan Institute of Chemical Engineers*, 45(1), 219–226. <https://doi.org/10.1016/j.jtice.2013.05.014>
- Akhtar, J., Amin, N. A. S., & Shahzad, K. (2016). A review on removal of pharmaceuticals from water by adsorption. *Desalination and Water Treatment*, 57(27), 12842–12860. <https://doi.org/10.1080/19443994.2015.1051121>
- Aleksić, S., Gotvajn, A. Ž., Premzl, K., Kolar, M., & Turk, S. Š. (2021). Ozonation of amoxicillin and ciprofloxacin in model hospital wastewater to increase biotreatability. *Antibiotics*, 10(11). <https://doi.org/10.3390/antibiotics10111407>
- Amelia, S., Sediawan, W. B., Prasetyo, I., Munoz, M., & Ariyanto, T. (2019). Role of the pore structure of Fe/C catalysts on heterogeneous Fenton oxidation. *Journal of Environmental Chemical Engineering*, 8(1), 102921. <https://doi.org/10.1016/j.jece.2019.102921>
- Amelia, S., Sediawan, W. B., Prasetyo, I., Munoz, M., & Ariyanto, T. (2020). Role of the pore structure of Fe/C catalysts on heterogeneous Fenton oxidation. *Journal of Environmental Chemical Engineering*, 8(1), 102921. <https://doi.org/10.1016/j.jece.2019.102921>
- Ariyanto, T., Sarwendah, R. A. G., Amimmal, Y. M. N., Laksmana, W. T., & Prasetyo, I. (2019). Modifying nanoporous carbon through hydrogen peroxide oxidation for removal of metronidazole antibiotics from simulated wastewater. *Processes*, 7(11), 1–9. <https://doi.org/10.3390/pr7110835>
- Arya, V., & Philip, L. (2016). Adsorption of pharmaceuticals in water using Fe₃O₄ coated polymer clay composite. In *Microporous and Mesoporous Materials* (Vol. 232, pp. 273–280). <https://doi.org/10.1016/j.micromeso.2016.06.033>
- Astuti, W. (2018). Adsorpsi Menggunakan Material Berbasis Lignoselulosa. In *Unnes Press*. Unnes Press.
- Bansal, R. C., & Goyal, M. (2005). Activated Carbon Adsorption. In *Chromatographia* (Vol. 3, Issue 1). CRC Press, Taylor & Francis Group.

- Beltrán, F. J. (2004). Ozone Reaction Kinetics for Water and Wastewater Systems. In *Lewis Publisher* (Vol. 53, Issue 9).
<https://doi.org/10.1017/CBO9781107415324.004>
- Bobu, M., Yediler, A., Siminiceanu, I., & Schulte-Hostede, S. (2008). Degradation studies of ciprofloxacin on a pillared iron catalyst. *Applied Catalysis B: Environmental*, 83(1–2), 15–23. <https://doi.org/10.1016/j.apcatb.2008.01.029>
- Boomer, T. (2007). Quinolone Antibiotics Toxicity. In *The Flox Report* (Vol. 10, Issue 10). <https://doi.org/10.1039/c9md00120d>
- Carabineiro, S. A. C., Thavorn-Amornsri, T., Pereira, M. F. R., Serp, P., & Figueiredo, J. L. (2012). Comparison between activated carbon, carbon xerogel and carbon nanotubes for the adsorption of the antibiotic ciprofloxacin. *Catalysis Today*, 186(1), 29–34. <https://doi.org/10.1016/j.cattod.2011.08.020>
- Christofilopoulos, S., Kaliakatsos, A., Triantafyllou, K., Gounaki, I., Venieri, D., & Kalogerakis, N. (2019). Evaluation of a constructed wetland for wastewater treatment: Addressing emerging organic contaminants and antibiotic resistant bacteria. *New Biotechnology*, 52(May), 94–103.
<https://doi.org/10.1016/j.nbt.2019.05.006>
- Danarto, Y. (2007). Kinetika Adsorpsi Logam Berat Cr(VI) dengan Adsorben Pasir yang Dilapisi Besi Oksida. *EKUILIBRIUM*, 6(2), 65–77.
- de Oliveira Carvalho, C., Costa Rodrigues, D. L., Lima, É. C., Santanna Umpierres, C., Caicedo Chaguezac, D. F., & Machado Machado, F. (2019). Kinetic, equilibrium, and thermodynamic studies on the adsorption of ciprofloxacin by activated carbon produced from Jerivá (*Syagrus romanzoffiana*). *Environmental Science and Pollution Research*, 26(5), 4690–4702. <https://doi.org/10.1007/s11356-018-3954-2>
- De Witte, B., Dewulf, J., Demeestere, K., & Van Langenhove, H. (2009). Ozonation and advanced oxidation by the peroxone process of ciprofloxacin in water. *Journal of Hazardous Materials*, 161(2–3), 701–708.
<https://doi.org/10.1016/j.jhazmat.2008.04.021>
- Dewitte, B., Dewulf, J., Demeestere, K., Van De Vyvere, V., De Wispelaere, P., & Van Langenhove, H. (2008). Ozonation of ciprofloxacin in water: HRMS identification of reaction products and pathways. *Environmental Science and Technology*, 42(13), 4889–4895. <https://doi.org/10.1021/es8000689>
- Do, D. D. (1998). *Adsorption Analysis: Equilibria and Kinetics* (Vol. 2). Imperial

- Do, M. T., & Stuckey, D. C. (2019). Fate and removal of Ciprofloxacin in an anaerobic membrane bioreactor (AnMBR). *Bioresource Technology*, 289(June), 121683. <https://doi.org/10.1016/j.biortech.2019.121683>
- Donohue, M. D., & Aranovich, G. L. (1998). Classification of Gibbs adsorption isotherms. *Advances in Colloid and Interface Science*, 76–77(July 1998), 137–152. [https://doi.org/10.1016/S0001-8686\(98\)00044-X](https://doi.org/10.1016/S0001-8686(98)00044-X)
- Dsikowitzky, L., Sträter, M., Dwiyitno, Ariyani, F., Irianto, H. E., & Schwarzbauer, J. (2016). First comprehensive screening of lipophilic organic contaminants in surface waters of the megacity Jakarta, Indonesia. *Marine Pollution Bulletin*, 110(2), 654–664. <https://doi.org/10.1016/j.marpolbul.2016.02.019>
- Epold, I. (2015). Degradation of Pharmaceuticals by Advanced Oxidation Technologies in Aqueous Matrices. Thesis: Tallinn University of Technology.
- Fisli, A., Safitri, R. D., Nurhasni, N., & Deswita, D. (2018). Analisis Struktur dan Porositas Komposit Fe₃O₄-Karbon Aktif Dari Limbah Kertas Sebagai Adsorben magnetik. *Jurnal Sains Materi Indonesia*, 19(4), 179. <https://doi.org/10.17146/jsmi.2018.19.4.4886>
- González-Labrada, K., Richard, R., Andriantsiferana, C., Valdés, H., Jáuregui-Haza, U. J., & Manero, M. H. (2020). Enhancement of ciprofloxacin degradation in aqueous system by heterogeneous catalytic ozonation. *Environmental Science and Pollution Research*, 27(2), 1246–1255. <https://doi.org/10.1007/s11356-018-3559-9>
- Gu, C., & Karthikeyan, K. G. (2005). Sorption of the Antimicrobial Ciprofloxacin To Aluminum and Iron Hydrous Oxides. *Environmental Science & Technology*, 39(23), 9166–9173. <https://doi.org/10.1021/es051109f>
- Gu, Z., & Deng, B. (2007). Use of iron-containing mesoporous carbon (IMC) for arsenic removal from drinking water. *Environmental Engineering Science*, 24(1), 113–121. <https://doi.org/10.1089/ees.2007.24.113>
- Hassani, A., Karaca, M., Karaca, S., Khataee, A., Açışlı, Ö., & Yılmaz, B. (2018). Preparation of magnetite nanoparticles by high-energy planetary ball mill and its application for ciprofloxacin degradation through heterogeneous Fenton process. *Journal of Environmental Management*, 211, 53–62. <https://doi.org/10.1016/j.jenvman.2018.01.014>
- Hoekstra, J., Beale, A. M., Soulimani, F., Versluijs-Helder, M., Geus, J. W., & Jenneken, L. W. (2015). Base metal catalyzed graphitization of cellulose: A

- combined Raman spectroscopy, temperature-dependent X-ray diffraction and high-resolution transmission electron microscopy study. *Journal of Physical Chemistry C*, 119(19), 10653–10661. <https://doi.org/10.1021/acs.jpcc.5b00477>
- Jalil, M. E. R., Baschini, M., & Sapag, K. (2017). Removal of ciprofloxacin from aqueous solutions using pillared clays. *Materials*, 10(12), 17–19. <https://doi.org/10.3390/ma10121345>
- Javid, N., Honarmandrad, Z., & Malakootian, M. (2020). Ciprofloxacin removal from aqueous solutions by ozonation with calcium peroxide. *Desalination and Water Treatment*, 174, 178–185. <https://doi.org/10.5004/dwt.2020.24855>
- Jiang, C., Zhang, X., Xu, X., & Wang, L. (2016). Magnetic mesoporous carbon material with strong ciprofloxacin adsorption removal property fabricated through the calcination of mixed valence Fe based metal-organic framework. *Journal of Porous Materials*, 23(5), 1297–1304. <https://doi.org/10.1007/s10934-016-0188-x>
- Jin, X., Wu, X., Zhang, Z., Huang, Z., Liu, Y., Fang, M., & Min, X. (2018). Preparation of carbon-coated Fe₃O₄ porous particles and their adsorption properties of iron (III) ion. *Water Science and Technology: Water Supply*, 18(1), 306–317. <https://doi.org/10.2166/ws.2017.082>
- Kakunuri, M., Kali, S., & Sharma, C. S. (2016). Catalytic graphitization of resorcinol-formaldehyde xerogel and its effect on lithium ion intercalation. *Journal of Analytical and Applied Pyrolysis*, 117, 317–324. <https://doi.org/10.1016/j.jaap.2015.10.017>
- Khader, E. H., Mohammed, T. J., Mirghaffari, N., Salman, A. D., Juzsakova, T., & Abdullah, T. A. (2021). Removal of organic pollutants from produced water by batch adsorption treatment. *Clean Technologies and Environmental Policy*, 0123456789. <https://doi.org/10.1007/s10098-021-02159-z>
- Kline, J. M., Wietholter, J. P., Kline, V. T., & Confer, J. (2012). Pediatric antibiotic use: A focused review of fluoroquinolones and tetracyclines. *U.S. Pharmacist*, 37(8), 4.
- Koagouw, W., Arifin, Z., Olivier, G. W. J., & Ciocan, C. (2021). High concentrations of paracetamol in effluent dominated waters of Jakarta Bay, Indonesia. *Marine Pollution Bulletin*, 169(June), 112558. <https://doi.org/10.1016/j.marpolbul.2021.112558>
- Kurniawan, I., Mariadi, P. D., & Huda, A. (2019). Hubungan Tingkat Penggunaan Antibiotik di Rumah Sakit dengan Potensi Cemaran Antibiotik di Perairan Umum. *Prosiding Seminar Nasional II Hasil Litbangyasa Industri*, 165–173.

- Le, T.-H., & Yoon, H. (2019). Strategies for fabricating versatile carbon nanomaterials from polymer precursors. *Carbon*, *152*, 796–817.
<https://doi.org/10.1016/j.carbon.2019.06.053>
- Li, X., Wang, W., Dou, J., Gao, J., Chen, S., Quan, X., & Zhao, H. (2016). Dynamic adsorption of ciprofloxacin on carbon nanofibers: Quantitative measurement by in situ fluorescence. *Journal of Water Process Engineering*, *9*, e14–e20.
<https://doi.org/10.1016/j.jwpe.2014.12.006>
- Lu, D., Xu, S., Qiu, W., Sun, Y., Liu, X., Yang, J., & Ma, J. (2020). Adsorption and desorption behaviors of antibiotic ciprofloxacin on functionalized spherical MCM-41 for water treatment. *Journal of Cleaner Production*, *264*, 121644.
<https://doi.org/10.1016/j.jclepro.2020.121644>
- Luo, L., Zou, D., Lu, D., Xin, B., Zhou, M., Zhai, X., & Ma, J. (2018). Heterogeneous catalytic ozonation of ciprofloxacin in aqueous solution using a manganese-modified silicate ore. *RSC Advances*, *8*(58), 33534–33541.
<https://doi.org/10.1039/C8RA06880A>
- Maitra, J., & Shukla, V. K. (2014). Cross-linking in Hydrogels - A Review. *American Journal of Polymer Science*, *4*(2), 25–31.
<https://doi.org/10.5923/j.ajps.20140402.01>
- Mao, H., Wang, S., Lin, J. Y., Wang, Z., & Ren, J. (2016). Modification of a magnetic carbon composite for ciprofloxacin adsorption. In *Journal of Environmental Sciences (China)* (Vol. 49, pp. 179–188). <https://doi.org/10.1016/j.jes.2016.05.048>
- McEnaney, B. (1999). Carbon Materials for Advanced Technologies. In T. D. Burchell (Ed.), *Pergamon*. Elsevier. <https://doi.org/10.1016/b978-0-08-042683-9.50018-2>
- Mondal, S. K., Saha, A. K., & Sinha, A. (2018). Removal of ciprofloxacin using modified advanced oxidation processes: Kinetics, pathways and process optimization. *Journal of Cleaner Production*, *171*, 1203–1214.
<https://doi.org/10.1016/j.jclepro.2017.10.091>
- Navalon, S., Dhakshinamoorthy, A., Alvaro, M., & Garcia, H. (2011). Heterogeneous Fenton catalysts based on activated carbon and related materials. *ChemSusChem*, *4*(12), 1712–1730. <https://doi.org/10.1002/cssc.201100216>
- Neu, H. C., & Reeves, D. S. (2014). Ciprofloxacin Microbiology - Pharmacokinetics - Clinical Experience. In H. C. Neu & D. S. Reeves (Eds.), *Paper Knowledge . Toward a Media History of Documents*. Springer Fachmedien Wiesbaden GmbH.
- Onggo, H., Subowo, W., & Sudirman. (2005). Analisis Sifat Termal Komposit

- Prasetyo, I., Akbar, F., Prabandari, A. W., & Ariyanto, T. (2019). Fenton Oxidation using Easily Recoverable Catalyst (Fe₃O₄) as Efficient Approach to Treat Dyeing Effluent in Traditional Industry. *ASEAN Journal on Science and Technology for Development*, 36(3), 103–108. <https://doi.org/10.29037/ajstd.592>
- Prasetyo, I., Rochmadi, Ariyanto, T., & Yunanto, R. (2013). Simple method to produce nanoporous carbon for various applications by pyrolysis of specially synthesized phenolic resin. *Indonesian Journal of Chemistry*, 13(2), 95–100. <https://doi.org/10.22146/ijc.21290>
- Prasetyo, I., Rochmadi, Wahyono, E., & Ariyanto, T. (2017). Controlling synthesis of polymer-derived carbon molecular sieve and its performance for CO₂/CH₄ separation. *Engineering Journal*, 21(4), 83–94. <https://doi.org/10.4186/ej.2017.21.4.83>
- Raini, M. (2016). Fluoroquinolones Antibiotics: Benefit and Side Effects. *Pusat Penelitian Dan Pengembangan Biomedis Dan Teknologi Dasar Kesehatan, Badan Litbangkes, Kemenkes RI*, 26(3), 163–174.
- Rekhate, C. V., & Srivastava, J. K. (2020). Recent advances in ozone-based advanced oxidation processes for treatment of wastewater- A review. *Chemical Engineering Journal Advances*, 3, 100031. <https://doi.org/10.1016/j.ceja.2020.100031>
- Ren, N., Wang, C., Wei, W., Li, J., Yue, X., & Qin, G. (2020). Ciprofloxacin adsorption on a mesoporous carbon prepared by a dual-template route. *Desalination and Water Treatment*, 192, 241–247. <https://doi.org/10.5004/dwt.2020.25760>
- Ristiawan, A., & Syafila, M. (2015). Kinetika Degradasi Lignin Dari Limbah Cair Industri Pulp and Paper Menggunakan Advanced Oxidation Process (Aop) Dengan Kombinasi Ozon Dan Hidrogen Peroksida. *Jurnal Teknik Lingkungan*, 21(1), 48–56. <https://doi.org/10.5614/jtl.2015.21.1.6>
- Saeid, S., Tolvanen, P., Kumar, N., Eränen, K., Peltonen, J., Peurla, M., Mikkola, J. P., Franz, A., & Salmi, T. (2018). Advanced oxidation process for the removal of ibuprofen from aqueous solution: A non-catalytic and catalytic ozonation study in a semi-batch reactor. *Applied Catalysis B: Environmental*, 230(February), 77–90. <https://doi.org/10.1016/j.apcatb.2018.02.021>
- Salari, M., Rakhshandehroo, G. R., & Nikoo, M. R. (2018). Degradation of ciprofloxacin antibiotic by Homogeneous Fenton oxidation: Hybrid AHP-PROMETHEE method, optimization, biodegradability improvement and

<https://doi.org/10.1016/j.chemosphere.2018.04.086>

- Santos, L. H. M. L. M., Gros, M., Rodriguez-Mozaz, S., Delerue-Matos, C., Pena, A., Barceló, D., & Montenegro, M. C. B. S. M. (2013). Contribution of hospital effluents to the load of pharmaceuticals in urban wastewaters: Identification of ecologically relevant pharmaceuticals. *Science of the Total Environment*, 461–462, 302–316. <https://doi.org/10.1016/j.scitotenv.2013.04.077>
- Sharma, P. C., Jain, A., Jain, S., Pahwa, R., & Yar, M. S. (2010). Ciprofloxacin: Review on developments in synthetic, analytical, and medicinal aspects. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 25(4), 577–589. <https://doi.org/10.3109/14756360903373350>
- Sui, M., Xing, S., Sheng, L., Huang, S., & Guo, H. (2012). Heterogeneous catalytic ozonation of ciprofloxacin in water with carbon nanotube supported manganese oxides as catalyst. In *Journal of Hazardous Materials* (Vols. 227–228, pp. 227–236). <https://doi.org/10.1016/j.jhazmat.2012.05.039>
- Susilowati, Munandar, S., & Edahwati, L. (2013). Pemanfaatan Lignin dari Limbah Kulit Buah Kakao Menjadi Perekat. *Jurnal Teknik Kimia*, 8(1), 22–26. <https://doi.org/https://doi.org/10.33536/jcpe.v2i2.164>
- Syakti, A. D., Ahmed, M. M., Hidayati, N. V., Hilmi, E., Sulystyo, I., Piram, A., & Doumenq, P. (2013). Screening of Emerging Pollutants in the Mangrove of Segara Anakan Nature Reserve, Indonesia. *IERI Procedia*, 5, 216–222. <https://doi.org/10.1016/j.ieri.2013.11.095>
- Tang, Y., Chen, Q., Li, W., Xie, X., Zhang, W., Zhang, X., Chai, H., & Huang, Y. (2020). Engineering magnetic N-doped porous carbon with super-high ciprofloxacin adsorption capacity and wide pH adaptability. *Journal of Hazardous Materials*, 388(October 2019), 122059. <https://doi.org/10.1016/j.jhazmat.2020.122059>
- Telaumbanua, J. P. (2017). *Penggunaan Fly Ash dan Bottom Ash Boiler Pabrik Kelapa Sawit Sebagai Adsorben untuk Mengadsorpsi Zat Warna pada Limbah Cair Buatan* (Vol. 7).
- Trapido, M., Veressinina, Y., Munter, R., & Kallas, J. (2005). Catalytic ozonation of m-dinitrobenzene. *Ozone: Science and Engineering*, 27(5), 359–363. <https://doi.org/10.1080/01919510500250630>
- Tshikovhi, A., B. Mishra, S., & K. Mishra, A. (2020). Nanocellulose-based composites

- for the removal of contaminants from wastewater. In *International Journal of Biological Macromolecules* (Vol. 152). Elsevier B.V.
<https://doi.org/10.1016/j.ijbiomac.2020.02.221>
- Tu, Y. J., Premachandra, G. S., Boyd, S. A., Sallach, J. B., Li, H., Teppen, B. J., & Johnston, C. T. (2021). Synthesis and evaluation of Fe₃O₄-impregnated activated carbon for dioxin removal. *Chemosphere*, 263, 128263.
<https://doi.org/10.1016/j.chemosphere.2020.128263>
- Wang, J., & Chen, H. (2020). Catalytic ozonation for water and wastewater treatment: Recent advances and perspective. *Science of the Total Environment*, 704, 135249.
<https://doi.org/10.1016/j.scitotenv.2019.135249>
- Wang, Y. X., Ngo, H. H., & Guo, W. S. (2015). Preparation of a specific bamboo based activated carbon and its application for ciprofloxacin removal. In *Science of the Total Environment* (Vol. 533, pp. 32–39).
<https://doi.org/10.1016/j.scitotenv.2015.06.087>
- Wardani, R. K., Dahlan, K., Wahyudi, S. T., & Sukaryo, S. G. (2019). Synthesis and characterization of nanoparticle magnetite for biomedical application. *AIP Conference Proceedings*, 2194(December). <https://doi.org/10.1063/1.5139869>
- Wu, Yanyu, Zhou, S., Qin, F., Zheng, K., & Ye, X. (2010). Modeling the oxidation kinetics of Fenton's process on the degradation of humic acid. *Journal of Hazardous Materials*, 179(1–3), 533–539.
<https://doi.org/10.1016/j.jhazmat.2010.03.036>
- Wu, Ying, Tang, Y., Li, L., Liu, P., Li, X., Chen, W., & Xue, Y. (2018). The Correlation of Adsorption Behavior between Ciprofloxacin Hydrochloride and the Active Sites of Fe-doped MCM-41. *Frontiers in Chemistry*, 6(February), 1–11.
<https://doi.org/10.3389/fchem.2018.00017>
- Yap, H. C., Pang, Y. L., Lim, S., Chong, W. C., Shak, K. P. Y., & Wong, K. H. (2018). Influence of calcination temperature on the characteristic and sonophotocatalytic activities of Fe-doped TiO₂ particles. *AIP Conference Proceedings*, 2031(November), 0–6. <https://doi.org/10.1063/1.5066958>
- Zazo, J. A., Pliego, G., Blasco, S., Casas, J. A., & Rodriguez, J. J. (2011). Intensification of the Fenton process by increasing the temperature. *Industrial and Engineering Chemistry Research*, 50(2), 866–870.
<https://doi.org/10.1021/ie101963k>
- Zhang, C. L., Qiao, G. L., Zhao, F., & Wang, Y. (2011). Thermodynamic and kinetic



UNIVERSITAS
GADJAH MADA

**ADSORPSI DAN DEGRADASI CIPROFLOXACIN PADA AIR LIMBAH SIMULASI DENGAN PROSES
KOMBINASI FENTON
HETEROGEN DAN OZONASI KATALITIK**

AULIA SEPTIANI MUTIA, Ir. Imam Prasetyo, M.Eng., Ph.D. ; Dr.-Ing. Ir. Teguh Ariyanto, S.T., M.Eng., IPM.

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>
parameters of ciprofloxacin adsorption onto modified coal fly ash from aqueous

solution. *Journal of Molecular Liquids*, 163(1), 53–56.

<https://doi.org/10.1016/j.molliq.2011.07.005>