DAFTAR PUSTAKA

Abdullah, N. M. M., J. Singh & B. S. Sohal. 2006. Behavioral hormoligosis in oviposition preference of *bemisia tabaci* on cotton. Pesticide Biochemistry and Physiology, 84(1), 10–16.

Acero, L. H. 2014. Dried Siam weed (*Chromolaena odorata*) as rice weevils (*Sitophilus oryza*) eradicant. International Journal of Chemical Engineering and Application 5 (5): 363 – 366.

Agarwala, B. K. & H. Yasuda. 2001. Overlapping oviposition and chemical defense of eggs in two co-occurring species of ladybird predators aphids. Journal of Ethology 19: 47 – 53.

Ahmad, M., H. R. Oßiewatsch & T. Basedow. 2003. Effects of neem-treated aphids as food/hosts on their predators and parasitoids. Journal of Applied Entomology, 127(8), 458–464.

Ahmed, N., M. Alam, M. Saeed, H. Ullah, T. Iqbal. K. A. Al-Mutairi, K. Shahjeer, R. Ullah, S. Ahmed, N. A. A. H. Ahmed, H. F. Khater & M. Salman. 2021. Botanical insectiscides are a non-toxic alternative to conventional pesticides in the control of insects and pests. In H. El-Shafie. Global Decline of Insects, IntechOpen.

Amoebeng, B. W., G. M. Gurr, C. W. Gitau, H. I. Nicol & L. Munyakazi. 2013. Tri-trophic insecticidal effects of african plants against cabbage pests. PloS ONE 8.

Anonim. 2006. Siam Weed Declared No. 1. Natural Resources, Mines, and Water. Pesr Series, Queensland.

Apriliyanto, E. & Rr. M. P. Ariabawani. 2017. Uji keefektifan ekstrak gulma Siam (*Chromolaena odorata*) terhadap mortalitas dan perkembangan kutudaun (*Aphis craccivora*) tanaman kacang panjang. Agritech 19 (1): 35 – 44.

Bibi, R., M. Ahmad, A. Gulzar & M. Tariq. 2021. Effect of profenofos and citrus oil on *Cryptolaemus montrouzaeri* Mulsant and *Chrysoperla carnea* Stephens, key predators of citrus mealybug, *Planococcus citri* (Risso), under laboratory conditions. International Journal of tropical Insect Science.

Biller, A. Boppre, M. Witte, L. & Hartmann, T. 1994. Pyrrolizidine alkaloids in *Chromolaena odorata*. Chemical and chemoecolo-gical aspects. *Phytochemistry*. 35: 615–619.

Blackman, R. L. & V. F. Eastop. 2000. Aphids on the World's Crops: An Identification and Information Guide, 2nd ed. John Wiley and Sons, London.

Brault, V., M. Uzest, B. Monsion, E. Jacquot & S. Blanc. 2010. Aphids ad transport devices for plant viruses. Comptes Rendus Biologies 333: 524 – 538.

Chhabra, K. S., B. S. Kooner, M. S. Mahal & A. S. Gill. 1983. The black aphid, *Aphis craccivora* Koch on pulses in Punjab. Ed. Bebura, B. K. The Aphids.Utkal University, Bhubaneswar, 251 – 258.

Couto, I. F. S., S. V. da Silva, F. I. Valente, B. S. de Araújo, S. A. de Souza, M. Mauad, S. de P. Q. Scalon & R. M. Mussury. 2019. Botanical extracts of the Brazilian savannah affect feeding and oviposition of *Plutella xylostella* (Linnaeus, 1758) (Lepidoptera: Plutellidae). Journal of Agricultural Science, 11(5), 322.

Darsono, S.. 1991. Biologi dan perkembangan *Aphis craccivora* Koch (Homoptera: Aphididae) pada tanaman kacang panjang (*Vigna sinensis* L.). Skripsi. Fakultas Pertanian, Institut Pertanian Bogor, Bogor.

Davis, G. K.. 2012. Cyclical parthenogenesis and viviparity in aphids as evolutionary novelties. Journal of Exp. Zool. 318: 448 – 459.

Edirisinghe, J. P. & M. A. P. Wijerathna. 2006. Current status of aphid taxonomy in Sri Lanka. Ed. Bambaradeniya, C. N. B.. The Fauna of Sri Lanka: Status of taxonomy Research and Conservation. World Conservation Union (IUCN), Colombo, Sri Lanka, 35 – 42.

Ezena, G. N., C. Akotaen-Mensah & K. O. Fening. 2016. Exploiting the insecticidal potential of the invasive Siam weed, *Chromolaena odorata* L. (Asteraceae) in management of the major pests of cabbage and their natural enemies in Southern Ghana. Adv. Crop. Sci. Tech 4 (4); 1 – 6.

Hadi M. 2008. Pembuatan kertas anti rayap ramah lingkungan dengan memanfaatkan ekstrak daun Gulma Siam *(Eupatorium odoratum)*. *BIOMA*. Vol. 6(2).

Harborne, J.B. 1999. *Classes and functions of secondary products from plants, dalam: N.J. Walton dan D.E. Brown. Chemicals from Plants, Perspectives on Plant Secondary Products,* Imperial College Press, London

Hodek, I. & A. Honek. 1996. Ecology of Coccinelidae. Kluwer Acad, Boston.

Ileke, K. D. & I. O. Olabimi. 2019. Insecticidal activities of *Chromolaena odorata* and *Vernonia amygdalina* leaf extract against *Anopheles gambiae* (Diptera: Culicidae). International Journal of Tropical Diseases 2 (1): 1 – 7.

Jagadish, K. S., M. Jayaramaiah & B. Shivayogeshwara. 2010. Bioefficacy of three promising predators on *Myzus nicotianae* Blackman (Homoptera: aphididae). J. Biopesticides 3: 62 – 67.

Johan. 2011. Kelimpahan hama dan musuh alami serta pengaruh perlakuan insektisida pada tanaman kacang panjang (*Vigna sinensis* L.) fase generatif. Skripsi. Fakultas Pertanian, Institut Pertanian Bogor, Bogor.

Lawal, O. A., A. R. Opoku & I. A. Ogunwande. 2015. Phytoconstituents and insecticidal activity of different solvent leaf extracts of *Chromolaena odorata* L., against *Sitophilus zeamais* (Coleoptera: Curculionidae). European Journal of Medical Plants 5 (3): 237 – 247.

Mari, J. M., S. M. Nizamani, M. K. Lohar & R. D. Khuhr. 2004. Biology of *Menochilus sexmaculatus* Fab. and *Coccinella septempunctata* L. (Coccinelidae: Coleoptera) on alfalfa aphid *Therioaphis trifolii* Monell. J. Asia-Pacific Entomol. 7 (3): 297 – 301.

Marianah, L. 2016. Membuat Pestisida Nabati. http://www.bppjambi.info/newspopup.asp?id=708. Diakses pada 10 Juni 2020.

Miles, P. W. 1987. Feeding process of Aphidoidea in relation of effects on their food plants. Ed. Minks, A. K. & P. Harrewijn. World Crop Pests. Volume 2A. Aphids: Their Biology, Natural Enemies, and Control. Elsevier Science, Amsterdam.

Moon, D. C., A. M. Rossi & P. Stiling. 2000. The effects of abiotically induced changes in host plant quality (and morphology) on a salt marsh planthopper and its parasitoid. Ecological Entomology 25: 325 - 331.

Nomark, B. B. & L. R. Kinderdal. 2009. Parthenogenesis. Ed. Resh, V. H. & R. T. Carde, Encyclopedia of Insects 2nd ed. Academic Press, Amsterdam.

Omkar & R. B. Bind. 1998. Prey preference of a ladybird beetle *Cheilomenes (= Menochilus) sexmaculata* (Fabr.). J. Aphidol. 12: 63 – 66.

Pandith, H., X. Zhang, J. Liggett, K. W. Min, W. Gritsanapan, & S. J. Baek. 2013. Hemostatic and wound healing properties of *Chromolaena odorat*a leaf extract. ISRN Dermatology , 1–8.

Prawiradiputra, B. R. 2007. Kirinyuh (*Chromolaena odorata* (L) R. M. King dan H. Robinson): Gulma padang rumput yang merugikan. Wartazoa 17 (1): 46 – 52.

Prawiradiputra, B. R., S. Hardjosoewignyo & S. Tjitrosoedirdjo. 1986. The effect of weed control on the vegetational composition of natural pasture land in Jonggol West Java. Proc. 8th Indonesia Sci. Conf.: 103 – 108.

Price, P.W. 1992. Plant resources as the mechanistic basis for insect herbivore population dynamics. Pages 139-173 In M. D. Hunter, T. Ohgushi, and P. W. Price, editors. Effects of resource distribution on animal-plant interactions. Academic Press.

Rachmalia, P. K. 2013. Potensi pemangsaan *Menochilus sexmaculatus* F. (Coleoptera: Coccinelidae) terhadap *Aphis craccivora* Koch. (Hemiptera: Aphididae) pada kacang panjang. Skripsi. Fakultas Pertanian, Institut Pertanian Bogor, Bogor.

Radiyanto, I., S. Rahayuningtias & E. Widhiningtyas. 2011. Kemampuan pemangsaan *Menochilus sexmaculatus* F. (Coleoptera: Coccinelidae) terhadap *Rhopalosiphum maidis* Fitch (Homoptera: Aphididae). J. Entomol. 8 (1): 1- 7.

Rajmohan, D. & K. Logankumar. 2011. Studies on the insecticidal properties of *Chromolaena odorata* (Asteraceae) against life cycle of the mosquito, *Aedes aegypti* (Diptera: Culicidae). Journal of Research in Biology 4: 253 – 257.

Sasaji, H. 1971. Genus Menochilus Timberlake. Ed. Sasaji, H. Fauna Japonica Coccinelidae (Insecta: Coleoptera). Academic Press of Japan, Tokyo.

Silaban, F. J. Situmorang. 2013. Respons fungsional *Menochilus sexmaculatus* Fabricius dan *Verania lineata* Thunberg (Colepotera: Coccinelidae) terhadap wereng batang coklat *Nilaparvata lugens* (StÃ¥l.) (Homoptera: Delphacidae). Tesis. Fakultas Biologi, Universitas Gadjah Mada, Yogyakarta.

Simanjuntak, D., F. X. Wagiman & L. Prabaningrum. 2011. Pengendalian hayati afid pada tanaman cabai merah dengan *Menochilus sexmaculatus*. Jurnal Perlindungan Tanaman Indonesia 17 (2): 77 – 81.

Simmonds, M. S. J., J. D. Manlove, W. M. Blaney & B. P. S. Khumbay. 2002. Effects of selected botanical insecticides on the behaviour and mortality of the glasshouse whitefly *Trialeurodes vaporariorum* and the parasitoid *Encarsia formosa*. Entomologia Experimentalis et Applicata 102: 39 – 47.

Solangi, B. K., H. H. Muhammad & B. Naheed. 2005. Biological parameters and prey consumption by zigzag beetle *Menochilus sexmaculatus* fab, against

Rhopalosiphum maidis fitch, *Aphis gossypii* glov. and *Therioaphis trifolii* monell. Sarhad J. Agric. 23 (4): 1097 – 1101.

Sugiura, K. & H. Takada. 1998. Suitability of seven aphid species as prey of *Cheilomenes sexmaculatus* (Fabricius) (Coleoptera: Coccinelidae). Jpn. J. Appl. Entomol. Zool. 42: 7 – 14.

Suharjo, R. & T. N. Aeny. 2011. Eksplorasi potensi gulma Siam (*Chromolaena odorata*) sebagai biofungisida pengendali *Phytophthora palmivora* yang diisolasi dari buah kakao. J. HPT Tropika 11 (2): 201 – 209.

Sunarwidi. 1986, Aktifitas alang-alang (Imperata cylindrica) pada perkecambahan benih klaret, Buletin perkaretan Vol 3 (3) Hal: 74-77

Susetio, H. & S. H. Hidayat. 2014. Respons lima varietas kacang panjang terhadap *Bean common mosaic virus* (BCMV). Jurnal Fitopatologi Indonesia 10 (4): 112 – 118.

Swaminathan, R., H. Jat & T. Hussain. 2010. Side effects of a few botanicals on the aphidophagous coccinellids. Journal of Biopesticides, 3(1 SPEC.ISSUE), 81–84

Takahashi, N. 1981. Application of biologically natural products in agricultural fields. Ed. Wirahadikusumah, M. & A.S. Noer. *Proc. Regional Seminar on Recent Trend in Chemistry of Natural Product Research*. 110– 132.

Thamrin, M., S. Asikin & M. Willis. 2013. Tumbuhan kirinyu *Chromolaena odorata* (L) (Asteraceae: Asterales) sebagai insektisida nabati untuk mengendalikan ulat grayak *Spodoptera litura*. J. Litbang Pert. 32 (3): 112 – 121.

Turlings, T. C. J., S. Gouinguene, T. Degen, & M. E. Fritzsche-Hoballah. 2002. The chemical ecology of plant-caterpillar-parasitoid interactions. Pages 148-173 In T. Tscharntke and B. A. Hawkins, editors. Multitrophic level interactions. Cambridge.

Udebuani, A. C., P. C. Abara, K. O. Obasi & S. U. Okuh. 2015. Studies on the insecticidal properties of *Chromolaena odorata* (Asteraceae) against adult stage of *Periplaneta americana*. Journal of Entomology and Zoology Studies 3 (1): 318 – 321.

Yadav, A. S. & R. S. Tripathi. 1981. Population dynamic of the ruderal weed *Eupatorium odoratum* and its natural regulation. Oikos 36, Copenhagen.

Zachariades, C. M. Day, R. Muniappan & G . V. P. Reddy. 2009. *Chromolaena odorata* (L.) King and Robinson (Asteraceae). Ed. Muniappan, R. G., V. P. Reddy & A. Raman. Biological Control of Tropical Weeds using Arthropods. Cambridge University Press, Cambridge, UK. 130 – 162.