

DAFTAR PUSTAKA

- Allen NE, Appleby PN, Davey GK, Key TJ. Lifestyle and nutritional determinants of bioavailable androgens and related hormones in British men. *Cancer Causes Control*. 2002;13:353–63.
- Andersson, B., Marin, P., Lissner, L., Vermeulen, A., Bjorntorp, P, 1994. Testosterone concentrations in women and men with NIDDM. *Diabetes Care* 17, 405–41.
- Anderson, D.C, 1974) Sex-hormone-binding globulin. *Clin. Endocrinol*. 3, 69–96.
- Araujo AB, O'Donnell AB, Brambilla DJ, Simpson WB, Longcope C, Matsumoto AM *et al*. Prevalence and incidence of androgen deficiency in middle-aged and older men: estimates from the Massachusetts Male Aging Study. *J Clin Endocrinol Metab* 2004; **89**: 5920–5926.
- Aribas E, Kavousi M, Laven,J.S.E., Ikram, M.I., van Lennep, J.E.R, 2021. Aging, Cardiovascular Risk, and SHBG Levels in Men and Women From the General Population, *The Journal of Clinical Endocrinology & Metabolism*, Volume 106, Issue 10, October 2021, Pages 2890–2900, <https://doi.org/10.1210/clinem/dgab470>.
- Auffenberg, G.B., Pariser, J.J., dan Helfand, B.T, 2016. Normal Erectile Physiology, dalam McVary, K. T. and Kohler, T. S. (eds) *Contemporary Treatment of Erectile Dysfunction: A Clinical Guide*. 2nd Edition 2016. New York City: Humana Press, pp. 17–28.
- Avvakumov, G.V., Muller, Y.A., Hammond, G.L, 2000. Steroid-binding Specificity of Human Sex Hormone-Binding Globulin Is Influenced by Occupancy of a Zinc-Binding Site. *J Biol Chem*, Aug 25;275(34):25920–5. doi: 10.1074/jbc.M004484200.
- Avvakumov, G.V., Grishkovskaya, I., Muller, Y.A., Hammond, G.L, 2001. Resolution of the human sex hormone-binding globulin dimer interface and evidence for two steroid-binding sites per homodimer. *J Biol Chem* 276:34453– 34457.
- Basaria, S. Male hypogonadism. *The Lancet*. Elsevier Ltd 2013, 383(9924), pp. 1250–1263. doi: 10.1016/S0140-6736(13)61126-5.
- Bai Q., Xu Q.Q., Jiang H., Zhang W.L., Wang X.H, 2004. Prevalence and risk factors of erectile dysfunction in three cities of China: a community-based study. *Asian J Androl*; 6:343–8.
- Bashin, S., Jasjua, G.K., Pencina, M., D'Agostino, R., Coviello, A.D., Vasan, R.S., Travison, T.G, 2011. Sex Hormone-Binding Globulin, but Not Testosterone, Is Associated Prospectively and Independently With Incident Metabolic Syndrome in Men: The Framingham Heart Study. *Diabetes Care* Nov;34(11):2464–70. doi: 10.2337/dc11-0888.
- Bataille, V., Perret, B., Evans, A., 2005. Sex hormone-binding globulin is amajor determinant of the lipid profile: the PRIME study. *Atherosclerosis*;179:369–73.
- Bebb, R., Millar, A., Brock, G, 2018. Sexual Dysfunction and Hypogonadism in Men With Diabetes *Diabetes Canada Clinical Practice Guidelines Expert*

- Committee KEY MESSAGES REGARDING SEXUAL DYSFUNCTION IN MEN. *Can J Diabetes*, 42, pp. 228–233.
- Berube, D., Seralini, G. E., Gagne, R., Hammond, G. L., 1990. Localization of the human sex hormone-binding globulin gene (SHBG) to the short arm of chromosome 17 (17p12-p13). *Cytogenet Cell Genet* 54, 65-7.
- Bivalacqua, T.J., Usta M.F., Champion, H. C., Kadowitz P.J., Hellstrom W.J.G, 2013. Endothelial Dysfunction in Erectile Dysfunction: Role of the Endothelium in Erectile Physiology and Disease. *Journal of Andrology*, Vol. 24, issue S6.
- Bordin, S., Petra, P.H., 1980. Immunocytochemical localization of the sex steroid-binding protein of plasma in tissues of the adult monkey *Macaca nemestrina*. *Proc Natl Acad Sci U S A*. 1980 Oct; 77(10): 5678–5682. doi: 10.1073/pnas.77.10.5678.
- Brannian J.D., Long P., Kreger D.O., 1998. Is the free androgen index a useful clinical marker in male patients?. *S D J Med*. ;51(12):449-451.
- Braun, M., Wassmer, G., Klotz, T., Reifenrath, B., Mathers, M., Engelmann, U., 2000. Epidemiology of erectile dysfunction : results of the ` Cologne Male Survey, *International Journal of Impotence Research*, 12, pp. 305–311.
- Byoungjin Park & Yong-Jae Lee, 2018. Inverse association of testosterone and sex hormone binding globulin levels with leukocyte count in middle-aged and elderly men, *The Aging Male*, 21:3, 176-181, DOI: 10.1080/13685538.2018.1477934.
- Canoy, D., Barber, T. M., Pouta, A., Hartikainen, A. L., McCarthy, M. I., Franks, S., Järvelin, M. R., Tapanainen, J. S., Ruokonen, A., Huhtaniemi, I. T., & Martikainen, H., 2014. Serum sex hormone-binding globulin and testosterone in relation to cardiovascular disease risk factors in young men: a population-based study, *European Journal of Endocrinology*, 170(6), 863-872.
- Çayan, S., Kendirci, M., Yaman, Ö., Aşçı, R., Orhan, İ., Usta, M. F., Ekmekçioglu, O., Kadioğlu, A., 2017. Prevalence of erectile dysfunction in men over 40 years of age in Turkey: Results from the Turkish society of andrology male sexual health study group. *Turkish Journal Urology* 43(2), 122–129.
- Chawton, P.M., Shahnazari, M., Orwoll, E.S., Lane, N.E, 2016. Osteoporosis in Men: Findings From the Osteoporotic Fractures in Men Study (MrOS). *Ther Adv Musculoskelet Dis*. Feb;8(1):15-27. doi: 10.1177/1759720X15621227.
- Cheng, J.Y.W., Ng, E.M.L., Chen, R.Y.L., Ko, J.S.N, 2007. Prevalence of erectile dysfunction in Asian populations: A meta-analysis', *International Journal of Impotence Research*, . 19(3), pp. 229–244. doi: 10.1038/sj.ijir.3901517.
- Colangelo L.A., Ouyang P., Liu K., Kopp P., Golden S>H., Dobs A.S., Szklo M., Vaidya D. 2009. Association of Endogenous Sex Hormones With Diabetes and Impaired Fasting Glucose in Men: Multi-Ethnic Study of Atherosclerosis*. *Diabetes Care* 1 June 2009; 32 (6): 1049–1051. <https://doi.org/10.2337/dc08-2216>.
- Corona, G., Rastrelli, G., Ferri, S., Sforza, A., Maggi, M., 2017. Testosterone and Sexual Function. in Hohl, A. (ed.) *Testosterone: From Basic to Clinical Aspects*. Cham: Springer International Publishing, pp. 271–284. doi: 10.1007/978-3-319-46086-4.

- Corona, G., Giorda, C.B., Cucinotta, D., Guida, P., Nada, E., SUBITO-DE study group, 2013. The SUBITO-DE study: Sexual dysfunction in newly diagnosed Type 2 diabetes male patients. *J. Endocrinol. Invest*, 36: 864-868, 2013.
- Chen K.K., Chiang H.S., Jiann B.P., Lin J.S., Liu W.J., 2004. Prevalence of erectile dysfunction and impacts on sexual activity and self-reported intercourse satisfaction in men older than 40 years in Taiwan. *Int J Impot Res*.16:249–55.
- Cheng, J. Y. W., Chen, R. Y. L., Ko, J. S. N., 2007. Prevalence of erectile dysfunction in Asian populations: A meta-analysis. *Int J Impot Res*. 19(3):229-244.
- Chin C.M., Khin L.W., Quek P., Moorthy P., Lim P., 2002. Prevalence of erectile dysfunction in the ageing male population of Singapore: interim results of a nation-wide randomised survey. *BJU Int*.;90 Suppl 2:38.
- Cho B.L., Kim Y.S., Choi Y.S., Hong M.H., Seo H.G., 2003. Prevalence and risk factors for erectile dysfunction in primary care: results of a Korean study. *Int J Impot Res*;15:323–8
- Christensen, E.I., Nielsen, R., 2007. Role of megalin and cubilin in renal physiology and pathophysiology. *Rev Physiol Biochem Pharmacol* 158:1–22.
- Cousin, P., Dechaud, H., Grenot, C., Lejeune, H., Hammond, G. L., and Pugeat, M., 1999. Influence of glycosylation on the clearance of recombinant human sex hormone-binding globulin from rabbit blood. *J.Steroid Biochem.Mol.Biol*. 70, 115–121.
- Daabis R.G., Abdel Rehem R.N., Hassan M.M., Khalil G.I., 2016. Hypogonadism in patients with chronic obstructive pulmonary disease: relationship with airflow limitation, muscle weakness and systemic inflammation. *Alexandria Journal of Medicine: Volume 52, Issue 1, March 2016, Pages 27-33*.
- Daka, B., Rosen, T., Jansson, P. A., Larsson, C. A., Råstam, L., & Lindblad, U., 2013. Low sex hormone-binding globulin is associated with hypertension: a cross-sectional study in a Swedish population. *BMC cardiovascular disorders*, 13, 30. <https://doi.org/10.1186/1471-2261-13-30>.
- Das D.V., Saikia U.K., Sarma D., 2019. Sex Hormone Levels - Estradiol, Testosterone, and Sex Hormone Binding Globulin as a Risk Marker for Atherosclerotic Coronary Artery Disease in Post-menopausal Women. *Indian J Endocrinol Metab*. Jan-Feb;23(1):60-66. doi: 10.4103/ijem.IJEM_505_18.
- Dean, R.C., dan Lue, T.F., 2005. Physiology of Penile Erection and Pathophysiology of Erectile Dysfunction. *Urol Clin North Am*, 2005, 32, pp. 379–395. doi: 10.1016/j.ucl.2005.08.007.
- Ding, B.; Sun, R.; Zhai, X.; Lu, T.; Cheng, L.; Li, F.; Hu, Y.; Ma, J. 2019. Association of high circulating testosterone with increased glycemic variability in patients with type 2 diabetes: a cross-sectional study in China. *Diabetes/Metabolism Research and Reviews*, (), e3126–. doi:10.1002/dmrr.3126.
- Ding, E.L., Song, Y., Malik, V.S., Liu, S., 2006. Sex differences of endogenous sex hormones and risk of type 2 diabetes: a systematic review and meta-analysis. *JAMA* 295:1288 –1299.

- Donatucci CF, Lue TF . Erectile dysfunction in men under 40: etiology and treatment choice. *Int J Impot Res* 1993; **5**: 97–103.
- Dunn, J.F., Nisula, B.C., Rodbard, D., 1981. Transport of Steroid Hormones: Binding of 21 Endogenous Steroids to Both Testosterone-Binding Globulin and Corticosteroid-Binding Globulin in Human Plasma. *J Clin Endocrinol Metab*, Jul;53(1):58-68. doi: 10.1210/jcem-53-1-58.
- Elias A.N., Carreon G., Vaziri N.D., Pandian, M.R., Oveisi, F., 1992. The pituitary-gonadal axis in experimental nephrotic syndrome in male rats. *J Lab Clin Med*. 1992;120(6):949-954.
- English KM, Pugh PJ, Parry H, Scutt NE, Channer KS, Jones TH. Effect of cigarette smoking on levels of bioavailable testosterone in healthy men. *Clin Sci (Lond)* 2001;100:661–5
- Feldman, H.A., Goldstein, I., Hatzichristou, Krane, R.J., McKinlay, J.B., 1994. Impotence and its Medical and Pshycosocial Correlates: Result of The Massachusettes Male Aging Study’, *The Journal of Urology*, 1994. 151, pp. 54–61.
- Fissore, F., Fortunati, N., Comba, A., Fazzari, A., Gaidano, G., Berta, L., Frairia, R., 1994. The receptor-mediated action of sex steroid binding protein (SBP, SHBG): Accumulation of cAMP in MCF-7 cells under SBP and estradiol treatment. *Steroids*, Vol. 59, 11, p 661-667.
- Glass, A.R., Swerdloff R.S., Bray G.A., Dahms W.T., Atkinson R.L.1977. Low serum testosterone and sex-hormone-binding-globulin in massively obese men. *J. Clin. Endocrinol. Metab*. 45, 1211–1219.
- Grishkovskaya, I., Avvakumov, G.V., Sklenar, G., Dales, D., Hammond, G.L., Muller, Y.A. Crystal structure of human sex hormone-binding globulin: steroid transport by a laminin G-like domain. *EMBO J* 2000, 19:504–512.
- Grishkovskaya, I., Avvakumov, G.V., Catalano, M.G., Hammond, G.L., Muller, Y.A. Steroid Ligands Bind Human Sex Hormone-Binding Globulin in Specific Orientations and Produce Distinct Changes in Protein Conformation. *J Biol Chem*. 2002 Aug 30;277(35):32086-93.
- Grossmann, M. Utility and Limitations in Measuring Testosterone’, in Hohl, A. (ed.) *Testosterone: From Basic to Clinical Aspects*. Cham: Springer International Publishing, 2017, pp. 97–107. doi: 10.1007/978-3-319-46086-4.
- Hacihanefioglu B., Somunkiran A., Mahmutoglu I., Sercelik A., Toptani S., Kervancioglu E. Effect of hypertension therapy with the angiotensin-converting enzyme inhibitor lisinopril on hyperandrogenism in women with polycystic ovary syndrome. *Fertility and Sterility* 2002: Vol.77, No.3 : 526 - 528.
- Handelsman DJ, Sikaris K, Ly LP. Estimating age-specific trends in circulating testosterone and sex hormone-binding globulin in males and females across the lifespan. *Ann Clin Biochem*. 2016 May;53(Pt 3):377-84. doi: 10.1177/0004563215610589
- Hammes A, Andreassen TK, Spoelgen R, Raila J, Hubner N, Schulz H. Role of endocytosis in cellular uptake of sex steroids. *Cell*. 2005;122:751–762.

- Hammond GL. Plasma steroid-binding proteins: primary gatekeepers of steroid hormone action. *J Endocrinol*. 2016 Jul;230(1):R13-25. doi: 10.1530/JOE-16-0070. Epub 2016 Apr 25. PMID: 27113851; PMCID: PMC5064763.
- Hammond GL, Bocchinfuso WP. Sex hormone-binding globulin/ androgen-binding protein: steroid-binding and dimerization domains. *J Steroid Biochem Mol Biol* 53:543–552, 1995
- Hammond, G.L. Diverse roles for sex hormone-binding globulin in reproduction. *Biol Reprod* 2011, 85(3):431–441.
- Haring R, Trivison TG, Bhasin S, et al. Relation between sex hormone concentrations, peripheral arterial disease, and change in ankle-brachial index: findings from the Framingham Heart Study. *J Clin Endocrinol Metab*. 2011;96(12):3724-3732. doi:10.1210/jc.2011-1068
- Ho C.C.K., Singan P., Hong G.E., Zainuddin Z.M. Male sexual dysfunction in Asia. *Asian J Androl*. 2011 Jul; 13(4): 537–542.
- Ho CKM, Stoddart M, Walton M, Anderson RA, Beckett GJ. 2006. Calculated free testosterone in men: comparison of four equations and with free androgen index. *Ann Clin Biochem*; 43: 389–397
- Hryb, D.J., Nakhla, A.M., Kahn, S.M., St. George, J., Levy, N.C., Romas, N.A., Rosner, W. Sex Hormone-binding Globulin in the Human Prostate Is Locally Synthesized and May Act as an Autocrine/Paracrine Effector. *J Biological Chemistry*, 2002, 277, 26618-26622.
- Huang YP, Liu W, Chen SF, Liu YD, Chen B, Deng CH, Lu MJ. Free testosterone correlated with erectile dysfunction severity among young men with normal total testosterone. *Int J Impot Res*. 2019;31(2):132-138. doi:10.1038/s41443-018-0090-y
- Hu, J., Zhang, A., Yang, S., Wang, Y., Goswami, R., Zhou, H., Zhang, Y., Wang, Z., Li, R., Cheng, Q., Zhen, Q., Li, Q. Combined Effects of Sex Hormone-Binding Globulin and Sex Hormones on Risk of Incident Type 2 Diabetes. *J Diabetes*. 2016 Jul;8(4):508-15. doi: 10.1111/1753-0407.12322.
- Jarecki, P., Herman, W.A., Pawliczak, E., Lacka, K.. Can Low SHBG Serum Concentration Be A Good Early Marker Of Male Hypogonadism In Metabolic Syndrome?. *Diabetes Metab Syndr Obes*. 2019;12:2181-2191. <https://doi.org/10.2147/DMSO.S218545>
- Jarow, J.P., Kirkland, J., Koritnik, D.R., Cefalu, W.T. Effect of obesity and fertility status on sex steroid levels in men. *Urology*, 1993, 42(2):171–174.
- Kapoor, D., Clarke, S., Channer, K.S., Jones, T.H. Erectile dysfunction is associated with low bioactive testosterone levels and visceral adiposity in men with type 2 diabetes', *International Journal of Andrology*, 2007, 30(6), pp. 500–507. doi: 10.1111/j.1365-2605.2007.00744.x.
- Kataoka, T., & Kimura, K. (2017). Testosterone and Erectile Function: A Review of Evidence from Basic Research. In (Ed.), *Sex Hormones in Neurodegenerative Processes and Diseases*. IntechOpen. <https://doi.org/10.5772/intechopen.72935>
- Krakowsky Y, Connors W, Morgentaler A. Serum Concentrations of Sex Hormone-binding Globulin Vary Widely in Younger and Older Men: Clinical

- Data from a Men's Health Practice. *Eur Urol Focus*. 2019;5(2):273-279. doi:10.1016/j.euf.2017.05.007
- Khoo E.M., Tan H.M., Low W.Y. Erectile dysfunction and comorbidities in aging men: an urban cross-sectional study in Malaysia. *J Sex Med*. 2008;5:2925–34
- Kim, C., Halter, J.B. Endogenous Sex Hormones, Metabolic Syndrome, and Diabetes in Men and Women. *Curr Cardiol Rep*. 2014 Apr;16(4):467. doi: 10.1007/s11886-014-0467-6.
- Kongkanand A. Prevalence of erectile dysfunction in Thailand. Thai Erectile Dysfunction Epidemiological Study Group. *Int J Androl*. 2000;23 Suppl 2:77–80.
- Korani, M. A. dan Sonbol, A. Study of risk factors for erectile dysfunction in patients with type 2 diabetes mellitus: Correlation to serum testosterone level, *Alexandria Journal of Medicine*. 2018. Alexandria University Faculty of Medicine, pp. 2–4. doi: 10.1016/j.ajme.2018.01.002.
- Kouidrat Y., Pizzol D., Cosco T., Thompson T., Carnaghi M., Bertoldo A., Solmi M., Stubbs B., Veronese N. High prevalence of erectile dysfunction in diabetes: a systematic review and meta-analysis of 145 studies. *Diabet Med*. 2017 Sep;34(9):1185-1192. doi: 10.1111/dme.13403.
- Le, T.N., Nestler, J.E., Strauss, 3rd J.F., Wickham, 3rd E.P. Sex hormone-binding globulin and type 2 diabetes mellitus. *Trends Endocrinol Metab* 2012, 23(1):32–40.
- Legrand, E., Hedde, C., Gallos, Y., Degasne, I., de Casson, F.B., Mathieu, E., et al. Osteoporosis in Men: A Potential Role for the Sex Hormone Binding Globulin, *Bone*, 2001 29 (1): 90-5.
- Li C, Ford ES, Li B, Giles WH, Liu S. Association of testosterone and sex hormone-binding globulin with metabolic syndrome and insulin resistance in men. *Diabetes Care*. 2010;33(7):1618-1624. doi:10.2337/dc09-1788.
- Li M.K., Garcia L.A., Rosen R., Li M.K., Garcia L.A. Lower urinary tract symptoms and male sexual dysfunction in Asia: a survey of ageing men from five Asian countries. *BJU Int*. 2005;96:1339–54.
- Liao, M., Huang, X., Gao, Y., Tan, A., Lu, Z., Wu, C., Zhang, Y., Yang, X., Zhang, H., Qin, X., & Mo, Z. (2012). Testosterone is associated with erectile dysfunction: a cross-sectional study in Chinese men. *PloS one*, 7(6), e39234. <https://doi.org/10.1371/journal.pone.0039234>
- Liao, C.H., Li, H.Y., Yu, H.J., Chiang, H.S., Lin, M.S., Hua, C.H., Ma, W.Y. (2012). Low serum sex hormone-binding globulin: Marker of inflammation?. *Clin Chim Acta*. 413. 803-7.
- Liu PY, Beilin J, Meier C, Nguyen TV, Center JR, Leedman PJ, Seibel MJ, Eisman JA, Handelsman DJ. Age-related changes in serum testosterone and sex hormone binding globulin in Australian men: longitudinal analyses of two geographically separate regional cohorts. *J Clin Endocrinol Metab*. 2007 Sep;92(9):3599-603. doi: 10.1210/jc.2007-0862.
- Liu F, Shen X, Wang R, et al. Association of Central Obesity with Sex Hormonebinding Globulin: A Cross-sectional Study of 1166 Chinese Men. *Open Med (Wars)*. 2018;13:196-202. Published 2018 May 10. doi:10.1515/med-2018-0030

- Luo Y, Zhang H, Liao M, et al. Sex Hormones Predict the Incidence of Erectile Dysfunction: From a Population-Based Prospective Cohort Study (FAMHES). *J Sex Med.* 2015;12(5):1165-1174. doi:10.1111/jsm.12854
- Low WY, Khoo EM, Tan HM, Hew FL, Teoh SH. Depression, hormonal status and erectile dysfunction in the aging male: results from a community study in Malaysia. *J Men's Health Gender.* 2006;3:263–70.
- Lue, T.F. Erectile Dysfunction. *The New England Journal of Medicine*, 2000, 342(24), pp. 1802–1813.
- Luetjens, C.M., dan Weinbauer, G.F. Testosterone: biosynthesis, transport, metabolism and (non-genomic) actions. in Nieschlag, E. and Behre, H. M. (eds) *Testosterone: Action, Deficiency, Substitution*. Cambridge: Cambridge University Press, 2012, pp. 15–32.
- Lugg J A, Rajfer J, Gonzalez-Cadavid N F. Dihydrotestosterone is the active androgen in the maintenance of nitric oxide-mediated penile erection in the rat. *Endocrinology* 1995; 136: 1495–1501.
- Maggio M., Cattabiani C., Lauretani F., Mantovani M., Butto V., De Vita F., et al. SHBG and endothelial function in older subjects. *International Journal of Cardiology* 168 (2013) 2825–2830.
- Maggio M, Ceda GP, Lauretani F, et al. SHBG, sex hormones, and inflammatory markers in older women. *J Clin Endocrinol Metab.* 2011;96(4):1053-1059. doi:10.1210/jc.2010-1902
- Maiorino, M.I., Bellastella, G., dan Esposito, K. Diabetes and sexual dysfunction : current perspectives', *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 2014, 7, pp. 95–105.
- Maggio M., Cattabiani C., Laurentani F., Artoni A., Bandinelli S., Schiavi G., et al. The relationship between sex hormones, sex hormone binding globulin and peripheral artery disease in older persons. *Atherosclerosis*, Volume 225, Issue 2, 2012, Pages 469-47
- Malavige, L.S., dan Levy, J.C. Erectile dysfunction in diabetes mellitus. *Journal of Sexual Medicine*, 2009, 6 (5), pp. 1232 – 1247. doi: 10.1111/j.1743-6109.2008.01168.x.
- Martins, R., dan Meirelles, R. Functional Hypogonadism: Diabetes Mellitus, Obesity, Metabolic Syndrome and Testosterone', in Hohl, A. (ed.) *Testosterone: From Basic to Clinical Aspects*. Cham: Springer International Publishing, 2017, pp. 147–159. doi: 10.1007/978-3-319-46086-4.
- Martin ME, Benassayag C, Amiel C, Canton P, Nunez EA. Alterations in the concentrations and binding properties of sex steroid binding protein and corticosteroid-binding globulin in HIV+patients. *J Endocrinol Invest.* 1992;15(8):597-603. doi:10.1007/BF03344932
- Maruyama Y., Adachi Y., Aoki N., Suzuki Y., Shinohara H., Yamamoto T. Mechanism of feminization in male patients with non-alcoholic liver cirrhosis: Role of sex hormone-binding globulin. *Gastroenterologia Japonica* volume 26, pages435–439(1991)
- McMahon, C.G. Erectile dysfunction. *Internal Medicine Journal*, 2014, 44, pp. 18–26. doi: 10.1111/imj.12325.

- Mendel CM. The free hormone hypothesis: a physiologically based mathematical model. *Endocr Rev.* 1989 Aug;10(3):232-74. doi: 10.1210/edrv-10-3-232. PMID: 2673754.
- Muller M, den Tonkelaar I, Thijssen JH, Grobbee DE, van der Schouw YT. Endogenous sex hormones in men aged 40–80 years. *Eur J Endocrinol.* 2003;149:583–9.
- Mushtaq, S., Khan, K., Abid, S., Umer, A., Raza, T. Frequency of Hypogonadism and Erectile Dysfunction in Type-II Diabetic Patients', *Cureus*, 2018, 10 (5). doi: 10.7759/cureus.2654.
- Nakhla, A.M., Leonard, J., Hryb, D.J. Sex hormone-binding globulin receptor signal transduction proceeds via a G protein. *Steroids* 1999, 64:213–216.
- Nicolosi, A., Glasser, D.B., Kim, S.C., Marumo, K., Laumann, E.O., GSSAB Investigator Group. Sexual behaviour and dysfunction and help-seeking patterns in adults aged 40 - 80 years in the urban population of Asian countries. *BJU International*, 2005, 95 (4), pp. 609 – 614. doi: 10.1111/j.1464-410X.2005.05348.x.
- NIH Consensus Conference. Impotence. NIH Consensus Development Panel on Impotence', in *Jama*, 1993, pp. 83 – 90. Available at: [http : // jama.jamanetwork.com](http://jama.jamanetwork.com).
- Ohlsson C, Wallaschofski H, Lunetta KL, Stolk L, Perry JR, Koster A, Petersen A. K., et al. EMAS Study Group. Genetic determinants of serum testosterone concentrations in men. *PLoS Genet.* 2011;7(10): e1002313
- Pakpahan C, Agustinus A, Darmadi D. Comprehensive intersystemic assessment approach to relieve psychogenic erectile dysfunction: a review. *Open Access Maced J Med Sci.* 2021;9(F):189-196. doi:10.3889/oamjms.2021.6116
- PERKENI. Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015, Perkeni. doi: 10.1017/CBO9781107415324.004.
- Peter, A., Kantartzis, K., Machann, J., Schick, F., Staiger, H., Machicao, F., Schleicher, E., Fritsche, A., Häring, H. U., & Stefan, N. (2010). Relationships of circulating sex hormone-binding globulin with metabolic traits in humans. *Diabetes*, 59(12), 3167–3173. <https://doi.org/10.2337/db10-0179>
- Phé, V. dan Rouprêt, M. Erectile dysfunction and diabetes: A review of the current evidence-based medicine and a synthesis of the main available therapies', *Diabetes and Metabolism*. Elsevier Masson SAS, 2012, 38(1), pp. 1–13. doi: 10.1016/j.diabet.2011.09.003.
- Plymate, S. R., Matej, L. A., Jones, R. E., & Friedl, K. E. (1988). Inhibition of sex hormone-binding globulin production in the human hepatoma (Hep G2) cell line by insulin and prolactin. *The Journal of clinical endocrinology and metabolism*, 67(3), 460–464. <https://doi.org/10.1210/jcem-67-3-460>
- Plymate, S.R., Namkung, P.C., Matej, L.A., Petra, P.H. Direct effect of plasma sex hormone binding globulin (SHBG) on the metabolic clearance rate of 17 beta-estradiol in the primate. *J Steroid Biochem* 1990; 36:311–317.
- Porto, C.S., Lazari, M.F., Abreu, L.C., Bardin, C.W., Gunsalus, G.L. Receptors for androgen-binding proteins: internalization and intracellular signalling. *J Steroid Biochem Mol Biol* 1995;53:561-5.

- Pugeat, M. et al. (2010) Sex hormone-binding globulin gene expression in the liver: drugs and the metabolic syndrome. *Mol. Cell. Endocrinol.* 316, 53–59.
- Ramachandran, Sudarshan; Hackett, Geoffrey I.; Strange, Richard C. (2019). Sex Hormone Binding Globulin: A Review of its Interactions With Testosterone and Age, and its Impact on Mortality in Men With Type 2 Diabetes. *Sexual Medicine Reviews*, (), S205005211930071X–. doi:10.1016/j.sxmr.2019.06.006
- Rautio K, Tapanainen JS, Ruukonen A, Morin-Papunen LC. Endocrine and metabolic effects of rosiglitazone in overweight women with PCOS: a randomized placebo-controlled study. *Hum Reprod.* 2006;21(6):1400-1407. doi:10.1093/humrep/dei505.
- Riddle, M.C., Bakris, G., Blonde, L., Boulton, A.J.M., D'Alessio, D., de Groot M, et al. American Diabetes Association: Standards of Medical Care in Diabetes-2018', *Diabetes Care*, 41(1). doi: 10.2337/dc18-Sint01.
- Rosen, R., Cappelleri, J.C., Smith, M.D., Lipsky, J., Pena, B.M. Development and evaluation of an abridged, 5-item version of the International Index of Erectile Function (IIEF-5) as a diagnostic tool for erectile dysfunction', *International Journal of Impotence Research*, 1999, 11, pp. 319–326.
- Rosner, W., Hirb, D.J., Kahn, S.M., Nakhla, A.M., Romas, N.A. Interactions of sex hormone-binding globulin with target cells. *Molecular and Cellular Endocrinology*, 19 Aug 2009, 316(1):79-85.
- Rosner, W., Hryb, D.J., Khan, M.S., Nakhla, A.M., Romas, N.A. Sex hormone-binding globulin mediates steroid hormone signal transduction at the plasma membrane. *J Steroid Biochem Mol Biol.* 1999;69:481–485.
- Pitteloud N, Mootha VK, Dwyer AA, Hardin M, Lee H, Eriksson K-F, Tripathy D, Yialamas M, Groop L, Elahi D, Hayes FJ: Relationship between testosterone levels, insulin sensitivity, and mitochondrial function in men. *Diabetes Care* 28 :1636–1642, 2005.
- Porto, C.S., Lazari, M.F., Abreu, L.C., Bardin, C.W., Gunsalus, G.L. Receptors for androgen-binding proteins: internalization and Intracellular signalling. *J Steroid Biochem Mol Biol.* 1995;53:561–565.
- Perry, J.R., Weedon, M.N., Langenberg, C., Jackson, A.U., Lyssenko, V., Sparso, T., et al. Genetic evidence that raised sex hormone binding globulin (SHBG) levels reduce the risk of type 2 diabetes. *Hum Mol Genet.* 2010;19:535–544.
- Selva D.M., Hogeveen K.N., Innis S.M., Hammond G.L. Monosaccharide-induced lipogenesis regulates the human hepatic sex hormone-binding globulin gene. *J Clin Invest.* 2007;117(12):3979-3987. doi:10.1172/JCI32249.
- Shamloul, R. dan Ghanem, H. Erectile dysfunction. *The Lancet.* Elsevier Ltd, 2013, 381(9861), pp. 153–165. doi: 10.1016/S0140-6736(12)60520-0.
- Sharifi, F., Asghari, M., Jaber, Y., Salehi, O., Mirzamohammadi, F. Independent Predictors of Erectile Dysfunction in Type 2 Diabetes Mellitus: Is It True What They Say about Risk Factors?', *ISRN Endocrinology*, 2012, pp. 1–5. doi: 10.5402/2012/502353.
- Stanworth, R. D., Kapoor, D., Channer, K. S., & Jones, T. H. (2009). Statin therapy is associated with lower total but not bioavailable or free testosterone

- in men with type 2 diabetes. *Diabetes care*, 32(4), 541–546.
<https://doi.org/10.2337/dc08-1183>
- Steers, W.D. Neural pathways and central sites involved in penile erection: Neuroanatomy and clinical implications', *Neuroscience and Biobehavioral Reviews*, 2000, 24(5), pp. 507–516. doi: 10.1016/S0149-7634(00)00019-1.
- Selva., D.M., Hogeveen, K.N., Innis, S.M., Hammond, G.L., 2007. Monosaccharide-induced lipogenesis regulates the human hepatic sex hormone-binding globulin gene. *J Clin Invest*. 2007;117:3979–3987.
- Shanik, M. H., Xu, Y., Skrha, J., Dankner, R., Zick, Y., & Roth, J., 2008. Insulin Resistance and Hyperinsulinemia: Is hyperinsulinemia the cart or the horse? *Diabetes Care*, 31(Supplement 2), S262–S268. doi:10.2337/dc08-s264.
- Shiels, M. S., Rohrmann, S., Menke, A., Selvin, E., Crespo, C. J., Rifai, N., Dobs, A., Feinleib, M., Guallar, E., & Platz, E. A., 2009. Association of cigarette smoking, alcohol consumption, and physical activity with sex steroid hormone levels in US men. *Cancer causes & control : CCC*, 20(6), 877–886.
<https://doi.org/10.1007/s10552-009-9318-y>.
- Sitteri, P.K., Murai, J.T., Hammond, G.L., Nisker, J.A., Raymoure, W.J., Kuhn, R.W., 1982. The serum transport of steroid hormones. *Recent Prog Horm Res*. 1982, 38:457.
- Siu, S.C., Lo, S.K., Wong, K.W., Ip, K.M., Wong, Y.S., 2001. Prevalence of and risk factors for erectile dysfunction in Hong Kong diabetic patients. *Diabet Med*. 2001;18:732–8.
- Slemenda, C.W., Longcope, C., Zhou, L., Hui, S.L., Peacock, M., Johnston, C.C., 1997. Sex steroids and bone mass in older men. Positive associations with serum estrogens and negative associations with androgens. *J Clin Invest*. 1997 Oct 1; 100(7): 1755–1759.
- Straus dan Fitzgerald. Chapter 4 : steroid Hormones and Other lipid Molecules involved in human reproduction. *Yen Jaffe Reproductive Endocrinology*, 2016.
- Strain, G.W., Zumoff, B., Miller, L.K., Rosner, W., 2003. Sex difference in the effect of obesity on 24-hour mean serum gonadotropin levels. *Horm Metab Res*; 35(6):362–366.
- Sutyarso., 2009. Studi Cross-Sectional SHBG dan Testosteron sebagai Penduga Gangguan Fungsi Ereksi pada Pria Usia Lanjut. *CDK*, Vol 36 no.4, hal 241-245.
- Svartberg J, Midtby M, Bonna KH, Sundsfjord J, Joakimsen RM, Jorde R. The associations of age, lifestyle factors and chronic disease with testosterone in men: the Tromso Study. *Eur J Endocrinol*. 2003;149:145–52
- Tamrakar, Dipesh & Bhatt, Dinesh & Sharma, Vijay & Poudyal, Amod & Yadav, Dr Binod., 2021. Association Between Erectile Dysfunction and Type 2 Diabetes Mellitus. *Journal of Nepal Health Research Council*. 19. 378-83. 10.33314/jnhrc.v19i2.3394.
- Tan, J.K., Hong, C.Y., Png, D.J., Liew, L.C., Wong, M.L., 2003. Erectile dysfunction in Singapore: prevalence and its associated factors - a population-based study. *Singapore Med J*;44:20–6.

- Thomas, D.D., Corkey, B.E., Istfan, N.W., Apovia, C.M., 2019. Hyperinsulinemia: An Early Indicator of Metabolic Dysfunction. *Journal of the Endocrine Society*, 3(9), 1727–1747. doi:10.1210/js.2019-00065.
- Traish A M, Park K, Dhir V, Kim N N, Moreland R B, Goldstein I. Effects of castration and androgen replacement on erectile function in a rabbit model. *Endocrinology* 1999; 140: 1861–1868.
- Traish AM, Goldstein I, Kim NN. Testosterone and erectile function: from basic research to a new clinical paradigm for managing men with androgen insufficiency and erectile dysfunction. *Eur Urol*. 2007 Jul;52(1):54-70. doi: 10.1016/j.eururo.2007.02.034. Epub 2007 Feb 20. PMID: 17329016; PMCID: PMC2562639.
- Wallace, I.R., McKinley, M., Bell, P.M., Hunter, S.J., 2013. Sex hormone binding globulin and insulin resistance. *Clinical Endocrinology*, Volume 78, Issue 3: Pages 321-329. <https://doi.org/10.1111/cen.12086>.
- Wetterauer, U., 1988. Anatomy of the Penis and Physiology of Erection. in : Eicher, W. Kockott, G. Vogt HJ, Herms V. Wille R. (eds) *Sexology*. Berlin: Springer-Verlag, pp. 115–126.
- Wu, T.S., Hammond, G.L., 2014. Naturally occurring mutants inform SHBG structure and function. *Mol Endocrinol* ;28(7):1026–1038.
- Yafi F.A., Jenkins L., Albersen M., Corona G., Isidori A.M., Goldfarb S., Maggi M., Nelson C.J., Parish S., Salonia A., Tan R., Mulhall J.P., Hellstrom W.J. Erectile dysfunction. *Nat Rev Dis Primers*. 2016 Feb 4;2:16003. doi: 10.1038/nrdp.2016.3. PMID: 27188339; PMCID: PMC5027992.
- Yamazaki H., Kushiyama A., Sakoda H., Fujishiro M., Yamamotoya T., Nakatsu Y., et al. Protective Effect of Sex Hormone-Binding Globulin against Metabolic Syndrome: In Vitro Evidence Showing Anti-Inflammatory and Lipolytic Effects on Adipocytes and Macrophages. *Mediators Inflamm*. 2018; 2018: 3062319.
- Yang, Y.H., Zhao, M.J., Zhou, S.J., Lu, W.H., Liang, X.W., Xiong, C.L., Wan, C.C., Shang, X.J., Gu, Y.Q., 2015. Is serum sex hormone-binding globulin a dominant risk factor for metabolic syndrome?. *Asian J Androl* [serial online] 2015 [cited 2020 Jul 26];17:991-5.
- Yeap, B.B., 2009. Testosterone and ill-health in aging men. *Nat Clin Pract Endocrinol Metab* ; 5(2):113–121
- Yu, S., Qiu, L., Liu, M., LI S., Tao, Z., Zhang, Q., Xia, L., Li, P., Huo, L., 2018. Establishing reference intervals for sex hormones and SHBG in apparently healthy Chinese adult men based on a multicenter study. *Clin Chem Lab Med*.;56(7):1152-1160. doi:10.1515/cclm-2017-0749.
- Zhu, H., Wang, N., Ha,n B., 2016. Low Sex Hormone-Binding Globulin Levels Associate with Prediabetes in Chinese Men Independent of Total Testosterone. *PLoS One* ;11(9):e0162004. Published 2016 Sep 1. doi:10.1371/journal.pone.0162004.