

## DAFTAR PUSTAKA

- Aidha, N. N. 2013. “Aktivasi Zeolit secara Fisika dan Kimia untuk Menurunkan Kadar Kesadahan (Ca dan Mg) dalam Air Tanah”. *J. Kimia Kemasan*, 31(1), 58 – 64
- Ames, L.L., Jr. 1960. Cation Sieve Properties of Clinoptilolite. *The American Mineralogist*.45:689-700.
- Anand, S. and Rambe, A. (2020) ‘Overview Perbandingan Teknologi Alternatif Aktif dan Pasif dalam Pengelolaan Air Asam Tambang’, 2020(113), Pp. 149–155.
- Andrawina, A. *et al.* (2021) ‘Effectiveness Vetiveria Zizanoides Plant in Ability Absorption of Heavy Metals in Coal Mining Waste’, *IOP Conference Series: Earth And Environmental Science*, 847(1). Doi: 10.1088/1755-1315/847/1/012006.
- Atikah, W. S. (2017) ‘the Potentiality of Activated Natural Zeolite from Gunung Kidul Adsorben to Textile Dyes’, *Arena Tekstil*, 32, Pp. 17–24.
- Castellan. 1971. *Physical Chemistry*. Edisi kedua. Addison Wesley Publising Company. Amsterdam
- Castellan, G W. 1983. *Physical Chemistry* Edisi ke-3. Addison-Wesley Publising Co. Inc. : Massachuset
- Chaney, R.L. (1995). Potential Use of Metal Hyperaccumulators. *Mining Environ Manag*, 3, 9 – 11.
- Chomchalow, N. 2001. The Utilization of Vetiver as Medicinal and Aromatic Plants with Special Reference to Thailand. PRVN Tech.Bull. No. 2001/1, ORDPB, Bangkok
- Chowdhury, S., Mishra, R., Saha, P., dan Kushwaha P. (2011). Adsorption Thermodynamics, Kinetics, and Isotheric Heat of Adsorption of Malachite Green onto Chemically Modified Rice Husk. *Journal of Desalination*.
- Connel Des W., Gregory J. Miller. 1995. *Kimia dan Ekotoksikologi Pencemaran*, Terjemahan; Yanti K., Sahati. Jakarta: UI-Press
- Crites, Ron, Tchobanoglous. (1998). *Small and Decentralized Wastewater Management System*. Mc.Graw-Hill Inc. New York.
- Febrianto, J. *et al.* (2009) ‘Equilibrium and Kinetic Studies in Adsorption of Heavy Metals using Biosorbent: A Summary of Recent Studies’, *Journal of Hazardous Materials*, 162(2–3), Pp. 616–645. Doi: 10.1016/J.Jhazmat.2008.06.042.
- Fernando, N. ‘Treatment Of Acid Mine Drainage Using Indonesian Natural Zeolites’, Pp.3–6.
- Fernando, ‘Treatment of Acid Mine Drainage Using Indonesian Natural Zeolites Studen’, Pp. 57–63.

- Florence, K. *et al.* (2016) 'Akresi Besi-Mineral dari Drainase Asam Tambang dan Aplikasinya dalam Pengolahan Pasif', 3330.
- Gate, K. (2008) 'Review on Removal of Heavy Metals from Acid Mine', 6(3), Pp. 81– 98.
- Green, M.S. and Etherington, J.R. 1977. Oxidation of ferrous by rice (*Oryza sativa*) roots: mechanism for waterlogged tolerance. *Journal of Experimental Botany* 28, 211-245
- Haberl, R., and Langergraber, H., 2002, Constructed wetlands: a chance to solve wastewater problems in developing countries. *Wat. Sci. Technol.* 40:11–17
- Haryadi, Is. 2006. Menentukan Koefisien Perpindahan Massa Penjerapan Ion Logam Berat Pb(OH)<sub>2</sub> Menggunakan Chitosan. Surakarta
- Herniwanti., *et al* (2012) 'Evaluasi Material Pembentuk Asam Tambang pada Pengelolaan Lahan Revegetasi di Area Bekas Penambangan Batubara ' Issn 1978-8096', *Enviroscientiae*, 8, Pp. 89–101.
- Hidayati, Nuril.; Fauzia Syarif, dan Titi Juhaeti. 2006. "Potensi *Centrocema pubescence*, *Calopogonium mucunoides*, dan *Micania cordata* dalam Membersihkan Logam Kontaminan pada Limbah Penambangan Emas". *Biodiversitas*. Volume 1 No. 7 Hal. 4-6
- Irawanto, Rony, 2010, Fitoremediasi Lingkungan Dalam Taman Bali,UPT Balai Konservasi Tumbuhan Kebun Raya Purwodadi-LIPI, 2(4):29-35.
- Kadlec, Robert H., Scott D. Wallace. 2009. *Treatment Wetlands*. Second Edition. CRC Press. New York
- Kamarudzaman, A. N. *et al.* (2011) 'Removal of Heavy Metals from Landfill Leachate using Horizontal and Vertical Subsurface Flow Constructed Wetland Planted with *Limnocharis Flava*', (October).
- Kiiskila, J. D. *et al.* (2019) 'Remediation of Acid Mine Drainage-Impacted Water by Vetiver Grass (*Chrysopogon Zizanioides*): A Multiscale Long-Term Study', *Ecological Engineering*, 129(January), Pp. 97–108. Doi: 10.1016/J.Ecoleng.2019.01.018.
- Kirk, G.J.D. 2004. *The Biogeo Chemistry of Submerged Soils*. John Wiley & Sons, Ltd., Chinchester. p 215
- Kiswanto, (2018) 'Karakteristik Air Asam Batubara Di Kolam Bekas Tambang', Pp.7– 8.
- Kurniasih, Wiwin, et al.,(2017) 'pemanfaatan batu zeolit sebagai media aklimatisasi untuk mengoptimalkan pertumbuhan anggrek bulan (*phalaenopsis sp.* ) hibrida', *Bioma*, Vol.6 No.2, Oktober
- Lyman, M..M, J. E. Kliduf and W. J. Weber. 1995. Adsorption of p- nitrosphenol from Dilute Aqueous Solution. *Journal Chemical Education*, No.72, pp 82-84

- Mandalahi, H., Muis, L. And Latief, M. (2016) ‘Adsorpsi Merkuri (Ii) menggunakan Zeolit dari Fly Ash Batubara’, *Chempublish Journal*, 1(1).
- McLemore, V.T. 2008. Basic of Metal Mining Influence Water Volume 1. Society for Mining, Metallurgy, and Exploration Inc. 103pp.
- Meirinna, Fahrurrozi, dan Sri Juari Santosa. 2013. Sistem Penurunan Kadar Krom (III) Limbah Cair Industri Penyamakan Kulit dengan Kombinasi Presipitasi Menggunakan Natrium Hidroksida dan Adsorpsi Menggunakan Bagase Fly Ash. *ASEAN Journal of System Engineering*, Vol. 1, No. 2, 62-67
- Melyta,D., A. Prasetya., Sarto. (2019) ‘Pengaruh Melati Air Terhadap Penyisihan Krom Dalam Limbah Cair Penyamakan Kulit Pada Sistem Sub Surface Flow Constructed Wetland'. Prosiding Seminar Nasional Teknik Kimia Soebardjo Brotohardjono XV. Program Studi Teknik Kimia UPN Jawa Timur. ISSN 1978-0427.
- Metcalf dan Eddy. (2004). *Wastewater Engineering, Treatment and Reuse*. Fourth Edition. New York: Mc Graw Hill.
- Meutia, Ami. A, N.H. Sadi, K. Ratnawati. 2001. Penyisihan Logam Berat Tembaga, Seng, Besi, dan Mangan di dalam Lahan Basah Buatan. *Oceanologi dan Limnologi di Indonesia* No 33, 63-76.
- Mojiri, A. *et al.* (2016) ‘Co-Treatment Of Landfill Leachate and Municipal Wastewater using the ZELIAC/Zeolite Constructed Wetland System’, *Journal Of Environmental Management*, 166, Pp. 124–130. Doi: 10.1016/J.Jenvman.2015.10.020.
- Nguegang, B. *et al.* (2021) ‘The Treatment of Acid Mine Drainage Using Vertically Flowing Wetland : Insights Into The Fate Of Chemical Species’, Pp. 1–24.
- Novita, *et al.* (2020) ‘Fitoremediasi Air Limbah Laboratorium Analitik Universitas Jember Dengan Pemanfaatan Tanaman Eceng Gondok Dan Lembang’, 7(August), Pp. 121–135
- Obarska-Pempkowiak, H. 2000. Retention of Selected Heavy Metals Cd, Cu, Pb in a Hybrid Wetland System. 7th International Conference on Wetland System for Water Pollution Control. Vol. 3 pp. 285-1294.
- Patandangan, A., HS, S. And Aisyah, A. (2016) ‘Fitoremediasi Tanaman Akar Wangi (*Vetiver Zizanioides*) Terhadap Tanah Tercemar Logam Kadmium (Cd) pada Lahan TPA Tamangapa Antang Makassar’, *Al-Kimia*, 4(2), Pp. 8–21. Doi: 10.24252/Al- Kimia.V4i2.1676.
- Pongthornpruek, S. (2017) ‘Swine Farm Wastewater Treatment by Constructed Wetland Planted With Vetiver Grass’, 15(2), Pp. 13–20. Doi: 10.14456/Ennrj.2017.8.

- Prasetya, A. Pramesti P., Angge D.W., M. Fahrurrozi, Himawan T.B.M.P. (2020) 'Characteristic of Hg removal using zeolite adsorption and *Echinodorus palaefolius* phytoremediation in subsurface flow constructed wetland (SSF-CW) model', *Journal of Environmental Chemical Engineering*, 8(3), p. 103781. doi: 10.1016/j.jece.2020.103781
- Precious, T. F. (2018) 'Remediation of Acid Mine Drainage Using Prawn Shells', (March).
- Process, I. J. M. *et al.* (2009) 'Adsorption of Heavy Metals From Acid Mine Drainage by Natural Zeolite', *International Journal Of Mineral Processing*. Elsevier B.V., 92(1–2), Pp. 42–48. Doi: 10.1016/J.Minpro.2009.02.005.
- Purwani, J. (2010) 'Remediasi Tanah Dengan menggunakan Tanaman Akumulator Logam Berat Akar Wangi (*Vetiveria Zizanioides L.*)', *Balai Penelitian Tanah. Bogor*, Pp.287–298.
- Rahman, A. dan Hartono, B. 2004. "Penyaringan Air Tanah dengan Zeolit Alami untuk Menurunkan Kadar Besi dan Mangan". *Makara, Kesehatan*, 8(1), 1 - 6.
- Reynolds, T.D. 1982. "Unit Operations and Process in Environmental Engineering", Texas A & M University, Books/Cole Engineering Division, Monterey, California, USA, pp 165 – 166
- Safrodin, A., Mangkoedihardjo, S. And Yuniarto, A. (2016) 'Desain IPAL Subsurface Flow Constructed Wetland di Rusunawa Grudo Surabaya', (2), Pp. 198–207.
- Salt, D.E., Smith, R.D., Raskin, I., 1998. Phytoremediation. *Annu. Rev. Plant Phy.* 49, 643-668.
- Sandrawati, A. *et al.* (2019) 'Pengaruh Jenis Bahan Organik dan Bakteri Pereduksi Sulfat Terhadap Konsentrasi Fe dan Mn dalam Remediasi Air Asam Tambang', *Soilrens*, 17(1), Pp. 1–8.
- Schnoor, J.L and McCutcheon, S.C., 2003, "Phytoremediation Transformation and Control of Contaminants", wiley-interscience inc, usa.
- Seadira, T. *et al.* (2015) 'Acid Mine Drainage Treatment using Constructed Wetland', (April).
- Skousen, J., A. Rose, G. Geidel, J. Foreman, R. Evans, W. Hellier, and Members of the Avoidance and Remediation Working Group of the ADTI. 1998. Handbook of technologies for avoidance and remediation of acid mine drainage. The National Mine Land Reclamation Center, West Virginia, Morgantown, WV.
- Slamet, J. Soemirat. *Kesehatan lingkungan*. Penerbit Gajah Mada University Press. Yogyakarta. 2007
- Studi, P. *et al.* (2019) 'Removal Krom dari Limbah Cair Penyamakan Kulit dengan Metode Adsorpsi dan Fitoremediasi dalam Sistem Sub-Surface Flow Constructed Wetland'.

- Suelee, A. L. *et al.* (2017) 'Phytoremediation Potential of Vetiver Grass (*Vetiveria Zizanioides*) for Treatment of Metal-Contaminated Water'. *Water, Air, & Soil Pollution*. Doi: 10.1007/S11270-017-3349-X.
- Supradata. (2005) 'Pengolahan Limbah Domestik Menggunakan Tanaman Hias (*Cyperus alternifolius*) dalam Sistem Lahan Basah Buatan Aliran Bawah Permukaan (SSF-Wetlands)', Tesis. Program Pasca sarjana Universitas Diponegoro.
- Supraptiah E., dkk (2019)' Kinetika Adsorpsi Mn dengan Memanfaatkan Bottom Ash Batubara pada Larutan Artifisial  $KMnO_4$ '. Seminar Nasional Inovasi dan Aplikasi Teknologi di Industri. ISSN 2085-4218.
- Suswati, A. C. S. P., dan Wibisono, G. 2013. Pengolahan Limbah Domestik dengan Teknologi Taman Tanaman Air (Constructed Wetlands). *Indonesian Green Technology Journal*, 2(2), 70–77.
- Suwardi. 2009. "Teknik Aplikasi Zeolit di Bidang Pertanian sebagai Bahan Pembenhah Tanah". *Jurnal Zeolit Indonesia*, 8(1), 33 - 38.
- Syahputra., *et al* (2017) 'Metode ERASI (Electro Assisted Phytoremediation- Aeration) dengan Tanaman Akar Wangi (*Vetiveira zizaniodes L*) untuk Remediasi Air Limbah Logam Berat Pb dan Fe', 5(3), Pp. 112–119.
- Syahputra, R. *et al.* (2017) 'Prosiding Snips 2017 Metode Erasi (Electro Assisted Phytoremediation- Aeration) dengan Tanaman Akar Wangi (*Vetiveira Zizaniodes L*) Untuk Remediasi Air Limbah Logam Berat Pb dan Fe', (June), Pp. 226–231.
- Taiz Dan Zeiger ,2002. *Plant Physiology*. Sinauer Associates, Inc., Publisher. Sunderland, Massachusetts
- Tangahu, B.V. dan Warmadewanthi, I.D.A.A., 2001, *Pengelolaan Limbah Rumah Tangga Dengan Memanfaatkan Tanaman Cattail (Typha angustifolia) dalam Sistem ConstructedWetland, Purifikasi, Volume 2 Nomor 3, ITS – Surabaya.*
- Tchobanoglous, et.al., (2003), *Wastewater Engineering: Treatment and Reuse*, McGraw-Hill, New York
- Treybal, R.E. 1980. *Mass Transfer Operations*. McGraw-Hill Book Company, Singapore.
- Truong P, Claridge J. 1996. Effect of heavy metals toxicities on vetiver growth. Bangkok, Thailand: Vetiver Network (TVN) Newsletter, 15.
- Truong P, Baker D. 1998. Vetiver grass system for environmental protection. Pacific Rim Vetiver Network (PRVN): Technical Bulletin no. 1, 1998/1. Bangkok, Thailand: Office of the Pacific Rim Vetiver Network, Office of the Royal development Project Board
- Truong P. 1999. Vetiver grass technology for mine rehabilitation. Tech. Bull. No. 1999/2. Bangkok, Thailand: Office of the Royal Development Project Board, Bangkok

Truong, P. 2002. Vetiver system: potential applications in Latin America. Australia: Technical Bulletin N0. 1998/1. Pacific Rim Vetiver Network. Royal Development ProjectsBoard.

- Wahyuni, N. *et al.* (2019) 'Isoterm Adsorpsi Fenol oleh Lempung Alam', 07(01), Pp. 29–36
- Wina, A. (2020) 'Penerapan Metode Constructed Wetland dalam Upaya Pengelolaan Limbah Air Asam Tambang Pada Penambangan Batubara, Berdasarkan Literatur Review', *Retii*, 2020, Pp. 201–207.
- Wuryanti, D. And Suharyadi, E. (2018) 'Studi Adsorpsi Logam Co(II), Cu(II), dan Ni(II) dalam Limbah Cair Buatan menggunakan Adsorben Nanopartikel Magnetik Fe<sub>3</sub>O<sub>4</sub> dan ZnFe<sub>2</sub>O<sub>4</sub>', *Jurnal Fisika Indonesia*, 20(2), P. 28. Doi: 10.22146/Jfi.27936.
- Yagmur, A. *et al.* (2021) 'Environmental Technology & Innovation Phytoremediation Of Olive Mill Wastewater With Vetiveria Zizanioides ( L .) Nash And Cyperus AlternifoliusL .', *Environmental Technology & Innovation*. Elsevier B.V., 24, P. 102071. Doi: 10.1016/J.Eti.2021.102071.
- Yateman Arryanto, Suwardi, Husaini, Toha Affandi, Siti Amini, M. Al-Jabri, Pollung Siagian, Dyah Setyorini, Arif Rahaman, dan Yuni Pujiastuti. 2012. Zeolite dan Masa Depan Bangsa. Road Map "Revitalisasi Peranan Zeolit Alam dalam Ketahanan Pangan dan Kedaulatan Bangsa. Ikatan Zeolit Indonesia (IZI). ISBN 602-98165-6-x.
- Zisong W. 1991. Excepts from the experiments and popularization of Vetiver grass, Nanping prefecture, Fujian Province, China. The Vetiver Network (TVN) Newsletter 20.Vitiver Network, Leesburg, VA, USA