

## DAFTAR PUSTAKA

- Afandi, M.A., Sulistyono, R., and Herlina, N. (2013). Respon pertumbuhan dan hasil lima varietas melon (*Cucumis melo* L.) pada tiga ketinggian tempat. *Jurnal Produksi Tanaman* 1(4), 342-352.
- Amiroh, A. (2016). Kajian macam dan dosis bokashi terhadap pertumbuhan dan hasil panen melon (*Cucumis melo* L.) di dataran rendah. *Gontor Agrotech Science Journal*, 2(2), 65-86.
- Andrian., Supriadi., and Marpaung, P. (2014). Pengaruh ketinggian tempat dan kemiringan lereng terhadap produksi karet (*Hevea brasiliensis* Muell. Arg.). *Jurnal Online Agroteknologi* 2.
- Anto. (2015). Identifikasi senyawa yang berkorelasi terhadap rasa pahit selama perkembangan fase buah melon (*Cucumis melo* L.) kultivar gama melon parfum. *Repository UGM*.
- Almey, A.A., Khan, A.J., Zahir, S., Suleiman, K.K., Aisyah, M.T., and Rahim, K.K. (2010). Total phenolic content and primary antioxidant activity methanolic and ethanolic extracts of aromatic plants leaves. *International Food Research Journal* 17, 1077-1084.
- Apsari, D.P.N., Darniati, and Marsiti, C.I.R. (2019). Pemanfaatan kulit melon menjadi selai. *Journal Bosaparis*, 10(1), 23-32.
- Aryal, S., Baniya, M.K., Danekhu, K., Kunwar, P., Gurung, R., and Koirala, N. (2019). Total phenolic content, flavanoid content and antioxidant potential of wild vegetables from Western Nepal. *Plants* 8(96), 2-12.
- Azkiyah, D.R., dan Tohari. (2019). Pengaruh ketinggian tempat terhadap pertumbuhan, hasil kandungan steviol glikosida pada tanaman stevia (*Stevia rebaudiana*). *Vegetalika* 8(1), 1-12.
- Badan Pusat Statistik. 2017. Hortikultura Produksi Tanaman Buah Melon (Ton). <http://www.bps.go.id/site/pilihdata>.
- Beusekom, A.E.V., Gonzales, G., and Rivera, M.M. (2015). Short-term precipitation and temperature trends along an elevation gradient in Northeastern Puerto Rico. *Earth Interactions*, 19(3), 1-33. DOI: 10.1175/EI-D-14-0023.1
- Baskara, I.B.B., Suhendra, L., dan Wrsiati, L.P. (2020). Pengaruh suhu pencampuran dan lama pengadukan terhadap karakteristik sediaan krim. *Jurnal Rekaya dan Manajemen Agroindustri* 8(2), 200-209.
- Bajaj, S., Singla, D., and Sakhuja, N. (2012). Stability testing of pharmaceutical products. *Journal of Applied Pharmaceutical Science* 02(03), 129-138.
- Bhandari, J., and Zhang, Y. (2019). Effect altitude and soil properties on biomass and plant richness in the grasslands of Tibet, China, and Manang District, Nepal. *Ecosphere* 10(11), 1-18.
- Cao, X., Sun, Y., Lin, Y., Pan, Y., Farooq, U., Xiang, L., and Qi, J. (2018). Antiaging of cucurbitane glycosides from fruits of *Momordica charantia* L. *Oxidative Medicine and Cellular Longevity*, 1-10.

- Cui, G., Li, B., He, W., Yin, X., Liu, S., Lian, L., Zhang, Y., Liang, W., and Zhang, P. (2018). Physiological analysis of the effect of altitudinal gradients on *Leymus secalinus* on the Qinghai-Tibetan Plateau. *Plos One* 13(9), 1-13.
- Departemen Kesehatan RI. (2000). Parameter standar umum ekstrak tumbuhan obat, cetakan pertama, Jakarta: Departemen Kesehatan RI.
- Devasagayam, T., Tilak, J., Boloor, K., Sane, S. K., Ghaskadbi, S.S., and Lele, R. (2004). Free radicals and antioxidants in human health : Current status and future prospects. *Japi* 0(5). 794-804.
- Dhase, A. S., Khadbadi, S. S., and Saboo, S. S. (2014). Formulation and evaluation of vanishing herbal cream of crude drugs. *American Journal of Ethnomedicine*, 1(5), 313-318.
- Ekayanti, N. L. S., Darsono, F. L., dan Wijaya, S. (2019). Formulasi sediaan krim pelembab ekstrak air buah semangka (*Citrullus lanatus*). *Journal Of Pharmacy Science And Practice*, 6(1), 36-43.
- Fang, Y. Z., Yang, S., and Wu, G. (2002). Free radicals, antioxidants, and nutrition. *Nutrition*, 18(10), 872-879. doi.org/10.1016/S0899-9007(02)00916-4.
- Farahmandfar, R., Kenari, R.E., Asnaashari, M., Shahrampour, D., and Bakhshandeh, T. (2018). Bioactive compounds, antioxidant and antimicrobial activities of *Arum maculatum* leaves as affected by various solvents and extraction methods. *Food Sciences & Nutrition* 7, 465-475.
- Garcia, E. J., Oldoni, T. C., Alencar, S. D., Reis, A., Loguercio, A. D., and Grande, R. M. (2012). Antioksidan activity by DPPH assay of potential solutions to be applied on bleached teeth. *Braz Dent J*, 23(1), 22-27.
- Gengaihi, E., Ella, S., Emad, F., Shalaby., and Doha, H., (2014). Food processing & technology aantioxidant activity of phenolic compounds from different grape wastes. *Journal of Food Processing & Technology* 5(2), 1-5.
- Ghribi, A.M., Zouari, M., Attia, H., and Besbes, S. (2021). Study of protein/k-carrageenan mixture's effect on low fat whipping cream formulation. *Food Science and Technology* 147, 1-8.
- Gumelar, R. M. R., S. H. Sutjahjo, S. Marwiyah, dan A. Nindita. (2014). Karakterisasi dan respon pemangkasan tunas air terhadap produksi serta kualitas buah genotipe tomat lokal. *Jurnal Hortikultura Indonesia*, 5(2), 73-83.
- Habibah, R.N., Slamet, W., and Fuskhah, E. (2018). Growth and production of red Okra (*Abelmoschus esculantus* L. Moench) at doses of composit fertilizer and pruning. *Journal Agro Complex* 2(2), 180-187. DOI: <https://doi.org/10.14710/joac.2.2.180-187>
- Hamzah, N., Ismail, I., dan Saudi, A.D.I.A. (2014). Pengaruh emulgator terhadap aktivitas antioksidan krim ekstrak etanol kelopak bunga rosella (*Hibiscus sabdariffa* Linn). *Jurnal Kesehatan* 7(2), 376-385.
- Harun, D. S. N. (2014). Formulasi dan uji aktivitas krim *antiaging* ekstrak etanol 50% kulit buah manggis (*Garcinia magostana* L.) dengan Metode DPPH (1,1 *Diphenyl-2- Picril Hydrazil*). Uin Syarif Hidayatullah Jakarta, 28-29.
- Hasbullah, U. H. A., Supriyadi, and Daryono, B. S. (2019). Aroma volatile compounds

- profile of melon (*Cucumis melo* L.) cv. Gama melon parfum. *IOP Conference Series: Earth and Environmental Science*, 292(1). doi.org/10.1088/1755-1315/292/1/012027.
- Hasniar., Yusriadi., dan Khumaidi, A. (2015). Formulasi krim antioksidan ekstrak daun kapas (*Gossypium* sp.). *Journal of Pharmacy* 1(1), 9-15.
- Hendradi, E., Chasanah, U., Indriani, T., dan Fionnayuristy, F. (2013). Pengaruh gliserin dan propilenglikol terhadap karakteristik fisik, kimia dan SPF sediaan krim tipe o/w ekstrak biji kakao (*Theobroma cacao* L.). *Pharmascientia* 2(1), 31-42.
- IPGRI. (2003). Descriptors for Melon (*Cucumis melo* L.). International plant genetic resources institute, Rome, Italy, 25-36.
- Ibrahim, M.E.E.D., and El-Masry, H.G. (2016). Phenolic content and antioxidant activity of cantaloupe (*Cucumis melo* var. *cantalupensis*) and food application. *International Journal of Nutrition and Food Sciences* 5(1), 16-24.
- Kedare, S. B., and Singh, R. P. (2011). Genesis and development of DPPH method of antioxidant assay. *Journal of Food Science and Technology*, 48(4), 412–422. doi.org/10.1007/s13197-011-0251-1.
- Kristanti, H. (2014). Potensi ekstrak etanol kulit dan daging buah melon (*Cucumis melo* L.) kultivar gama melon parfum sebagai larvasida nyamuk *Aedes aegypti* L. *Repository UGM*.
- Kumar, S. (2011). Free radicals and antioxidants: Human and food system. *Advances in Applied Science Research*, 2(1), 129–135.
- Kumar, S., Sandhir, R., and Ojha, S. (2014). Evaluation of antioxidant activity and total phenolic in different varieties of *Lantana camara* leaves. *Biomed Central* 7(560), 2-9.
- Lee, K.W., Kim, Y.J., Lee, H.J., and Lee, C.Y. (2003). Cocoa has more phenolic phytochemical and a higher antioxidant capacity than teas and red wine. *J. Agric. Food chem* 51(25), 7292-7295.
- Lobo, V., Patil, A., Phatak, A., and Chandra, N. (2010). Free radicals, antioxidants and functional foods: Impact on human health. *Pharmacognosy Reviews*, 4(8), 118–126. doi.org/10.4103/0973-7847.70902.
- Lobos, G. A., Camargo, A.V., Pozo, A.D., Araus, J.L., Ortiz, R., and Doonan, J.H. (2017). Plant phenotyping and phenomics for plant breeding. *Frontiers in Plant Science*, 8(2181), 1-3.
- Mailana, D., Nuryanti, dan Harwoko. (2016). Formulasi sediaan krim antioksidan ekstrak etanolik daun alpukat (*Persea americana* Mill.). *Acta Pharmaciae Indonesia* 4(2), 7015.
- Magdalena, B.A., Bardi, S., Indiyanti, W., dan Maelaningsih, F.S. (2016). Formulasi krim antihiperpigmentasi ekstrak kulit buah delima (*Punica granatum* L.). *IJPST* 3 (1), 17-25.
- Makful., Hendri., and Sahlan. (2017). Evaluasi dua calon varietas unggul melon di Sumatera Barat, Jawa Barat, dan Jawa Timur. *J. Hort*, 27(2), 185-194.
- Maryanto, S. D., Ranis, R. E., and Daryono, B. S. (2014). Stability phenotypic

- characters and the scent of Gama melon parfum cultivar. *IPTEK Journal of Proceedings Series*, 0(1). doi.org/10.12962/j23546026.y2014i1.286.
- Maryanto, and Daryono, B.S. (2011). The comparison of melon (*Cucumis melo* L.) phenotypic characters among melodi gama 1, gama melon basket, and commercial cultivars using multilocation and multiseason test. *Proceeding In Pasific Science.P*. 164.
- Mardiyono, A. (2017). Analisis kepuasan konsumen dalam memilih produk kosmetik sariayu martha tilaar di kota Semarang. *Jurnal Ilmiah UNTAG Semarang* 6(1), 16-27.
- Milind, P and Kulwant, S. (2011). Musk melon is eat-must melon. *International Research Journal of Pharmacy*, 2(8), 52–57.
- Mujahidah., Mulyani, S., dan Suhendra, L. (2020). Karakteristik krim kunyit daun asam (*Curcuma domestica* Val- *Tamarindus indica* L.) pada perlakuan konsentrasi emulsifier dan waktu pengadukan. *Jurnal Ilmiah Teknologi Pertanian* 5(1), 1-8.
- Muttaqien, M.I. and Rahmawati, D. (2019). Karakter kualitatif dan kuantitatif beberapa varietas padi (*Oryza sativa* L.) terhadap cekaman salinitas (NaCl). *Journal of Applied Agricultural Sciences*, 3(1), 42-53.
- Mohiuddin, A. K. (2019). Skin care creams : Formulation and use. *American Journal of Dermatological Research and Reviews*, 2(8), 1–45.
- Nasir, M. (2001). Pengantar pemuliaan tanaman. Direktorat jendral pendidikan tinggi, departemen pendidikan nasional, Jakarta.
- Novianti, N.D., Audina, A.R., dan Kurniasari, D.A. (2019). Pengaruh perlakuan pendahuluan dan perbedaan tipe ekstraksi terhadap mutu produk minuman sari buah manggis. *Jurnal Teknologi dan Manajemen Agroindustri* 8(2), 154-164.
- Pan, J., and Guo, B. (2016). Effects of Light Intensity on the Growth, Photosynthetic Characteristics, and Flavonoid Content of *Epimedium pseudowushanense* B.L. Guo. *Molecules*, 21(1475), 1-12. doi:10.3390/molecules21111475
- Pham-Huy, L. A., He, H., and Pham-Huy, C. (2008). Free radicals, antioxidants in disease and health. *International Journal of Biomedical Science*, 4(2), 89–96.
- Phaniendra, A., Jestadi, D. B., and Periyasamy, L. (2015). Free radicals: Properties, sources, targets, and their implication in various diseases. *Indian Journal of Clinical Biochemistry*, 30(1), 11–26. doi.org/10.1007/s12291-014-0446-0.
- Ping, C.L., Michaelson, G.J., Stiles, C.A., and Gonzales, G. (2013). Soil characteristics, carbon stores, and nutrient distribution in eight forest types along an elevation gradient, eastern Puerto Rico. *Ecological Bulletins* 54, 67–86.
- PKBPOM RI. (2016). Kriteria mikrobiologi dalam pangan olahan. Jakarta: Organisasi Penerbit.
- PBPOM RI. (2019). Peraturan badan pengawas obat dan makanan nomor 34 tahun 2019 tentang kategori pangan. Jakarta: Organisasi Penerbit.
- Pourmorad, F., Hosseinimehr, S.J., and Shababimajid, N. (2006). Antioxidant activity, phenol and flavanoid contents of some selected Iranian medicinal plants. *African Journal of Biotechnology* 5(11), 1142-1145.

- Pratasik, M.C., Yamlean, P.Y., dan Wiyono, W. (2019). Formulasi dan uji stabilitas fisik sediaan krim ekstrak etanol daun sesewanua (*Cleodendron squamatum* Vahl.) *Pharmakon* 8(2), 261-267.
- Prasetyo, A.R. (2014). Potensi ekstrak etanolik kulit dan daging buah melon (*Cucumis melo* L.) kultivar Gama Melon Parfum sebagai *repellent* nyamuk *Culex quinquefasciatus* Say, 1823. vektor penyakit vilaris. *Repository UGM*.
- Putri, A.P., dan Kurnia, P. (2018). Identifikasi keberadaan bakteri *coliform* dan total mikroba dalam es dung-dung di sekitar kampus Universitas Muhammadiyah Surakarta. *Media Gizi Indonesia* 13(1), 41-48.
- Qian, O.Y., Harith, S., Shahril, M.R., and Shahidan, N. (2019). Bioactive compounds in *Cucumis melo* L. and its beneficial health effects : a scoping review. *Malays. App. Biol* 48(4), 1-13.
- Rahmawati., Muflihunna, A., dan Sarif, L.M. (2015). Analisis aktivitas antioksidan produk sirup buah mengkudu (*Morinda citrifolia* L.) dengan metode DPPH. *Jurnal Fitofarmaka Indonesia* 2(2), 97-101.
- Rahmawati, D., Annisa, N., dan Sari, D.I. (2020). Formulasi sediaan kosmetik (lotion antioksidan) dari tanaman bangkal (*Nauclea subdita* (Korth.) Steud.). *Prosiding Seminar Nasional Lingkungan Lahan Basah* 5(2), 25-29.
- Rai, P., Poudyl, A. P., and Das, S. (2019). Pharmaceutical Creams and their use in wound healing: A review. *Journal Of Drug Delivery And Therapeutics*, 9(3), 907-912. doi.org/10.22270/jddt.v9i3-s.3042.
- Rezazadeh, A., Harkess, R.L., and Telmadarrehei, T., (2018). The Effect of Light Intensity and Temperature on Flowering and Morphology of Potted Red Firespike. *Horticulturae*, 4(36), 1-7. doi:10.3390/horticulturae4040036
- Rolim, P.M., Fidelis, G.P., Padilha, C.E.A., Rocha, H.A.O., and Macedo, G.R. (2018). Phenolic profile and antioxidant activity from peels and seeds of melon (*Cucumis melo* L. var. *reticulatus*) and their antiproliferative effect in cancer cell. *Brazilian Journal of Medical and Biological Research* 51(4), 1-14.
- Saeed, S., Barozai, M.Y.K., Ahmad, A., and Shah, S.H. (2014). Impact of Altitude on Soil Physical and Chemical Properties in Sra Ghurgai (Takatu mountain range) Quetta, Balochistan. *International Journal of Scientific & Engineering Research*, 5(3), 730-735.
- Safrina, D., dan Priyambodo, W.J. (2018). Pengaruh ketinggian tempat tumbuh dan pengeringan terhadap flavonoid total sambaling colok (*Iresine herbsti*). *Jurnal Penelitian Pascapanen Pertanian* 15(3), 156-162.
- Salim, M., Sulistyaningrum N., Isnawati, A., Sitorus, H., Yahya., dan Ni'mah, T. (2016). Karakterisasi simplisia dan ekstrak kulit buah duku (*Lansium domesticum* Corr) dari provinsi Sumatera Selatan dan Jambi. *Jurnal Kefarmasian Indonesia* 6(2), 117-128.
- Santoso, B.S., Sudarsono., Nugroho, A.E., dan Murti, Y.B. (2017). Perbandingan aktivitas antioksidan antara jus buah mengkudu (*Morinda citrifolia*) dan jus rimpang temulawak (*Curcuma xanthorrhiza*). *Pharmakon Jurnal Ilmiah Farmasi* 6(3), 2302-2493.



- Setiadi dan Parimin. 2001. Bertanam Melon. Penebar Swadaya. Jakarta.
- Setyawati, R., Widayat., and Dewanto. (2020). Formulation and evaluation of physical characteristic of red rice extract (*Oryza glaberrima* Steud) lotion. *Farmaseutik* 16(1), 20-26.
- Setyawati, R., Feriadi., and Dewanto. (2019). Antifungal cream preparation of galangal rhizome extract (*Alpinia galanga* L.). *Farmaseutik* 15(1), 35-41.
- Saputri, A.P., Wibowo, W.A., and Daryono, B.S. (2020). Phenotical characters and biochemical compund of cucurbitacin melon (*Cucumis melo* L. 'Gama Melon Parfum') resulted from breeding. *AIP Conference Proceeding*, 1-7.
- Sharon, N., Anam, S., dan Yuliet. (2013). Formulasi krim antioksidan ekstrak etanol bawang hutan. *Online Jurnal of Natural Science* 2(3), 111-122.
- Shekhar, T. C., and Anju, G. (2014). Antioxidan activity by DPPH radical scavenging method of *Ageratum conyzoides* Linn. Leaves. *American Journal of Ethnomedicine*, 1(4), 244-249.
- Shinde, A., Ganu, J., and Naik, P. (2012). Effect of free radicals & antioxidants on oxidative stress: A review. *Journal of Dental and Allied Sciences*, 1(2), 63-66. doi.org/10.4103/2277-4696.159144.
- Silvianti, E., Achmad, S.H., and Gusmadi, D. (2020). Pemanfaatan kulit melon sebagai subsitusi tepung dan isian krim pada éclair 2020. *E-Proceeding of Applied and Science*, 7(5), 1639-1647.
- Simoos, A., Veiga, F., and Vitorino, C. (2019). Developing cream formulation : renewed inetrest in an old problem. *Journal of Pharmaceutical Sciences*. 1-12.
- Simangunsong, F.M., Mulyani, S., dan Hartiati, A. (2018). Evaluasi karaktersitik krim ekstrak kunyit (*Curcuma domestica* Val.) pada berbagai formulasi. *Jurnal Rekayasa dan Manajemen Agroindustri* 6(10), 11-21.
- SNI 16-4399-1996. Sediaan tabir surya. Dewan Standar Nasional.
- Sugihartini, N., Zainab., and Pamungkas, A. (2021). Physical stability and ethanol cream irritation test of *Moringa oleifera* L. *Jurnal Ilmiah Ibnu Sina* 6(2), 186-195.
- Tjitrosoepomo, G. (2013). Taksonomi tumbuhan (spermatophyta). Gadjah Mada University Press, 379-380.
- Utomo, D.S., Kristiani, E.B.E., dan Mahardika, A. (2020). Pengaruh lokasi tumbuh terhadap kadar flavonoid, fenolik, klorofil, karetenoid dan aktivitas antioksidan pada tumbuhan pecut kuda (*Stachytarpheta jamaicensis*). *Bioma* 22(2), 143-149.
- Vishwakarma, V. K., Gupta, J. K., and Upadhyay, P. K. (2017). Pharmacological importance of *Cucumis melo* L.: An overview. *Asian Journal of Pharmaceutical and Clinical Research*, 10(3), 8–12. doi.org/10.22159/ajpcr.2017.v10i3.13849.
- Wardani, Y.K., Kristiani, E.B.E., dan Sucahyo. (2020). Korelasi antara aktivitas antioksidan dengan kandungan senyawa fenolik dan lokasi tumbuh tanaman *Celosia argentea* Linn. *Bioma* 22(2), 136-142.
- Widaryawanto, E., Wicaksono, K.P., and Najiyah, H. (2017). Drought Effect Simulation on the Growth and Yield Quality of Melon (*Cucumis melo* L.). *Journal of Agronomy*, 16(4), 147-153. DOI: 10.3923/ja.2017.147.153.
- World Health Organization. (2011). Quality control methods for herbal materials. Hal

29.

- Yaqoob, U., and Nawchoo, I.A. (2015). Impact of habitat variability and altitude on growth dynamics and reproductive allocation in *Ferula jaeschkeana* Vatke. *Journal of King Saud University – Science*, 29(1), 19-27. <https://doi.org/10.1016/j.jksus.2015.10.002>
- Yekti, A., Darwanto, D.H., Jamhar i, and Hartono, S. (2017). Technical Efficiency of wet season melon farming. *Journal of Economics and Policy* 10(1), 12-29. DOI: <http://dx.doi.org/10.15294/jejak.v10i1.9124>
- Yuan, R.Q., Qian, L., Yun, W.J., Cui, X.H., Lv, G.X., Cao, R.C., and Xu, H. (2018). Cucurbitacins extracted from *Cucumis melo* L. (CuEC) exert a hypotensive effect via regulating vascular tone. *Hypertension Research*.
- Zamzami, K, Nawawi, M., and Aini, N. (2015). Pengaruh jumlah tanaman per polibag dan pemangkasan terhadap pertumbuhan dan hasil tanaman mentimun Kyuri (*Cucumis sativus* L.). *Jurnal Produksi Tanaman*, 3(2), 113-119.
- Zargoosh, Z., Ghavam, M., Bachetta, G., and Tavili, A. (2019). Effects of ecological factors on the antioxidant potential and total phenol content of *Scrophularia striata* Boiss. *Scientific Reports Nature Researc* 9(16021), 1-15.
- Zeb, A. (2016). Phenolic profile and antioxidant activity of melon (*Cucumis melo* L.) seeds from Pakistan. *Foods* 5(67), 2-7.
- Zou, Y., Lu, Y., and Wei, D., (2004). Antioxidant avtivity of a flavonoid-rich of *Hypericum perforatum* L. in vitro. *Journal of Agricultural and Food Chemistry* 52, 5032-5039.