

DAFTAR PUSTAKA

- Adie, M. M., & Krisnawati, A. 2007. Biologi Tanaman Kedelai. *Balai Penelitian Kacang-Kacangan Dan Umbi-Umbian, Malang.*, 45–73.
- Adisarwanto, T., & Suhartina. 2001. Tanggap beberapa varietas kedelai terhadap kondisi tanah jenuh air. *Penelitian Pertanian*. 20: 88–94.
- Agustina, L. 2004. *Dasar Nutrisi Tanaman*. Jakarta: Rineka Cipta.
- Alaoui-Sosse, B., Gerard, B., Binet, P., Taussaint, M.-L., & Badot, P.-M. 2005. Influence of flooding on growth, nitrogen availability in soil, and nitrate reduction of young oak seedlings (*Quercus robur* L.). *Annals of Forest Science*, (62): 593–600.
- Aldillah, R. 2015. Proyeksi Produksi dan Konsumsi Kedelai Indonesia. *Ekonomi Kuantitatif Terapan*. (81): 2301–8968.
- Almeselmani, M., Abdullah, F., Hareri, F., Naaesan, M., Adel Ammar, M., ZuherKanbar, O., & Alrzak Saud, A. 2011. Effect of Drought on Different Physiological Characters and Yield Component in Different Varieties of Syrian Durum Wheat. *Journal of Agricultural Science*. (33): 127–133.
- Amir, B., Indradewa, D., & Putra, E. T. S. 2015. Hubungan bintil akar dan aktivitas nitrat reduktase dengan serapan N pada beberapa kultivar kedelai *Glycine max*. *Prosiding Seminar Hasil Masy Biodiversitas Indonesia*. (15): 1132–1135.
- Ashraf, M. A. 2012. Waterlogging stress in plants: A review. *African Journal of Agricultural Research*. (713): 1976–1981.
- AT. 2016. Berkat Varietas Dega 1, Dena 1, dan Grobogan, Produktivitas Kedelai di Kabupaten Nganjuk Meningkat. *Balai Penelitian Kacang-Kacangan Dan Umbi-Umbian*, p. 1. Retrieved from <http://balitkabi.litbang.pertanian.go.id/berita/berkat-varietas-dega-1-dena-1-dan-grobogan-produktivitas-kedelai-di-kabupaten-nganjuk-meningkat/>
- Azhar, N., Hussain, B., Ashraf, M. Y., & Abbasi, K. Y. 2011. Water stress mediated changes in growth, physiology and secondary metabolites of desi ajwain *Trachyspermum Ammi* L.. *Pakistan Journal of Botany*, 43SPEC. ISSUE, 15–19.
- Bacanamwo, M., & Purcell, L. C. 1999. Soybean Root Morphological and Anatomical Traits Associated with Acclimation to Flooding. *Crop Science*, 91, 143–149.
- Badan Penelitian dan Pengembangan Pertanian. 2016. Dega 1, VUB untuk Menunjang Swasembada Kedelai. *Badan Penelitian Dan Pengembangan Pertanian*, p. 1. Retrieved from <http://www.litbang.pertanian.go.id/info-teknologi/2531/>
- Badan Pusat Statistik. 2015. *Produksi Tanaman Pangan Production of Food Crops*. Retrieved from <https://www.bps.go.id/publication/download.html>
- Bahri, S. 2008. Respon Pertumbuhan dan Hasil Tiga Varietas Kedelai *Glycine Max*, L. Terhadap Cekaman Kekeringan. *Agrosamudra*. 42: 1–14.
- Bailey-Serres, J., & Voeselek, L. A. C. J. 2008. Flooding stress: Acclimations and genetic diversity. *Annual Review of Plant Biology*. 59: 313–339.

- Bajji, M., Kinet, J. M., & Lutts, S. 2002. The use of the electrolyte leakage method for assessing cell membrane stability as a water stress tolerance test in durum wheat. *Plant Growth Regulation*. 361: 61–70.
- Baker, N. R. 2008. Chlorophyll fluorescence: A probe of photosynthesis in vivo. *Annual Review of Plant Biology*. 59: 89–113.
- Balitkabi. 2016. Deskripsi Varietas Unggul Kedelai 1918-2016. *Deskripsi Varietas Unggul Aneka Kacang Dan Umbi*, 86.
- Bengough, A.G., M.F. Bransby, J. Hans, S.J. McKenna, T.J. Roberts, & T.A. Valentine. 2006. Root responses to soil physical conditions; growth dynamics from field to cell. *J. Exp. Bot.* 57: 437– 447.
- Berkowitz, G. A. 1998. *Water and salt stress In: A. S. Raghavendra Ed.. Photosynthesis: A Comprehensive Treatise*. Cambridge: Cambridge University Press.
- Beutler, A. N., Giacomeli, R., Alberto, C. M., & Silva, V. N. 2014. Soil hydric excess and soybean yield and development in Brazil. *Australian Journal of Crop Science*. 810: 1461–1466.
- Blokhina, O., Virolainen, E., & Fagerstedt, K. V. 2003. Antioxidants, oxidative damage and oxygen deprivation stress: A review. *Annals of Botany*. 91: 179–194.
- Blum, A. 1996. Crop responses to drought and the interpretation of adaptation. *Plant Growth Regulation*. 202: 135–148.
- Blum, A., & Ebercon, A. 1981. Cell membrane stability as a measure of drought and heat tolerance in wheat. *Crop Science*, 211: 43–47.
- Boru, G., Vantoai, T., Alves, J., Hua, D., & Knee, M. 2003. Responses of soybean to oxygen deficiency and elevated root-zone carbon dioxide concentration. *Annals of Botany*. 914: 447–453.
- Bramley, H., Turner, N. C., Turner, D. W., & Tyerman, S. D. 2010. Contrasting influence of mild hypoxia on hydraulic properties of cells and roots of wheat and lupin. *Functional Plant Biology*. 37: 183–193.
- Bramley, H., Tyerman, S. D., Turner, D. W., & Turner, N. C. 2011. Root growth of lupins is more sensitive to waterlogging than wheat. *Functional Plant Biology*. 38(11): 910–918.
- Cambaba, S., & Maryani. 2014. Karakter Anatomis Daun Kedelai (*Glycine max* (L.) Merrill) 'Grobogan' Hasil Perlakuan Kekeringan dan Mulsa Jerami (Universitas Gadjah Mada).
- Canene, A. K., Clinton, S. ., King, J. ., Wharton, C., Lindshield, B. ., Jeffery, E., & Edraman, J. W. J. 2004. The growth of the Dunning R-3327-H transplantable prostate adenocarcinoma in rats fed diets containing tomato , Submit broccoli , lycopene , or receiving finasteride treatment. *FASEB Journal*. 18: 4–5.
- Chowdhury, J., Karim, M., Khaliq, Q., & Ahmed, A. 2017. Effect of drought stress on bio-chemical change and cell membrane stability of soybean genotypes. *Bangladesh Journal of Agricultural Research*. 42(3): 475–485.
- Claussen, W., & Lenz, F. 1999. Effect of ammonium or nitrate nutrition on net photosynthesis, growth, and activity of the enzymes nitrate reductase and glutamine synthetase in blueberry, raspberry and strawberry. *Plant and Soil*.

208(1): 95–102.

- Dastborhan, S., & Ghassemi-Golezani, K. 2015. Influence of seed priming and water stress on selected physiological traits of borage. *Folia Horticulturae*. 27(2): 151–159.
- Davanso, V. M., De Souza, L. A., Medri, M. E., Pimenta, J. A., & Bianchini, E. 2002. Photosynthesis, growth and development of *Tabebuia avellanedae* Lor. ex Griseb. (Bignoniaceae) in flooded soil. *Brazilian Archives of Biology and Technology*. 45(3): 375–384.
- Deshmukh, S. A., & Gaikwad, D. K. 2019. Effect of water stress and waterlogging stress on leaf water relations in a medicinally important plant *Basella Alba* L. (Basellaceae). *Plant Archives*. 19(2): 1737–1740.
- Dewi, S. M., Yuwariah, Y., Qosim, W. A., & Ruswandi, D. 2019. Pengaruh cekaman kekeringan terhadap hasil dan sensitivitas tiga genotip jawawut. *Kultivasi*. 18(3): 933–941.
- Dogan, E., Kirnak, H., & Copur, O. 2007. Deficit irrigations during soybean reproductive stages and CROPGRO-soybean simulations under semi-arid climatic conditions. *Field Crops Research*. 103(2): 154–159.
- Dong, S., Jiang, Y., Dong, Y., Wang, L., Wang, W., Ma, Z., ... Liu, L. 2019. A study on soybean responses to drought stress and rehydration. *Saudi Journal of Biological Sciences*. 26(8): 2006–2017.
- Drew, M C, & Lynch, J. M. 1980. Soil Anaerobiosis, Microorganisms, and Root Function. *Annual Review of Phytopathology*. 18(1): 37–66.
- Drew, Malcolm C. 1997. Oxygen deficiency and root metabolism: Injury and Acclimation under Hypoxia and Anoxia. *Annual Review of Plant Biology*. 48: 223–250.
- Du, Y., Zhao, Q., Chen, L., Yao, X., Zhang, W., Zhang, B., & Xie, F. 2020. Effect of drought stress on sugar metabolism in leaves and roots of soybean seedlings. *Plant Physiology and Biochemistry*. 146(October 2019): 1–12.
- Dwyer, L. M., Stewart, D. W., & Balchin, D. 1988. Rooting characteristics of corn, soybeans, and barley as a function of available water and soil physical characteristics. *Canadian Journal of Soil Science*. 68(1): 121–132.
- Evans, D.E. 2004. Aerenchyma formation. *New Phytologist*. 161: 35–49.
- Fatimah, V., & Saputro, T. B. 2016. Respon karakter fisiologis kedelai (*Glycine max* L.) varietas grobogan terhadap cekaman genangan. *Jurnal Sains Dan Seni ITS*. 5(2): 2337–2352.
- Fauzan, R. 2021. Kedelai Langka, Pemerintah Harus Fokus pada Peningkatan Produktivitas. *Bisnis.Com*, pp. 1–2. Retrieved from <https://ekonomi.bisnis.com/read/20210105/12/1338923/kedelai-langka-pemerintah-harus-fokus-pada-peningkatan-produktivitas>
- Fitri, M. Z., & Salam, A. 2017. Deteksi Kandungan Air Relatif Pada Daun Sebagai Acuan Induksi Pembungaan Jeruk Siam Jember. *Jurnal Agrotrop*. 16(2): 252–265.
- Fitriana, J., Pukan, K. K., & Herlina, L. 2011. Aktivitas Enzim Nitrat Reduktase Kedelai Kultivar Burangrang akibat Variasi Kadar Air Tanah pada Awal Pengisian Polong. *Biosaintifika: Journal of Biology & Biology Education*. 11.

- Fitter, A., & Hay, R. 1991. *Fisiologi Lingkungan Tanaman. Terjemahan Sri Andani & ED Purbayanti*. Yogyakarta: UGM-Press.
- Fitter, A., Williamson, L., Linkohr, B., Leyser, O. 2002. Root System Architecture Determines Fitness in an Arabidopsis Mutant in Competition for Immobile Phosphate Ions but Not for Nitrate Ions. *Proc. Biol. Sci.* 1504: 2017–2022.
- Garcia, N., Jovelina, C., Luiza, K., Cocco, T., Pomagualli, D., Kletke, F., ... Oliveira, B. De. 2020. Waterlogging tolerance of five soybean genotypes through different physiological and biochemical mechanisms. *Environmental and Experimental Botany*. 172(1): 1–7.
- Gardner, F., Pearce, R., & Mitchell, R. 1991. *Physiology of Crop Plants*. Jakarta: Universitas Indonesia (UI-Press).
- Gill, S. S., & Tuteja, N. 2010. Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants. *Plant Physiology and Biochemistry*. 48(12): 909–930.
- Githiri, S. M., Watanabe, S., Harada, K., & Takahashi, R. 2006. QTL analysis of flooding tolerance in soybean at an early vegetative growth stage. *Plant Breeding*. 125(6): 613–618.
- Golzarian, M. R., Frick, R. A., Rajendran, K., Berger, B., Roy, S., Tester, M., & Lun, D. S. 2011. Accurate inference of shoot biomass from high-throughput images of cereal plants. *Plant Methods*. 7(1): 1–11.
- Gregory, P. J. 2006. Plant Roots: Growth, Activity and Interaction with Soils. In *Plant Roots: Growth, Activity and Interaction with Soils*.
- Grichko, V. P., & Glick, B. R. 2001. Ethylene and flooding stress in plants. *Plant Physiology and Biochemistry*. 39(1): 1–9.
- Griffin, J. L., & Saxton, A. M. 1988. Response of Solid-Seeded Soybean to Flood Irrigation. II. Flood Duration. *Agronomy Journal*. 80(6): 885–888.
- Grzesiak, S., Hura, T., Grzesiak, M. T., & Pieńkowski, S. 1999. The impact of limited soil moisture and waterlogging stress conditions on morphological and anatomical root traits in maize (*Zea mays* L.) hybrids of different drought tolerance. *Acta Physiologiae Plantarum*. 21(3): 305–315.
- Hamim, Sopandie, D., & Jusuf, M. 1996. Beberapa karakteristik morfologi dan fisiologi kedelai toleran dan peka terhadap cekaman kekeringan. *Hayati*.
- Hanum, C., Mugnisjah, W. Q., & Yahya, S. 2007. Pertumbuhan Akar Kedelai pada Cekaman Aluminium, Kekeringan dan Cekaman Ganda Aluminium dan Kekeringan. *Agritrop*. 26(1): 13–18.
- Harjanti, R. A., Tohari, & Utami, S. N. H. 2014. Pengaruh Takaran Pupuk Nitrogen dan Silika terhadap Pertumbuhan Awal (*Saccharum officinarum* L.) pada Inceptisol. *Vegetalika*. 3(2): 35–44.
- Hendriyani, I. S., & Setiari, N. (2009). Kandungan Klorofil dan Pertumbuhan Kacang Panjang (*Vigna sinensis*) Pada Tingkat Penyediaan Air yang Berbeda. *J. Sains & Mat*. 17(3): 145–150.
- Heriyanto, N., Rogomulyo, R., & Indradewa, D. (2019). Pengaruh Cekaman Kekeringan Terhadap Hasil dan Komponen Hasil Lima Kultivar Kedelai (*Glycine max* L.). *Vegetalika*. 8(4): 227–238.
- Hirasawa, T., Tanaka, K., Miyamoto, D., Takei, M., & Ishihara, K. (1994). Effects of Pre-Flowering Soil Moisture Deficits on Dry Matter Production and

- Ecophysiological Characteristics in Soybean Plants under Drought Conditions during Grain Filling. *Chemical Pharmaceutical Bulletin*. 63(4): 721–730.
- Hirt, H., & Shinozaki, K. 2004. Plant responses to abiotic stress. In *Current Opinion in Biotechnology*. 22: 412–424.
- Hoa, T. T. C., VanToai, T., Hue, N. T. N., Nguyen, H., Shannon, G., & Bishop, B. 2005. Diversity in Tolerance of Soybean (*Glycine max* (L) . Merr .) Germplasm to Soil Waterlogging. *Paper Presented at International Annual Meetings, New Orleans, Louisiana*, 88.
- Holden, M. 1965. Chlorophyll bleaching by legume seeds. *Journal of the Science of Food and Agriculture*. 16(6): 312–325.
- Hopkins, W. & H. Norman. 2008. *Introduction to Plant Physiology 4th Edition*. USA : John Wiley & Son. Iska,
- Hossain, A., & Uddin, S. N. 2011. Mechanisms of waterlogging tolerance in wheat: Morphological and metabolic adaptations under hypoxia or anoxia. *Australian Journal of Crop Science*. 5(9): 1094–1101.
- Hou, F.-F., & Thseng, F.-S. 1992. Studies on the Screening Technique for Pre-germination Flooding Tolerance in Soybean. *Japanese Journal of Crop Science*. 61(3): 447–453.
- Huck, M. G., Ishihara, K., Peterson, C. M., & Ushijima, T. 1983. Soybean Adaptation to Water Stress at Selected Stages of Growth. *Plant Physiology*. 73(2): 422–427.
- Humoen, M. I., Melati, M., & Aziz, S. A. 2020. Respon pertumbuhan dan perkembangan tanaman kedelai (*Glycine max* L.) terhadap pemberian cekaman naungan dan kekeringan. *Jurnal Ilmu Pertanian Dan Lingkungan*. 1(10): 32–38.
- Indahsari, D., & Saputro, T. B. 2018. Analisis Morfologi dan Profil Protein Kedelai Varietas Grobogan Hasil Iradiasi Pada Kondisi Cekaman Genangan. *Jurnal Sains Dan Seni ITS*. 7(2): 88–94.
- Irwan. 2013. Varietas Benih Kedelai di Kabupaten Pidie. *Agrisep*. 14(1): 10–18.
- Irwan, A. W., & Wicaksono, F. Y. 2017. Perbandingan pengukuran luas daun kedelai dengan metode gravimetri , regresi dan scanner. *Jurnal Kultivasi*. 16 (3): 425–429.
- Jackson, M. B., & Colmer, T. D. 2005. Response and adaptation by plants to flooding stress. *Annals of Botany*. 96(4): 501–505.
- James, A. T., Lawn, R. J., & Cooper, M. 2008. Genotypic variation for drought stress response traits in soybean. II. Inter-relations between epidermal conductance, osmotic potential, relative water content, and plant survival. *Australian Journal of Agricultural Research*. 59(7): 670–678.
- Kaya, M. D., Okçu, G., Atak, M., Çikili, Y., & Kolsarici, Ö. 2006. Seed treatments to overcome salt and drought stress during germination in sunflower (*Helianthus annuus* L.). *European Journal of Agronomy*. 24(4): 291–295.
- Kementerian Pertanian. 2018. Statistik Konsumsi Pangan Tahun 2018. *Statistik Konsumsi Pangan*. 12–14.
- King, C. A., & Purcell, L. C. 2005. Inhibition of N₂ fixation in soybean is associated with elevated ureides and amino acids. *Plant Physiology*. 137(4): 1389–

1396.

- Kobraei, S., Etminan, A., Mohammadi, R., & Kobraee, S. 2011. Effects of drought stress on yield and yield components of soybean. *Annals of Biological Research*. 2(5): 504–509.
- Kocheva, K., Lambrev, P., Georgiev, G., Goltsev, V., & Karabaliev, M. 2004. Evaluation of chlorophyll fluorescence and membrane injury in the leaves of barley cultivars under osmotic stress. *Bioelectrochemistry*. 63(1–2): 121–124.
- Kozlowski, T. T. 1991. *Water deficit and plant growth. Vol. 1. Development, control and measurement*. New York: Academic Press.
- Kramer, P. J., 1986. The Role of Physiology in Forestry. *Tree Physiology* . 2: 1–16.
- Kunert, K. J., Vorster, B. J., Fenta, B. A., Kibido, T., Dionisio, G., & Foyer, C. H. 2016. Drought stress responses in soybean roots and nodules. *Frontiers in Plant Science*. 7(JULY2016): 1–7.
- Lakitan, B. 2013. *Dasar-dasar fisiologi tumbuhan*. Jakarta: Rajawali Press.
- Le, D. T., Nishiyama, R., Watanabe, Y., Tanaka, M., Seki, M., Ham, L. H., ... Tran, L. S. P. 2012. Differential Gene Expression in Soybean Leaf Tissues at Late Developmental Stages under Drought Stress Revealed by Genome-Wide Transcriptome Analysis. *PLoS ONE*. 7(11): 1–9.
- Linkemer, G., Board, J. E., & Musgrave, M. E. 1998. Waterlogging effects on growth and yield components in late-planted soybean. *Crop Science*. 38(6): 1576–1584.
- Mahdi, N. N., & Suharno. 2019. Analisis Faktor-Faktor yang Memengaruhi Impor Kedelai di Indonesia. *Forum Agribisnis: Agribusiness Forum*. 9(2): 160–184.
- Maimunah, Rusmayadi, G., & Langai, B. F. 2018. Pertumbuhan dan Hasil Dua Varietas Tanaman Kedelai (*Glycine max* (L.) Merrill) Dibawah Kondisi Cekaman Kekeringan Pada Berbagai Stadia Tumbuh. *EnviroScienceteae*. 14(3): 211–221.
- Maiti, R., Satya, P., Rajkumar, D., & Ramaswamy, A. 2012. Crop Plant Anatomy. In *CAB International*. UK: CABI.
- Makbul, S., Saruhan Güler, N., Durmuş, N., & Güven, S. 2011. Changes in anatomical and physiological parameters of soybean under drought stress. *Turkish Journal of Botany*. 35(4): 369–377.
- Maleki, A., Nader, A., Naseri, R., Fath, A., Bahamin, S., & Maleki, R. 2013. Physiological performance of soybean cultivars under drought stress. *Bulletin of Environment, Pharmacology and Life Sciences*. 2(May): 38–44.
- Manavalan, L. P., Guttikonda, S. K., Phan Tran, L. S., & Nguyen, H. T. 2009. Physiological and molecular approaches to improve drought resistance in soybean. *Plant and Cell Physiology*. 50(7): 1260–1276.
- Mansfield, T. A., & Atkinson, C. J. 1990. *Stomatal behavior in water stressed plants*. New York: Wiley-Liss, Inc.
- Manshuri, A. G. 2010. Pengaruh Genangan dalam Parit pada Berbagai Fas Tumbuh Terhadap Laju Partisi Bobot Kering Ke Biji dan Hasil Beberapa Varietas Kedelai Berumur Genjah, Sedang, dan Dalam. *Proseding Seminar Hasil*

- Penelitian Tanaman Aneka Kacang Dan Umbi*. 15(13): 164–170.
- Mariay, I. F. 2013. Karakter Morfologis Perakaran Kultivar Kedelai Tahan Kekeringan. *Tesis*. 42–113.
- Marschner, H. 1998. *Mineral Nutrition in Higher Plants*. London: Academic Press Inc.
- McElroy, J. S. C. O. T., & Kopsell, D. A. 2009. Physiological role of carotenoids and other antioxidants in plants and application to turfgrass stress management. *New Zealand Journal of Crop and Horticultural Science*. 37(4): 327–333.
- Mustafa, G., & Komatsu, S. 2014. Quantitative proteomics reveals the effect of protein glycosylation in soybean root under flooding stress. *Frontiers in Plant Science*. 5(NOV): 1–15.
- Mutava, R. N., Prince, S. J. K., Syed, N. H., Song, L., Valliyodan, B., Chen, W., & Nguyen, H. T. 2015. Understanding abiotic stress tolerance mechanisms in soybean: A comparative evaluation of soybean response to drought and flooding stress. *Plant Physiology and Biochemistry*. 86: 109–120.
- Noctor, G., & Foyer, C. H. 1998. Ascorbate and Glutathione: Keeping Active Oxygen under Control. *Annual Review of Plant Biology*. 49: 249–279.
- Nugrahaeni, N. 2016. Info Teknologi » Dega 1: VUB Kedelai Genjah, Biji Besar, Hasil Tinggi. Retrieved from Balai Penelitian kacang-kacangan dan Umbi-umbian website: <http://balitkabi.litbang.pertanian.go.id/infotek/dega-1-vub-kedelai-genjah-besar-hasil-tinggi/>
- Nurbaiti, Yulia, A. E., & Sitorus, J. 2012. Respon Pertumbuhan Bibit Kelapa Sawit (*Elaeis guineensis* Jacq.) Pada Medium Gambut dengan Berbagai Periode Penggenangan. *J. Agrotek. Trop*. 1(1): 14–17.
- Oh, M. W., Nanjo, Y., & Komatsu, S. 2014. Gel-free proteomic analysis of soybean root proteins affected by calcium under flooding stress. *Frontiers in Plant Science*. 5(OCT): 1–15.
- Ohashi, Y., Nakayama, N., Saneoka, H., & Fujita, K. 2006. Effects of drought stress on photosynthetic gas exchange, chlorophyll fluorescence and stem diameter of soybean plants. *Biologia Plantarum*. 50(1): 138–141.
- Oosterhuis, D. M., Scott, H. D., Hampton, R. E., & Wulschleger, S. D. 1990. Physiological responses of two soybean [*Glycine max* (L.) Merr] cultivars to short-term flooding. *Environmental and Experimental Botany*. 30(1): 85–92.
- Oukarroum, A., Madidi, S. El, Schansker, G., & Strasser, R. J. 2007. Probing the responses of barley cultivars (*Hordeum vulgare* L.) by chlorophyll a fluorescence OLKJIP under drought stress and re-watering. *Environmental and Experimental Botany*. 60(3): 438–446.
- Oya, T., Nepomuceno, A. L., Neumaier, N., Farias, J. R. B., Tobita, S., & Ito, O. 2004. Drought tolerance characteristics of Brazilian soybean cultivars - Evaluation and characterization of drought tolerance of various Brazilian soybean cultivars in the field. *Plant Production Science*. 7(2): 129–137.
- Patel, P. K., Singh, A. K., Tripathi, N., Yadav, D., & Hemantaranjan, A. 2014. Flooding: Abiotic Constraint Limiting Vegetable Productivity. *Advances in Plants & Agriculture Research*. 1(3): 96–103.

- Pessarackli, M. 1999. *Handbook of Plant and Crop Stress*. New York: Marcel Dekker, Inc.
- Porcel, R., & Ruiz-Lozano, J. M. 2004. Arbuscular mycorrhizal influence on leaf water potential, solute accumulation, and oxidative stress in soybean plants subjected to drought stress. *Journal of Experimental Botany*. 55(403): 1743–1750.
- Prabowo, I., & Rachmawati, D. 2020. Respons Fisiologis dan Anatomi Akar Tanaman Bayam (*Amaranthus tricolor* L.) Terhadap Cekaman NaCl. *Jurnal Penelitian Saintek*. 25(1): 36–43.
- Pratiwi, Y., Kastono, D., & Indradewa, D. 2019. Perbandingan Perakaran Beberapa Kultivar Kedelai (*Glycine max* L.) yang Mengalami Kekeringan dengan Metode Pengamatan Berbeda. *Vegetalika*. 8(4), 276-291.
- Proklamasiningsih E., Prijambada I.D., Rachmawati D., & Sancayaningsih R.P. 2012. Laju Fotosintesis dan Kandungan Klorofil Kedelai pada Media Tanam Masam dengan Pemberian Garam Aluminium. *Agrotop*.vol 2(1): 17–24.
- Pugnaire, F. I., Serrano, L., & Pardos, J. 1999. Constraints by Water Stress on Plant Growth. In M. Pessarackli (Ed.), *Handbook of Plant and Crop Stress* (Second Edi, pp. 271–278). New York: Marcel Dekker, Inc.
- Purbowahyuani, R. T., Kastono, D., & Indradewa, D. 2019. Hubungan Sifat Perakaran dan Ketahanan Kekeringan Lima Kultivar Kedelai (*Glycine max* L.). 8(4): 237–250.
- Purcell, L. C., & King, C. A. 1996. Drought and nitrogen source effects on nitrogen nutrition, seed growth, and yield in soybean. *Journal of Plant Nutrition*. 19(6): 969–993.
- Purwanto, & Agustono, T. (2010). Kajian Fisiologi Tanaman Kedelai Pada Berbagai Kekeringan. *Jurnal Agroland*. 17(2): 85–90.
- Qiu, L.-J., & Chang, R.-Z. 2010. The Origin and History of Soybean. In G. Singh (Ed.), *The Soybean: Botany, Production and Uses* (pp. 6–7). London: CAB International.
- Quilambo, O. A. 2004. Proline content, water retention capability and cell membrane integrity as parameters for drought tolerance in two peanut cultivars. *South African Journal of Botany*. 70(2): 227–234.
- Raghuvanshi, R. S., & Bisht, K. 2010. *Uses of Soybean: Product and Preparation The Soybean (Botany, Production and Uses)* (G. Singh, Ed.). London: CAB International.
- Ratmadanti, F. R., & Maryani, M. M. 2017. Root Anatomy and Growth of *Capsicum frutescens* L. on Verticulture with Different Watering Supply. *Journal of Tropical Biodiversity and Biotechnology*. 2(1): 1.
- Rhine, M. D. 2006. Reaction of soybean cultivars to waterlogged soils. *Thesis University of Missouri-Columbia*. 9–15.
- Ritche, J. T. 1980. Climate and soil water. In *In Moving up the yield curve Advace and obstacle* (pp. 1–23). Amer Society of Agronomy.
- Rizal, G., & Karki, S. 2011. Alcohol dehydrogenase (*ADH*) activity in soybean (*Glycine max* [*L.*] Merr .) under flooding stress. 2(1): 50–57.
- Rohmah, E. A., Saputro, B., Biologi, J., Matematika, F., Alam, P., Teknologi, I., &

- Nopember, S. 2016. Pengaruh Genangan Terhadap Kedelai. *Sains Dan Seni ITS*. 5(2): 29–33.
- Rosawanti, P. 2016. Pengaruh Cekaman Kekeringan Terhadap Kandungan Klorofil dan Prolin Daun Kedelai. *Anterior Jurnal*. 15(2): 172–179.
- Rosawanti, P., Ghulamahdi, M., & Khumaida, N. 2015. Respon Anatomi dan Fisiologi Akar Kedelai terhadap Cekaman Kekeringan. *J. Agron. Indonesia* 43 (3) : 186 - 192.
- Rutto, K. L., Mizutani, F., & Kadoya, K. 2002. Effect of root-zone flooding on mycorrhizal and non-mycorrhizal peach (*Prunus persica* Batsch) seedlings. *Scientia Horticulturae*. 94(3–4): 285–295.
- Sadeghipour, O., & Abbasi, S. 2012. Soybean response to drought and seed inoculation. *World Applied Sciences Journal*. 17(1): 55–60.
- Safrizal, Santosa, E., & Bakhtiar. 2008. Pengaruh Penggenangan Terhadap Pertumbuhan Vegetatif Cabai. *J.Floratek*. 3: 61–67.
- Sairam, R. K., Kumutha, D., & Ezhilmathi, K. 2009. Waterlogging tolerance: Nonsymbiotic haemoglobin-nitric oxide homeostasis and antioxidants. *Current Science*. 96(5): 674–682.
- Sakya, A. T., Sulistyaningsih, E., Indradewa, D., & Purwanto, B. H. 2018. Physiological characters and tomato yield under drought stress. *IOP Conference Series: Earth and Environmental Science*. 200(1).
- Salisbury, F. B., & Ross, C. W. 1995. *Fisiologi tumbuhan Jilid 3 : perkembangan tumbuhan dan fisiologi lingkungan* (4th ed.; D. R. Lukman & Sumaryono, Eds.). Bandung: ITB.
- Salisbury, F., & Ross, C. 1992. *Fisiologi Tumbuhan Jilid 2. Terjemahan Diah R. Lukman & Sumaryono: 1995. Edisi Keempat*. Bandung: ITB-Press.
- Sauter, M. 2013. Root responses to flooding. *Current Opinion in Plant Biology*. 16(3): 282–286.
- Savitri, E. S., Basuki, N., Aini, N., & Arumingtyas, E. L. (2011). Karakteristik Fisiologi Beberapa Varietas Kedelai Pada Kondisi Cekaman Kekeringan. *Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang Dan Umbi 2011*. (2): 226–235.
- Seago, J. L., Marsh, L. C., Stevens, K. J., Soukup, A., Votrubová, O., & Enstone, D. E. 2005. A re-examination of the root cortex in wetland flowering plants with respect to aerenchyma. *Annals of Botany*. 96(4): 565–579.
- Sesbany. 2010. *Pertumbuhan dan Produksi Empat Varietas Unggul Padi Sawah (Oryza Sativa L) Terhadap Berbagai Tingkat Genangan Air Pada Berbagai Jarak Tanam* (Sekolah Pascasarjana Universitas Sumatera Utara). Retrieved from <http://repository.usu.ac.id/handle/123456789/22086>
- Sharp, R.E., W.K. Silk & T.C. Hsiao. 1988. Growth of the maize primary root at low water potentials: I. Spatial distribution of expansive growth. *Plant Physiol*. 87: 50–57.
- Simanjuntak, J., Hanum, C., & Hanafiah, D. S. 2015. Pertumbuhan Dan Produksi Dua Varietas Kedelai Pada Cekaman Kekeringan. *Jurnal Online Agroekoteaknologi*. 3(3): 916–922.
- Sinaga, R. 2007. Analisis metode ketahanan rumput gajah dan raja akibat cekaman kekeringan berdasarkan respons anatomi akar dan daun. *Jurnal Biologi*

Sumatre. 2(1): 17-20.

- Sinclair, T. R., & Serraj, R. 1995. Legume nitrogen fixation and drought. *Nature*. 378(6555): 344.
- Smart, R.E., & Bingham, G. E. 1974. Rapid Estimates of Relative Water Content. *Plant Physiology*. 53(2): 258–260.
- Smethurst, C. F., Garnett, T., & Shabala, S. 2005. Nutritional and chlorophyll fluorescence responses of lucerne (*Medicago sativa*) to waterlogging and subsequent recovery. *Plant and Soil*. 270(1): 31–45.
- Solihat, K. 2021. Enam Varietas Unggul Kedelai Andalan Tingkatkan Produktivitas. *DeskJabar Dotcom*, p. 1. Retrieved from <https://deskjabar.pikiran-rakyat.com/ekbis/pr-1131263646/enam-varietas-unggul-kedelai-andalan-tingkatkan-produktivitas>
- SOPA. 2021. *World Soybean Production*. 1, 1. Retrieved from <http://www.sopa.org/statistics>
- Steffens, B., & Rasmussen, A. 2016. The physiology of adventitious roots. *Plant Physiology*. 170(2): 603–617.
- Stefia, E. M., & Saputro, T. B. 2017. Analisis Morfologi dan Struktur anatomi tanaman kedelai (*Glycine max* L .) pada Kondisi Tergenang. *Jurnal Sains Dan Seni ITS*. 5–13.
- Suardi. 1988. Pemilihan Varietas padi Tahan keke- ringan. *Jurnal Litbang Pertanian. Badan Litbang Pertanian Bogor*. 7(1):1–9.
- Sudaryono. 2007. Inovasi Rekayasa Teknologi Pengelolaan Tanaman Terpadu Kedelai. *Buletin Palawija*. (14): 47–59.
- Sugiyama, A., Ueda, Y., Takase, H., & Yazaki, K. 2015. Do soybeans select specific species of *Bradyrhizobium* during growth? *Communicative and Integrative Biology*. 8(1).
- Suhartina, & Kuswantoro, H. (2011). Pemuliaan Tanaman Kedelai Toleran Terhadap Cekaman Kekeringan. *Buletin Palawija*. 0(21): 26–38.
- Suhartina. 2007. Evaluasi Galur-Galur Harapan Hitam Toleran Kekeringan dan Berdaya Hasil Tinggi. *Prosiding Seminar Peningkatan Produksi Kacang-Kacangan dan Umbi-Umbian Mendukung Kemandirian Pangan. Puslitbangtan, Bogor*: 153–161.
- Suhesti, S., Mangoendidjojo, & Hartiko, H. 2006. Hubungan Aktivitas Nitrat Reduktase pada eerapa Fase Pertumbuhan dengan Komponen Hasil dan Hasil Tanaman Kedelai. *AGROSAINS*. 19(4): 355–368.
- Sukmasari, M. D., Wijaya, A. A., Dani, U., & Waluyo, B. (2018). Respon Sembilan Varietas Kedelai (*Glycine max*. L (MERRIL)) Yang Ditanam Pada Kondisi Jenuh Air. *Agronomika*. 12(2): 87–91.
- Suryaningrum, R., Purwanto, E., & Sumiyati. 2016. Analisis Pertumbuhan Beberapa Varietas Kedelai pada Perbedaan Intensitas Cekaman Kekeringan. *Agrosains*. 18(2): 33–37.
- Susanto, G. W. A. S., & Nugrahaeni, N. 2017. Pengenalan dan karakteristik varietas unggul kedelai. *Bunga Rampai: Teknik Produksi Benih Kedelai*. (61): 17–28.
- Susanto, V. Y., & Perwitasari, A. S. 2021. Soal permasalahan kedelai, ini saran Serikat Petani Indonesia (SPI). *Kontan.Co.Id*, pp. 1–2. Retrieved from

<https://industri.kontan.co.id/news/soal-permasalahan-kedelai-ini-saran-serikat-petani-indonesia-spi?page=1>

- Susilawati, Suwignyo, R. A., Munandar, & Hasmeda, M. 2011. Anatomi Akar Dan Karakter Agronomi Tanaman Cabai Merah (*Capsicum annuum* L.) Pasca Tergenang. *Prosiding Semirata*. 517–527.
- Swapna, S., & Shylaraj, K. S. 2017. Screening for Osmotic Stress Responses in Rice Varieties under Drought Condition. *Rice Science*. 24(5): 253–263.
- Swastika, D. K. S. 2015. Kinerja Produksi dan Konsumsi serta Prospek Pencapaian Swasembada Kedelai di Indonesia. *Forum Penelitian Agro Ekonomi*. 33(2): 149–160.
- Taiz, L., & Zeiger, E. (2002). Plant physiology. 3rd edn. In *Annals of Botany* (Vol. 91).
- Taiz, Lincoln, & Zeiger, E. 2010. *Plant Physiology* (5th ed.). Massachusetts U.S.A.: Sinauer Associates.
- Tampubolon, B., Wiroatmodjo, J., Baharsjah, J. S., & Soedarsono. 1989. Pengaruh Penggenangan Pada Berbagai Fase Pertumbuhan Kedelai (*Glycine max* (L.) Merr) Terhadap Pertumbuhan Dan Produksi. *Forum Pascasarjana*. 12: 17–25.
- Tewar, S., & Arora, N. K. 2016. Soybean Production Under Flooding Stress and Its Mitigation Using Plant Growth-Promoting Microbes. In M. Miransari (Ed.), *Environmental Stresses in Soybean Production: Soybean Production* (Vol. 2, pp. 23–40).
- Thomas, A. L., Guerreiro, S. M. C., & Sodek, L. 2005. Aerenchyma formation and recovery from hypoxia of the flooded root system of nodulated soybean. *Annals of Botany*. 96(7): 1191–1198.
- Thomas, F. M., & Hilker, C. 2000. Nitrate reduction in leaves and roots of young pedunculate oaks (*Quercus robur*) growing on different nitrate concentrations. *Environmental and Experimental Botany*. 43(1): 19–32.
- Tougou, M., Hashiguchi, A., Yukawa, K., Nanjo, Y., Hiraga, S., Nakamura, T., ... Komatsu, S. 2012. Responses to flooding stress in soybean seedlings with the alcohol dehydrogenase transgene. *Plant Biotechnology*. 29(3): 301–305.
- Tripathy, J. N., Zhang, J., Robin, S., Nguyen, T. T., & Nguyen, H. T. 2000. QTLs for cell-membrane stability mapped in rice (*Oryza sativa* L.) under drought stress. *Theor Appl Genet*. 10(100): 1197–1202.
- Turner, N. C., Wright, G. C., & Siddique, K. H. M. 2001. Adaptation of grain legumes (pulses) to water-limited environments. *Advances in Agronomy*. 193–231.
- Ulvskov, P., Nielsen, T. H., Seiden, P., & Marcussen, J. 1992. Cytokinins and leaf development in sweet pepper (*Capsicum annuum* L.). *Planta*. (188): 70–77.
- Vaidya, S., Vanaja, M., Lakshmi, J. N., Sowmya, P., Anitha, Y., & Sathish, P. 2015. Variability in Drought Stress Induced Responses of Groundnut (*Arachis hypogaea* L.) Genotypes. *Biochemistry & Physiology*. 04(01): 1–5.
- VanToai, T.T., T.T.C Hoa, N.T.N. Hue, H. Nguyen, J.G. Shannon, and B. Bishop. 2007. Diversity in tolerance of soybean (*Glicyne max* L. Merr.) germplasm to soil waterlogging. *Paper presented at International Annual Meetings, New Orleans, Louisiana, 4-8 November 2007*

- Visser, E. J.W., Voeselek, L. A. C. J., Vartapetian, B. B., & Jackson, M. B. 2003. Flooding and plant growth. *Annals of Botany*. 91(SPEC. ISS. JAN.): 107–109.
- Visser, Eric J.W., & Voeselek, L. 2005. Acclimation to soil flooding sensing and signal-transduction. *Plant and Soil*. 274(1/2): 197–214.
- Wahono, E., Izzati, M., & Parman, S. 2014. Interaksi antara Tingkat Ketersediaan Air dan Varietas terhadap Kandungan Prolin serta Pertumbuhan Tanaman Kedelai (*Glycine max* (L.) Merr). *Buletin Anatomi Dan Fisiologi*. 3(1): 65–74.
- Wahono, E., Izzati, M., & Parman, S. 2018. Interaksi antara Tingkat Ketersediaan Air dan Varietas terhadap Kandungan Prolin serta Pertumbuhan Tanaman Kedelai (*Glycine max* (L.) Merr). *Buletin Anatomi Dan Fisiologi*. 3(1): 11.
- Wang, X., Deng, Z., Zhang, W., Meng, Z., Chang, X., & Lv, M. 2017. Effect of waterlogging duration at different growth stages on the growth, yield and quality of cotton. *PLoS ONE*. 12(1): 1–14.
- Widiatmoko, T., Agustono, T., & Imania, M. 2012. Pertumbuhan dan Hasil Beberapa Genotip Kedelai Berbiji Besar pada Cekaman Kekeringan di Berbagai Stadia Pertumbuhan. *Agrin*. 16(1): 66–79.
- Yeung, E. C. (1998). Chapter 9 A Beginner's Guide to the Study of Plant Structure. *Structure*, (March): 125–143.
- Ying, L., Jun-Yi, G., Hui-Neng, L., Yong-Jun, W., & Shou-Yi, C. 2005. Identification of drought tolerant germplasm and inheritance and QTL mapping of related root traits in soybean (*Glycine max* (L.) Merr.). *Journal of Chemical Information and Modeling*. 32(8): 855–863.
- Zaubin, R., Murni, A. M., & Ernawati, R. 1992. Pengaruh Cekaman Air terhadap Daya Adaptasi Enam Varietas Lada (*Piper Nigrum* L.). *Bul. Littro*. 7(2): 16–20.
- Zeid, I. M., & Shedeed, Z. A. 2006. Response of alfalfa to putrescine treatment under drought stress. *Biologia Plantarum*. 50(4): 635–640.
- Zhou, W., Chen, F., Meng, Y., Chandrasekaran, U., Luo, X., Yang, W., & Shu, K. 2020. Plant waterlogging/flooding stress responses: From seed germination to maturation. *Plant Physiology and Biochemistry*. 148(June 2019): 228–236.