

## DAFTAR PUSTAKA

- Abdelbasset, W. K., Alqahtani, B. A., Elshehawy, A. A., Tantawy, S. A., Elnegamy, T. E., & Kamel, D. M. (2019). Examining the impacts of 12 weeks of low to moderate-intensity aerobic exercise on depression status in patients with systolic congestive heart failure-a randomized controlled study. *Clinics*, 74, 5–9. <https://doi.org/10.6061/clinics/2019/e1017>
- ACSM, & Liguori, G. (2021). *Guidelines for Exercise Testing and Prescription Publisher*. 548.
- Andini, A., & Indra, Eka, N. (2016). 10071-29617-1-Pb. *Medikapora*, 50, 39–52.
- Basso, J. C., & Suzuki, W. A. (2017). The Effects of Acute Exercise on Mood, Cognition, Neurophysiology, and Neurochemical Pathways: A Review. *Brain Plasticity*, 2(2), 127–152. <https://doi.org/10.3233/bpl-160040>
- Berkel, H. van. (2009). The Relationship Between Personality, Coping Style, and Stress, Anxiety, and Depression. *Thesis*, 54(1), 1–6. <http://dx.doi.org/10.1007/s11270-016-3076-8%0Ahttp://dx.doi.org/10.1080/02772248.2015.1031668%0Ahttp://dx.doi.org/10.1016/j.envpol.2016.09.073%0Ahttp://dx.doi.org/10.1016/j.scitotenv.2014.09.027%0Ahttp://dx.doi.org/10.1016/j.chemosphere.2009.02.022%0Ahttp>
- Blumenthal, J. A., Babyak, M. A., Moore, K. A., Craighead, W. E., Herman, S., Khatri, P., Waugh, R., Napolitano, M. A., Forman, L. M., Appelbaum, M., Doraiswamy, P. M., & Krishnan, K. R. (1999). Effects of exercise training on older patients with major depression. *Archives of Internal Medicine*, 159(19), 2349–2356. <https://doi.org/10.1001/archinte.159.19.2349>
- Broto, D. P., & Rizki, K. (2019). *Stress, kecemasan dan depresi pada remaja dapat berdampak kurang baik terhadap perkembangan remaja baik secara fisik maupun psikologis. Banyak penelitian yang menyatakan bahwa olahraga aerobik dapat meningkatkan kesehatan psikologis* (. 1, 409–414).
- Brush, C. J., Foti, D., Bocchine, A. J., Muniz, K. M., Gooden, M. J., Spaeth, A. M., Miller, M. W., & Alderman, B. L. (2020). Aerobic exercise enhances positive emotional reactivity in individuals with depressive symptoms: Evidence from neural responses to reward and emotional content. *Mental Health and Physical Activity*, 19(May), 100339. <https://doi.org/10.1016/j.mhpa.2020.100339>
- Cheng, J., Zhao, Y. Y., Wang, J., & Sun, Y. H. (2020). Academic burnout and depression of Chinese medical students in the pre-clinical years: the buffering hypothesis of resilience and social support. *Psychology, Health and Medicine*, 25(9), 1094–1105. <https://doi.org/10.1080/13548506.2019.1709651>
- Chu, I. H., Buckworth, J., Kirby, T. E., & Emery, C. F. (2009). Effect of exercise intensity on depressive symptoms in women. *Mental Health and Physical Activity*, 2(1), 37–43. <https://doi.org/10.1016/j.mhpa.2009.01.001>
- Cuttinan, A. N., Sayampanathan, A. A., & Ho, R. C. M. (2016). Mental health issues amongst medical students in Asia: A systematic review [2000-2015]. *Annals of Translational Medicine*, 4(4). <https://doi.org/10.3978/j.issn.2305-5839.2016.02.07>

Damayanti & Amara. R. (2021). Hubungan Antara Tingkat Depresi Dengan Kecemasan



Komunikasi Mahasiswa Fakultas Kedokteran Universitas Islam Indonesia. Medical Education. <https://dspace.uii.ac.id/handle/123456789/31837>

de la Cerdá, P., Cervelló, E., Cocca, A., & Viciana, J. (2011). Effect of an aerobic training program as complementary therapy in patients with moderate depression. *Perceptual and Motor Skills*, 112(3), 761–769. <https://doi.org/10.2466/02.15.PMS.112.3.761-769>

de Souza Moura, A., Lamego, M., Paes, F., Ferreira Rocha, N., Simões-Silva, V., Rocha, S., de Sá Filho, A., Rimes, R., Manochio, J., Budde, H., Wegner, M., Mura, G., Arias-Carrión, O., Yuan, T.-F., Nardi, A., & Machado, S. (2015). Comparison Among Aerobic Exercise and Other Types of Interventions to Treat Depression: A Systematic Review. *CNS & Neurological Disorders - Drug Targets*, 14(9), 1171–1183. <https://doi.org/10.2174/187152731566615111120714>

Dian, C. N. (2020). Validitas dan Reliabilitas The Patient Health Questionnaire (PHQ-9) Versi Bahasa Indonesia. *Fakultas Kedokteran Universitas Sumatera Utara*. [http://repository.usu.ac.id/bitstream/handle/123456789/29791/1\\_8\\_7\\_0\\_4\\_1\\_0\\_1\\_7.pdf?sequence=1&isAllowed=y](http://repository.usu.ac.id/bitstream/handle/123456789/29791/1_8_7_0_4_1_0_1_7.pdf?sequence=1&isAllowed=y)

Gramstad, T. O., Gjestad, R., & Haver, B. (2013). Personality traits predict job stress, depression and anxiety among junior physicians. *BMC Medical Education*, 13(1). <https://doi.org/10.1186/1472-6920-13-150>

Hadianto, H. (2014). Prevalensi dan Faktor-Faktor Risiko yang Berhubungan dengan Tingkat Gejala Depresi pada Mahasiswa Program Studi Pendidikan Dokter Fakultas Kedokteran Universitas Tanjungpura. *Naskah Publikasi Prgram Studi Pendidikan Dokter Fakultas Kedokteran Universitas Tanjungpura*.

Halperin, S. J., Henderson, M. N., Prenner, S., & Grauer, J. N. (2021). Prevalence of Anxiety and Depression Among Medical Students During the Covid-19 Pandemic: A Cross-Sectional Study. *Journal of Medical Education and Curricular Development*, 8, 238212052199115. <https://doi.org/10.1177/2382120521991150>

Hartini, S. R. (2013). Faktor-Faktor yang Berperan terhadap Depresi pada Mahasiswa Tahun Kedua Fakultas Kedokteran Universitas Gadjah Mada Yogyakarta Kelas Reguler. Tesis S2 Ked. Klinik/ MS-PPDS Ilmu Kedokteran Jiwa FKKMK UGM. [http://etd.repository.ugm.ac.id/home/detail\\_pencarian/68000](http://etd.repository.ugm.ac.id/home/detail_pencarian/68000)

Hasanah. (2006). Perbedaan Pengaruh Latihan Senam Aerobik Low Impack Dan Body Language Terhadap Persentase Lemak Tubuh Ibu-Ibu Anggota Sanggar Senam Yunita Demak. *Ilmu Keolahragaan*, 70.

Hastjarjo, T. D. (2019). Rancangan Eksperimen-Kuasi. *Buletin Psikologi*, 27(2), 187. <https://doi.org/10.22146/buletinpsikologi.38619>

Herbert, C., Meixner, F., Wiebking, C., & Gilg, V. (2020). Regular Physical Activity, Short-Term Exercise, Mental Health, and Well-Being Among University Students: The Results of an Online and a Laboratory Study. *Frontiers in Psychology*, 11(May). <https://doi.org/10.3389/fpsyg.2020.00509>

Ibrahim, A. K., Kelly, S. J., & Glazebrook, C. (2013). Socioeconomic status and the risk of



depression among UK higher education students. *Social Psychiatry and Psychiatric Epidemiology*, 48(9), 1491–1501. <https://doi.org/10.1007/s00127-013-0663-5>

Iqbal, S., Gupta, S., & Venkatarao, E. (2015). Stress, anxiety & depression among medical undergraduate students & their socio-demographic correlates. *Indian Journal of Medical Research, Supplement*, 141(Mar2015), 354–357. <https://doi.org/10.4103/0971-5916.156571>

Jeong, Y., Kim, J. Y., Ryu, J. S., Lee, K. eun, Ha, E. H., & Park, H. (2010). The Associations between Social Support, Health-Related Behaviors, Socioeconomic Status and Depression in Medical Students. *Epidemiology and Health*, 32, e2010009. <https://doi.org/10.4178/epih/e2010009>

Kang, S. K., & Kaplan, S. (2019). Working toward gender diversity and inclusion in medicine: myths and solutions. *The Lancet*, 393(10171), 579–586. [https://doi.org/10.1016/S0140-6736\(18\)33138-6](https://doi.org/10.1016/S0140-6736(18)33138-6)

Lavadera, P., Millon, E. M., & Shors, T. J. (2020). MAP Train My Brain: Meditation Combined with Aerobic Exercise Reduces Stress and Rumination while Enhancing Quality of Life in Medical Students. *Journal of Alternative and Complementary Medicine*, 26(5), 418–423. <https://doi.org/10.1089/acm.2019.0281>

Lawlor, D. A., & Hopker, S. W. (2001). Meta-Regression Analysis of Randomised Controlled Trials. *British Medical Journal*, 322(March), 1–7.

Listyarini, A. E. (2015). Latihan Senam Aerobik Untuk Meningkatkan Kebugaran Jasmani. *Medikora*, VIII(2). <https://doi.org/10.21831/medikora.v0i2.4654>

Manfaat, B. (2018). Analisis data kuantitatif. *Pengkajian Dalam Pendidikan*, December, 462. <https://doi.org/10.13140/RG.2.2.31212.82566>

Measures, O., Issues, O., & References, S. (2011). Instructions for PHQ, PHQ-9 and GAD-7 Measures. *Health (San Francisco)*, 1–9.

Mitsui, N., Asakura, S., Shimizu, Y., Fujii, Y., Kako, Y., Tanaka, T., Oba, K., Inoue, T., & Kusumi, I. (2013). Temperament and character profiles of Japanese university students with depressive episodes and ideas of suicide or self-harm: A PHQ-9 screening study. *Comprehensive Psychiatry*, 54(8), 1215–1221. <https://doi.org/10.1016/j.comppsych.2013.05.014>

Moir, F., Yielder, J., Sanson, J., & Chen, Y. (2018). Depression in medical students: Current insights. *Advances in Medical Education and Practice*, 9, 323–333. <https://doi.org/10.2147/AMEP.S137384>

Moreira de Sousa, J., Moreira, C. A., & Telles-Correia, D. (2018). Anxiety, depression and academic performance: A study amongst Portuguese medical students versus non-medical students. *Acta Medica Portuguesa*, 31(9), 454–462. <https://doi.org/10.20344/amp.9996>

Mustafa, M. B., Nasir, R., & Yussoff, F. (2010). Parental support, personality, self-efficacy and depression among medical students. *Procedia - Social and Behavioral Sciences*, 7(2), 419–424. <https://doi.org/10.1016/j.sbspro.2010.10.057>

Nearly, M., & Score, T. (2001). *Patient Health Questionnaire ( PHQ-9 ) How to Score the PHQ-9*.



- Ngapiyem, R., & Kumala Sari, A. L. (2018). Pengaruh Terapi Senam Aerobik Low Impact Terhadap Tingkat Depresi Pada Pasien Skizofrenia Di RSJ Dr. Rm. Soedjarwadi Provinsi Jawa Tengah. *Jurnal Kesehatan*, 5(2), 37–42. <https://doi.org/10.35913/jk.v5i2.94>
- Ngasa, S. N., Sama, C. B., Dzekem, B. S., Nforchu, K. N., Tindong, M., Aroke, D., & Dimala, C. A. (2017). Prevalence and factors associated with depression among medical students in Cameroon: A cross-sectional study. *BMC Psychiatry*, 17(1), 1–7. <https://doi.org/10.1186/s12888-017-1382-3>
- NICE. (2020). Treating depression in adults Your care. *National Institute for Health and Care Excellence*, October 2009, 1–23.
- Odunaiya, N. A., Agbaje, S. A., Adegoke, O. M., & Oguntibeju, O. O. (2021). Effects of a four-week aerobic exercise programme on depression, anxiety and general self-efficacy in people living with HIV on highly active anti-retroviral therapy. *AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV*, 0(0), 1–9. <https://doi.org/10.1080/09540121.2021.1883513>
- Palar, C. M., Wongkar, D., & Ticoalu, S. H. R. (2015). Manfaat Latihan Olahraga Aerobik Terhadap Kebugaran Fisik Manusia. *Jurnal E-Biomedik*, 3(1). <https://doi.org/10.35790/ebm.3.1.2015.7127>
- Pendidikan, K., & Kebudayaan, D. A. N. (2014). *S tandar satuan biaya operasional perguruan tinggi negeri*.
- Pham, T., Bui, L., Nguyen, A., Nguyen, B., Tran, P., Vu, P., & Dang, L. (2019). The prevalence of depression and associated risk factors among medical students: An untold story in Vietnam. *PLoS ONE*, 14(8), 1–17. <https://doi.org/10.1371/journal.pone.0221432>
- Pingkan, R., Berawi, K. N., Budiarto, A., & Mutiara, U. G. (2019). *Efektivitas Olahraga sebagai Terapi Depresi*. 8, 240–246.
- Pomatahu, A. R. (2015). *Untuk Kesehatan Paru*.
- Purnamasari, M. W. M., Sukawana, N. M., & Suarnatha, I. W. K. (2011). *Pengaruh senam aerobik low impact terhadap penurunan tingkat depresi pada narapidana wanita di Lembaga Pemasyarakatan Denpasar*. 10.
- Rhadiana, B. R. (2020). Hubungan Kecenderungan Depresi dengan Subjective Well-Being pada Mahasiswa Fakultas Kedokteran UII Saat Pandemi COVID 19. *Tesis PPDS 1 Ilmu Kedokteran Jiwa FKKMK UGM*. [https://online210.psych.wisc.edu/wp-content/uploads/PSY-210\\_Unit\\_Materials/Frost\\_Blog\\_2020.pdf%0Ahttps://www.economist.com/special-report/2020/02/06/china-is-making-substantial-investment-in-ports-and-pipelines-worldwide%0Ahttp://](https://online210.psych.wisc.edu/wp-content/uploads/PSY-210_Unit_Materials/PSY-210_Unit01_Materials/Frost_Blog_2020.pdf%0Ahttps://www.economist.com/special-report/2020/02/06/china-is-making-substantial-investment-in-ports-and-pipelines-worldwide%0Ahttp://)
- Riskesdas, K. (2018). Hasil Utama Riset Kesehatan Dasar (RISKESDAS). *Journal of Physics A: Mathematical and Theoretical*, 44(8), 1–200. <https://doi.org/10.1088/1751-8113/44/8/085201>
- Roh, M. S., Jeon, H. J., Kim, H., Han, S. K., & Hahn, B. J. (2010). The prevalence and impact of depression among medical students: A nationwide cross-sectional study in South Korea.



Academic Medicine, 85(8), 1384–1390. <https://doi.org/10.1097/ACM.0b013e3181df5e43>

- Rotenstein, L. S., Ramos, M. A., Torre, M., Bradley Segal, J., Peluso, M. J., Guille, C., Sen, S., & Mata, D. A. (2016). Prevalence of depression, depressive symptoms, and suicidal ideation among medical students a systematic review and meta-analysis. *JAMA - Journal of the American Medical Association*, 316(21), 2214–2236. <https://doi.org/10.1001/jama.2016.17324>
- Sadeghi, K., Ahmadi, S. M., Ahmadi, S. M., Rezaei, M., Miri, J., Abdi, A., Khamoshi, F., Salehi, M., & Jamshidi, K. (2016). A Comparative Study of the Efficacy of Cognitive Group Therapy and Aerobic Exercise in the Treatment of Depression among the Students. *Global Journal of Health Science*, 8(10), 1. <https://doi.org/10.5539/gjhs.v8n10p1>
- Sari, N. A., Sarifah, S., Iii, P. D., Pku, K. S., & Surakarta, M. (2016). Senam Aerobik Low Impact Intensitas Sedang Terhadap Perubahan Tekanan Darah Pada Lansia the Effect of Moderate Intensity of Low Impact Aerobic Gymnastics on the Changes of Elderly Blood Pressure in. *Profesi*, 13(2), 50–54.
- Seetan, K., Al-Zubi, M., Rubbai, Y., Athamneh, M., Khamees, A., & Radaideh, T. (2021). Impact of COVID-19 on medical students' mental wellbeing in Jordan. *Plos One*, 16(6), e0253295. <https://doi.org/10.1371/journal.pone.0253295>
- Sobowale, K., Zhou, N., Fan, J., Liu, N., & Sherer, R. (2014). Depression and suicidal ideation in medical students in China: a call for wellness curricula. *International Journal of Medical Education*, 5, 31–36. <https://doi.org/10.5116/ijme.52e3.a465>
- Steiner-Hofbauer, V., Melser, M. C., & Holzinger, A. (2020). Focus on gender – medical students' gender-specific perception and attitudes towards the burdens of everyday student life. *GMS Journal for Medical Education*, 37(2), 1–13. <https://doi.org/10.3205/zma001308>
- Suharjana, U. (2015). Latihan aerobik •. *FIK UNY*.
- Tasci, G., Baykara, S., Gurok, M. G., & Atmaca, M. (2019). Effect of exercise on therapeutic response in depression treatment. *Psychiatry and Clinical Psychopharmacology*, 29(2), 137–143. <https://doi.org/10.1080/24750573.2018.1426159>
- Thurai, S., & Westa, W. (2017). Tingkat depresi dalam kalangan mahasiswa kedokteran semester VII Universitas Udayana dan keterlibatan mereka dalam kegiatan fisik. *Intisari Sains Medis*, 8(2), 148–149. <https://doi.org/10.1556/ism.v8i2.131>
- Tjahyanto, T., Kanaya, N., Keren, G., Mulyadi, E. A., & Sanjaya, K. (2021). Hubungan Kecerdasan Emosional Terhadap tingkat Depresi Mahasiswa Fakultas Kedokteran Universitas Tarumanegara. *Jurnal Health Sains*, 2(8). <https://jurnal.healthsains.co.id/index.php/jhs/article/view/259/347>
- UU Republik Indonesia. (2013). Undang-Undang Republik Indonesia No 20 Tahun 2013. *UU Republik Indonesia*, 66(1997), 37–39.
- Vasegh, S., & Mohammadi, M. R. (2007). Religiosity, anxiety, and depression among a sample of iranian medical students. *International Journal of Psychiatry in Medicine*, 37(2), 213–227. <https://doi.org/10.2190/J3V5-L316-0U13-7000>



Peran Senam Aerobik Low Impact Terhadap Penurunan Skor Depresi Pada Mahasiswa Kedokteran

Universitas

Islam Indonesia

ADE INDAH WAHDINI, DR.dr. Ronny Tri Wirasto, Sp.KJ; dr. Silas Henry Ismanto, Sp.KJ(K)

UNIVERSITAS  
GADJAH MADA

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yusoff, M. S. B., Abdul Rahim, A. F., Baba, A. A., Ismail, S. B., Mat Pa, M. N., & Esa, A. R. (2013). Prevalence and associated factors of stress, anxiety, and depression among prospective medical students. *Asian Journal of Psychiatry*, 6(2), 128–133. <https://doi.org/10.1016/j.ajp.2012.09.012>

Zegeye, A., Mossie, A., Gebrie, A., & Markos, Y. (2018). Stress among Postgraduate Students and Its Association with Substance Use. *Journal of Psychiatry*, 21(3). <https://doi.org/10.4172/2378-5756.1000448>