



DAFTAR PUSTAKA

- Aeleke, O. R. et al. (2017) 'Effect of processing methods on antinutrients and oligosaccharides contents and protein digestibility of the flours of two newly developed bambara groundnut cultivars', *International Food Research Journal*, 24(5), pp. 1948–1955.
- Almeida, C. C., Monteiro, M. L. G., Costa-Lima, B. R. C. da, Alvares, T. S., dan Conte-Junior, C. A. 2015. In vitro digestibility of commercial whey protein supplements. *LWT - Food Science and Technology*. 61(1): 7–11.
- Alonso, R., Orue, E., dan Marzo, F. (1998). Effects of Extrusion and Conventional Processing Methods on Protein and Antinutritional Factor Content in Pea Seeds. *Food Chemistry*. 63(4): 505-512.
- Amarnath, B. 2004. *A Study on Antioxidant Nature of Petai (Parkia speciosa)*. [Thesis]. Department of Chemistry, National University of Singapore.
- Ashok, P.K., dan Upadhyaya, K. (2012). Tannin are Astringent. *Journal of Pharmacognosy and Phytochemistry*. 1(3): 45-50.
- Asrullah, M., Mathar, A.H., Jafar, C.N., dan Fatimah, St. 2012. Denaturasi dan DAYA Cerna Protein Pada Proses Pengolahan Lawa Bale (Makanan Tradisional Sulawesi Selatan). *Media Gizi Masyarakat Indonesia*, Vol.1, No.2, Februari 2012: 84-90.
- Azizi Mohd. C. Y. Z, Salman. N. A, Nik. N, dan Mohd Omar. A. K. 2008. Extraction and Identification of Compounds from *Parkia speciosa* Seeds by Supercritical Carbon Dioxide. *Journal of Chemical and Natural Resources Engineering* 2: 153–163.
- Bongoni, R., Verkerk, R., Steenbekkers, B., Dekker, M., dan Stieger, M. (2014). Evaluation of Different Cooking Conditions on Broccoli (*Brassica oleracea* var. *italica*) to Improve the Nutritional Value and Consumer Acceptance. *Plant Foods Human Nutrition*. 69: 228-234.
- Bora, P. (2014). Anti-Nutritional Factors in Foods and their Effects. *Journal of Academia and Industrial Research*. 3(6): 285-290.
- Cabrera-Orozco, A., Jimenez-Martinez, C., dan Davila-Ortiz, G. (2013). Soybean: Non-Nutritional Factors and Their Biological Functionality. INTECH Open Access Publisher.
- Carbonaro, M., Maseli, P., dan Nucara, A. 2012. Relationship Between Digestibility and Secondary Structure of Raw and Thermally Treated Legume Proteins: a Fourier transform infrared (FT-IR) Spectroscopic Study. *Amino Acids* 43: 911-921.
- Chanwitheesuk, A., Teerawutgulrag, A., dan Rakariyatham, N. 2005. Screening of antioxidant activity and antioxidant compounds of some edible plants of Thailand. *Food Chemistry*. 92(3): 491–497.
- Chen, X. Z., Feng, F., Liu, Q. H., dan Zhang, J. G. 2014. Degrading mimosine and tannins of *Leucaena leucocephala* by ensiling. *Applied Mechanics and Materials*. 618: 349–353.



**PROFIL SENYAWA GIZI, ANTIGIZI SERTA NILAI CERNA PROTEIN PETAI (*Parkia speciosa* Hassk)
PADA VARIASI
PROSES PENGOLAHAN**

PUTRI MAHARANI, Dr. Ir. Supriyadi, M.Sc. ; Prof. Dr. Ir. Umar Santoso, M.Sc.

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Ching, L. S., dan Mohamed. S. 2001. Alpha-Tocopherol Content in 62 Edible Tropical Plants. *Journal of Agricultural and Food Chemistry* 49(6): 3101–3105.

Choe, E. and Min, D. B. (2007) ‘Chemistry of deep-fat frying oils’, *Journal of Food Science*, 72(5). doi: 10.1111/j.1750-3841.2007.00352.x.

Coulibaly A, Kouakou B, Chen J. 2011. Phytic acid in cereal grains, healthy or harmful ways to reduce phytic acid in cereal grains and their effects on nutritional quality. *Am J Plant Nutr Fertil Technol.* 1:1-22.

De Corcuera, J.I.R., Cavalieri, R.P., dan Powers, J.R. (2004). Blanching of Food. Encyclopedia of Agricultural, Food, and Biological Engineering. Washington State University. Washington, USA.

Deliani. 2008. Pengaruh Lama Fermentasi Terhadap Kadar Protein, Lemak, Komposisi Asam Lemak dan Asam Fitat pada Pembuatan Tempe. Tesis. Sekolah Pascasarjana Universitas Sumatera Utara, Medan.

Deng, Y. et al. (2015) ‘Influences of High Hydrostatic Pressure, Microwave Heating, and Boiling on Chemical Compositions, Antinutritional Factors, Fatty Acids, In Vitro Protein Digestibility, and Microstructure of Buckwheat’, *Food and Bioprocess Technology*, 8(11), pp. 2235–2245. doi: 10.1007/s11947-015-1578-9.

Dewi R, 2011, Uji Kualitatif dan Kuantitatif Tanin pada Kulit Batang dan Daun Belimbing Wuluh (*Averrhoa blimbi* L.) Secara Spektrofotometri Menggunakan Pereaksi Biru Prusia, Surabaya, Fakultas Farmasi Universitas Surabaya.

Embaby, H.E. (2011). Effect of Heat Treatments on Certain Antinutrients and in vitro Protein Digestibility of Peanut and Sesame Seeds. *Food Science Technology Res.* 17(1): 31-38.

Fellows, P.J. (2009). Blanching. *Food Processing Technology (Third edition)*. 369-380.

Fitriani, A., Santoso, U., dan Supriyadi, S. 2021. Conventional processing affects nutritional and antinutritional components and in vitro protein digestibility in kabau (*Archidendron bubalinum*). *International Journal of Food Science*, 2021: 1–8.

Gemede, H.F., dan Ratta, N. (2014). Antinutritional Factors in Plant Foods: Potential Health Benefits and Adverse Effects. *International Journal of Nutrition and Food Sciences*.3(4): 284-289.

Gmelin R., Susilo R., dan Fenwick G.R. 1981. *Cyclic polysulphides from Parkia speciosa*. *Phytochemistry*, 20(11): 2521–2523.

Guillen, S., Bel, J.M., Oria, R., Salvador, L., (2017). Influence of cooking conditions on organoleptic and health-related properties of artichokes, green beans, broccoli and carrots. *Food Chemistry* 217; 209-216.

Hamid, N.S. Thakur, P. Khumar. 2018. Anti-nutritional factors, their adverse effects and need for adequate processing to reduce them in food. *AgricINTERNATIONAL*. 4(1): 56-60.

Handayani, S. 2017. Pengaruh Steam Blanching terhadap Aktivitas dan Senyawa Antioksidan Jengkol (*Pithecellobium jiringa*) [Tesis]. Universitas Gadjah Mada. Yogyakarta.

Harifah, C.S. 2017. Perubahan Zat Gizi serta Nilai Cerna Protein secara In Vitro serta Profil



**PROFIL SENYAWA GIZI, ANTIGIZI SERTA NILAI CERNA PROTEIN PETAI (*Parkia speciosa Hassk*)
PADA VARIASI
PROSES PENGOLAHAN**

PUTRI MAHARANI, Dr. Ir. Supriyadi, M.Sc. ; Prof. Dr. Ir. Umar Santoso, M.Sc.

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Asam Amino Biji Lamtoro Gung (*Leucaena Leucocephala*) Kukus dan Rebus [Tesis].
Universitas Gadjah Mada. Yogyakarta.

Helrich, K. (1990). Official Methods of Analysis of Association of Official Analytical Chemistry. Edisi 15, Vol.2: 703.

Hidayat, C. 2016. Pemanfaatan fitase sebagai upaya penanggulangan asam fitat dalam ransum ayam pedaging. Wartazoa. 26(2): 57–68.

Hidvegi, M., dan Lasztity, R. (2002). Phytic Acid Content of Cereals and Legumes and Interaction with Proteins. *Periodica Polytechnica Ser. Chem. Eng.* 46(1-2): 59-64.

Huang, H., Kwok, K., dan Liang, H. (2008). Inhibitory Activity and Conformation Changes of Soybean Trypsin Inhibitors Induced by Ultrasound. *Ultrasonics Sonochemistry*. 15: 724-730.

Ismed. 2016. Analisis Proksimat Keripik Wortel (*Daucus carota L.*) pada Suhu dan Lama Penggorengan yang Berbeda Menggunakan Mesin Vacuum Frying. *Jurnal Teknologi Pertanian Andalas*, 20 (2): 25–32.

Jasraj, K.D., dan Kiran, Bains. 2010. Effect of household cooking methods on nutritional and antinutritional factors in green cowpea (*Vigna unguiculata*) Pods. *J Food Science Technology* 47: 579-581.

Kamisah, Y., F. Othman., M.S. Qodriyah., dan K. Jaarin. 2013. *Parkia speciosa Hassk.: A Potential Phytomedicine*. Review Article. *Evidence-Based Complementary and Alternative Medicine*: 1–9.

Khanbabae, K. dan Ree, T. (2001). Tannins: Classification and Definition. Article. Cambridge, United Kingdom.

Krupa, U. 2008. Main Nutritional and Antinutritional Compounds Of Bean Seeds – A Review. *Polish Journal of Food and Nutrition Sciences*. 58(2): 149-155.

Lehninger, A.L. 1998. Dasar-Dasar Biokimia. Terjemahan, M. Thenawidjaja. Jakarta : Pustaka Sinar Harapan.

Linsberger-Martin, G., Weiglhofer, K., Phuong, T. P. T., & Berghofer, E. (2013). High hydrostatic pressure influences antinutritional factors and in vitro protein digestibility of split peas and whole white beans. *LWT-Food Science and Technology*, 51(1), 331-336.

Lopez, G., Ros, G., Rincon, F., Ortuno, J., Periago, M.J., dan Martinez, M.C. (1996). Amino Acids and in vitro Protein Digestibility Changes in Green Asparagus (*Asparagus officinalis*, L.) during Growth and Processing. *Food Research International*. 29(7): 617-625.

Maisuthisakul. P, Pasuk. S, dan Ritthiruangdej. P. 2008. Relationship Between Antioxidant Properties and Chemical Composition of Some Thai Plant. *Journal of Food Composition and Analysis* 21(3): 229–240.



**PROFIL SENYAWA GIZI, ANTIGIZI SERTA NILAI CERNA PROTEIN PETAI (*Parkia speciosa* Hassk)
PADA VARIASI
PROSES PENGOLAHAN**

PUTRI MAHARANI, Dr. Ir. Supriyadi, M.Sc. ; Prof. Dr. Ir. Umar Santoso, M.Sc.

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Maity, T., Bawa, A. S. and Raju, P. S. (2014) 'Effect of vacuum frying on changes in quality attributes of jackfruit (*Artocarpus heterophyllus*) bulb slices', *International Journal of Food Science*, 2014. doi: 10.1155/2014/752047.

Mariod, A.A., Sara, Y.A., Siddig, I.A., Sit, F.C., Ahmed, M.E., Samia, O.Y., dan Shio, W.G. 2012. Effects of Roasting and Boiling on The Chemical Composition, Amino Acids and Oil Stability of Safflower Seeds. *International Journal of Food Science and Technology* 31(1): 1-7.

McSweeney CS, Palmer B, McNeill DM, Krause DO. 2001. Microbial interactions with tannins: nutritional consequences for ruminants. *Animal Feed Science and Technology*, 91 (1-2): 83–93.

Mellema, M. 2003. Mechanism and Reduction of Fat Intake in Deep-fat Fried Foods. *Trends in Food Science & Technology*, 14: 364–373.

Miglio, C., Chiavaro, E., Visconti, A., Fogliano, V., dan Pellegrini, N. (2008). Effects of Different Cooking Methods on Nutritional and Physicochemical Characteristics of Selected Vegetables. *Journal of Agricultural and Food Chemistry*. 56: 139-147.

Moreira, R.G., Elena, C.P.M., dan Barrufet, M.A. (1999). *Deep Fat Frying: Fundamentals and Applications*. Aspen Publisher, Inc. Gaithersburg. Maryland.

Mulyatiningsih. (2007). *Teknik-teknik Dasar Memasak*. Universitas Negeri Yogyakarta. Yogyakarta.

Mutiara, K.T., Harijono, Estiasih, T., dan Sri wahyuni, E. (2013). Effect of Blanching Treatments Against Protein Content and Amino Acid Drumstick Leaves (*Moringa oleifera*). *Journal of Food Research*. 2(1).

Nurmala, I., Rachmawan, O. and Suryaningsih, L. (2014) 'THE EFFECT OF COOKING METHOD ON CHEMICAL'.

Nwosu, J.N. 2010. Effect of Soaking, Blanching and Cooking on The Antinutritional Properties of Asparagus Bean (*Vigna sesquipedalis*) Flour. *Journal Nature and Science* 8(8) : 1-5.

Nzewi, D. dan A.C.C. Anthony. 2011. Effect of Boiling and Roasting on the Proximate Properties of Asparagus Bean (*Vigna sesquipedalis*). *African Journal of Biotechnology* Vol. 10(54), pp. 11239-11244.

Omnenna, E.C. (2016) 'Effect of Boiling, Pressure Cooking and Germination on the Nutrient and Antinutrients Content of Cowpea (*Vigna unguiculata*)', *Food Science & Nutrition Technology*, 1(1), pp. 1–8. doi: 10.23880/fsnt-16000104.

Onuegbu, N.C. (2013) 'Proximate , Functional and Anti-Nutritional Properties of Boiled Proximate , Functional and Anti-Nutritional Properties of Boiled Ukpo Seed (*Mucuna flagellipes*) Flour', *Nigerian Food Journal*, 31(1), pp. 1–5. doi: 10.1016/S0189-7241(15)30049-7.

Orwa, C., Mutua, A., Kindt, R., Jamnadass, R., & Simons, A. (2009). Agroforestry Database: a tree reference and selection guide. Version 4. *Agroforestry Database: a tree reference and selection guide. Version 4*.



**PROFIL SENYAWA GIZI, ANTIGIZI SERTA NILAI CERNA PROTEIN PETAI (*Parkia speciosa Hassk*)
PADA VARIASI
PROSES PENGOLAHAN**

PUTRI MAHARANI, Dr. Ir. Supriyadi, M.Sc. ; Prof. Dr. Ir. Umar Santoso, M.Sc.

UNIVERSITAS
GADJAH MADA
Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Osmann, M.A. (2007). Effect of Different Processing Methods on Nutrient Composition, Antinutritional Factors, and in vitro Protein Digestibility of Dolichos Lablab Bean [Lablab purpureus (L) sweet]. *Pakistan Journal of Nutrition*. 6(4): 299-303.

Osunbitan, S.O, K.A. Taiwo, and S. O. G. 2015. Effects of different processing methods on the anti-nutrient contents in two improved varieties of cowpea. *American Journal of Research Communication*. 3(4): 74–87.

Petzold, G., Caro, M., dan Moreno, J. (2014). Influence of Blanching, Freezing and Frozen Storage on Physicochemical Properties of Broad Beans (*Vicia faba L.*). *International Journal of Refrigeration*. 40: 429 – 434.

Pramita,D.S,2008.Pengaruh Teknik Pemanasan Terhadap Kadar Asam Fitat dan Aktivitas Koro Benguk (Mucuna Prurens),Koro Glinding (Phasealus Lunatus),dan Koro Pedang (Canavallia Ensiformis).(Skripsi).Fakultas Pertania,Universitas Sebelas Maret.Surakarta.

Rickard, S.E., dan Thompson, L.U. (1997). Interaction and Biological Effect of Phytic Acid. Antinutrients and Phytochemicals in Food. ACS Symposium Series, Washington DC.

Rimac-Brncic, S., Lelas, V., Rade, D., dan Simundic, B. (2004). Decreasing of Oil Absorption in Potato Strips during Deep Fat Frying. *Journal of Food Engineering*. 64: 237–241.

Sari, A. 2017. Perubahan Komponen Rasa dan Kecernaan Protein Petai (*Parkia speciosa Hassk*) Selama Penyimpanan Pada Suhu Kamar dan Suhu 15°C [Tesis]. Universitas Gadjah Mada. Yogyakarta.

Shimelis Damene, Mohamed Assen and Abayneh Esayas, 2007. Characteristics and Classification of the soils of Tenocha-Wenchacher micro-catchment, South-West Shewa, Ethiopia. *Ethiopian Journal of Natural Resources* 9 (1): 37-62.

Sari, N. P., Dwi, W. and Putri, R. (2018) ‘pengaruh lama penyimpanan dan metode pemasakan terhadap karakteristik fisikokimia labu kuning (*Cucurbita moschata*) Effects of Storage Time and Cooking Methods on Physicochemical Characteristic of Pumpkin (*Cucurbita moschata*)’, 6(1), pp. 17–27.

Song, J.Y., dan Kim, C.J. 2003. Color, Texture, Nutrient Contents, and Sensory Values of Vegetable Soybeans [*Glycine max (L.) Merrill*] as Affected by Blanching. *Food Chem.* 83: 69–74.

Stea, T.H., Johansson, M., Jagerstad, M., dan Frolich, W. (2006). Retention of Folates in Cooked, Stored and Reheated Peas, Broccoli and Potatoes for Use in Modern large-Scale Service Systems. *Food Chemistry*. 101: 1095-1107.

Sundari, D., Almasyhuri, dan Lamid, A. (2015). Pengaruh Proses Pemasakan terhadap Komposisi Zat Gizi Bahan Pangan Sumber Protein. *Media Litbangkes*. 25(4): 235-242.

Surendra, N., & Pandeya, S. N. (1972). Role Of Sulphides (Thioethers) In Biological System.

Tunsaringkarn, T., S. Soogarun, A. Rungsiyothin, dan A. Palasawan. 2012. Inhibitory Activity of Heinz Body Induction in Vitro Antioxidant Model and Tannin Concentration of Thai Mimosaceous Plant Extracts. *Journal of Medicinal Plants Research*, 6 (24): 4096–4101.



**PROFIL SENYAWA GIZI, ANTIGIZI SERTA NILAI CERNA PROTEIN PETAI (*Parkia speciosa* Hassk)
PADA VARIASI
PROSES PENGOLAHAN**

PUTRI MAHARANI, Dr. Ir. Supriyadi, M.Sc. ; Prof. Dr. Ir. Umar Santoso, M.Sc.

UNIVERSITAS
GADJAH MADA Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Wang N., Hatcher, D.W., dan Gawalko, E.J. (2008). Effect of Variety and Processing on Nutrients and Certain Anti-Nutrients in Field Peas (*Pisum sativum*). *Food Chemistry*. 111: 132-138.



**PROFIL SENYAWA GIZI, ANTIGIZI SERTA NILAI CERNA PROTEIN PETAI (*Parkia speciosa* Hassk)
PADA VARIASI
PROSES PENGOLAHAN**

PUTRI MAHARANI, Dr. Ir. Supriyadi, M.Sc. ; Prof. Dr. Ir. Umar Santoso, M.Sc.

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>