

DAFTAR PUSTAKA

- Abebe, Z., Haki, G. D., & Baye, K. (2017a). Child feeding style is associated with food intake and linear growth in rural Ethiopia. *Appetite*, 116, 132–138. <https://doi.org/10.1016/j.appet.2017.04.033>
- Abebe, Z., Haki, G. D., & Baye, K. (2017b). Child feeding style is associated with food intake and linear growth in rural Ethiopia. *Appetite*, 116, 132–138. <https://doi.org/10.1016/j.appet.2017.04.033>
- Afifah, L. (2019). Hubungan pendapatan, tingkat asupan energi dan karbohidrat dengan status gizi balita usia 2-5 tahun di daerah kantong kemiskinan. *Amerta Nutrition*, 183–188. <https://doi.org/10.2473/amnt.v3i3.2019.183-188>
- Akombi, B. J., Agho, K. E., Hall, J. J., Merom, D., Astell-Burt, T., & Renzaho, A. M. N. (2017). Stunting and severe stunting among children under-5 years in Nigeria: A multilevel analysis. *BMC Pediatrics*, 17(1), 1–16. <https://doi.org/10.1186/s12887-016-0770-z>
- Almaatani, D. E., Mann, L., Kelly, E., & Rossiter, M. (2017). Responssive feeding practices and influences: A qualitative analysis of parent experiences with feeding their young children. *American International Journal of Contemporary Research*, 7(2), 56–65. http://www.aijcrnet.com/journals/Vol_7_No_2_June_2017/9.pdf
- Anshori, L., Sutrisna, B., Health, S. F.-I. J. P., & 2020, U. (2020). Relationship energy and protein intake with the incidence of stunting among toddler aged (25-60 months) in Mangkung village, District of Central Lombok. *Indian Journal of Public Health Research & Development*, 11(03), 1593.
- Appleton, J., Russell, C. G., Laws, R., Fowler, C., Campbell, K., & Denney-Wilson, E. (2018). Infant formula feeding practices associated with rapid weight gain: A systemic review. *Maternal and Child Nutrition*, 14.
- Aryastami, N. K. (2017). Kajian kebijakan dan penanggulangan masalah gizi stunting di Indonesia. *Buletin Penelitian Kesehatan*, 45(4), 233–240. <https://doi.org/10.22435/bpk.v45i4.7465.233-240>
- Banowo, A. S., & Hidayat, Y. (2021). Pengaruh edukasi gizi terhadap praktik pemberian makan pada baduta stunting di Kabupaten Bengkulu Utara. *Jurnal Ilmiah Universitas Batanghari Jambi*, 21(2), 765. <https://doi.org/10.33087/jiubj.v21i2.1539>
- Bardosono, S., Sastroamidjojo, S., & Lukito, W. (2007). Determinants of child malnutrition during the 1999 economic crisis in selected poor areas of Indonesia. *Asia Pacific Journal of Clinical Nutrition*, 16(3), 512–526. <https://doi.org/10.6133/apjcn.2007.16.3.17>



- Basri, H., Hadju, V., Zulkifli, A., Syam, A., Ansariadi, Stang, Indriasari, R., & Helmiyanti, S. (2021). Dietary diversity, dietary patterns and dietary intake are associated with stunted children in Jeneponto District, Indonesia. *Gaceta Sanitaria*, 35, S483–S486. <https://doi.org/10.1016/j.gaceta.2021.10.077>
- Beal, T., Tumilowicz, A., Sutrisna, A., Izwardy, D., & Neufeld, L. M. (2018). A review of child stunting determinants in Indonesia. *Maternal and Child Nutrition*, 14(4), 1–10. <https://doi.org/10.1111/mcn.12617>
- Black, M. M., & Aboud, F. E. (2011). Responssive feeding is embedded in a theoretical framework of responsive parenting. *Journal of Nutrition*, 141(3), 490–494. <https://doi.org/10.3945/jn.110.129973>
- Black, M. M., & Hurley, K. M. (2017). Responssive feeding: Strategies to promote healthy mealtime interactions. *Complementary Feeding: Building the Foundations for a Healthy Life*, 87, 153–165.
- Diniyyah, S. R., & Nindya, T. S. (2017). Asupan Energi, Protein dan Lemak dengan Kejadian Gizi Kurang pada Balita Usia 24-59 Bulan di Desa Suci, Gresik. *Amerta Nutrition*, 1(4), 341. <https://doi.org/10.20473/amnt.v1i4.7139>
- Disantis, K. I., Hodges, E. A., Johnson, S. L., & Fisher, J. O. (2011). The role of responsive feeding in overweight during infancy and toddlerhood: A systematic review. *International Journal of Obesity*, 35(4), 480–492. <https://doi.org/10.1038/ijo.2011.3>
- Engle, P. L., & Pelto, G. H. (2011). Responssive feeding: Implications for policy and program implementation. *Journal of Nutrition*, 141(3), 508–511. <https://doi.org/10.3945/jn.110.130039>
- Ernalina, Y., Utari, L. D., & Restuastuti, T. (2018). Different Intakes of Energy and Protein in Stunted and Non-stunted Elementary School Children in Indonesia. *The 2nd International Meeting of Public Health 2016, 2018*, 556–562. <https://doi.org/10.18502/kl.v4i4.2318>
- Etikan, I. (2016). Comparison of Convenience Sampling and Purposive Sampling. *American Journal of Theoretical and Applied Statistics*, 5(1), 1. <https://doi.org/10.11648/j.ajtas.20160501.11>
- Finnane, J. M., Jansen, E., Mallan, K. M., & Daniels, L. A. (2017). Mealtime Structure and Responssive Feeding Practices Are Associated With Less Food Fussiness and More Food Enjoyment in Children. *Journal of Nutrition Education and Behavior*, 49(1), 11–18.e1. <https://doi.org/10.1016/j.jneb.2016.08.007>
- Gebbru, N. W., Gebreyesus, S. H., Yirgu, R., Habtemariam, E., & Abebe, D. S. (2021). The relationship between caregivers' feeding practices and children's eating behaviours among preschool children in Ethiopia. *Appetite*, 157(August 2020), 104992. <https://doi.org/10.1016/j.appet.2020.104992>



- Harbrun, J., Booley, S., Najaar, B., & Day, C. (2013). Responssive feeding: establishing healthy eating behaviour early on in life. *Paediatric Food-Based Dietary Guidelines for South Africa*, 26, 141–149.
- Herman, A. N., Malhotra, K., Wright, G., Fisher, J. O., & Whitaker, R. C. (2012). A qualitative study of the aspirations and challenges of low-income mothers in feeding their preschool-aged children. *International Journal of Behavioral Nutrition and Physical Activity*, 9, 1–13. <https://doi.org/10.1186/1479-5868-9-132>
- Hughes, S. O., Power, T. G., Liu, Y., Sharp, C., Nicklas, T. A., Tower, J., & Box, P. O. (2015). Parent emotional distress and feeding styles in low-income families . The role of parent depression and parenting stress ☆. *Appetite*, 92, 337–342. <https://doi.org/10.1016/j.appet.2015.06.002>
- Huriah, T., Handayani, P., Sudyasih, T., & Susyanto, B. E. (2021). The determinant factors of stunting among children in urban slums area, Yogyakarta, Indonesia. *Open Access Macedonian Journal of Medical Sciences*, 9(T4), 1–5. <https://doi.org/10.3889/oamjms.2021.5593>
- Inbaraj, L. R., Khaja, S., George, C. E., & Norman, G. (2020). Paternal involvement in feeding and its association with nutritional status of children in an urban slum in a low-resource setting: A cross-sectional study. *Nutrition*, 74. <https://doi.org/10.1016/j.nut.2020.110735>
- Islam, M. M., Sanin, K. I., Mahfuz, M., Ahmed, A. M. S., Mondal, D., Haque, R., & Ahmed, T. (2018). Risk factors of stunting among children living in an urban slum of Bangladesh: Findings of a prospective cohort study. *BMC Public Health*, 18(1), 1–13. <https://doi.org/10.1186/s12889-018-5101-x>
- Ismawati, R., Soeyono, R. D., Romadhoni, I. F., & Dwijayanti, I. (2020). Nutrition intake and causative factor of stunting among children aged under-5 years in Lamongan city. *Enfermeria Clinica*, 30(August 2018), 71–74. <https://doi.org/10.1016/j.enfcli.2019.10.043>
- Kemenkes RI. (2015). *Infodatin Pusat Data dan Informasi Kementerian Kesehatan RI Situasi Kesehatan Anak Balita di Indonesia* (p. 8). <file:///C:/Users/acer/Downloads/infodatin-anak-balita.pdf>
- Kesmodel, U. S. (2018). Cross-sectional studies – what are they good for? *Acta Obstetricia et Gynecologica Scandinavica*, 97(4), 388–393. <https://doi.org/10.1111/aogs.13331>
- Langi, G. K. L., Djendra, I. M., Purba, R. B., & Todangene, R. S. P. (2019). Pengetahuan Ibu Dan Pemberian Asi Eksklusif Dengan Kejadian Stunting Pada Balita 2-5 Tahun Di Puskesmas Kawangkoan Minahasa. *Jurnal GIZIDO*, 11(01), 17–22. <https://doi.org/10.47718/gizi.v11i01.750>



- Lemeshow, S., Hosmer, D. W., Klar, J., & Lwanga, S. K. (1991). Adequacy of Sample Size in Health Studies. *Biometrics*, 47(1), 347. <https://doi.org/10.2307/2532527>
- Lindsay, A. C., Sitthisongkram, S., Greaney, M. L., Wallington, S. F., & Ruengdej, P. (2017). Non-responsive feeding practices, unhealthy eating behaviors, and risk of child overweight and obesity in southeast asia: A systematic review. *International Journal of Environmental Research and Public Health*, 14(4), 1–18. <https://doi.org/10.3390/ijerph14040436>
- López-Sobaler, A. M., Aparicio, A., Rubio, J., Marcos, V., Sanchidrián, R., Santos, S., Pérez-Farinós, N., Dal-Re, M. Á., Villar-Villalba, C., Yusta-Boyo, M. J., Robledo, T., Castrodeza-Sanz, J. J., & Ortega, R. M. (2019). Adequacy of usual macronutrient intake and macronutrient distribution in children and adolescents in Spain: A National Dietary Survey on the Child and Adolescent Population, ENALIA 2013–2014. *European Journal of Nutrition*, 58(2), 705–719. <https://doi.org/10.1007/s00394-018-1676-3>
- Lusita, A. ., Suyatno, S., & Rahfiludin, M. Z. (2017). PERBEDAAN KARAKTERISTIK BALITA STUNTING DI PEDESAAN DAN PERKOTAAN TAHUN 2017 (Studi Pada Anak Usia 24-59 Bulan di Wilayah Kerja Puskesmas Gabus II dan Wilayah Kerja Puskesmas Pati II Kabupaten Pati). *Jurnal Kesehatan Masyarakat (Undip)*, 5(4), 600–612. <https://ejournal3.undip.ac.id/index.php/jkm/article/view/18724>
- Margawati, A., & Astuti, A. M. (2018). *Pengetahuan ibu , pola makan dan status gizi pada anak stunting usia 1-5 tahun di Kelurahan Bangetayu , Kecamatan Genuk , Semarang*. 6(2), 82–89.
- Matvienko-Sikar, K., Toomey, E., Delaney, L., Harrington, J., Byrne, M., & Kearney, P. M. (2018). Effects of healthcare professional delivered early feeding interventions on feeding practices and dietary intake: A systematic review. *Appetite*, 123, 56–71. <https://doi.org/10.1016/j.appet.2017.12.001>
- Maulidiana, A. R., & Sutjiati, E. (2021). Low intake of essential amino acids and other risk factors of stunting among under-five children in Malang City, East Java, Indonesia. *Journal of Public Health Research*, 10(2), 220–226. <https://doi.org/10.4081/jphr.2021.2161>
- Mediani, H. S. (2020). Predictors of Stunting Among Children Under Five Year of Age in Indonesia: A Scoping Review. *Global Journal of Health Science*, 12(8), 83. <https://doi.org/10.5539/gjhs.v12n8p83>
- Mohseni, M., & Aryankhesal, A. (2020). Developing a model for prevention of malnutrition among children under 5 years old. *BMC Health Services Research*, 20(1), 1–9. <https://doi.org/10.1186/s12913-020-05567-x>
- Mugianti, S., Mulyadi, A., Anam, A. K., & Najah, Z. L. (2018). Faktor Penyebab Anak Stunting Usia 25-60 Bulan di Kecamatan Sukorejo Kota Blitar. *Jurnal*

- Ners Dan Kebidanan (Journal of Ners and Midwifery)*, 5(3), 268–278.
<https://doi.org/10.26699/jnk.v5i3.art.p268-278>
- Mugode, R. H., Puoane, T., Michelo, C., & Steyn, N. P. (2018). “Feeding a child slowly:” a responsive feeding behavior component likely to reduce stunting: Population-based observations from rural Zambia. *Journal of Hunger and Environmental Nutrition*, 13(4), 455–469.
<https://doi.org/10.1080/19320248.2017.1403409>
- Mzumara, B., Bwembya, P., Halwiindi, H., Mugode, R., & Banda, J. (2018). Factors associated with stunting among children below five years of age in Zambia: Evidence from the 2014 Zambia demographic and health survey. *BMC Nutrition*, 4(1), 1–8. <https://doi.org/10.1186/s40795-018-0260-9>
- Nagari, R. K., & Nindya, T. S. (2017). Tingkat Kecukupan Energi, Protein Dan Status Ketahanan Pangan Rumah Tangga Berhubungan Dengan Status Gizi Anak Usia 6-8 Tahun. *Amerta Nutrition*, 1(3), 189.
<https://doi.org/10.20473/amnt.v1i3.6245>
- Nirmala, I. R., Februhartanty, J., & Wiradnyani, L. A. A. (2016). Maternal attributes are positively associated with feeding practices of children aged 2-5 years in West Java, Indonesia. *Malaysian Journal of Nutrition*, 22(2), 191–205.
- Olsa, E. D., Sulastri, D., & Anas, E. (2018). Hubungan Sikap dan Pengetahuan Ibu Terhadap Kejadian Stunting pada Anak Baru Masuk Sekolah Dasar di Kecamatan Nanggalo. *Jurnal Kesehatan Andalas*, 6(3), 523.
<https://doi.org/10.25077/jka.v6i3.733>
- Pallewaththa, P., Agampodi, S. B., Agampodi, T. C., & Siribaddana, S. H. (2019). Knowledge, Attitudes, and Practices of Responsive Feeding in Rural Sri Lanka (A Qualitative Study). *Ceylon Medical Journal*, 64(2), 70.
<https://doi.org/10.4038/cmj.v64i2.8894>
- Pallewaththa, Prabhath, Agampodi, T. C., Agampodi, S. B., Pérez-Escamilla, R., & Siribaddana, S. (2021). Measuring Responsive Feeding in Sri Lanka: Development of the Responsive Feeding Practices Assessment Tool. *Journal of Nutrition Education and Behavior*, 000(000).
<https://doi.org/10.1016/j.jneb.2021.02.003>
- Pérez-Escamilla, R., Jimenez, E. Y., & Dewey, K. G. (2021). Responsive Feeding Recommendations: Harmonizing Integration into Dietary Guidelines for Infants and Young Children. *Current Developments in Nutrition*, 5(6), 1–5. <https://doi.org/10.1093/cdn/nzab076>
- Pratiwi, D. P., & Dewanti, L. (2020). Pentingnya pola asuh ibu terhadap asupan energi dan protein pada balita dengan pendapatan keluarga rendah. *Jurnal Gizi Klinik Indonesia*, 17(2), 70. <https://doi.org/10.22146/ijcn.50536>



- Purnama, N. L. A., Lusmilasari, L., & Julia, M. (2015). Perilaku orang tua dalam pemberian makan dan status gizi anak usia 2-5 tahun. *Jurnal Gizi Klinik Indonesia*, 11(3), 97. <https://doi.org/10.22146/ijcn.19281>
- Ra, J. S., & Yun, H. J. (2020). Risk factors in early life for preschool children in Korea that are associated with being overweight or obese. *Osong Public Health and Research Perspectives*, 11(1), 15–26. <https://doi.org/10.24171/j.phrp.2020.11.1.04>
- Rahayu, A., Yulidasari, F., Anggraini, L., Rahman, F., Laily, N., Sari, A. R., Noor, M. S., Puteri, A. O., Rosadi, D., & Anhar, V. Y. (2020). Energy and Protein Intake-Related Risks Affected the Occurrence of Stunting Among Young Children. *4th International Symposium on Health Research*, 22(Ishr 2019), 330–336. <https://doi.org/10.2991/ahsr.k.200215.063>
- Redsell, S. A., Slater, V., Rose, J., Olander, E. K., & Matvienko-Sikar, K. (2021a). Barriers and enablers to caregivers' responsive feeding behaviour: A systematic review to inform childhood obesity prevention. *Obesity Reviews*, September 2020, 1–25. <https://doi.org/10.1111/obr.13228>
- Redsell, S. A., Slater, V., Rose, J., Olander, E. K., & Matvienko-Sikar, K. (2021b). Barriers and enablers to caregivers' responsive feeding behaviour: A systematic review to inform childhood obesity prevention. *Obesity Reviews*, 22(7), 1–25. <https://doi.org/10.1111/obr.13228>
- Rizal, M. F., & van Doorslaer, E. (2019). Explaining the fall of socioeconomic inequality in childhood stunting in Indonesia. *SSM - Population Health*, 9, 100469. <https://doi.org/10.1016/j.ssmph.2019.100469>
- Sari, E. M., Juffrie, M., Nurani, N., & Sitaresmi, M. N. (2016). Asupan protein, kalsium dan fosfor pada anak stunting dan tidak stunting usia 24-59 bulan. *Jurnal Gizi Klinik Indonesia*, 12(4), 152. <https://doi.org/10.22146/ijcn.23111>
- Sari, G., & Lubis, G. (2016). Hubungan Pola Makan dengan Status Gizi Anak Usia 3-5 tahun di Wilayah Kerja Puskesmas Nanggalo Padang 2014. *Jurnal Kesehatan Andalas*, 5(2), 2014–2017.
- Sari, G., Lubis, G., & Edison. (2016). Hubungan Pola Makan dengan Status Gizi Anak Usia 3-5 tahun di Wilayah Kerja Puskesmas Nanggalo Padang 2014. *Jurnal Kesehatan Andalas*, 5(2), 2014–2017. <https://doi.org/10.25077/jka.v5i2.528>
- Scaglioni, S., De Cosmi, V., Ciappolino, V., Parazzini, F., Brambilla, P., & Agostoni, C. (2018). Factors influencing children's eating behaviours. *Nutrients*, 10(6), 1–17. <https://doi.org/10.3390/nu10060706>
- Sekartaji, R., Suza, D. E., Fauziningtyas, R., Almutairi, W. M., Susanti, I. A., Astutik, E., & Efendi, F. (2021). Dietary diversity and associated factors among children aged 6–23 months in Indonesia. *Journal of Pediatric*

Nursing, 56, 30–34. <https://doi.org/10.1016/j.pedn.2020.10.006>

Septamarini, R. G., Widyastuti, N., & Purwanti, R. (2019). Hubungan Pengetahuan dan Sikap Responssive Feeding dengan Kejadian Stunting pada Baduta Usia 6-24 Bulan di Wilayah Kerja Puskesmas Bandarhajo, Semarang. *Journal of Nutrition College*, 8, 9–20.

Sharma, S., Mudgal, S., Thakur, K., & Gaur, R. (2019). How to calculate sample size for observational and experiential nursing research studies? *National Journal of Physiology, Pharmacy and Pharmacology*, 10(0), 1. <https://doi.org/10.5455/njppp.2020.10.0930717102019>

Shloim, N., Edelson, L. R., Martin, N., & Hetherington, M. M. (2015). Parenting styles, feeding styles, feeding practices, and weight status in 4-12 year-old children: A systematic review of the literature. *Frontiers in Psychology*, 6(DEC). <https://doi.org/10.3389/fpsyg.2015.01849>

Sjarif, D. R., Yuliarti, K., & Iskandar, W. J. (2019). Erratum: Daily consumption of growing-up milk is associated with less stunting among indonesian toddlers (Medical Journal of Indonesia, 2019; 28 (1): 70-76, (10.13181/mji.v28i1.2607)). *Medical Journal of Indonesia*, 28(2), 203. <https://doi.org/10.13181/mji.v28i2.4090>

Souza, S. S. erbe., & Linley, J. (2015). Can responsive feeding help to encourage healthy growth? *Journal of Family Health*, 25(6), 16–18.

Teshome, B., Kogi-Makau, W., Getahun, Z., & Taye, G. (2010). Magnitude and determinants of stunting in children underfive years of age in food surplus region of Ethiopia: The case of West Gojam Zone. *Ethiopian Journal of Health Development*, 23(2). <https://doi.org/10.4314/ejhd.v23i2.53223>

Tessema, M., Gunaratna, N. S., Brouwer, I. D., Donato, K., Cohen, J. L., McConnell, M., Belachew, T., Belayneh, D., & Groote, H. De. (2018). Associations among high-quality protein and energy intake, serum transthyretin, serum amino acids and linear growth of children in Ethiopia. *Nutrients*, 10(11), 1–17. <https://doi.org/10.3390/nu10111776>

Thompson, A. L., Wasser, H., Nulty, A., & Bentley, M. E. (2021). Feeding style profiles are associated with maternal and infant characteristics and infant feeding practices and weight outcomes in African American mothers and infants. *Appetite*, 160(May 2020), 105084. <https://doi.org/10.1016/j.appet.2020.105084>

Titaley, C. R., Ariawan, I., Hapsari, D., Muasyaroh, A., & Dibley, M. J. (2019). Determinants of the stunting of children under two years old in Indonesia: A multilevel analysis of the 2013 Indonesia basic health survey. *Nutrients*, 11(5). <https://doi.org/10.3390/nu11051106>

Triana, N. Y., & Haniyah, S. (2020). *Relationship of Exclusive Breastfeeding*,



Complementary Feeding and Nutritional Intake with Stunting in Children in Karanglewas Health Center. 20(International Conference on Community Health), 74–78. <https://doi.org/10.2991/ahsr.k.200204.017>

UNICEF. (2020). Nutrition, for every child UNICEF nutrition strategy 2020–2030. *UNICEF Publications*, 1–98.

Uwiringiyimana, V., Ocké, M. C., Amer, S., & Veldkamp, A. (2019). Predictors of stunting with particular focus on complementary feeding practices: A cross-sectional study in the northern province of Rwanda. *Nutrition*, 60, 11–18. <https://doi.org/10.1016/j.nut.2018.07.016>

Wahyuningsih, U., Anwar, F., & Kustiyah, L. (2020). Kualitas Konsumsi Pangan Kaitannya Dengan Status Gizi Anak Usia 2-5 Tahun Pada Masyarakat Adat Kesepuhan Ciptagelar Dan Sinar Resmi. *Indonesian Jurnal of Health Development*, 2(1), 1–11.

WHO. (2018). *Reducing Stunting in Children*. World Health Organization. <https://www.who.int/nutrition/publications/severemalnutrition/reducing-stunting-children-equity/en/> (diakses pada tanggal 31 Maret 2020)

Wicaksono, F., & Harsanti, T. (2020). Determinants of stunted children in Indonesia: A multilevel analysis at the individual, household, and community levels. *Kesmas*, 15(1), 48–53. <https://doi.org/10.21109/kesmas.v15i1.2771>