DAFTAR PUSTAKA

Abdi, H. and Williams, L.J., 2010. Principal component analysis. *Wiley Interdisciplinary Reviews: Computational Statistics*, 2(4), pp.433–459.

Achanta, R., Shaji, A., Smith, K., Lucchi, A., Fua, P. and Sabine, S., 2010. SLIC Superpixels. *Transactions On Pattern Analysis And Machine Intelligence*, 34(June), pp.23–38.

Aslani, S. and Mahdavi-Nasab, H., 2013. Optical Flow Based Moving Object Detection and Tracking for Traffic Surveillance. *International Journal of Electrical, Computer, Energetic, Electronic and Communication Engineering*, 7(9), pp.761–765.

BenAbdelkader, C. and Davis, L., 2002. Detection of people carrying objects : A motion-based recognition approach. *Proceedings - 5th IEEE International Conference on Automatic Face Gesture Recognition, FGR 2002*, pp.378–383.

Benabdelkader, C., Davis, L. and Park, C., 2002. Detection of People Carrying Objects : a Motion-based Recognition Approach. *Proceedings of the Fifth IEEE International Conference on Automatic Face and Gesture Recognition (FGR'02)*, 5, pp.31–37.

Borji, A., Cheng, M.M., Hou, Q., Jiang, H. and Li, J., 2019. Salient object detection: A survey. *Computational Visual Media*, 5(2), pp.117–150.

Boser, B.E., Guyon, I.M. and Vapnik, V.N., 1992. A Training Algorithm for Optimal Margin Classiiers. *Proceedings of the fifth annual workshop on Computational learning theory*, 5(3), pp.144–152.

Branca, A., Leo, M., Distante, G.A.A., Intelligenti, S., Automazione, I. and Amendola, V., 2002. Detection Of Objects Carried By People. *Proceedings. International Conference on Image Processing*, 4, pp.5–8.

Canny, J., 1986. A Computational Approach to Edge Detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-8(6), pp.679–698.

Choras, R.S., 2007. Image Feature Extraction Techniques And Their Applications For CBIR and Biometrics Systems. *International Journal of Biology and Biomedical Engineering*, 1(1), pp.6–16. Available at: http://www.naun.org/journals/bio/bio-2.pdf.

Chuang, C., Hsieh, J., Tsai, L., Chen, S. and Fan, K., 2009. Carried Object Detection Using Ratio Histogram and its Application to Suspicious Event Analysis. *IEEE TRANSACTIONS ON CIRCUITS AND SYSTEMS FOR VIDEO TECHNOLOGY*, 19(6), pp.911–916.

Dalal, N. and Triggs, W., 2004. Histograms of Oriented Gradients for Human Detection. *2005 IEEE Computer Society Conference on Computer Vision and Pattern Recognition CVPR05*, 1(3), pp.886–893. Available at: http://eprints.pascal-network.org/archive/00000802/.

Damen, D. and Hogg, D., 2012. Detecting carried objects from sequences of walking pedestrians. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 34(6), pp.1056–1067.

Damen, D. and Hogg, D., 2012. Detecting Carried Objects from Sequences of Walking Pedestrians. *Transactions On Pattern Analysis And Machine Intelligence*, 34(6), pp.1056–1067.

Davies, D.L. and Bouldin, D.W., 1979. A Cluster Separation Measure. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-1(2), pp.224–227.

Dawood, Hussain, Alkinani, M.H., Raza, A., Dawood, Hassan, Mehboob, R. and Shabbir, S., 2019. Correlated microstructure descriptor for image retrieval. *IEEE Access*, 7, pp.55206–55228.

Ee, P. and Report, P., 2008. Histogram-Based Color Image Retrieval. *Image (Rochester, N.Y.)*, pp.1–21.

Flusser, J., 2006. Moment Invariants in Image Analysis. *Engineering and Technology*, 11(102), pp.196–201. Available at: http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.96.2974&rep=rep1&type=pdf.

Fredrik, N., 2006. 10 steps to a successful IP surveillance installation. *SecurityInforWatch.com*, p.24.

Ghadiri, F., Bergevin, R. and Bilodeau, G., 2016. Carried Object Detection based on an Ensemble of Contour Exemplars. *European Conference on Computer Vision*, 8(2), pp.852–866.

Ghadiri, F., Bergevin, R. and Bilodeau, G., 2019. From Superpixel to Human Shape Modelling for Carried Object Detection. *Pattern Recognition*, pp.1–34.

Ghadiri, F., Bergevin, R. and Bilodeau, G.A., 2016. Carried object detection based on an ensemble of contour exemplars. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 9911 LNCS(October), pp.852–866.

Ghadiri, F., Bergevin, R. and Bilodeau, G.A., 2017. Spatio-temporal consistency to detect and segment carried objects. *British Machine Vision Conference 2017, BMVC 2017*, (i), pp.1–12.

Halkidi, M., Batistakis, Y. and Vazirgiannis, M., 2001. On clustering validation techniques. *Journal of Intelligent Information Systems*, 17(2–3), pp.107–145.

Haralick, R., Shanmugan, K. and Dinstein, I., 1973. Textural features for image classification. *IEEE Transactions on Systems, Man and Cybernetics*, 3, pp.610–621. Available at: http://dceanalysis.bigr.nl/Haralick73-Textural features for image classification.pdf.

Haritaoglu, I., Cutler, R., Harwood, D. and Davis, L.S., 2001. Backpack : Detection of People Carrying Objects Using Silhouettes. *Computer Vision and Image Understanding*, 81(3), pp.385–397.

Höschl, C. and Flusser, J., 2016. Robust histogram-based image retrieval. *Pattern Recognition Letters*, 69, pp.72–81.

Hussain, S., Ahmad, M. and Arshad, W., 2021. Additive deep feature optimization for semantic image retrieval. *Expert Systems With Applications*, 170(January), p.114545. Available at: https://doi.org/10.1016/j.eswa.2020.114545.

Johnson, R. A. & Wichern, D.W., 2002. *Applied Multivariate Statistical Analysis, Fifth Edition*, New Jersey: Pearson Prentice Inc.

Kang, Y., Huang, W. and Zheng, S., 2017. An Improved Frame Difference Method for Moving Target Detection. *Chinese Automation Congress (CAC)*, 4(2), pp.1537–1541.

Khokher, A. and Talwar, R., 2017. A fast and effective image retrieval scheme using color- , texture- , and shape-based histograms. , pp.21787–21809.

Lacheheb, H., Aouat, S. and Hamouchene, I., 2013. MCM-CBIR: Multi clustering method for content based image retrieval. *21st International Conference in Central Europe on Computer Graphics, Visualization and Computer Vision, WSCG 2013 - Communication Papers Proceedings*, 17(3), pp.159–165. Available at: http://www.scopus.com/inward/record.url?eid=2-s2.0-84926625570&partnerID=tZOtx3y1.

Li, J. and Lu, B.L., 2009. An adaptive image Euclidean distance. *Pattern Recognition*, 42(3), pp.349–357.

Li, X., Makihara, Y., Xu, C., Yagi, Y. and Ren, M., 2020. Gait recognition invariant to carried objects using alpha blending generative adversarial networks. *Pattern Recognition*, 105, p.107376. Available at: https://doi.org/10.1016/j.patcog.2020.107376.

Liu, R., Wang, Y., Baba, T., Masumoto, D. and Nagata, S., 2008. SVM-based active feedback in image retrieval using clustering and unlabeled data. *Pattern Recognition*, 41(8), pp.2645–2655.

Makhoul, J., Kubala, F., Schwartz, R. and Weischedel, R., 1999. Performance Measures For Information Extraction. *Proceedings of DARPA Broadcast News Workshop*, pp.249–252.

Nakata, S., Murakami, T., Ebihara, W., Ote, I. and Koya, H., 2016. Image Sensing Techniques for Analysis and Interpretation. , 65(5), pp.53–57. Available at: http://www.hitachi.com/rev/archive/2016/r2016_05/107/index.html.

Ortego, D. and SanMiguel, J.C., 2013. Stationary foreground detection for video-surveillance based on foreground and motion history images. *2013 10th IEEE International Conference on Advanced Video and Signal Based Surveillance, AVSS 2013*, 5(2), pp.75–80.

Pandey, S. and Khanna, P., 2016. Content-based image retrieval emb e dde d with agglomerative clustering built on information loss R. *Computers and Electrical Engineering*, 54, pp.506–521. Available at: http://dx.doi.org/10.1016/j.compeleceng.2016.04.003.

Pawar, L., Pandey, P., Kumari, B. and Kumar, R., 2019. An Efficient System for Color Image Retrieval Representing An Efficient System for Color Image Retrieval Representing Semantic Information to Enhance Performance by Optimizing Semantic Information to Enhance Performance by Optimizing feature extraction. *Procedia Computer Science*, 152, pp.102–110. Available at: https://doi.org/10.1016/j.procs.2019.05.032.

Payerle, G., 1974. Statistical Texture Measures Computed from Gray Level Coocurrence Matrices. *Boundary 2*, 3(1), p.45. Available at: http://www.jstor.org/stable/302397?origin=crossref.

Powers, D.M.W., 2007. Evaluation: From Precision, Recall and F-Factor to ROC, Informedness, Markedness & Correlation David. *Journal of Machine Learning Technologies*, 2(December), pp.37–63.

Pradhan, J., Pal, A.K., Banka, H. and Dansena, P., 2021. Fusion of region based extracted features for instance- and class-based CBIR applications. *Applied Soft Computing Journal*, 102, p.107063. Available at: https://doi.org/10.1016/j.asoc.2020.107063.

Prashanth, D.S., Mehta, R.V.K. and Sharma, N., 2020. Classification of Handwritten Devanagari Number - An analysis of Pattern Recognition Tool using Neural Network and CNN. *Procedia Computer Science*, 167(2019), pp.2445–2457. Available at: https://doi.org/10.1016/j.procs.2020.03.297.

Qi, Y.U.E., Huang, G. and Wang, Y., 2007. Carrying object detection and tracking based on body main axis. , (1), pp.2–4.

Reshma, S. and Nath, P., 2021. Materials Today : Proceedings Object detection through region proposal based techniques. *Materials Today: Proceedings*, (xxxx). Available at: https://doi.org/10.1016/j.matpr.2021.02.533.

Rokach, L. and Maimon, O., 2010. Chapter 15— Clustering methods. *The Data Mining and Knowledge Discovery Handbook*, p.32. Available at: http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Chapter+15+-+Clustering+Methods#4.

Shakarami, A. and Tarrah, H., 2020. Optik An efficient image descriptor for image classification and CBIR. *Optik - International Journal for Light and Electron Optics*, 214(March), p.164833. Available at: https://doi.org/10.1016/j.ijleo.2020.164833.

Stefan, R.A., Szöke, I. and Holban, S., 2015. Hierarchical clustering techniques and classification applied in Content Based Image Retrieval (CBIR). *International Symposium on Applied Computational Intelligence and Informatics*, 10, pp.147–152.

Tan, Steinbach, M. and Kumar, V., 2005. Chap 8 : Cluster Analysis: Basic Concepts and Algorithms. *Introduction to Data Mining*, p.Chapter 8. Available at: http://www-users.cs.umn.edu/~kumar/.

Tavanai, A., Gu, F., Sridhar, M., Cohn, A.G. and Hogg, D.C., 2013. Carried Object

Detection and Tracking Using Geometric Shape Models and Spatio-temporal Consistency. , 7963 LNCS(October 2014).

Tavanai, A., Sridhar, M., Gu, F., Cohn, A.G. and Hogg, D.C., 2013. Carried Object Detection and Tracking Using Geometric Shape Models and Spatio-temporal Consistency. *2013 International Conference on Computer Vision Systems*, 5(2), pp.223–233.

Thusnavis, M.I. and Vasuki, A., 2019. An efficient image retrieval framework using fused information feature R. *Computers and Electrical Engineering*, 75, pp.46–60. Available at: https://doi.org/10.1016/j.compeleceng.2019.01.022.

Tryfos, P., 2001. Chapter 15 - Cluster Analysis. *Statistical Methods in the Atmospheric Sciences*, Volume 3, pp.603–616. Available at: http://www.yorku.ca/ptryfos/f1500.pdf%0Ahttp://www.sciencedirect.com/science/article/pii/B9780123850225000154.

Tsoumakas, G., Katakis, I. and Vlahavas, I., 2010. *Data Mining and Knowledge Discovery Handbook*,

Wahyono, Hariyono, J. and Jo, K.H., 2017. Body part boosting model for carried baggage detection and classification. *Neurocomputing*, 228(November 2016), pp.106–118. Available at: http://dx.doi.org/10.1016/j.neucom.2016.10.038.

Wang, Q. and Ward, R.K., 2007. Fast image/video contrast enhancement based on weighted thresholded histogram equalization. *IEEE Transactions on Consumer Electronics*, 53(2), pp.757–764.

Wu, S., 2012. Linear combination of component results in information retrieval. *Data and Knowledge Engineering*, 71(1), pp.114–126. Available at: http://dx.doi.org/10.1016/j.datak.2011.08.003.

Wu, S., Bi, Y. and Zeng, X., 2011. The linear combination data fusion method in information retrieval. *Database and Expert Systems Applications*, pp.219–233. Available at: http://link.springer.com/chapter/10.1007/978-3-642-23091-2_20.