



DAFTAR PUSTAKA

- Abbey, L., & R. Fordham. 1998. Shallot Root Distribution & Bulb Yield as Influenced by Irrigation Frequency. Ghana Journal Agric. Sci. 31, 143- 146.
- Abdelgawad, Z.A., Khalafaallah, A.A. & Abdallah, M.M. 2014. Impact of Methyl Jasmonate on Antioxidant Activity & Some Biochemical Aspects of Maize Plant Grown under Water Stress Condition. Agric Sci. 5: 1077-1088.
- Alam, M.M., Nahar, K., Hasanuzzaman, M. & Fujita, M. 2014. Exogenous jasmonic acid modulates the physiology, antioxidant defense & glyoxalase systems in imparting drought stress tolerance in different Brassica species. Plant Biotech. 8:279-293.
- Anderson, J.M. 1985. Evidence for phloem transport of jasmonic acid (abstract No. 411). Plant Physiol 77: S-75.
- Anderson, J.M. 1989. Membrane derived fatty acids as precursors to second messengers. In WF Boss, DJ Morre, eds, Second Messengers in Plant Growth and Development. AR Liss, New York, pp 181-212.
- Anjum S.A., L. Wang, M. Farooq, I. Khan & L. Xue. 2011. Methyl Jasmonate-Induced Alteration in Lipid Peroxidation, Antioxidative Defence System & Yield in Soybean Under Drought. J. Agro & Crop Scie. 197.
- Arnon, D. I. 1949. Copper enzymes in isolated chloroplasts. Polyphenoloxidase in Beta vulgaris. Plant Physiology. Volume 24, pp. 1-15.
- Badan Pusat Statistika dan Direktorat Jenderal Hortikultura. 2019. Produksi Sayuran di Indonesia Tahun 2014-2018. [https://www.pertanian.go.id/Data5tahun/HortiATAP2017\(.pdf\)/3-Produksi%20Nasional%20Sayuran.pdf](https://www.pertanian.go.id/Data5tahun/HortiATAP2017(.pdf)/3-Produksi%20Nasional%20Sayuran.pdf). Diakses pada 9 Oktober 2019.
- Badan Pusat Statistika. 2020. Distribusi perdagangan komoditas bawang merah Indonesia 2020. <https://www.bps.go.id/publication.html?Publikasi%5BtahunJudul%5D=2020&Publikasi%5BkataKunci%5D=bawang+merah&Publikasi%5BcekJudul%5D=0&yt0=Tampilkan>.
- Bagheri, A. and Sadeghipour, O. 2009. Effects of Salt Stress on Yield, Yield Components and Carbohydrates Content in Four Hullless Barley (*Hordeum vulgare L.*) Cultivars. Journal of Biological Sciences, 9, 909-912.
- Balai Penelitian Tanaman Sayuran. 2018. Deskripsi Bawang Merah varietas Bima Brebes. <https://balitsa.litbang.pertanian.go.id/ind/index.php/varietas/cabai/36-halaman/616-bawang-merah-varietas-bima-brebes>. Diakses pada 25 Februari 2020.
- Bandurska, H., Stroiński, A., & Kubiś, J. 2003. The effect of jasmonic acid on the accumulation of ABA, proline & spermidine & its influence on membrane injury under water deficit in two barley genotypes. Acta Physiol. Plant. 25: 279-285.



- Basuki, R.S. 2009. Analisis tingkat preferensi petani Brebes terhadap karakteristik hasil dan kualitas bawang merah kultivar lokal asal dataran rendah dan medium. *J. Hort.* 19(4): 475– 483.
- Bates, L.S., Waldren, R.P. & Teare, I.D. 1973. Rapid determination of free proline for water-stress studies. *Plant Soil* 39, 205–207.
- Beardmore, T., Wetzel, S. & Kalous, M. 2000. Interactions of airborne methyl jasmonate with vegetative storage protein gene and protein accumulation and biomass partitioning in *Populus* plants. *Can J For Res* 30: 1106–1113
- Bey, A., H. Pawitan, I. Las, B. Tjasyono, & F. Winarso. 1992. Evaluation of Indonesian climate ad anticipation of dry season. Prosiding Seminar Nasional Antisipasi Iklim 1992 dan Dampaknya terhadap Pertanian Tanaman Pangan. PERHIMPI Badan Litbang Pertanian. 23-49.
- Bideshki, A & Arvin, M. 2010. Effect of Salicylic Acid (SA) & Drought Stress on Growth, Bulb Yield & Allicin Content of Garlic (*Allium sativum*) in Field. *Plant Ecophysiology*. 2: 73-79.
- Blum A. 2005. Drought resistance, water-use efficiency, and yield potential—are they compatible, dissonant, or mutually exclusive? *Australian J of Agric Res* 56: 1159–1168.
- Boex-Fontvieille, E., Rustgi, S., Von Wettstein, D., Pollmann, S., Reinbothe, S., Reinbothe, C. 2016. Jasmonic acid protects etiolated seedlings of *Arabidopsis thaliana* against herbivorous arthropods. *Plant Signal. Behav.* 11, e1214349.
- Chowdhury , R.S., & Choudhuri, M.A. 1985. Hydrogen peroxidase metabolism as an index of water stress tolerance in jute. *Physiol,Plant.* 65: 503-507.
- Cipollini, D. 2005. Interactive effects of lateral shading and jasmonic acid on morphology, phenology, seed production, and defense traits in *Arabidopsis thaliana*. *Int. Plant Sci.* 166, 955–959.
- Creelman, R.A., Mullet, J.E. 1995. Jasmonic acid distribution & action in plants: regulation during development & response to biotic & abiotic stress. *Proc Natl Acad Sci.* 92: 4114-4119.
- Creelman, R.A., Mullet, J.E. 1997. Biosynthesis & Action of Jasmonates in Plant. *Annu. Rev. Plant Physiology, Plant Molecular Bio.* 48:32-81.
- Croteau, R., T.M. Kutchan, & N.G. Lewis. 2000. Natural products (secondary metabolites). *Bioch & Molecular Biol of Plants* 24:1250-1318.
- Dalton, T.P., Shertzer, H.G., & Puga, A. 1999. Regulation of gene expression by reactive oxygen. *Annu. Rev. Pharmacol. Toxicol.* 39, 67–101.
- Dawood, M.F and Abeed, A.H. (2020). Spermine-priming restrained water relations and biochemical deteriorations prompted by water deficit on two soybean cultivars. *Heliyon.*, 6 (5), pp. 1-11.



- Delker, C., Stenzel, I., Hause, B., Miersch, O., Feussner, I., & Waternack, C. 2006. Jasmonate biosynthesis in *Arabidopsis thaliana*-enzymes, products, regulation. *Plant Biol.* 8: 297-306.
- Demole, E., Ledere, e., & Mercier, D. 1962. Isolement et déterminonation de la structure du jasmonate de méthyle, constituant odorant caractéristique de l'essence de jasmin. *Helv. Chim. Acta*. 45: 675-685.
- Doares, S.H., Syrovets, T., Weiler, E.W., & Ryan, C.A. 1995. Oligogalacturonides & chitosan activate plant defensive genes through the octadecanoid pathway. *Proc. Natl. Acad. Sci. USA* 92, 4095–4098.
- Ertek A., Şensoy S., Küçükumuk C., & Gedik İ. 2006. Determination of plant-pan coefficients for field-grown eggplant (*Solanum melongena* L.) using class a pan evaporation values. *Agric. Water Manage.* 85, 58–66. <https://doi.org/10.1016/j.agwat.2006.03.013>.
- Farhangi-Abriz, S., & Ghassemi-Golezani, K. 2019. Jasmonates: Mechanisms & functions in abiotic stress tolerance of plants. *Biocatal & Agri Biotech.*
- Farhangi-Abriz, S & Ghassemi-Golezani, K.. 2018. Foliar sprays of salicylic acid (SA) & Jasmonic Acid (JA) Stimulate H⁺ -ATPase Activity of Tonoplast, Nutrient Uptake & Salt Tolerance of Soybean. *Ecotoxicology & Environmental Safety*. 166:18-25.
- Farooq, M., A. Wahid, N. Kobayashi, D. Fujita, & S.M.A. Basra. 2009. Plant Drought Stress : Effects, Mechanisms, & Management. *Agro Sustain* 29: 185-212.
- Feussner, I., & Wasternack, C. 2002. The lipoxygenase pathway. *Annu. Rev. Plant Biol.* 53: 275-297.
- Franceschi V.R, Giaquinta R.T. 1983. The paraveinal mesophyll of soybean leaves in relation to assimilate transfer and compartmentation. *Planta* 157: 411-421
- Franceshi, V.R. & Grimes, H.D. 1991. Induction of soybean vegetative storage protein and anthocyanins by low level atmospheric methyl jasmonate. *Proc Nat Acad Sci USA* 88: 4938–4941.
- Gardner *et.al.* 1985. *Fisiologi Tanaman Budidaya*. Susilo, H dan Subiyanto (Penerjemah). UI Press: Jakarta.
- Gardner, F.P, R.B. Pearce, and R.L. Mitchell. 1991. *Physiology of Crop Plant (Fisiologi Tanaman Budidaya)*, alih bahasa: D.H. Goenadi). Gadjah Mada University Press, Yogyakarta.
- Gardner, F. P., Pearce, R. B., & Mitchell, R. L. 2008. *Fisiologi tanaman budidaya*. Diterjemahkan oleh: Herawati Susiolo. Jakarta. UI Press.
- Ghassemi-Golezani, K., Farhangi-Abriz, S. 2018. Foliar sprays of salicylic acid and jasmonic acid stimulate H⁺-ATPase activity of tonoplast, nutrient uptake and salt tolerance of soybean. *Ecotoxicol. Environ. Saf.* 166, 18–25.



Giannopolitis, C.N. & Stanley, K. R. 1977. Superoxide Dismutase. Plant Physiol. 59: 309-314.

Girotti, A.W. 2001. Photosensitized oxidation of membrane lipids: Reaction pathways, cytotoxic effects & cytoprotective mechanisms. J. Photochem. Photobiol. B 63, 103–113.

Gubb, I.R. and H.S. MacTavish. 2002. Onion Pre- and Postharvest Considerations. (In: Allium Crop Science: Recent Advances. Editor: H.D. Rabinowitch and L. Currah). CAB International 2002.

Hasibuan, S., Tantawi, A.R., Gusmeizal. 2015. Aktivitas Filtrat Cendawan *Lasiodiploida theobromae* sebagai Inhibitor . Pertumbuhan Tanaman Bayam (Amaranthus spp. L.). *Jurnal Agr.* 2(2): 14-20.

Ilyas N, Gul R, Mazhar R, Saeed M, Kanwal S, Shabir S, & Bibi F. 2017. Influence of Salicylic Acid & Jasmonic Acid on Wheat under Drought Stress. Communications in Soil Scie & Plant Analyses. 48: 2715-2723.

Jaleel, C. A., P. Manivannan, B. Sankar, A. Kishorekumar, R. Gopi, R. Somasundaram, and R. Panneerselvam. 2007. Water deficit stress mitigation by calcium chloride in Catharanthus roseus: Effects on oxidative stress, proline metabolism and indole alkaloid accumulation. Colloids Surfaces B. Biointerfaces 60:110–11. doi:10.1016/j.colsurfb.2007.06.006.

Jensen, C.R., V.O. Mongensen, G. Mortesen, M.N. Andersen, J.K Schjoerring, J.H. Thange & J. Koribidis, 1996. Leaf photosynthesis & drought adaption in field-grown oilseed rape (*Brassica napus L.*). Aust. J. Plant Physiol 23:631-644.

John G. Turner, Christine Ellis & Alessandra Devoto. 2002. The Jasmonate Signal Pathway. *The Plant Cell*. 153-164.

Kang Y, Wang F-X, Liu H.-J, Yuan B.-Z. 2004. Potato evapotranspiration and yield under different drip irrigation regimes. *Irrig. Sci.* 23, 133–143. <https://doi.org/10.1007/s00271-004-0101-2>.

Kazan, K., Manners, J.M. 2012. JAZ repressors and the orchestration of phytohormone crosstalk. *Trends in Plant Science*. vol 17: 22–31

Kementerian Pertanian. 2016. Komoditas Pertanian Sub Sektor Hortikultura. Pusat Data dan Sistem Informasi Pertanian. Kementerian Pertanian.

Kerepsi, I. & G. Galiba. 2000. Osmotic and salt stress-induced alteration in soluble carbohydrate content in wheat seedlings. *Crop Sci.* 29: 1519-1523

Ketabchi, S. & M. Shahrtash. 2011. Effects of Methyl Jasmonate and Cytokinin on Biochemical Responses of Maize Seedlings Infected by *Fusarium moniliforme*. *Asian Journal of Experimental Biol Scie.* 2 : 299-305.

Khan, M.S., Akther, T., MubarakAli, D. & Hemalatha, S. 2019. An investigation on the role of salicylic acid alleviate the saline stress in rice crop (*Oryza sativa*



(L). Biocatal Agric Biotechnol 18.
[https://doi.org/10.1016/j.bcab.2019.101027.](https://doi.org/10.1016/j.bcab.2019.101027)

Kim, E.H., Kim Y.S., Park, S.H., Koo, Y.J., Do Choi Y., Chung Y.Y., Lee, I.J., Kim, J.K. 2009 a a. Methyl jasmonate reduce grain yield by mediating stress signals to alter spikelet development in rice. *Plant Physiol.* 149: 1751-1760.

Kiribuchi, K., Jikumaru, Y., Kaku, H., Minami, E., Hasegawa, M., Kodama, O., Seto, H., Okada, K., Nojiri, H., & Yamane, H. 2005. Involvement of the basic helix-loop-helix transcription factor RERJ1 in wounding & drought stress responses in rice plants. *Biosci. Biotechnol. Biochem.* 69: 1042-1044.

Klotz, L.-O. 2002. Oxidant-induced signaling: Effects of peroxynitrite & singlet oxygen. *Biol. Chem.* 383: 443-456.

Knofel HD, Bruckner C, Kramell R, Sembdner G, Schreiber K (1984) A radioimmunoassay for jasmonic acid. *Biochem Physiol Pflanzen* 179: 317-325.

Koda Y. 1992. The role of jasmonic acid and related compounds in the regulation of plant development. *Int. Rev. Cytol.* 135: 155–99.

Kramer, P. J. 1969. Plant and Soil Water Relationships. Modern Synthesis Reprint in India arrangement with Mc. Graw-Hill, Inc, New YorkGrawHill Inc.,New York.

Lambert, E., Faizal, A. & Geelen, D. 2011. Modulation of Triterpene Saponin Production : In Vitro Cultures, Elicitation, & Metabolic Engineering. *Biochemis & Biotech.* 164: 220-237.

Lehmann, J., Atzorn, R., Brückner, C., Reinbothe, S., Leopold, J., Wasternack, C., Parthier, B. 1995. Accumulation of jasmonate, abscisic acid, specific transcripts and proteins in osmotically stressed barley leaf segments. *Planta* 197, 156–162.

Li, X., Schmid, B., Wang, F., & Paine. 2016. Net assimilation rate determines the growth rates of 14 species of subtropical forest trees. *PLOS ONE.*, 11(3), pp. 1–13.

Li, B., Feng, Y., Zong, Y., Zhang, D., Hao, X., & Li, P. 2020. Elevated CO₂-induced changes in photosynthesis, antioxidant enzymes and signal transduction enzyme of soybean under drought stress. *Plant Phsy. And Bioch* 154 : 105-114.

Lima, A. L. S., F.M. DaMatta, H. A. Pinheiro, M. R. Totola, & M. E. Loureiro. 2001. Photochemical Responses and Oxidative Stress in Two Clones of Coffea Canephora Under Water Deficit Conditions. *Environmental and Experimental Botany.* 47: 239-247.

Lipiec, J., C. Doussan, A. Nosalewicz, & K. Kondracka.2013. Effect Of Drought & Heat Stresses On Plant Growth & Yield : A Review. *International Agrophysiologi* 27 : 463-447.



- Liu, N. & Avramova, Z. 2016. Molecular mechanism of the priming by jasmonic acid of spesific dehydration stress response genes in *Arabidopsis*. *Epigenet. Chromatin* 9, 8.
- Mabood, F., Zhou, X.M., Lee, K.D., Smith, D.L . 2006. Methyl jasmonate, alone or in combination with genistein, and *Bradyrhizobium japonicum* increases soybean (*Glycine max L.*) plant dry matter.
- Makbul, S., N.S.Guler, N. Durmus & S.Guven. 2011. Changes In Anatomical And Physiological Parameters Of Soybean Under Drought Stress. *Turk J Bot* 35 : 369-377.
- Marklund S, G Marklund. 1974. Involvement of the superoxide anion radical in the auto oxidation of pyrogallol and a convenient assay for superoxide dismutase. *Eur. J. Biochem.*, 47 : 469-474.
- Maslenkova, L.T., Miteva, T.S., Popova, L.P. 1992. Changes in the polypeptide patterns of barley seedlings exposed to jasmonic acid and salinity. *Plant Physiol.* 98, 700–707.
- Mason H.S., Guerrero F.D., Boyer J.S., Mullet J.E. 1988. Proteins homologous to leaf glycoproteins are abundant in stems of dark-grown soybean seedlings. Analysis of proteins and cDNAs. *Plant Mol Biol.* 11: 845-856.
- Mason H.S. & Mullet J.E. 1990. Expression of two vegetative storage protein genes during development and in response to water deficit, wounding and jasmonic acid. *Plant Cell* 2: 569- 579.
- Meuriota, F. , Carine Noqueta , Jean-Christophe Avicea, Jeffrey J. Volenech , Suzanne M. Cunninghamb , Thomas G. Sorsb , Se'bastien Caillota and Alain Ourrya. 2004.Methyl jasmonate alters N partitioning, N reserves accumulation and induces gene expression of a 32-kDa vegetative storage protein that possesses chitinase activity in *Medicago sativa* taproots. *Phsy. Plant.* 120: 113–123.
- Meyer A, O Miersch, C Buttner, W Dathe, G Sembdner. 1984. Occurrence of the plant growth regulator jasmonic acid in plants. *J Plant Growth Regul* 3: 1-8
- Mariska, I. 2013. Metabolit sekunder: Jalur pembentukan dan kegunaannya. <http://biogen.litbang.pertanian.go.id/>. Diakses tanggal 11 November 2019.
- Mubyantoro, B. M. 1997. Tanggapan Tanaman Kopi Terhadap Cekaman Air. *Warta Puslit Kopi dan Kakao* 13. Hortikultura. (2): 83-95.
- Murakami, J., Tsujama, M., Kobayashi, Y., Kodama, H., & Iba, K. 2000. Trienoic fatty acids & plant tolerance of high temperature. *Scie* 287, 476–479.
- Muthanna, M.A., Singh, A.K., Tiwari, A., Jain, V.K., Padhi, M. 2017. Effect of Boron and Sulphur Application on Plant Growth and Yield Attributes of Potato (*Solanum tuberosum L.*). *International Journal of Current Microbiology and Applied Sciences.* vol 6(10): 399-404. doi: <https://doi.org/10.20546/ijcmas.2017.610.049>.



Op den camp, L.R.G.L., Dominika, P., Christian, O., Christophe, L., Chanhong, K., Antoine, D., Daniela, W., Éva, H., Cornelius, G., Ivo, F., Mena, N., Klaus, A. 2003. Rapid Induction of Distinct Stress Responses after the Release of Singlet Oxygen in *Arabidopsis*. *The Plant Cell*. Vol 15, 2320-2332.

Pancaningtyas, S., T.I. Santoso & Sudarsianto. 2014. Studi perkecambahan benih kakao melalui metode perendaman. *J. Pelita Perkebunan*. 30(3): 190-197.

Pandey, N., Iqbal, Z., Pandey, B.K. & Sawant, S.V. 2017. Phytohormones & drought stress: plant responses to transcriptional regulation. In : Mechanism of Plant Hormone Signaling under Stress. John Wiley & Sons, Hoboken, New Jersey, United States, pp. 477-504.

Pang, J.L., Wang, L.L., Hu, J.Q., Xiang, T.H., Liang, H.M. 2006. Synergistic promotion of gibberellin and cytokinin on direct regeneration of floral buds from in vitro cultures of sepal segments in *sinningia speciosa* hiern. In *Vitro Cellular & Developmental Biology – Plant*. vol 42: 450.

Parthier, B., Bruckner, C., Dathe, W., Hause, B., Herrmann, G., Knofel, H.D., Kramell, H.M., Kramell, R., Lehmann, J., Miersch, O., Reinbothe, S. 1992. Jasmonates: metabolism, biological activities & modes of action in senescence & stress responses. *Progress in plant growth regulation*. 13: 276-285.

Parthier, B., 1991. Jasmonates, new regulators of plant growth and development: many facts and few hypotheses on their actions. *Bot. Acta* 104, 446–454.

Parvaiz, A., Ahanger, M.A., Alyemeni, M.A., Wijaya, L., Alam, P. & Ashraf, M. 2017. Mitigation of Sodium Chloride Toxicity in *Solanum lycopersicum* L. by Supplementation of Jasmonic Acid & Nitric Oxide. *Journal of Plant Interactions* 13 (1) : 64-72.

Pelacho, A.M. & Mingo-Castel, A.M. 1991. Jasmonic acid induces tuberization of potato stolons cultured in vitro. *Plant Physiol*. 97: 1253–55.

Pelter, G.Q., Mittelstadt, R., Leib, B.G., Redulla, C.A., 2004. Effects of water stress at specific growth stages on onion bulb yield and quality. *Agriculture Water Management*. 68: 107–115.

Per, T.S., Khan, M.I.R., Anjum, N.A., Masood, A., Hussain, S.J., Khan, N.A. 2018. Jasmonates in plants under abiotic stresses: crosstalk with other phytohormones matters. *Environ. Exp. Bot.* 145, 104–120.

Prediere, S., Norman, H.A. & Krizek, D.T. 1995. Influence of UV-B radiation on membrane lipid composition & ethylene of evolution in 'Doyenne d'Hiver' pear shoots grown in vitro under different photosynthetic photo fluxes. *Environ. Exp. Bot.* 35: 151-160.

Prochazkova, D., R.K. Sairam, G.C. Srivastava & D.V. Singh, 2001. Oxidative stress and antioxidant activity as the basis of senescence in maize leaves. *Plant Sci.*, 161: 765–771.



PUSLITBANGHORTI (Pusat Penelitian dan Pengembangan Hortikultura). 2015. Budidaya Tanaman Bawang Merah. <http://hortikultura.litbang.pertanian.go.id/teknologi-detail-42.html>. Diakses 15 September 2019.

Putrasamedja, S., dan Suwandi, 1996. Varietas Bawang Merah di Indonesia. Balai Penelitian Tanaman Sayuran.

Qiu, Z., Guo, J., Zhu, A., Zhang, L., & Zhang, M.. 2014. Exogenous Jasmonic Acid can Enhance Tolerance of Wheat Seedlings to Salt Stress. Ecotoxicology & Environmental Safety. 104: 202-208.

Rao, N.K.S. 2016. Onion. In: Rao, N.K.S., Shivashankara, K.S., Laxman, R.H. (Eds.). Abiotic Stress Physiology of Horticultural Crops. Springer (India) Pvt. Ltd : 133–149.

Ravníkar M, Vilhar B, Gogala N. 1992. Stimulatory effects of jasmonic acid on potato stem node and protoplast culture. *J. Plant Growth Regul.* 11:29–33

Rebeiz, C.A., Montazer-Zouhoor, A., Mayasich, J.M., Tripathy, B.C., Wu, S.-M., & Rebeiz, C. 1988. Photodynamic herbicides: Recent developments & molecular basis of selectivity. *CRC Crit. Rev. Plant Sci.* 6, 385–436.

Reinbothe, C., Springer, A., Samol, I. & Reinbothe, S. 2009. Plant Oxylipins: Role of Jasmonic Acid during Programmed Cell Death, Defence & Leaf Senescence. *FEBS journal.* 276: 4666-4681.

Rodríguez-Falcón, M., Bou, J., Prat, S. 2006. Seasonal control of tuberization in potato: conserved elements with the flowering response. *Annual Review of Plant Biology.* vol 57: 151-180. doi: <https://doi.org/10.1146/annurev.arplant.57.032905.105224>.

Op den Camp, R. G. L., Przybyla, D., Ochensbein, C., Laloi, C., Chanhong, K., A. Danon, D. Wagner, Hideg, É. Göbel, C., Feussner, I., Nater, M & Apel, K. 2003. Rapid Induction of Distinct Stress Responses after the Release of Singlet Oxygen in *Arabidopsis*. *The Plants Cell.* 15: 2320-2332.

Rossato, L., MacDuff, J.H., Laine' P, Le Deunff, E. & Ourry, A. 2002. Nitrogen storage and remobilization in *Brassica napus* L. during the growth cycle: effects of methyl jasmonate on nitrate uptake, senescence, growth and VSP accumulation. *J Exp Bot* 53: 1131–1141.

Ryan, C.A., & Pearce, G. 1998. Systemin: A polypeptide signal for plant defensive genes. *Annu. Rev. Cell Dev. Biol.* 14, 1–17.

Ryan, C.A., Pearce, G., Scheer, J., & Moura, D.S. 2002. Polypeptide hormones. *Plant Cell* 14 (suppl.), S251–S264.

Sarabi, B., Fresneau, C., Ghaderi, N., Bolandnazar, S., Streb, P., Badeck, F.W., Citerne, S., Tangama, M., David, A., Ghashghaei, J.(2019). Stomatal and non-stomatal limitations are responsible in down-regulation of



photosynthesis in melon plants grown under the saline condition: application of carbon isotope discrimination as a reliable proxy. *Plant Physiol. Biochem.*, 141, pp. 1–19.

Shao, R.X., Xin, L.F., Guo, J.M., Zheng, H.F., Mao, J., Han, X.P., Jia, L., Jia, S.J., Du, C.G., Song, R., Yang, Q.H. (2018). Salicylic acid-induced photosynthetic adaptability of *Zea mays L.* to polyethylene glycol-simulated water deficit is associated with nitric oxide signaling. *Photosynthetica*, 56 (4), pp. 1370–1377.

Salisbury, F.B & Marinos, N.G. 1985. The Ecological Role of Plant Growth Substances. Hormonal Regulation of Development. 707-766.

Salisbury, F.B & C.W. Ross. 1995. *Fisiologi Tumbuhan*. Jilid 3. Terjemahan dari : *Plant Physiology* . Penerjemah D. R .Lukman dan Sumaryono. Penerbit ITB. Bandung.

Saravanan, T., R. Baskaran & M. Muthusamy. 2004. *Pseudomonas fluorescens* induced enzymological changes in banana roots (Cv. Rasthali) against fusarium wilt disease. *Plant Pathology Journal* 3: 72-80.

Sasaki, Yet al. 2001. Monitoring of methyl jasmonate-responsive genes in *Arabidopsis* by cDNA macroarray: Self-activation of jasmonic acid biosynthesis & crosstalk with other phytohormone signaling pathways. *DNA Res.* 8, 153–161.

Sayyari, M., Ghavami, F. & Kordi, S. 2013. Assessment of Salicylic Acid Impacts on Growth Rate & Some Physiological Parameters of Lettuce Plants under Drought Stress Conditions. *International Journal of Agriculture & Crop Sciences*. 5(17) : 1951-1957.

Sembdner G, Parthier B. 1993. The biochemistry and the physiological and molecular actions of jasmonates. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 44:569–89.

Shan, C. & Z. Liang. 2010. Jasmonic acid regulates ascorbate and glutathione metabolism in *Agropyron cristatum* leaves under water stress. *Plant Sci.* 178 (2): 130-139.

Shan, C., Zhou, Y., Liu, M. 2015. Nitric oxide participates in the regulation of the ascorbate-glutathione cycle by exogenous jasmonic acid in the leaves of wheat seedlings under drought stress. *Protoplasma*. 252: 1397-1405.

Smika, D.E & A. Klute. 1982. Surface Area Measurement of Corn Root Systems. *Agronomy Journal*. 74 (6).

Smirnoff, N. 1993. The role of Reactive Oxygen in the response of plants to water deficit & desiccation. *J. New Phytol.* 125: 27-30.

Sibylle, M. Wilbert, Lowell H. Ericsson & Milton P. Gordon. 1998. Quantification of Jasmonic Acid, Methyl Jasmonate & Salicylic Acid in Plants by Capillary Liquid Chromatography Electrospray T&em Mass Spectrometry. *Analy. Bioch.* 257: 186-194.



Staswick, P.E. 1994. Storage proteins of vegetative plant tissues. *Annu Rev Plant Physiol Plant Mol Biol* 45: 303–322.

Staswick, P.E. 1990. Novel regulation of vegetative storage protein genes. *Plant Cell* 2: 1-6.

Staswick PE. 1989. Developmental regulation and the influence of plant sinks on vegetative storage protein gene expression in soybean leaves. *Plant Physiol.* 89: 309–15.

Sumarni, N & Hidayat, A. 2005. Budidaya Bawang Merah. Balai Penelitian Tanaman Sayuran.

Sumarni, N & R. Rosliani. 1996. Ekologi bawang merah : teknologi produksi bawang merah. Bandung (ID): Balai Penelitian Tanaman Sayuran Lembang. 12-17 p.

The National Agricultural Library. 2018. National Nutrient Database for Standard Reference. <http://ndb.nal.usda.gov>. Diakses 10 November 2019.

Todaka, D., Shinozaki, K., Yamaguchi-Shinozaki, K. 2015. Recent advances in dissection of drought-stress regulatory networks & strategies for development of drought-tolerant transgenic rice plants. *Mol. Plant* 3: 956-972.

Triana Rohmawati & Kumala Dewi. 2019. Effect of Methyl Jasmonate on Vegetative Growth and Formation of Potato Tuber (*Solanum tuberosum* L. var. Granola). *Biogenesis* 7 (1): 24-29.

Vick, B.A., Zimmerman, D.C. 1984. The biosynthesis of jasmonic acid by several plant species. *Plant Physiol* 75: 458-461.

Vick, B.A., & Zimmerman, D.C. 1983. The biosynthesis of jasmonic acid : a physiological role for plant lipoxygenase. *Biochem. Biophys. Res. Commun.* 111: 470-477.

Vick. B.A., Zimmerman, D.C. 1986. Characterization of 12-oxophytodienoic acid reductase in corn. *Plant Physiol* 80: 202-205

Wager, A. 2012. Social network: JAZ protein interactions expand our knowledge of jasmonate signaling. *Front. Plant Sci.* 3, 41.

Walia, H., Wilson, C., Condamine, P., Liu, X., Ismail, A.M. & Close, T.J. 2007. Large-Scale Expression Profiling and Physiological Characterization of Jasmonic Acid-Mediated Adaptation of Barley to Salinity Stress. *Plant, Cell & Environment*. 30: 410-421.

Weidhase, R.A., Kramell, H.M., Lehmann, J., Liebisch, H.W., Lerbs, W., Parthier, B., 1987. Methyljasmonate-induced changes in the polypeptide pattern of senescent barley leaf segments. *Plant Sci.* 51, 177–186.



- Weidhase, R.A., Kramell, H.M., Lehmann, J., Liebisch, H.W., Lerbs, W., Parthier, B., 1987. Methyljasmonate-induced changes in the polypeptide pattern of senescing barley leaf segments. *Plant Sci.* 51, 177–186.
- Wittenbach, V.A. 1983. Purification and characterization of a soybean leaf storage glycoprotein. *Plant Physiol.* 73:125–29.
- Wu H, Xiaoli W, Zhaohu Li, Liusheng D, Mingcai Z. 2012. Physiological evaluation of drought stress tolerance & recovery in cauliflower (*Brassica oleracea* L.) seedlings treated with methyl jasmonate & coronatine. *J Plant Growth Regul.* 31:113-123.
- Wasternack, C. 2014 . Action of jasmonates in plants stress responses & development-applied aspects. *Biotechnol. Adv.* 32: 31-39.
- Wijaya, Pravej Alam & Mohammad Ashraf. 2017. Mitigation of Sodium Chloride Toxicity in *Solanum lycopersicum* L. by Supplementation of Jasmonic Acid & Nitric Oxide. *Journal of Plant Interactions* 13 (1) : 64-72.
- Wu H, Xiaoli W, Zhaohu Li, Liusheng D & Mingcai Z. 2012. Physiological Evaluation of Drought Stress Tolerance & Recovery in Cauliflower (*Brassica oleracea* L.) seedlings treated with Methyl Jasmonate & Coronatine. *J Plant Growth Regul.* 31:113-123.
- Yordanov, I., Velikova, V. & Tsonev, T. 2000. Plant responses to drought, acclimation & stress tolerance. *Photosynthetica* 38, 171-186.
- Yudono, P. 2012. Pemberian Tanaman. Gadjah Mada University Press.Yogyakarta.
- Zalewski, K., Nitkiewicz, B., Lahuta, L.B., Głowiak, K., Socha, A., Amarowicz, R. 2010. Effect of jasmonic acid-methyl ester on the composition of carbohydrates and germination of yellow lupine (*Lupinus luteus* L.) seeds. *J Plant Physiol* 167:967–973.
- Zhu, B. & Coleman, G.D. 2001. Phytochrome-mediated photoperiod perception, shoot growth, glutamine, calcium, and protein phosphorylation influence the activity of the poplar bark storage protein gene promoter (bspA). *Plant Physiol* 126: 342–351.