

DAFTAR PUSTAKA

- Akram, M., Iqbal, M., Daniyal, M., & Khan, A. U. (2017). Awareness and current knowledge of breast cancer. *Biological Research*, 50(1), 1–23. <https://doi.org/10.1186/s40659-017-0140-9>
- Alghadir, A. H., Anwer, S., Iqbal, A., & Iqbal, Z. A. (2018). Test-retest reliability, validity, and minimum detectable change of visual analog, numerical rating, and verbal rating scales for measurement of osteoarthritic knee pain. *Journal of Pain Research*, 11, 851–856. <https://doi.org/10.2147/JPR.S158847>
- American Cancer Society. (2017). About Breast Cancer. *Breast Cancer Facts and Figures*, 1–19. https://www.cancer.org/content/dam/CRC/PDF/Public/8577.00.pdf%0Ahttp://www.breastcancer.org/symptoms/understand_bc/what_is_bc
- American Joint Committee on Cancer. (2010). *Breast Cancer Staging* (7th ed.). The American Cancer Society. <https://cancerstaging.org/references-tools/quickreferences/documents/breastmedium.pdf>
- Avancini, A., Tregnago, D., Rigatti, L., k... & Lanza, M. (2020). Factors Influencing Physical Activity in Cancer Patients During Oncological Treatments: A Qualitative Study. *Integrative Cancer Therapies*, 19. <https://doi.org/10.1177/1534735420971365>
- Ballard-Barbash, R., Friedenreich, C. M., Courneya, K. S., ... & Alfano, C. M. (2012). Physical activity, biomarkers, and disease outcomes in cancer survivors: A systematic review. *Journal of the National Cancer Institute*, 104(11), 815–840. <https://doi.org/10.1093/jnci/djs207>
- Beasley, J. M., Kwan, M. L., Chen, W. Y., & Bette J. Caan. (2012). Meeting the Physical Activity Guidelines and Survival After Breast Cancer: Findings from the After Breast Cancer Pooling Project. *Breast Cancer Res Trest*, 131(2), 637–643. <https://doi.org/10.1007/s10549-011-1770-1.Meeting>
- Benson, A. B., Schrag, D., Somerfield, M. R., ... & Haller, D. G. (2004). American Society of Clinical Oncology recommendations on adjuvant chemotherapy for stage II colon cancer. *Journal of Clinical Oncology*, 22(16), 3408–3419. <https://doi.org/10.1200/JCO.2004.05.063>

- Blanchard, C. M., Courneya, K. S., & Stein, K. (2008). Cancer survivors' adherence to lifestyle behavior recommendations and associations with health-related quality of life: Results from the American Cancer Society's SCS-II. *Journal of Clinical Oncology*, 26(13), 2198–2204. <https://doi.org/10.1200/JCO.2007.14.6217>
- Breivik, H., Borchgrevink, P. C., Allen, S. M.,... & Stubhaug, A. (2008). Assessment of pain. *British Journal of Anaesthesia*, 101(1), 17–24. <https://doi.org/10.1093/bja/aen103>
- Brunet, J., Taran, S., Burke, S., & Sabiston, C. M. (2013). A qualitative exploration of barriers and motivators to physical activity participation in women treated for breast cancer. *Disability and Rehabilitation*, 35(24), 2038–2045. <https://doi.org/10.3109/09638288.2013.802378>
- Canário, A. C. G., Cabral, P. U. L., De Paiva, L. C., ... & Da Silveira Gonçalves, A. K. (2016). Physical activity, fatigue and quality of life in breast cancer patients. *Revista Da Associacao Medica Brasileira*, 62(1), 38–44. <https://doi.org/10.1590/1806-9282.62.01.38>
- Registrasi Kanker Berbasis Rumah Sakit Dr Sardjito/FKKMK UGM, (2020). canreg.fk.ugm.ac.id
- Carayol, M., Ninot, G., Senesse, P., ...& Jacot, W. (2019). Short- and long-term impact of adapted physical activity and diet counseling during adjuvant breast cancer therapy: The “aPAD1” randomized controlled trial. *BMC Cancer*, 19(1), 1–21. <https://doi.org/10.1186/s12885-019-5896-6>
- Carmichael, A. R., Daley, A. J., Rea, D. W., & Bowden, S. J. (2011). Physical activity and breast cancer outcome: A brief review of evidence, current practice and future direction. *European Journal of Surgical Oncology*, 36(12), 1139–1148. <https://doi.org/10.1016/j.ejso.2010.09.011>
- Cho, D., & Park, C. L. (2017). Barriers to Physical Activity and Healthy Diet among Breast Cancer Survivors: A Multilevel Perspective. *Eur J Cancer Care*, 176(10), 139–148. <https://doi.org/10.1111/ecc.12772>.Barriers
- D Goultd, L, & B. (2001). Visual analog scale (VAS). *American Journal of Physical Medicine and Rehabilitation*, 80(10), 717. <https://doi.org/10.1097/00002060-200110000-00001>

- Dahlan, M. S. (2016). *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan* (Edisi 4).
- de Conno, F., Caraceni, A., Gamba, A., ... & Ventafridda, V. (1994). Pain measurement in cancer patients: a comparison of six methods. *Pain*, 57(2), 161–166. [https://doi.org/10.1016/0304-3959\(94\)90219-4](https://doi.org/10.1016/0304-3959(94)90219-4)
- Deacon, R., de Noronha, M., Shanley, L., & Young, K. (2019). Does the speed of aquatic therapy exercise alter arm volume in women with breast cancer related lymphoedema? A cross-over randomized controlled trial. *Brazilian Journal of Physical Therapy*, 23(2), 140–147. <https://doi.org/10.1016/j.bjpt.2018.11.004>
- Dieli-Conwright, C. M., Courneya, K. S., Demark-Wahnefried, W., ... & Mortimer, J. E. (2018). Effects of aerobic and resistance exercise on metabolic syndrome, sarcopenic obesity, and circulating biomarkers in overweight or obese survivors of breast cancer: A randomized controlled trial. *Journal of Clinical Oncology*, 36(9), 875–883. <https://doi.org/10.1200/JCO.2017.75.7526>
- Dinas Kesehatan Daerah Istimewa Yogyakarta. (2020). *Profil Kesehatan Provinsi DIY 2020*.
- Dong, X., Yi, X., Gao, D., ...& Ding, M. (2019). The effects of the combined exercise intervention based on internet and social media software (CEIBISMS) on quality of life, muscle strength and cardiorespiratory capacity in Chinese postoperative breast cancer patients:a randomized controlled trial. *Health and Quality of Life Outcomes*, 17(1), 1–9. <https://doi.org/10.1186/s12955-019-1183-0>
- Dontje, M. L. (2014). *Manon L. Dontje Daily physical activity in patients with a chronic disease*. www.netzodruk.nl
- Gokal, K., Munir, F., Wallis, D., ...& Kancherla, K. (2015). Can physical activity help to maintain cognitive functioning and psychosocial well-being among breast cancer patients treated with chemotherapy? A randomised controlled trial: study protocol. *BMC Public Health*, 15(1), 1–9. <https://doi.org/10.1186/s12889-015-1751-0>
- Gollhofer, S. M., Wiskemann, J., Schmidt, M. E., & Steindorf, K. (2015). Factors influencing participation in a randomized controlled resistance exercise intervention study in breast cancer patients during radiotherapy. *BMC Cancer*, 15(1), 1–9. <https://doi.org/10.1186/s12885-015-1213-1>

- Hardman, A. E., & Stensel, D. J. (2003). *Physical Activity and Health: The Evidence Explained*. Routledge.
- Hartman, S. J., Nelson, S. H., Myers, E., ... & Patterson, R. E. (2018). Randomized controlled trial of increasing physical activity on objectively measured and self-reported cognitive functioning among breast cancer survivors: The memory & motion study. *Cancer*, 124(1), 192–202. <https://doi.org/10.1002/cncr.30987>
- Hou, W., Li, Q., Liu, X., Zeng, Y., & Cheng, A. S. (2021). Exploring the employment readiness and return to work status of breast cancer patients and related factors. *International Journal of Nursing Sciences*, xxxx, 1–6. <https://doi.org/10.1016/j.ijnss.2021.09.001>
- Huneidi, S. A., Wright, N. C., Atkinson, A., Bhatia, S., & Singh, P. (2018). Factors associated with physical inactivity in adult breast cancer survivors—A population-based study. *Cancer Medicine*, 7(12), 6331–6339. <https://doi.org/10.1002/cam4.1847>
- International Agency for Research on Cancer (IARC) - World Health Organization. (2002). IARC Handbooks of Cancer Prevention: Weight Control and Physical Activity. *IARC Press*, 6, 1–315. <http://www.iarc.fr/en/publications/pdfs-online/prev/handbook6/>
- Irwin, M. L., Crumley, D., McTiernan, A.,& Ballard-Barbash, R. (2011). Physical activity levels before and after a diagnosis of breast cancer: The Health, Eating, Activity, and Lifestyle (HEAL) Study. *Bone*, 23(1), 1–7. <https://doi.org/10.1002/cncr.11227>
- Johnsson, A., Demmelmaier, I., Sjövall, K., ...& Tornberg, Å. B. (2019). A single exercise session improves side-effects of chemotherapy in women with breast cancer: an observational study. *BMC Cancer*, 19(1), 1–9. <https://doi.org/10.1186/s12885-019-6310-0>
- Kementerian Kesehatan Republik Indonesia. (2015). Panduan Penatalaksanaan Kanker Payudara. *Kementerian Kesehatan Republik Indonesia*, 1–50. <http://kanker.kemkes.go.id/guidelines/PPKPayudara.pdf>
- Kementerian Kesehatan Republik Indonesia. (2020). Aktivitas fisik dan diet seimbang mencegah kanker. *Depkes*, 7, 11–12. www.depkes.go.id
- Kementerian Kesehatan RI. (2018). Hasil Utama Riset Kesehatan Dasar

- (RISKESDAS). *Journal of Physics A: Mathematical and Theoretical*, 44(8), 1–200. <https://doi.org/10.1088/1751-8113/44/8/085201>
- Kim, T. H., Chang, J. S., & Kong, I. D. (2017). Effects of Exercise Training on Physical Fitness and Biomarker Levels in Breast Cancer Survivors. *Journal of Lifestyle Medicine*, 7(2), 55–62. <https://doi.org/10.15280/jlm.2017.7.2.55>
- King, T. A., Bolton, J. S., Kuske, R. R., ... & Jiang, X. Z. (2000). Long-term results of wide-field brachytherapy as the sole method of radiation therapy after segmental mastectomy for T(is,1,2) breast cancer. *American Journal of Surgery*, 180(4), 299–304. [https://doi.org/10.1016/S0002-9610\(00\)00454-2](https://doi.org/10.1016/S0002-9610(00)00454-2)
- Kisner, C., & Colby, L. A. (2012). *Therapeutic Exercise Foundations and Techniques* (Sixth Edit). F. A. Davis Company, Philadelphia.
- Kwan, M. L., Sternfeld, B., Ergas, I. J., ... & Kushi, L. H. (2012). Change in physical activity during active treatment in a prospective study of breast cancer survivors. *Breast Cancer Research and Treatment*, 131(2), 679–690. <https://doi.org/10.1007/s10549-011-1788-4>
- Liau, S. L., Connell, P. P., & Weichselbaum, R. R. (2013). New paradigms and future challenges in Radiation Oncology: An Update of Biological Targets and Technology*. *Sci Transl Med*, 20(5), 1–7. <https://doi.org/10.1126/scitranslmed.3005148>
- Margolis, K. L., Mucci, L., Braaten, T., ... & WeiderpassKaren, E. (2005). Physical activity in different periods of life and the risk of breast cancer: the Norwegian-Swedish Women's Lifestyle and Health cohort study. *Cancer Epidemiol Biomarkers Prev*, (1)(Jan;14), 27–32.
- Masood, S. (2016). Neoadjuvant chemotherapy in breast cancers. *Women's Health*, 12(5), 480–491. <https://doi.org/10.1177/1745505716677139>
- Mazzarino, M., Kerr, D., Wajswelner, H., & Morris, M. E. (2015). Pilates Method for Women's Health: Systematic Review of Randomized Controlled Trials. *Archives of Physical Medicine and Rehabilitation*, 96(12), 2231–2242. <https://doi.org/10.1016/j.apmr.2015.04.005>
- McGuire, S. (2016). World Cancer Report 2014. Geneva, Switzerland: World Health Organization, International Agency for Research on Cancer, WHO Press, 2015. *Advances in Nutrition*, 7(2), 418–419. <https://doi.org/10.3945/an.116.012211>

- Miles, L. (2007). Physical Activity, and the Prevention of Cancer: a Global Perspective. *WCRF/AICR (World Cancer Research Fund/American ...*, 250–282. https://scholar.google.com/scholar?hl=en&q=food&btnG=&as_sdt=1,5&as_sdtp=#3
- Müller, A., Homey, B., Soto, H., & Zlotnik, A. (2001). Involvement of chemokine receptors in breast cancer metastasis. *Nature*, 410(6824), 50–56. <https://doi.org/10.1038/35065016>
- Nelson, S. H., Weiner, L. S., Natarajan, L., ... & Hartman, S. J. (2020). Continuous, objective measurement of physical activity during chemotherapy for breast cancer: The Activity in Treatment pilot study. *Translational Behavioral Medicine*, 10(4), 1031–1038. <https://doi.org/10.1093/tbm/ibz079>
- Nilsson, H., Angerås, U., Bock, D.,& Angenete, E. (2016). Is preoperative physical activity related to post-surgery recovery? A cohort study of Patients with breast cancer. *BMJ Open*, 6(1). <https://doi.org/10.1136/bmjopen-2015-007997>
- Paramita, N., Nudwinuringtyas, N., Nuhonni, S. A.,& Cleeland, C. S. (2016). Validity and Reliability of the Indonesian Version of the Brief Fatigue Inventory in Cancer Patients. *Journal of Pain and Symptom Management*, 52(5), 744–751. <https://doi.org/10.1016/j.jpainsymman.2016.04.011>
- Park, S. W., Lee, I., Kim, J. Il,, & Lee, J. Y. (2019). Factors associated with physical activity of breast cancer patients participating in exercise intervention. *Supportive Care in Cancer*, 27(5), 1747–1754. <https://doi.org/10.1007/s00520-018-4427-3>
- Penttinen, H., Utriainen, M., Kellokumpu-Lehtinen, P. L.,& Saarto, T. (2019). Effectiveness of a 12-month Exercise Intervention on Physical Activity and Quality of Life of Breast Cancer Survivors; Five-year Results of the BREX-study. *In Vivo*, 33(3), 881–888. <https://doi.org/10.21873/invivo.11554>
- Prativi, G. O., Soegiyanto, & Sutardji. (2013). Pengaruh Aktivitas Olahraga Terhadap Kebugaran Jasmani. *JSSF (Journal of Sport Science and Fitness)*, 2(3), 32–36.
- Purwadi, H., Hadi, H., & Hasan, M. N. (2013). Faktor-Faktor yang Mempengaruhi Pemanfaatan Posyandu Lansia di Imogiri Kabupaten Bantul. *Jurnal Ners Dan Kebidanan Indonesia*, 01(01), 6–11.

- Ritvo, P., M, O., D, S. M., & JM, J. (2017). Smartphone-Enabled Health Coaching Intervention (iMOVE) to Promote Long-Term Maintenance of Physical Activity in Breast Cancer Survivors: Protocol for a Feasibility Pilot Randomized Controlled Trial. *JMIR Res Protoc*, 6(8), 165. <https://doi.org/10.2196/resprot.6615>
- Rock, C. L., Doyle, C., Demark-Wahnefried, W., ... & Gansler, T. (2012). Nutrition and physical activity guidelines for cancer survivors. *CA: A Cancer Journal for Clinicians*, 62(4), 242–274. <https://doi.org/10.3322/caac.21142>
- Rogers, L. Q., Courneya, K. S., Oster, R. A., & McAuley, E. (2017). Physical activity and sleep quality in breast cancer survivors: A randomized trial. *Medicine and Science in Sports and Exercise*, 49(10), 2009–2015. <https://doi.org/10.1249/MSS.0000000000001327>
- Salerno, E. A., Culakova, E., Kleckner, A. S., ...& Janelins, M. C. (2021). Physical Activity Patterns and Relationships With Cognitive Function in Patients With Breast Cancer Before, During, and After Chemotherapy in a Prospective, Nationwide Study. *Journal of Clinical Oncology*, 39(29). <https://ascopubs.org/doi/pdf/10.1200/JCO.20.03514>
- Santos, W. D. N. dos, Vieira, A., de Lira, C. A. B., & Vieira, C. A. (2019). Once a Week Resistance Training Improves Muscular Strength in Breast Cancer Survivors: A Randomized Controlled Trial. *Integrative Cancer Therapies*, 18. <https://doi.org/10.1177/1534735419879748>
- Schmidt, M. E., Wiskemann, J., Armbrust, P., ... & Steindorf, K. (2015). Effects of resistance exercise on fatigue and quality of life in breast cancer patients undergoing adjuvant chemotherapy: A randomized controlled trial. *International Journal of Cancer*, 137(2), 471–480. <https://doi.org/10.1002/ijc.29383>
- Schmitz, K. H., Courneya, K. S., Matthews, C., & Schwartz, A. L. (2010). American college of sports medicine roundtable on exercise guidelines for cancer survivors. *Medicine and Science in Sports and Exercise*, 42(7), 1409–1426. <https://doi.org/10.1249/MSS.0b013e3181e0c112>
- Shah, S. (2013). Pilates Exercises. *International Journal of Physiotherapy and Research*, 01(4), 196–203. www.ijmhr.org/ijpr.html
- Shapiro, C. L., & Recht, A. (2001). Side Effect of Adjuvant Treatment of Breast

- Cancer. *JThe New England Journal of Medicine*, 344(26).
- Shin, W. kyoung, Song, S., Jung, S. Y., ...& Lee, J. E. (2017). The association between physical activity and health-related quality of life among breast cancer survivors. *Health and Quality of Life Outcomes*, 15(1), 1–9. <https://doi.org/10.1186/s12955-017-0706-9>
- Soriano-Maldonado, A., Carrera-Ruiz, Á., Díez-Fernández, D. M., & Casimiro-Andújar, A. J. (2019). Effects of a 12-week resistance and aerobic exercise program on muscular strength and quality of life in breast cancer survivors: Study protocol for the EFICAN randomized controlled trial. *Medicine*, 98(44), e17625. <https://doi.org/10.1097/MD.00000000000017625>
- Sunarno, I. (2012). Konsep Sehat Menurut Perspektif Budaya Jawa. In *Universitas Airlangga* (Vol. 4, Issue 3). Universitas Airlangga.
- The National Institute on Aging. (2018). Exercise & PHysical Ctivity. *Health (San Francisco)*.
- Travier, N., Velthuis, M. J., Steins Bisschop, C. N., ...& May, A. M. (2015). Effects of an 18-week exercise programme started early during breast cancer treatment: A randomised controlled trial. *BMC Medicine*, 13(1), 1–11. <https://doi.org/10.1186/s12916-015-0362-z>
- Trisnowiyanto, B. (2017). Pengaruh Mat Pilates Exercise Terhadap Fleksibilitas Tubuh. *Jurnal Kesehatan*, 9(2), 40. <https://doi.org/10.23917/jurkes.v9i2.4583>
- Vadiraja, H. S., Rao, M. R., Nagarathna, R., & Rao, N. (2009). Effects of yoga program on quality of life and affect in early breast cancer patients undergoing adjuvant radiotherapy: A randomized controlled trial. *Complementary Therapies in Medicine*, 17(5–6), 274–280. <https://doi.org/10.1016/j.ctim.2009.06.004>
- Waluya, J. G., Rahayuwati, L., & Lukman, M. (2019). Pengaruh Supportive Educative Nursing Intervention (SENI) terhadap Pengetahuan dan Sikap Penyintas Kanker Payudara. *Media Karya Kesehatan*, 2(2), 128–144. <https://doi.org/10.24198/mkk.v2i2.22481>
- Wanchai, A., & Armer, J. M. (2019). Effects of weight-lifting or resistance exercise on breast cancer-related lymphedema: A systematic review. *International Journal of Nursing Sciences*, 6(1), 92–98. <https://doi.org/10.1016/j.ijnss.2018.12.006>

- Wells, C., Kolt, G. S., Marshall, P., Hill, B., & Bialocerkowski, A. (2013). Effectiveness of Pilates exercise in treating people with chronic low back pain: a systematic review of systematic reviews. *BMC Medical Research Methodology*, 13(1), 7. <https://doi.org/10.1186/1471-2288-13-7>
- World Cancer Research Fun. (2018). Diet, Nutrition, Physical Activity and Cancer: a Global Perspective. In *Continuous Update Project Expert Report 2018*. <http://gco.iarc.fr/today%0Adietandcancerreport.org>
- World Health Organisation. (2013). *WHO remains firmly committed to the principles set out in the preamble to the Constitution*. <https://www.who.int/about/governance/constitution>
- World Health Organisation. (2018). Cancer. *World Health Organisation*. <https://www.who.int/news-room/fact-sheets/detail/cancer>
- World Health Organization. (2018a). Noncommunicable Disease. In *Heart of Africa: Clinical Profile of an Evolving Burden of Heart Disease in Africa*. <https://doi.org/10.1002/9781119097136.part5>
- World Health Organization. (2018b). Noncommunicable diseases profiles by country. Indonesia. *World Health Organisation*, 2018. https://www.who.int/nmh/countries/2018/idn_en.pdf?ua=1
- Wulandari, sarah K., & Wahyunadi, N. M. D. (2020). Kemampuan Aktivitas Dan Fungsi Kognitif Pasien Kanker Payudara Yang Mendapat Kemoterapi. *Jurnal Keperawatan BSI*, VIII(1), 1–7. <http://ejurnal.ars.ac.id/index.php/keperawatan>